



## Utility for AWK-4131A Series (Wireless Search Utility) Release Notes

<b>Version:</b> v2.8	<b>Build:</b> 20072715
<b>Release Date:</b> Sep 23, 2020	

### Applicable Products

N/A

### Supported Operating Systems

N/A

### New Features

N/A

### Enhancements

N/A

### Bugs Fixed

Compatibility issues with AWK Series devices running firmware released in 2020.

### Changes

N/A

### Notes

N/A



<b>Version: v2.6</b>	<b>Build: Build 17071018</b>
<b>Release Date: Nov 27, 2017</b>	

### **Applicable Products**

AWK-1131A-EU, AWK-1131A-EU-T, AWK-1131A-JP, AWK-1131A-JP-T, AWK-1131A-US, AWK-1131A-US-T, AWK-3131A-EU, AWK-3131A-EU-T, AWK-3131A-JP, AWK-3131A-JP-T, AWK-3131A-US, AWK-3131A-US-T, AWK-4131A-US-T, AWK-4131A-JP-T, AWK-4131A-EU-T, AWK-1137C-EU, AWK-1137C-EU-T, AWK-1137C-JP, AWK-1137C-JP-T, AWK-1137C-US, AWK-1137C-US-T, TAP-213-EU-CT-T, TAP-213-JP-CT-T, TAP-213-US-CT-T, TAP-323-EU-CT-T, TAP-323-US-CT-T, TAP-323-JP-CT-T, AWK-3131A-M12-RTG-EU-CT-T, AWK-3131A-M12-RTG-US-CT-T, AWK-3131A-M12-RTG-JP-T, AWK-3131A-M12-RTG-EU-T, AWK-3131A-M12-RTG-JP-CT-T, AWK-3131A-M12-RTG-US-T, AWK-3131A-M12-RCC-EU-CT-T, AWK-3131A-M12-RCC-US-CT-T, AWK-3131A-M12-RCC-JP, AWK-3131A-M12-RCC-EU-T, AWK-3131A-M12-RCC-US-T, AWK-3131A-M12-RCC-JP-T, AWK-3131A-M12-RCC-EU-CT, AWK-3131A-M12-RCC-US-CT, AWK-3131A-M12-RCC-JP-CT, AWK-3131A-M12-RCC-EU, AWK-3131A-M12-RCC-US, AWK-3131A-M12-RCC-JP-CT-T, AWK-3131A-SSC-RTG-EU-T, AWK-3131A-SSC-RTG-US-T, AWK-3131A-SSC-RTG-JP-T, AWK-3131A-SSC-RTG-EU-CT-T, AWK-3131A-SSC-RTG-US-CT-T, AWK-3131A-SSC-RTG-JP-CT-T

### **Supported Operating Systems**

Windows 2000, Windows 7, Windows 95, Windows 98, Windows ME, Windows NT, Windows Server 2003, Windows Server 2008, Windows Vista, Windows XP

### **New Features**

- Supports second default account in login options.
- Supports unlock device with same IP Address.

### **Enhancements**

N/A

### **Bugs Fixed**

- Assigning IP address to multiple devices fails.
- Device occupies 99% CPU utilization after search process.
- Utility will be sometimes blocked after searching for devices.

### **Changes**

N/A

### **Notes**

N/A



<b>Version: v2.4</b>	<b>Build: Build 17032213</b>
<b>Release Date: N/A</b>	

### **Applicable Products**

AWK-1131A-EU, AWK-1131A-EU-T, AWK-1131A-JP, AWK-1131A-JP-T, AWK-1131A-US, AWK-1131A-US-T, AWK-3131A-EU, AWK-3131A-EU-T, AWK-3131A-JP, AWK-3131A-JP-T, AWK-3131A-US, AWK-3131A-US-T, AWK-4131A-US-T, AWK-4131A-JP-T, AWK-4131A-EU-T, TAP-213-EU-CT-T, TAP-213-JP-CT-T, TAP-213-US-CT-T

### **Supported Operating Systems**

Windows 2000, Windows 7, Windows 95, Windows 98, Windows ME, Windows NT, Windows Server 2003, Windows Server 2008, Windows Vista, Windows XP

### **New Features**

- Supports encrypted wireless search protocol.
- Includes troubleshooting functions.

### **Enhancements**

N/A

### **Bugs Fixed**

N/A

### **Changes**

N/A

### **Notes**

N/A



<b>Version: v2.3</b>	<b>Build: Build 16092116</b>
<b>Release Date: N/A</b>	

### **Applicable Products**

AWK-1131A-EU, AWK-1131A-EU-T, AWK-1131A-JP, AWK-1131A-JP-T, AWK-1131A-US, AWK-1131A-US-T, AWK-3131A-EU, AWK-3131A-EU-T, AWK-3131A-JP, AWK-3131A-JP-T, AWK-3131A-US, AWK-3131A-US-T, AWK-4131A-US-T, AWK-4131A-JP-T, AWK-4131A-EU-T, TAP-213-EU-CT-T, TAP-213-JP-CT-T, TAP-213-US-CT-T

### **Supported Operating Systems**

Windows 2000, Windows 7, Windows 95, Windows 98, Windows ME, Windows NT, Windows Server 2003, Windows Server 2008, Windows Vista, Windows XP

### **New Features**

- Supports device login for User-level user.

### **Enhancements**

N/A

### **Bugs Fixed**

N/A

### **Changes**

- Changed Random Number from 8 bytes to 32 bytes.

### **Notes**

N/A



<b>Version: v2.2</b>	<b>Build: Build 15122210</b>
<b>Release Date: N/A</b>	

### **Applicable Products**

AWK-1131A-EU, AWK-1131A-EU-T, AWK-1131A-JP, AWK-1131A-JP-T, AWK-1131A-US, AWK-1131A-US-T, AWK-3131A-EU, AWK-3131A-EU-T, AWK-3131A-JP, AWK-3131A-JP-T, AWK-3131A-US, AWK-3131A-US-T, AWK-4131A-US-T, AWK-4131A-JP-T, AWK-4131A-EU-T, TAP-213-EU-CT-T, TAP-213-JP-CT-T, TAP-213-US-CT-T

### **Supported Operating Systems**

Windows 2000, Windows 7, Windows 95, Windows 98, Windows ME, Windows NT, Windows Server 2003, Windows Server 2008, Windows Vista, Windows XP

### **New Features**

N/A

### **Enhancements**

N/A

### **Bugs Fixed**

- Assigning IP address fails when devices have the same IP address and the search protocol version is 2.

### **Changes**

N/A

### **Notes**

N/A



<b>Version: v2.1</b>	<b>Build: Build 15071611</b>
<b>Release Date: N/A</b>	

### **Applicable Products**

AWK-1131A-EU, AWK-1131A-EU-T, AWK-1131A-JP, AWK-1131A-JP-T, AWK-1131A-US, AWK-1131A-US-T, AWK-3131A-EU, AWK-3131A-EU-T, AWK-3131A-JP, AWK-3131A-JP-T, AWK-3131A-US, AWK-3131A-US-T, AWK-4131A-US-T, AWK-4131A-JP-T, AWK-4131A-EU-T, TAP-213-EU-CT-T, TAP-213-JP-CT-T, TAP-213-US-CT-T

### **Supported Operating Systems**

Windows 2000, Windows 7, Windows 95, Windows 98, Windows ME, Windows NT, Windows Server 2003, Windows Server 2008, Windows Vista, Windows XP

### **New Features**

N/A

### **Enhancements**

N/A

### **Bugs Fixed**

- Utility failed to find any device when doing unicast/multicast search.

### **Changes**

N/A

### **Notes**

N/A



<b>Version: v2.0</b>	<b>Build: Build 15030216</b>
<b>Release Date: N/A</b>	

### **Applicable Products**

AWK-1131A-EU, AWK-1131A-EU-T, AWK-1131A-JP, AWK-1131A-JP-T, AWK-1131A-US, AWK-1131A-US-T, AWK-3131A-EU, AWK-3131A-EU-T, AWK-3131A-JP, AWK-3131A-JP-T, AWK-3131A-US, AWK-3131A-US-T, AWK-4131A-US-T, AWK-4131A-JP-T, AWK-4131A-EU-T

### **Supported Operating Systems**

Windows 2000, Windows 7, Windows 95, Windows 98, Windows ME, Windows NT, Windows Server 2003, Windows Server 2008, Windows Vista, Windows XP

### **New Features**

- Supports configuration of multiple network interfaces.
- Supports both AWK and WDR series devices.

### **Enhancements**

N/A

### **Bugs Fixed**

- Upgrade timeout does not work.

### **Changes**

- Changed the name of the utility from "AWK Search Utility" to "Wireless Search Utility".

### **Notes**

N/A



<b>Version: v1.4</b>	<b>Build: Build 13100814</b>
<b>Release Date: N/A</b>	

### **Applicable Products**

AWK-1131A-EU, AWK-1131A-EU-T, AWK-1131A-JP, AWK-1131A-JP-T, AWK-1131A-US, AWK-1131A-US-T, AWK-3131A-EU, AWK-3131A-EU-T, AWK-3131A-JP, AWK-3131A-JP-T, AWK-3131A-US, AWK-3131A-US-T, AWK-4131A-US-T, AWK-4131A-JP-T, AWK-4131A-EU-T

### **Supported Operating Systems**

Windows 2000, Windows 7, Windows 95, Windows 98, Windows ME, Windows NT, Windows Server 2003, Windows Server 2008, Windows Vista, Windows XP

### **New Features**

- Supports the import and export functionality for the RTG series.

### **Enhancements**

N/A

### **Bugs Fixed**

- Verified and fixed the ABC-01 issue.

### **Changes**

N/A

### **Notes**

N/A





<b>Version: v1.3</b>	<b>Build: Build 10112516</b>
<b>Release Date: N/A</b>	

### **Applicable Products**

AWK-1131A-EU, AWK-1131A-EU-T, AWK-1131A-JP, AWK-1131A-JP-T, AWK-1131A-US, AWK-1131A-US-T, AWK-3131A-EU, AWK-3131A-EU-T, AWK-3131A-JP, AWK-3131A-JP-T, AWK-3131A-US, AWK-3131A-US-T, AWK-4131A-US-T, AWK-4131A-JP-T, AWK-4131A-EU-T

### **Supported Operating Systems**

Windows 2000, Windows 7, Windows 95, Windows 98, Windows ME, Windows NT, Windows Server 2003, Windows Server 2008, Windows Vista, Windows XP

### **New Features**

- Supports import from ABC-01 and export to ABC-01.

### **Enhancements**

N/A

### **Bugs Fixed**

N/A

### **Changes**

N/A

### **Notes**

N/A



<b>Version: v1.2</b>	<b>Build: Build 10063014</b>
<b>Release Date: N/A</b>	

### **Applicable Products**

AWK-1131A-EU, AWK-1131A-EU-T, AWK-1131A-JP, AWK-1131A-JP-T, AWK-1131A-US, AWK-1131A-US-T, AWK-3131A-EU, AWK-3131A-EU-T, AWK-3131A-JP, AWK-3131A-JP-T, AWK-3131A-US, AWK-3131A-US-T, AWK-4131A-US-T, AWK-4131A-JP-T, AWK-4131A-EU-T

### **Supported Operating Systems**

Windows 2000, Windows 7, Windows 95, Windows 98, Windows ME, Windows NT, Windows Server 2003, Windows Server 2008, Windows Vista, Windows XP

### **New Features**

- Supports Windows 7.

### **Enhancements**

N/A

### **Bugs Fixed**

- Utility can't search device when Windows Firewall is enabled on Windows Server 2008.

### **Changes**

N/A

### **Notes**

N/A



<b>Version: v1.1</b>	<b>Build: Build 09110415</b>
<b>Release Date: N/A</b>	

### **Applicable Products**

AWK-1131A-EU, AWK-1131A-EU-T, AWK-1131A-JP, AWK-1131A-JP-T, AWK-1131A-US, AWK-1131A-US-T, AWK-3131A-EU, AWK-3131A-EU-T, AWK-3131A-JP, AWK-3131A-JP-T, AWK-3131A-US, AWK-3131A-US-T, AWK-4131A-US-T, AWK-4131A-JP-T, AWK-4131A-EU-T

### **Supported Operating Systems**

Windows 2000, Windows 7, Windows 95, Windows 98, Windows ME, Windows NT, Windows Server 2003, Windows Server 2008, Windows Vista, Windows XP

### **New Features**

N/A

### **Enhancements**

N/A

### **Bugs Fixed**

- Memory overflow when the SSID length is more than 100.
- Fixed the height of items on the dashboard.

### **Changes**

N/A

### **Notes**

N/A



<b>Version: v1.0</b>	<b>Build: build 09060811</b>
<b>Release Date: N/A</b>	

### **Applicable Products**

AWK-1131A-EU, AWK-1131A-EU-T, AWK-1131A-JP, AWK-1131A-JP-T, AWK-1131A-US, AWK-1131A-US-T, AWK-3131A-EU, AWK-3131A-EU-T, AWK-3131A-JP, AWK-3131A-JP-T, AWK-3131A-US, AWK-3131A-US-T, AWK-4131A-US-T, AWK-4131A-JP-T, AWK-4131A-EU-T

### **Supported Operating Systems**

Windows 2000, Windows 7, Windows 95, Windows 98, Windows ME, Windows NT, Windows Server 2003, Windows Server 2008, Windows Vista, Windows XP

### **New Features**

- First release.

### **Enhancements**

N/A

### **Bugs Fixed**

N/A

### **Changes**

N/A

### **Notes**

N/A