



## ioAdmin Configuration Utility Release Notes

<b>Version: v3.20</b>	<b>Build: 22062315</b>
<b>Release Date: Jul 12, 2022</b>	

### Applicable Products

ioLogik E2200 Series, ioLogik W5340 Series

### Supported Operating Systems

Windows 10, Windows 11, Windows 7, Windows 8, Windows Server 2003, Windows Server 2008, Windows Server 2012, Windows Server 2022

### New Features

- Supports Windows 11 and Windows Server 2022.

### Enhancements

- Adjusts TC channel calibration timeout settings.

### Bugs Fixed

- An issue where user cannot log into the device.

### Changes

N/A

### Notes

N/A



<b>Version: v3.19</b>	<b>Build: Build16101715</b>
<b>Release Date: Oct 17, 2016</b>	

### **Applicable Products**

ioLogik E2200 Series, ioLogik R2140, ioLogik W5340-HSPA Series, NA-4010, NA-4020, NA-4021

### **Supported Operating Systems**

Windows 10, Windows 7, Windows 8, Windows Server 2003, Windows Server 2008, Windows Server 2012

### **New Features**

N/A

### **Enhancements**

- Uses the new installShield.
- Allowed 1 Message setting only (i.e. Active message, CGI, E-mail, or SMS) for all THEN or all ELSE actions in one rule.

### **Bugs Fixed**

N/A

### **Changes**

N/A

### **Notes**

N/A



<b>Version: v3.18</b>	<b>Build: Build16022511</b>
<b>Release Date: N/A</b>	

### **Applicable Products**

ioLogik E2200 Series, ioLogik R2140, ioLogik W5340-HSPA Series, NA-4010, NA-4020, NA-4021

### **Supported Operating Systems**

Windows 10, Windows 7, Windows 8, Windows Server 2003, Windows Server 2008, Windows Server 2012

### **New Features**

N/A

### **Enhancements**

- Updated the device wiring guide.
- Supports advanced encryption for the password in the configuration file for the ioLogik E2200 Series.

### **Bugs Fixed**

- Fixed the inability to set the value of the virtual channel from -0.1 to -0.9 for the ioLogik W5300 Series.

### **Changes**

N/A

### **Notes**

N/A



<b>Version: v3.17</b>	<b>Build: Build14041113</b>
<b>Release Date: N/A</b>	

### **Applicable Products**

ioLogik E2200 Series, ioLogik R2140, ioLogik W5340-HSPA Series, NA-4010, NA-4020, NA-4021

### **Supported Operating Systems**

Windows 10, Windows 7, Windows 8, Windows Server 2003, Windows Server 2008, Windows Server 2012

### **New Features**

N/A

### **Enhancements**

- Supports the Moxa green core design.
- The W5340-HSPA model supports changing the SMTP port number.

### **Bugs Fixed**

N/A

### **Changes**

N/A

### **Notes**

N/A



<b>Version: v3.16</b>	<b>Build: Build 14012415</b>
<b>Release Date: N/A</b>	

**Applicable Products**

ioLogik E2200 Series, ioLogik R2140, ioLogik W5340-HSPA Series, NA-4010, NA-4020, NA-4021

**Supported Operating Systems**

Windows 10, Windows 7, Windows 8, Windows Server 2003, Windows Server 2008, Windows Server 2012

**New Features**

- Supports the ioLogik W5340-HSPA.

**Enhancements**

N/A

**Bugs Fixed**

N/A

**Changes**

N/A

**Notes**

N/A



<b>Version: v3.15</b>	<b>Build: Build13052215</b>
<b>Release Date: N/A</b>	

### **Applicable Products**

ioLogik E2200 Series, ioLogik R2140, NA-4010, NA-4020, NA-4021

### **Supported Operating Systems**

Windows 10, Windows 7, Windows 8, Windows Server 2003, Windows Server 2008, Windows Server 2012

### **New Features**

- Supports the ioLogik E2200-T Series models.

### **Enhancements**

- Improves Auto Search UI for module selection.
- Restricted the Click&Go timer setting range from 0 to 4294967 to prevent error value settings.

### **Bugs Fixed**

N/A

### **Changes**

N/A

### **Notes**

N/A



<b>Version: v3.14</b>	<b>Build: Build12112118</b>
<b>Release Date: N/A</b>	

### **Applicable Products**

ioLogik E2210, ioLogik E2212, ioLogik E2214, ioLogik E2240, ioLogik E2242, ioLogik E2260, ioLogik E2262, ioLogik R2140, NA-4010, NA-4020, NA-4021

### **Supported Operating Systems**

Windows 10, Windows 7, Windows 8, Windows Server 2003, Windows Server 2008, Windows Server 2012

### **New Features**

N/A

### **Enhancements**

N/A

### **Bugs Fixed**

- Fix issue while E2242 DIO all select DO, DI setting page not be restricted.
- Fix W5340-HSPDA add expansion modules – modules description error.
- Fix W5340-HSPDA add expansion modules – cannot add ioLogik E1212.

### **Changes**

N/A

### **Notes**

N/A