



Firmware for VPort 26A-1MP Series Release Notes

Version: v2.5	Build: Build_18030608
Release Date: Mar 06, 2018	

Applicable Products

VPort 26A-1MP, VPort 26A-1MP-T, VPort P26A-1MP, VPort P26A-1MP-T

Supported Operating Systems

N/A

New Features

N/A

Enhancements

- Upgraded the BIOS to v1.1.
- Changed the serial no. to 12 digits on the web console.

Bugs Fixed

N/A

Changes

N/A

Notes

N/A



Version: v2.4	Build: Build_16121618
Release Date: N/A	

Applicable Products

VPort 26A-1MP, VPort 26A-1MP-T, VPort P26A-1MP, VPort P26A-1MP-T

Supported Operating Systems

N/A

New Features

- Added image sensor de-noise option.

Enhancements

- Supports ONVIF pull point event over HTTPS.
- Enhanced tamper function design.
- Enabled network flow control for smooth streaming transmission.
- Enhanced the image color when there is a change between high and low illumination.
- H/W resets will be added into the system log information.

Bugs Fixed

- Resolutions 176 x 122 and 1280 x 800 not supported in Genetec v4.8_2520.
- System may be able to be operate when the SD card mounting fails.
- SD I/O error message appears after a reset to factory default.
- Web browser crashes after Nessus scan.
- Tamper alarm will be triggered continually when changing the VPort's resolution.
- Non-admin account cannot control the DO/relay.
- VPort cannot be found when UPnP is rebooting.
- Still able to use the get/set device command even when using the wrong password in ONVIF authentication.
- Motion detection function will crash when using VPort's H.264 streams with Genetec Security Center.
- Tamper and VMD events cannot be detected by Genetec Security Center.
- RTC may freeze during boot up.
- ActiveX plugin in browser cannot display VPort's video properly if device is behind NAT.

Changes

N/A

Notes

N/A



Version: v2.3	Build: Build_15041521
Release Date: N/A	

Applicable Products

VPort 26A-1MP, VPort 26A-1MP-T, VPort P26A-1MP, VPort P26A-1MP-T

Supported Operating Systems

N/A

New Features

N/A

Enhancements

N/A

Bugs Fixed

- DHCP discovery cannot be resent when the network is linked down and linked up.
- Unable to mount the SD card automatically when processing the unmount manually.
- Issue when turning the FTP server on/off when there is FTP transmission.
- Connection fail issue when there are large multicast packets in the network.
- Multicast streaming network issue after changing IP address but not to configure the gateway.
- Web server crash issue after deleting the default 3 profiles via CGI commands.
- Operation issue when SD card is inserted and removed.
- System will not reboot automatically when the SD card is unplugged during recording.
- Connection fail issue when in Sequential Snapshot mode with complicated image content.
- Camera not added into the camera list of Milestone VMS.
- Unable to provide correct audio stream when recording MJPEG video with MXNVR-IA8.
- Stream server crash may occur when connecting to a camera that is booting.
- Configuration import fails when the camera's network connection is in half mode.

Changes

- Supports Samsung K9F1G08U0E flash.
- Improved VMS interoperability.

Notes

N/A



Version: v2.2	Build: Build_14052909
Release Date: N/A	

Applicable Products

VPort 26A-1MP, VPort 26A-1MP-T, VPort P26A-1MP, VPort P26A-1MP-T

Supported Operating Systems

N/A

New Features

- Compliant with ONVIF Profile S spec V2.2.1.
- Supports Firefox and Chrome browsers.
- Supports HTTP digest authentication.
- Supports POSIX 1003.1 customized time zone setting.
- Added ONVIF device auxiliary commands to support CBRPro.

Enhancements

N/A

Bugs Fixed

N/A

Changes

- Restored max UDP connection to 5 by removing private VMD encoder.
- Changed the MIB file to v2.2.

Notes

N/A



Version: v2.0	Build: Build_14010310
Release Date: N/A	

Applicable Products

VPort 26A-1MP, VPort 26A-1MP-T, VPort P26A-1MP, VPort P26A-1MP-T

Supported Operating Systems

N/A

New Features

- Supports ONVIF Profile S.

Enhancements

- Web user interface changed to support ONVIF Profile S.

Bugs Fixed

N/A

Changes

N/A

Notes

N/A



Version: v1.2	Build: N/A
Release Date: N/A	

Applicable Products

VPort 26A-1MP, VPort 26A-1MP-T, VPort P26A-1MP, VPort P26A-1MP-T

Supported Operating Systems

N/A

New Features

N/A

Enhancements

- Compliant with IE10.

Bugs Fixed

- Stream server crash (audio track/connection) issue.

Changes

- Changed UI Text: Audio Enable Microphone -> Audio Enable.

Notes

N/A



Version: v1.1	Build: N/A
Release Date: N/A	

Applicable Products

VPort 26A-1MP, VPort 26A-1MP-T, VPort P26A-1MP, VPort P26A-1MP-T

Supported Operating Systems

N/A

New Features

- First release.

Enhancements

N/A

Bugs Fixed

N/A

Changes

N/A

Notes

N/A