# MDS-G4000/ MDS-G4000-L3 Series Quick Installation Guide

Version 1.8, August 2025

Technical Support Contact Information www.moxa.com/support



P/N: 180204000009

# Package Checklist

Moxa's MDS-G4000/MDS-G4000-L3 Series industrial modular DIN-rail switch is shipped with the following items. If any of these items are missing or damaged, please contact your customer service representative for assistance.

- 1 MDS-G4000 or MDS-G4000-L3 Series switch
- · 2 protective caps for unused ports
- · Pre-installed DIN-rail kit
  - MDS-G4012 and MDS-G4012-L3: x 1
  - MDS-G4020 and MDS-G4020-L3: x 2
  - MDS-G4028 and MDS-G4028-L3: x 2
- · Quick installation guide (printed)
- Substance Disclosure Table
- Product Certificate of Quality Inspection (Simplified Chinese)
- · Product Notices (Simplified Chinese)
- · Warranty card


**NOTE** You can find information and software downloads on the relevant product pages located on Moxa's website: <a href="https://www.moxa.com">www.moxa.com</a>

# **Default Settings**

IP address: 192.168.127.253
Subnet Mask: 255.255.255.0

Username: adminPassword: moxa

# **Panel Layouts**




- System status LEDs (from left to right, top to bottom) STATE, FAULT, MASTER/HEAD, COUPLER/TAIL, and SYNC LED indicators
- 2. USB port
- 3. Module status

- 4. Switch and Control module slot M1 (Embedded)
- 5. Ethernet module in slot M2
- 6. Ethernet module in slot M3
- Ethernet module in slot M4 (For MDS-G4020/28, MDS-G4020/28-13)
- Ethernet module in slot M5 (For MDS-G4020/28, MDS-G4020/28-L3)
- 9. External power input status from EPS
- 10. Ethernet module in slot M6 (For MDS-G4028, MDS-G4028-L3)
- 11. Ethernet module in slot M7 (For MDS-G4028, MDS-G4028-L3)
- 12. External power supply input for PoE
- 13. Redundant power module in slot PWR1
- 14. Redundant power module in slot PWR2
- 15. RS-232 console port with RJ45 interface
- 16. Reset button (Pin hole 0.9 mm)
- 17. Relay output and Digital Input port
- 18. Relay output
- 19. Power input
- 20. Grounding screw

#### **Dimensions**

#### MDS-G4012 and MDS-G4012-L3 Series





# McGarl

163.25 (6.44)


145 (5.71)


#### MDS-G4020 and MDS-G4020-L3 Series





#### MDS-G4028 and MDS-G4028-L3 Series






Unit: mm (inch)

#### Ethernet Modules (Hardware Rev. 2.0.0 and above)

**NOTE** Transceivers for the LM-7000H-4GSFP module are sold separately. Refer to <u>Supported SFP Modules</u> for list of supported transceivers.




#### NOTE

- LM-7000H-2GPHR modules require Hardware Rev v2.0.0 or above for both the L2 switch and the module.
  - Maximum 1 2GPHR module installed per unit, using slot M3.
  - 2GPHR modules may experience startup issues at low temperatures, including red fault LEDs and dropped packets. If this occurs, Moxa recommends startup at >-20°C, with operating temperatures of >-40°C. The device is capable of stable operation down to -40°C.

# Power Modules (Hardware Rev.2.1.0 and above)


**NOTE** The PWR-LV-P48 power module is certified for Hazardous Location use.



#### DIN-rail Dimensions and Instructions


**NOTE** The DIN rail kit is certified for Hazardous Location usage.

#### MDS-G4012 and MDS-G4012-L3 Series



Unit: mm (inch)

#### MDS-G4020/28 and MDS-G4020/28-L3 Series



- 1. Insert the upper lip of the DIN rail into the DIN-rail mounting kit.
- 2. Press the device towards the DIN rail until it snaps into place.
- Pull down the two latches one by one to release the DIN-rail kit and lift up to remove the device from the DIN rail.

**NOTE** The DIN rail must use the TS35 (15 mm) specification.


# **Wall-mounting Dimensions and Instructions**

(Optional: WK-112-01)

**NOTE** The wall-mount kit is certified for Hazardous Location usage.

Mounting the switch to a wall requires four screws. The heads of the screws should be between 6.0 to 9.0 mm in diameter, and the diameter of screw thread should be between 3.5 to 4 mm, as shown in the figure on the right. Use the switch with the wall-mounting kit attached as a guide to mark the correct locations of the eight screws.





# **Rack-mounting Dimensions and Instructions**

(Optional: RK-3U-02)

Please refer to the RK-3U-02 Series QIG.

# **Matters That Require Attention**

 Elevated Operating Temperature: If installed in a closed or multi-unit rack assembly, the operating ambient temperature of the rack environment may be greater than room temperature. Therefore, consideration should be given to installing the equipment in an environment compatible with the maximum ambient temperature (Tma) specified by the manufacturer.

**NOTE** In order to ensure reliable operations, please make sure the operating temperature of the environment does not exceed the spec. When mounting a rack-mounted switch with other operating units in a cabinet without forced ventilation, it is recommended that 1U of space is reserved between each rack-mounted switch and/or device.

Required Air Flow: Installation of the equipment in a rack should be such that the amount of air flow required for safe operation of the equipment is not compromised.

**NOTE** The optimal keep-out zone is 50 mm for the top, bottom, left, and right side of the device.

- Mechanical Loading: Mounting of the equipment in the rack should be such that a hazardous condition is not achieved due to uneven mechanical loading.
- 4. Circuit Overloading: Consideration should be given to the connection of the equipment to the supply circuit and the effect that overloading of the circuits might have on overcurrent protection and supply wiring. Appropriate consideration of

equipment nameplate ratings should be used when addressing this concern.

5. Reliable Grounding: Reliable grounding of rack-mounted equipment should be maintained. Particular attention should be given to supply connections other than direct connections to the branch circuit (e.g. use of power strips).



#### **ATTENTION**

#### Safety First!

Be sure to disconnect the power cord before installing and/or wiring your Ethernet Switch. Calculate the maximum possible current in each power wire and common wire. Observe all electrical codes dictating the maximum current allowable for each wire size. If the current goes above the maximum ratings, the wiring could overheat, which can cause serious damage to your equipment.

#### **Connecting the Power Inputs**

The MDS-G4000 and MDS-G4000-L3 Series support 4 types of power supply:

- PWR-HV-P48: one 110/220 VAC/VDC (90 to 264 VAC, 88 to 300 VDC), one 48 VDC PoE power input for PoE+ ports.
- PWR-LV-P48: one 24/48 VDC (18 to 72 VDC), one 48 VDC PoE power input for PoE+ ports.

**NOTE** The required power module depends on the choice of LM-7000H module. Refer to the following power/module combination requirements.

- LM-7000H non-PoE modules: Any power module
- LM-7000H PoE modules:
   PWR-HV-P48, PWR-LV-P48 only

NOTE The PWR-LV-P48 power module is certified for Hazardous Location use.

- PWR-HV-NP: one 110/220 VAC/VDC (90 to 264 VAC, 88 to 300 VDC) power input.
- PWR-LV-NP: one 24/48 VDC (18 to 72 VDC) power input.

For the PWR-HV-P48, the 110/220 VAC/VDC power supplies provide power to the switch. Separate 48 VDC power supplies are required to provide power to all PoE+ ports (50 to 57 VDC is recommended for IEEE 802.3at devices. The max. PoE output from an external power supply is 720 W when the operating temperature is under 60°C; 360 W when the operating temperature is under 75°C.).

For the PWR-LV-P48 models, the 24/48 VDC power supplies provide power to the switch. Separate 48 VDC power supplies are required to provide power to all PoE+ ports (50 to 57 VDC is recommended for

IEEE 802.3at devices. The max. PoE output from an external power supply is 720 W when the operating temperature is under 60°C; 360 W when the operating temperature is under 75°C.).



#### **ATTENTION**

#### For Hazardous Location Use


The PoE capacity of the PWR-LV-P48 is only certified for use in hazardous locations up to a maximum power budget of 369.6 W and a maximum output of up to 15.4 W per port.

For the PWR-HV-NP, the 110/220 VAC/VDC power supplies provide power to the switch.


For the PWR-LV-NP, the 24/48 VDC power supplies provide power to the switch.

#### **Power Terminal Blocks**

The connection for power input and PoE external power supply is on the power modules.




#### PWR-HV-P48/PWR-HV-NP



- 1. Insert the neutral/line (L/N/Ground) AC wires into the terminals.
- Insert the terminal block connector into the terminal block receptor.

#### PWR-LV-P48/PWR-LV-NP



- 1. Remove 8 to 9 mm of the DC wires' protective cover.
- 2. Use a tool to push the spring mechanism inwards to open it.
- 3. Insert the negative/positive (-/+) DC wires into the terminals.
- 4. Release the spring mechanism.
- Insert the terminal block connector prongs into the terminal block receptor.

#### **PoE Power Terminal Blocks**

- 1. Remove 8 to 9 mm of the DC wires' protective cover.
- 2. Use a tool to push the spring mechanism inwards to open it.
- 3. Insert the negative/positive (-/+) DC wires into the terminals.
- 4. Release the spring mechanism.
- Insert the terminal block connector prongs into the terminal block receptor.
- **NOTE** For higher levels of surge protection, install a surge protector in front of the power input of the PoE-powered device so that it is suitable for use in IEC 61850 conditions.
- **NOTE** When wiring the power input, we suggest using 16-20 AWG (1.31-0.519 mm²) wiring and corresponding pin cable terminals. Wiring temperature rating should be at least 105°C.
- NOTE When wiring PoE power input, we suggest using 16 AWG (1.31 mm²) wiring and corresponding pin cable terminals. Wiring temperature rating should be at least 105°C.
- **NOTE** When two power units are installed on the switch, both power units will be activated simultaneously, which will enable power redundancy.
- NOTE The reverse power input connection will not activate the device or PoE input. In addition, the PoE will only activate when the external power supply is installed on the same power unit.

# Wiring the Relay Contact

Each power module has one relay output that can provide two types of relay output. The relay contact is used to detect user-configured events. Two wires are attached to the relay pins with normally close and normally open options.

- 1. Remove 8 to 9 mm of the DC wires' protective cover.
- 2. Use a tool to push the spring mechanism inwards to open it.
- 3. Insert the wires into the terminals.
- 4. Release the spring mechanism.
- Insert the terminal block connector prongs into the terminal block receptor.

#### **FAULT:**

The relay contact of the 3-pin terminal block connector is used to detect user-configured events. The module provides normally open and normally closed circuits depending on what the user chooses. For pin definitions refer to the table below.

Relay Connection	Power Off	Boot up Ready	<b>Event Trigger</b>
NO and COM	Closed Circuit	Open Circuit	Closed Circuit
NC and COM	Open Circuit	Closed Circuit	Open Circuit

NOTE When wiring the relay contact, we suggest using 16-20 AWG (1.31-0.519 mm²) wiring and corresponding pin cable terminals. Wiring temperature rating should be at least 105°C.

# **Digital Input/Output**

#### **Digital Output**

1 relay output with current carrying capacity of 2 A @ 30 VDC

**NOTE** For Hazardous Location certified models, the current carrying capacity is 1 A @ 30 VDC.

#### **Digital Input**

 ${\bf 1}$  digital output with the same ground, but electrically isolated from the electronics

- +13 to +30 V for state 1
- -30 to +1 V for state 0
- Max. input current: 8 mA

#### Wiring the Digital Input/Output

NOTE When wiring the digital input, we suggest using 16-24 AWG (1.31-0.205 mm²) wiring and corresponding pin cable terminals. Wiring temperature rating should be at least 105°C.

- 1. Remove 8 to 9 mm of the DC wires' protective cover.
- 2. Use a tool to push the spring mechanism inwards to open it.
- 3. Insert the wires into the terminals.
- 4. Release the spring mechanism.
- Insert the terminal block connector prongs into the terminal block receptor.

# **Installing and Removing the Ethernet Modules**

The Ethernet modules are hot-swappable for the same module type. You have the option to mount or remove the Ethernet module while the device is operating.

**NOTE** When performing a cold start, you cannot remove and insert a module before booting up as it will cause the module to initially fail.

NOTE The default module is 4GTX, if it is the first time you are mounting a 4TX, PoE, SFP, or 2GPHR module, please reboot the switch after inserting it. The hot-swappable function, as defined above, will only work after the device is rebooted for the first time.

**NOTE** If a different model type module is changed on the same slot, it is recommended to reconfigure the settings or reset the device to default settings after rebooting the switch.

**NOTE** The MS light must turn green before the cable is plugged in for PTP to function properly.

#### To install an Ethernet module:

- 1. Insert the Ethernet module straight into the slot.
- Fasten the module to the device by tightening the 2 screws. The tightening torque is 3.5 kgf-cm (0.35 Nm).

#### To remove an Ethernet module:

- Loosen the 2 screws of the module.
- 2. Pull the module out of the slot.
- Insert the dummy module into the slot in order to have better protection against dust and EMI.
- Fasten the dummy module using 2 screws. The tightening torque is 4 kgf-cm (0.4 Nm).

# **Installing and Removing the Power Modules**

The power supply units are hot-swappable when both power modules are installed. You have the option to mount or remove the power supply units while the device is operating.

#### To install a power module:

- Insert the power unit straight into the slot
- Fasten the unit to the device by tightening the 2 screws. The tightening torque is 3.5 kgf-cm (0.35 Nm)

#### To remove a power module:

- 1. Loosen the 2 screws of the module
- 2. Pull the module out of the slot
- Insert the dummy module in to the slot in order to have better protection against dust and EMI.
- Fasten the dummy module using 2 screws. The tightening torque is 4 kgf-cm (0.4 Nm)

**NOTE** If one of the modules is removed from the device, it is advisable to insert a dummy module in order to provide better protection against dust and EMI.

# Grounding the Moxa Industrial DIN-rail Switch

Grounding and wire routing help limit the effects of noise due to electromagnetic interference (EMI). Run the ground connection from the ground screw to the grounding surface prior to connecting devices.

**NOTE** Using a shielded cable achieves better electromagnetic resistance.

**NOTE** When grounding, we suggest using the cable type - AWG (American Wire Gauge) 16 (1.31 mm²).

#### RS-232 with RJ45 Interface Console Connection

The switch has an RS-232 serial console with an RJ45 interface. Use a Moxa 9-pin female console cable to connect to your PC's COM port (or via USB-to-Serial converters or hubs). You can then use a console terminal program, such as Moxa's PComm Terminal Emulator, to access the console configuration utility of the switch. RS-232 Setup:

Baud rate: 115,200

Data Bits: 8Parity: NoneStop Bits: 1

Terminal Type: VT100

#### **USB Connection**

Use Moxa's ABC-02-USB automatic backup configurator to connect to the USB storage port (Type A connector; see the diagram below for pinout assignments) to back up and restore configuration files, autoload configuration files, upgrade firmware, and back up system log files.



Pin	Description
1	VCC (+5V)
2	D- (Data-)
3	D+ (Data+)
4	GND (Ground)

## The Reset Button (Diameter 0.9 mm)

The reset button can perform two functions. One is to reset the switch to factory default settings and the other is to reboot the switch if the button has been depressed and release immediately.

# **Reset to Factory Default Settings**

Depress the Reset button for five seconds to load the factory default settings. Use a pointed object, such as a straightened paper clip or needle (the diameter must not exceed 0.9 mm), to depress the Reset button. When you do so, the STATE LED will start to blink about four times per second. Continue to depress the STATE LED until it begins blinking more rapidly; this indicates that the button has been depressed for five seconds and you can release the Reset button to load factory default settings.

**NOTE** DO NOT power off the switch when loading default settings.

# **Configuring PTP**

To ensure that IEEE 1588—also known as Precision Time Protocol (PTP)—functions correctly, do the following:

- Ensure IEEE 1588 PTP uses slot M2 for cross-module sync.
- Ensure that MS LEDs are green before connecting cables.

# **LED Indicators**

The function of each LED is described in the table below.

LED	Color	State	Description
		System	1 LEDs
		On	Normal operation.
			1. System service initialization.
		Blinking	2. When pressing the reset
		(1 Hz)	button for 5 seconds to reset to
		, ,	factory default settings.
			1. The reset button has been held
STA	Green		for 5 seconds and the system is
(STATE)		Blinking	ready to perform a factory reset.
		(4 Hz)	2. When the external storage
		, ,	ABC-02 automatic backup device
			is connected to the switch.
		Off	N/A
	Red	On	The system failed to initialize.
			Network loop detected with
			loop protection enabled.
			2. Relay contact triggered.
			3. External storage
			loading/saving failed.
		On	4. Port disabled, shutdown mode
FLT	Red		ingress rate limit exceeded.
(FAULT)			5. Invalid ring port connection.
(171321)			6. Incorrect multiple network
			coupling connected.
			When the switch boots up and the
		Blinking	firmware loads to memory.
			System successfully booted up
		Off	and no events triggered.
			1. Master of Turbo Ring 1 or
			Turbo Ring 2.
		On	2. Head of the Turbo Chain.
			3. Manager of the MRP Ring.
			1. Master of Turbo Ring 1 or
			Turbo Ring 2 and at least one
			ring is broken.
			2. Member of a Turbo Ring and all
			the corresponding ring ports are
M/H			down.
(MSTR/	Green		3. Head of Turbo Chain and chain
HEAD)			is broken.
		Blinking	4. Manager of MRP Ring and the
			ring is open.
			5. Member of Turbo Chain and
			corresponding Member Port 1 is
			down.
			6. Tail of the Turbo Chain and the
			link of the corresponding Member
			Port is down.
<u> </u>		l	i ore is down.

LED	Color	State	Description
		Off	Not Master of Turbo Ring 1 or Turbo Ring 2.     Not Head of Turbo Chain.     Not Manager of MRP Ring.
		On	Ring coupling or dual homing function is enabled.     Turbo Chain Tail.
C/T (CPRL/TAIL)	i (ireen	Blinking	<ol> <li>Turbo Chain Tail, Chain broken.</li> <li>Turbo Chain Head, corresponding Member Port down.</li> <li>Turbo Chain Member, corresponding Member Port 2 down.</li> </ol>
		Off	Coupling disabled or switch is not Turbo Chain Tail.     Dual Homing disabled or Dual Homing session not configured
		On	The PTP function is enabled.
SYNC	Amber	Blinking	Receiving sync packets, convergence in progress.
STINC		Off	PTP function disabled.
	Green	On	PTP function has successfully converged.
System LEDs (Except	Green/ Red/	Blinking (4 Hz)	The switch is being discovered/located by the locator function. Applies to the following LEDs: S, FLT, M/H, C/T, SYNC. Each LED will light up in its default color.
PWR) Amber	Rotating (2 Hz)	Importing/exporting a file via the ABC-02. Applies to the following LEDs: FLT, M/H, C/T, SYNC. Each LED will light up in its default color.	

## **SWC-4GTX**

LED	Color	State	Description
		On	Normal operation.
MS	Green	Blinking	Module booting.
(Module		Off	Module is out of service.
State)			1. The module failed to initialize.
State)	Red	On	2. A module designed for a different
			model was inserted.
		On	Port active and linking at 1 Gbps.
	Green	Blinking	Data transmitting at 1 Gbps.
Copper		Off	Port inactive or link down.
(10/100/		On	Port active and linking at 10/100
1000Mbps)	Amber		Mbps.
	Airibei	Blinking	Data transmitting at 10/100 Mbps.
		Off	Port inactive or link down.

# LM-7000H-4GTX/LM-7000H-4GSFP/LM-7000H-4TX

LED	Color	State	Description
	Green	On	Normal operation.
		Blinking	Module booting up.
		Off	Module out of service.
MS (Module State)	Red	On	The module failed to initialize.     A module designed for a different model was inserted.     On cold start, module removed and reinserted before initialization completed.
		On	Port active and linking at 100 Mbps.
C	Green	Blinking	Data transmitting at 100 Mbps.
Copper		Off	Port is inactive or link down.
(10/100		On	Port active and linking at 10 Mbps.
Mbps)	Amber	Blinking	Data transmitting at 10 Mbps.
		Off	Port is inactive or link down.
		On	Port active and linking at 1 Gbps.
	Green	Blinking	Data transmitting at 1 Gbps.
Copper		Off	Port inactive or link down.
(10/100/ 1000Mbps)	Amber	On	Port active and linking at 10/100 Mbps.
	Amber	Blinking	Data transmitting at 10/100 Mbps.
		Off	Port inactive or link down.
		On	Port active and linking at 1 Gbps.
SFP	Green	Blinking	Data transmitting at 1 Gbps.
(100/1000		Off	Port inactive or link down.
(100/1000 Mbps)		On	Port active and linking at 100 Mbps.
i-iops)	Amber	Blinking	Data transmitting at 100 Mbps.
		Off	Port is inactive or link down.

# LM-7000H-4GPoE/LM-7000H-4PoE

LED	Color	State	Description
		On	Normal operation.
	Green	Blinking	Module booting up.
		Off	Module out of service.
MS			1. The module failed to initialize.
(Module State)			2. A module designed for a different
(Module State)	Red	On	model was inserted.
	Reu	OII	3. On cold start, module removed and
			reinserted before initialization
			completed.
EPS		On	Normal operation.
(External Power Supply for PoE module)	Amber	Off	No external power supply for PoE.
		On	Port active and linking at 100 Mbps.
C	Green	Blinking	Data transmitting at 100 Mbps.
Copper (10/100 Mbps)		Off	Port is inactive or link down.
		On	Port active and linking at 10 Mbps.
	Amber	Blinking	Data transmitting at 10 Mbps.
		Off	Port is inactive or link down.

LED	Color	State	Description	
	Green	On	Port active and linking at 1 Gbps.	
		Blinking	Data transmitting at 1 Gbps.	
Copper		Off	Port inactive or link down.	
(10/100/		On	Port active and linking at 10/100	
1000Mbps)	Amber	OII	Mbps.	
	Allibei	Blinking	Data transmitting at 10/100 Mbps.	
		Off	Port inactive or link down.	
	Green	On	Connected to an IEEE 802.3at	
		On	powered device (PD).	
			1. Power is not being supplied to a	
		Off	powered device (PD).	
			2. The port is not connected to an	
			IEEE 802.3at standard powered	
			device (PD).	
PoE/PoE+			On	Connected to an IEEE 802.3af
	Amber		powered device(PD).	
	Allibei	Blinking	PoE power shut off because power	
		Dilliking	budget low.	
		On	Powered device (PD) detection	
	Red	011	failure.	
	Neu	Blinking	When detecting over current or short	
		Dilliking	circuit on the powered Device (PD).	

# LM-7000H-2GPHR

LED	Color	State	Description
	Green	On	Normal operation.
		Blinking	Module booting up.
		Off	Module out of service.
MS (Module State)	Red	On	<ol> <li>The module failed to initialize.</li> <li>A module designed for a different model was inserted.</li> <li>On cold start, module removed and reinserted before initialization completed.</li> <li>LM-7000H-2GPHR in a slot other than slot M3.</li> </ol>
PRP	C	On	PRP working.
PKP	Green	Off	PRP not enabled.
HSR	Green	On	HSR working.
HSK	Green	Off	HSR not enabled.
COUP	Green	On	PRP/HSR Coupling working.
COOF	Green	Off	PRP/HSR Coupling not enabled.
		On	Port active and linking at 1 Gbps.
	Green	Blinking	Data transmitting at 1 Gbps.
		Off	Port is inactive or link down.
A		On	Port active and linking at 10/100 Mbps.
	Amber	Blinking	Data transmitting at 10/100 Mbps.
		Off	Port is inactive or link down.
		On	Port active and linking at 1 Gbps.
В	Green	Blinking	Data transmitting at 1 Gbps.
		Off	Port inactive or link down.

LED	Color	State	Description
	Amber	l ()n	Port active and linking at 10/100 Mbps.
		Blinking	Data transmitting at 10/100 Mbps.
		Off	Port inactive or link down.

# PWR-HV-P48/PWR-LV-P48

LED	Color	State	Description
FDC /Fuhamal		On	External power is being supplied to
EPS (External	Amber		the module's EPS input.
Power Supply)		Off	No external power supply for PoE.
		On	Power is being supplied to the
PWR A	Amber		module's power input.
		Off	Power is not being supplied to the
		OΠ	module's power input.

# PWR-HV-NP/PWR-LV-NP

LED	Color	State	Description
		On Power is being supplied	Power is being supplied to the
PWR	Amber	OII	module's power input.
PVVK		0#	Power is not being supplied to the
	Off	module's power input.	

# **Specifications**

Interface				
Gigabit Ethernet	4 10/100/1000BaseT(X) ports			
Modules	2/4/6 slots for optional FE/GbE modules			
Slot Combination	See the LM-7000H Series modules datasheet for more information.			
	<b>Note</b> : The required power module depends on the			
	choice of LM-7000H module. Refer to the following			
	power/module combination requirements:			
	LM-7000H non-PoE modules:			
	Any power module			
	LM-7000H PoE modules:			
	PWR-HV-P48, PWR-LV-P48 only			
Console Port	RS-232 (RJ45 connector)			
Buttons	Reset button			
Storage Port	USB (Type A connector)			
LED Indicators	PWR, EPS, STATE, SYNC, FAULT, MSTR/HEAD, CPLR/TAIL			
Alarm Contact	3 (on the MGMT, PWR1, and PWR2 modules)			
Channels	Relay output with current carrying capacity of 2 A @			
	30 VDC. (1 A @ 30 VDC for Hazardous Location			
	certified models)			
Digital Input	1 (on the MGMT module)			
Channels				
Digital Inputs	+13 to +30 V for state 1			
	-30 to +3 V for state 0			
	Max. input current: 8 mA			

Power Require	ements
Input Voltage	With PWR-HV-P48 installed:
	110/220 VDC, 110 VAC, 60 Hz, 220 VAC, 50 Hz,
	PoE: 48 VDC
	With PWR-LV-P48 installed (certified for
	Hazardous Location use):
	24/48 VDC
	PoE: 48 VDC
	With PWR-HV-NP installed:
	110/220 VDC, 110 VAC, 60 Hz, 220 VAC, 50 Hz
	With PWR-LV-NP installed:
	24/48 VDC
Operating	With PWR-HV-P48 installed:
Voltage	88 to 300 VDC, 90 to 264 VAC, 47 to 63 Hz, PoE: 46
	to 57 VDC
	With PWR-LV-P48 installed:
	18 to 72 VDC (24 to 48 VDC for
	Hazardous Location), PoE: 46 to 57 VDC (48 VDC for
	Hazardous Location)
	With PWR-HV-NP installed:
	88 to 300 VDC, 90 to 264 VAC, 47 to 63 Hz
	With PWR-LV-NP installed:
	18 to 72 VDC
Rated Input	With PWR-HV-P48-A/PWR-HV-NP installed:
Current	0.3 A @ 110-220 VDC
	0.6 A @ 110-220 VAC
	With PWR-LV-P48-A/PWR-LV-NP installed:
	3.3 A @ 24/48 VDC
Input Current	With PWR-HV-P48/PWR-HV-NP installed:
(Full modules	Max. 0.30 A @ 110 VDC
installed)	Max. 0.15 A @ 220 VDC
	Max. 0.60 A @ 110 VAC
	Max. 0.40 A @ 220 VAC
	With PWR-LV-P48/PWR-LV-NP installed: Max. 1.5 A @ 24 VDC
	Max. 0.75 A @ 24 VDC
	EPS (PoE models only):
	Max. 8.2 A @ 48 VDC
Power	With PWR-HV-P48/PWR-HV-NP installed:
Consumption	Max. 33.0 W @ 110 VDC
(Max.) (Full	Max. 34.0 W @ 220 VDC
modules	Max. 35.8 W @ 110 VAC
installed)	Max. 38.0 W @ 220 VAC
ca,	With PWR-LV-P48/PWR-LV-NP installed:
	Max. 36 W @ 24 VDC
	Max. 36 W @ 48 VDC
Peak Inrush	PWR-HV-P48/PWR-HV-NP:
Current	110 VAC: < 10 A (t > 0.1 ms)
	220 VAC: < 20 A (t > 0.1 ms)
	PWR-LV-P48/PWR-LV-NP:
	24 VDC: < 5 A (t > 0.1 ms)
	48 VDC: < 10 Å (t > 0.1 ms)
Maximum PoE	36 W (15.4 W certified for Hazardous Location use)
Power Output	
per Port	1

Total PoE Power	Max. 360 W (with one power supply) for total PD				
Budget	consumption at 48 VDC input for PoE systems				
	Max. 360 W (with one power supply) for total PD				
	consumption at 53-57 VDC input for PoE+ systems				
	Max. 720 W (with two power supplies) for total PD				
	consumption at 48 VDC input for PoE systems				
	Max. 720 W (with two power supplies) for total PD				
	consumption at 53-57 VDC input for PoE+ systems				
Overload Current	Present				
Protection					
Reverse Polarity	Present				
Protection					
<b>Physical Charac</b>	teristics				
Ingress	IP40 (This rating will only be achieved when the relay				
Protection Rating	output terminal block and all modules are installed.)				
Dimensions	MDS-G4012/MDS-G4012-L3 Series:				
	134 x 115 x 163.25 mm				
	MDS-G4020/ MDS-G4020-L3 Series:				
	176 x 115 x 163.25 mm				
	MDS-G4028/MDS-G4028-L3 Series:				
	218 x 115 x 163.25 mm				
Weight	MDS-G4012/MDS-G4012-L3 Series: 2.00 kg (4.41 lb)				
	MDS-G4020/MDS-G4020-L3 Series: 2.50 kg (5.51 lb)				
	MDS-G4028/MDS-G4028-L3 Series: 2.84 kg (6.26 lb)				
	LM-7000H-4GSFP: 0.3 kg (0.66 lb)				
	LM-7000H-4GTX: 0.24 kg (0.53 lb)				
	LM-7000H-4GPoE: 0.31 kg (0.69 lb)				
	LM-7000H-4TX: 0.24 kg (0.53 lb)				
	LM-7000H-4PoE: 0.31 kg (0.69 lb)				
	LM-7000H-2GPHR: 0.31 kg (0.69 lb)				
	PWR-HV-P48/PWR-LV-P48: 0.36 kg (0.69 lb)				
	PWR-HV-NP/PWR-LV-NP: 0.34 kg (0.75 lb)				
Installation	DIN-rail mounting (certified for Hazardous Location				
	use): Pre-installed by default				
	Wall mounting (certified for Hazardous Location use):				
	WK-112-01 (with optional kit)				
	Rack mounting: RK-3U-02 (with optional kit)				
Environmental I					
Operating	Standard Temperature Models:				
Temperature	-10 to 60°C (14 to 140°F)				
	• MDS-G4012, MDS-G4012-L3				
	• MDS-G4020, MDS-G4020-L3				
	• MDS-G4028, MDS-G4028-L3				
	Wide Temperature Models:				
	-40 to 75°C (-40 to 167°F)				
	• MDS-G4012-T, MDS-G4012-L3-T				
	• MDS-G4020-T, MDS-G4020-L3-T				
	• MDS-G4028-T, MDS-G4028-L3-T				
Storage	-40 to 85°C (-40 to 185°F)				
Temperature					
	5 to 95% (non-condensing)				
Humidity					
Standards and (					
Safety	EN 62368-1, UL 62368-1, IEC 62368-1, IEC 60950-1				

EMC	EN 55035/55032				
	EN 61000-6-2/-6-4				
EMI	CISPR 32, FCC Part 15B Class A				
EMS	IEC 61000-4-2 ESD: Contact: 8 kV; Air: 15 kV				
	IEC 61000-4-3 RS: 80MHz to 1GHz: 20 V/m				
	IEC 61000-4-4 EFT: Power: 4 kV; Signal: 4 kV				
	IEC 61000-4-5 Surge: Power 4 kV; Signal: 4 kV				
	IEC 61000-4-6 CS: 10V				
	IEC 61000-4-8 PFMF				
	IEC 61000-4-11 Voltage Dips & Interruptions				
Note: For better	conductive radiation immunity, it is recommended to				
use a STP cable	and install a surge protector at the PoE power input:				
EPS.					
Rail Traffic	EN 50121-4				
Traffic Control	NEMA TS2				
Shock	IEC 60068-2-27				
Freefall	IEC 60068-2-31				
Vibration	IEC 60068-2-6				
Hazardous	Class I Division 2, ATEX				
Location					
Power	IEC 61850-3, IEEE 1613				
Substation					

See www.moxa.com/warranty

# **Supported SFP Modules**

Warranty Period 5 years

Warranty

Details

Module	Description
SFP-1FEMLC-T	SFP module with 1 100Base multi-mode, LC
	connector for 2/4 km transmission, -40 to 85°C
	operating temperature
SFP-1FESLC-T	SFP module with 1 100Base single-mode with LC
	connector for 40 km transmission, -40 to 85°C
	operating temperature
SFP-1FELLC-T	SFP module with 1 100Base single-mode with LC
	connector for 80 km transmission, -40 to 85°C
	operating temperature
SFP-1G10ALC	WDM-type (BiDi) SFP module with 1 1000BaseSFP
	port with LC connector for 10 km transmission; TX
	1310 nm, RX 1550 nm, 0 to 60°C operating
	temperature
SFP-1G10ALC-T	WDM-type (BiDi) SFP module with 1 1000BaseSFP
	port with LC connector for 10 km transmission; TX
	1310 nm, RX 1550 nm, -40 to 85°C operating
	temperature
SFP-1G10BLC	WDM-type (BiDi) SFP module with 1 1000BaseSFP
	port with LC connector for 10 km transmission; TX
	1550 nm, RX 1310 nm, 0 to 60°C operating
	temperature
SFP-1G10BLC-T	WDM-type (BiDi) SFP module with 1 1000BaseSFP
	port with LC connector for 10 km transmission; TX
	1550 nm, RX 1310 nm, -40 to 85°C operating
	temperature

Module	Description
SFP-1G20ALC	WDM-type (BiDi) SFP module with 1 1000BaseSFP
	port with LC connector for 20 km transmission; TX
	1310 nm, RX 1550 nm, 0 to 60°C operating
	temperature
SFP-1G20ALC-T	WDM-type (BiDi) SFP module with 1 1000BaseSFP
	port with LC connector for 20 km transmission; TX
	1310 nm, RX 1550 nm, -40 to 85°C operating
	temperature
SFP-1G20BLC	WDM-type (BiDi) SFP module with 1 1000BaseSFP
	port with LC connector for 20 km transmission; TX
	1550 nm, RX 1310 nm, 0 to 60°C operating
	temperature
SFP-1G20BLC-T	WDM-type (BiDi) SFP module with 1 1000BaseSFP
	port with LC connector for 20 km transmission; TX
	1550 nm, RX 1310 nm, -40 to 85°C operating
	temperature
SFP-1G40ALC	WDM-type (BiDi) SFP module with 1 1000BaseSFP
	port with LC connector for 40 km transmission; TX
	1310 nm, RX 1550 nm, 0 to 60°C operating
	temperature
SFP-1G40ALC-T	WDM-type (BiDi) SFP module with 1 1000BaseSFP
	port with LC connector for 40 km transmission; TX
	1310 nm, RX 1550 nm, -40 to 85°C operating
	temperature
SFP-1G40BLC	WDM-type (BiDi) SFP module with 1 1000BaseSFP
	port with LC connector for 40 km transmission; TX
	1550 nm, RX 1310 nm, 0 to 60°C operating
	temperature
SFP-1G40BLC-T	WDM-type (BiDi) SFP module with 1 1000BaseSFP
	port with LC connector for 40 km transmission; TX
	1550 nm, RX 1310 nm, -40 to 85°C operating
	temperature
SFP-1GSXLC	SFP module with 1 1000BaseSX port with LC
	connector for 300m/550m transmission, 0 to 60°C
	operating temperature
SFP-1GSXLC-T	SFP module with 1 1000BaseSX port with LC
	connector for 300m/550m transmission, -40 to
	85°C operating temperature
SFP-1GLSXLC	SFP module with 1 1000BaseLSX port with LC
	connector for 1km/2km transmission, 0 to 60°C
	operating temperature
SFP-1GLSXLC-T	SFP module with 1 1000BaseLSX port with LC
	connector for 1km/2km transmission, -40 to 85°C
CED 1CLVIC	operating temperature
SFP-1GLXLC	SFP module with 1 1000BaseLX port with LC
	connector for 10 km transmission, 0 to 60°C
CED 1CLVIC T	operating temperature  SFP module with 1 1000BaseLX port with LC
SFP-1GLXLC-T	·
	connector for 10 km transmission, -40 to 85°C
SFP-1GLHLC	operating temperature SFP module with 1 1000BaseLH port with LC
SI F-IGLIEC	connector for 30 km transmission, 0 to 60°C
	operating temperature
L	poperating temperature

Module	Description
SFP-1GLHLC-T	SFP module with 1 1000BaseLH port with LC
	connector for 30 km transmission, -40 to 85°C
	operating temperature
SFP-1GLHXLC	SFP module with 1 1000BaseLHX port with LC
	connector for 40 km transmission, 0 to 60°C
	operating temperature
SFP-1GLHXLC-T	SFP module with 1 1000BaseLHX port with LC
	connector for 40 km transmission, -40 to 85°C
	operating temperature
SFP-1GZXLC	SFP module with 1 1000BaseZX port with LC
	connector for 80 km transmission, 0 to 60°C
	operating temperature
SFP-1GZXLC-T	SFP module with 1 1000BaseZX port with LC
	connector for 80 km transmission, -40 to 85°C
	operating temperature
SFP-1GEZXLC	SFP module with 1 1000BaseEZX port with LC
	connector for 110 km transmission, 0 to 60°C
	operating temperature
SFP-1GEZXLC-120	SFP module with 1 1000BaseEZX port with LC
	connector for 120 km transmission, 0 to 60°C
	operating temperature
SFP-1GTXRJ45-T	SFP module with 1 1000BaseT port with RJ45
	connector for 100 m transmission, -40 to 75°C
	operating temperature
	Note: This module is not certified for Hazardous
	Location.

#### **Restricted Access Locations**

- This equipment is intended to be used in Restricted Access
   Locations, such as a computer room, with access limited to service
   personnel or users who have been instructed on how to handle the
   metal chassis of equipment that is very hot. The location should
   only be accessible with a key or through a security system.
- External metal parts of this equipment are extremely hot. Before touching the equipment, you must take special precautions to protect your hands and body from serious injury.



# **Special Conditions of Use**

- The equipment shall only be used in an area of at least pollution degree 2, as defined in EN 60664-1.
- The equipment shall be installed in an enclosure that provides a degree of protection not less than IP 54 in accordance with EN 60079-0 and accessible only by the use of a tool.
- Transient protection device with capability of voltage clamping rating less than 119Vdc shall be provided externally of the PWR voltage supply terminal.



#### **ATTENTION**

These devices are open-type devices that are to be installed in an enclosure with tool-removable cover or door, suitable for the environment.

This equipment is suitable for use in Class I, Division 2, Groups A, B, C, and D or non-hazardous locations only.



Heade Terms

#### WARNING-EXPLOSION HAZARD

Do not disconnect equipment unless power has been removed or the area is known to be non-hazardous.

Substitution of any components may impair suitability for Class I, Division 2.

# **Hazardous Location Usage Terms**

Usage Term	S				
Models	MDS-G401	2, MDS-	G4012-T		
	MDS-G402	MDS-G4020, MDS-G4020-T			
	MDS-G402	MDS-G4028, MDS-G4028-T			
Rating	Input: 24 t	o 48 VD	C, 3.3 A (for	PWR input) and 48	
	VDC, 8.2 A	(for EPS	S input)		
	Relay Outp	Relay Output: 30 VDC/1 A			
	Digital Inpu	Digital Input: 30 VDC/8 mA			
l	PoE Output	PoE Output: 48 VDC, 15.4 W per port			
Conductors	$\geq$ 105°C				
suitable for ra	ated				
cable					
temperature					
Hazardous	EN IEC 600	EN IEC 60079-0:2018			
Location	EN IEC 600	EN IEC 60079-7:2015+A1:2018			
	EN IEC 600	EN IEC 60079-15: 2019			
l	Class I, Div	Class I, Division 2, Groups A, B, C, and D			
Address of	No. 1111, I	Heping F	Rd., Bade Dis	st., Taoyuan City	
manufacturer	334004, Ta	iwan			
CID2					
		Temp.	Code	T3B	
c(UL) <sub>IIS</sub>					
LICTER					
I.T.E. for Use in Hazardous Locations					
86CY					
Class I, Division 2					
Groups A, B, C and D					
ATEX					
$\langle \xi_{\rm X} \rangle_{\rm II3G}$	Temp. Code		165°C (T3)		
	Certification Nu	mber	UL 20 ATEX 2415X		
		1 -	Ex ec nC IIC 165°C (T3) Gc		
	Protection type	coae	Ex ec nc III	C 165°C (13) GC	
	Protection type Warning	coae		n or disassemble the	