

Moxa Free and Open Source Software Statement

Edition 1.0, March 2022

www.moxa.com/product



© 2022 Moxa Inc. All rights reserved.

Moxa Free and Open Source Software Statement

The software described in this document is furnished under a license agreement and may be used only in accordance with the terms of that agreement.

Copyright Notice

© 2022 Moxa Inc. All rights reserved.

Trademarks

The MOXA logo is a registered trademark of Moxa Inc.
All other trademarks or registered marks in this document belong to their respective manufacturers.

Disclaimer

Information in this document is subject to change without notice and does not represent a commitment on the part of Moxa.

Moxa provides this document as is, without warranty of any kind, either expressed or implied, including, but not limited to, its particular purpose. Moxa reserves the right to make improvements and/or changes to this document, or to the products and/or the programs described in this document, at any time.

Information provided in this document is intended to be accurate and reliable. However, Moxa assumes no responsibility for its use, or for any infringements on the rights of third parties that may result from its use.

This product might include unintentional technical or typographical errors. Changes are periodically made to the information herein to correct such errors, and these changes are incorporated into new editions of the publication.

Technical Support Contact Information

<https://www.moxa.com/en/support/technical-support>

Overview

Please be informed that this product includes Free and Open Source Software ("FOSS") developed by third parties and licensed under certain FOSS licenses. If you wish to receive a copy of any source code to which you are entitled under the applicable FOSS licenses, such as GNU General Public License (GPL), GNU Lesser General Public License (LGPL), or Mozilla Public License (MPL), please contact us via <https://www.moxa.com/en/support/technical-support>. When filling out the online request, you are advised to use "FOSS Source Code Request" as the subject line and select Other as the question type. Please note that this offer shall expire three years following the end-of-life date of this product. Your specific request should be sent to us within the noted period. Additional fees may be incurred for shipping and handling the requested copy of the source code.

FOSS Component List

FOSS components contained in this product and the respective FOSS licenses are stated below.

The only warranties for this product are set forth in the express warranty statements accompanying the product. Nothing in the stated FOSS licenses should be construed as an additional warranty that binds Moxa. For the stated FOSS components, the warranty disclaimers and liability exclusions stipulated in the respective FOSS license texts govern.

aufs5-linux v2.6.12 : (GNU General Public License v2.0 or later AND GNU General Public License v2.0 only)

Linux Kernel 2.4.19 : GNU General Public License v2.0 only

linux-misc 20050611 : GNU General Public License v2.0 or later

This chapter lists all free and open software licenses used in Moxa's products.

GNU General Public License v2.0 only

(aufs5-linux v2.6.12, Linux Kernel 2.4.19)

The GNU General Public License (GPL)

=====

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the

software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish

to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be

licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution

and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or

rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT

LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

GNU General Public License v2.0 or later

(aufs5-linux v2.6.12, linux-misc 20050611)

The GNU General Public License (GPL)

=====

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

59 Temple Place, Suite 330, Boston, MA 02111-1307 USA Everyone is permitted to copy and distribute

verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

1. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or

translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

2. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and

appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

3. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a. You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b. You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c. If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

4. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:
 - a. Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
 - b. Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
 - c. Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

5. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.
6. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

7. Each time you redistribute the Program (or any work based on the Program),

the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

8. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

9. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.
10. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

11. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for

permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

12. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

13. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

one line to give the program's name and a brief idea of what it does. Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it

starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details
type `show w'. This is free software, and you are welcome
to redistribute it under certain conditions; type `show c'
for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts
of the General Public License. Of course, the commands you use may be called
something other than `show w' and `show c'; they could even be mouse-clicks or
menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school,
if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a
sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright
interest in the program `Gnomovision'
(which makes passes at compilers) written
by James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may consider
it more useful to permit linking proprietary applications with the library. If
this is what you want to do, use the GNU Library General Public License instead

FOSS Copyright List

This chapter lists all the owners of the copyrights used in Moxa's products.

Copyright List

Linux Kernel 2.4.19 unknown:undefined
 Copyright 2001 Stelian Pop <stelian.pop@fr.alcove.com>, Alc
 Copyright (C) 2000 VA Linux Co
 Copyright abandoned, Michael Chastain, <mailto:mec@shout.net>. * This is a C version of syncdep.pl by
 Werner Almesberger. * * This program takes autoconf.h as input and outputs a directory full *
 Copyright (C) 2000-2001 Anton Altparmakov (AIA) */
 copyright Linus Torvalds and others. * Heavily rewritten. */
 Copyright (C) 2001 Toshiba Corporation */#ifndef __ASM_TX3927_IRQ_H#define __ASM_TX3927_IRQ_H
 Copyright (c) 2000, 2001 Greg Kroah-Hartman <greg@kroah.com>
 Copyright 1995-1996 Digi International Inc.
 Copyright (C) 1996-1997 Paul H. Hargrove
 Copyright (c) 1999 Al Smith *
 Copyright (C) 1998 David S. Miller (davem@redhat.com)
 Copyright (C) 1996,1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
 Copyright (C) 1996, 1997, 1999 Jakub Jelinek (jakub@redhat.com) */
 Copyright (C) 1991, 1992 Linus Torvalds * * Added kernel support: Jacques Gelinas and Bjorn Ekwall *
 (changed to kmod)
 Copyright (C) 1998, 1999 Richard Henderson * * Code supporting the Jensen.
 Copyright (C) 1998, 1999 Richard Henderson * * Code supporting the Sable and Sable-Gamma systems.
 Copyright (C) 1997 Eddie C. Dost (ecd@skynet.be) * * Rewrote buffer handling to use CIRC(Circular
 Buffer) macros. * Maxim Krasnyanskiy <maxk@qualcomm.com>
 Copyright 1999 SuSE GmbH Nuernberg (Philipp Rumpf, prumpf@tux.org)
 Copyright (C) 1999 Asit Mallick <asit.k.mallick@intel.com>
 Copyright (C) 1996, 1997, 2000 by Ralf Baechle */#ifndef __ASM_ATOMIC_H#define __ASM_ATOMIC_H
 Copyright (C) 1999-2001 Keyspan, A division of InnoSys Incorporated ("Keyspan"), as an unpublished
 work. This notice does not imply unrestricted or public access to this firmware which is a tra
 Copyright 2001 MontaVista Software Inc. * Author: Jun Sun, jsun@mvista.com or jsun@junsun.net * *
 arch/mips/ddb5xxx/ddb5477/pci_ops.c * Define the pci_ops for DB5477.
 Copyright (C) 1995, 1996, 1997, 1998, 2001 by Ralf Baechle */#ifndef _ASM_CHECKSUM_H#define
 _ASM_CHECKSUM_H
 Copyright (C) 1995, 1996, 2001 Ralf Baechle
 Copyright (C) 1999, 2000 Silicon Graphics, Inc. */#ifndef _ASM_POSIX_TYPES_H#define
 _ASM_POSIX_TYPES_H
 Copyright (C) 1999-2000 David Mosberger-Tang <davidm@hpl.hp.com> * * 64-bit integer division.
 Copyright (C) 1991, 1992 Linus Torvalds * * Goal-directed block allocation by Stephen Tweedie *
 (sct@redhat.com), 1993, 1998 * Big-endian to little-endian byte-swapping/bitmaps by * Da
 Copyright (C) 1998 Gleb Raiko */
 Copyright (C) 1998, 1999 by Ralf Baechle */#include <linux/hdreg.h>#include <linux/kernel.h>#include
 <linux/ide.h>#include <asm/hdreg.h>#include <asm/ptrace.h>
 Copyright (C) 1998-2000 Andrzej Krzysztofowicz, Maintainer
 (C) 2001 San Mehat <netzwerk@valinux.com>
 Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) * * Carsten Langgaard, carstenl@mips.com
 Copyright (C) 2001 Keith M Wesolowski */#include <asm/asm.h>#include <asm/regdef.h>#include
 <asm/mipsregs.h>#include <asm/stackframe.h>#include <asm/addrspace.h>#include
 <asm/ip32/ip32_ints.h>
 Copyright (C) 1996 Olaf Kirch * 04 Aug 1998 Ion Badulescu <ionut@cs.columbia.edu> *
 FIFO's need special handling in NFSv2 */
 copyright); printk(VLAN_INF "All bugs added by vlan_buggyright);
 Copyright (C) 1999,2000 ARM Limited
 Copyright (C) 1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz) * * Based upon code written by Ross Biro, Linus
 Torvalds, Bob Manson, * and David Mosberger.
 (C) 2000 Stelias Computing Inc * * HISTORY
 Copyright (C) 1995 Linus Torvalds */
 Copyright (C) 2000-2001 Silicon Graphics, Inc. */#ifndef _ASM_IA64_SN_IO_H#define
 _ASM_IA64_SN_IO_H
 (C) Copyright 1994 Linus Torvalds */#include <linux/slab.h>#include <linux/smp_lock.h>#include
 <linux/shm.h>#include <linux/mman.h>

Copyright (C) 1995 Linus Torvalds *

Copyright (C) 2001 Maciej W. Rozycki <macro@ds2.pg.gda.pl> */

Copyright (C) 1997 Dan Malek (dmalek@jlc.net). * * This file contains the system call entry code, context switch * code, and exception/interrupt return code for PowerPC.

Copyright (C) 1999 Niiibe Yutaka * * Based on linux/arch/i386/mm/init.c:

Copyright (C) 2000 Tigran Aivazian * * This driver allows to upgrade microcode on Intel processors * belonging to IA-32 family - PentiumPro, Pentium II, * Pentium III, Xeon, Pentium 4, etc.

Copyright (c) 1998-1999 Ilario Nardinocchi (nardinoc@CS.UniBO.IT) * -----
 ----- * \$Id: cvisionppc.h,v 1.8 1999/01/28 13:18:07 illo Exp

Copyright (C) 1999 Ulf Carlsson (ulfc@thepuffingroup.com) */#ifndef _SGI_NG1HW_H#define
 _SGI_NG1HW_H

Copyright (C) 2002 Khalid Aziz <khalid_aziz@hp.com> * * Parse the EFI HCDP table to locate serial console and debug ports * and initialize them

(C) 1998 Phil Blundell */#include <linux/config.h>#include <linux/ioport.h>#include <asm/irq.h>#include <asm/system.h>

Copyright (c) 1997-1999 Doug Ledford * * These changes are released under the same licensing terms as the FreeBSD * driver written by Justin Gibbs. Please see his Copyright notice above * for the

Copyright (C) 2001 IBM Deutschland Entwicklung GmbH, IBM Corporation

Copyright (C) 1998 Eddie C. Dost (ecd@skynet.be) * * This driver supports the following ATI graphics chips:

Copyright (C) 2002 Maciej W. Rozycki

Copyright (C) 1991, 1992 Linus Torvalds * * modified by Drew Eckhardt * modified by Bruce Evans (bde) * modified by Chris Noe (May 1999) (as86 -> gas)

(c) Copyright 2001 Ascensit <support@ascensit.com>

Copyright (c) 1999 Russell King *

Copyright (c) 1999 Armin Fuerst <fuerst@in.tum.de>

Copyright (C) 1995, 1996 Olaf Kirch <okir@monad.swb.de> * * CHANGES * 19-Apr-2000 Chris Evans - Security fix

Copyright (C) 1995-2000 ITConsult-Pro Co. <info@itc.hu> * * Contributors:

Copyright (C) 1996 Thomas K. Dyas (tdyas@eden.rutgers.edu) * * Chris Davis (cdavis@cois.on.ca) 03/27/1998 * Added support for the intersil on the sun4/4200

Copyright (C) 2001, Erik Mouw (J.A.K.Mouw@its.tudelft.nl) * * This file accompanies the procfs-guide in the Linux kernel * source. Its main use is to demonstrate the concepts and * functions descr

Copyright 1994 - 2000 Ralf Baechle (ralf@gnu.org)

Copyright 1998 by Franco Venturi.

Copyright (C) 2000 Vinh Truong (vinh.truong@eng.sun.com) * VT - The implementation is to support Sun Microelectronics (SME) platform * environment monitoring. SME platforms use pcf8584 as

Copyright (C) 1996, 1997 Olaf Kirch <okir@monad.swb.de> */

Copyright (C) 1999, 2000 by Ralf Baechle

Copyright (C) 1999 Silicon Graphics, Inc. */#include <linux/config.h>#include <linux/sched.h>#include <linux/mm.h>#include <linux/smp.h>#include <linux/smp_lock.h>#include <linux/kernel.h>#inc

Copyright (c) 2001 MIPS Technologies, Inc. */#ifndef __ASM_STRING_H#define __ASM_STRING_H

(C) 1999 Dave Airlie, University of Limerick, Ireland <airlied@linux.ie> * * Rewrite of larges part of the code in order to stabilize TCP stuff. * Fix behaviour when socket buffer is full.

Copyright (C) 1998 Patrik Rak (prak3264@ss1000.ms.mff.cuni.cz) * * Streams & timod emulation based on code

Copyright (C) 1999 David S. Miller (davem@redhat.com)

Copyright (c) 1994-2001 Justin T. Gibbs.

(C) Copyright 1999 Roman Weissgaerber <weissg@vienna.at>

Copyright (C) 2001 Steven Hill (sjhill@realitydiluted.com)

Copyright (C) 1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz) */

Copyright 1994 David C. Davies and United States Government
 (as represented by the Director, National Security Agency).

Copyright (C) 1997 Geert Uytterhoeven.

Copyright (C) 1998 Ingo Molnar

Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)

Copyright 1993, 1994 Drew Eckhardt * Visionary Computing * (Unix and Linux consulting and custom programming) * drew@Colorado.EDU * +1 (303) 786-7975 * * For more informatio

Copyright (C) 1995, 96, 97, 98, 99, 2000 by Ralf Baechle

copyright(ae_config.base_io) == FALSE)
 Copyright (C) 1999, 2000, 2001 Silicon Graphics, Inc. */#ifndef _ASM_PGTABLE_H#define
 _ASM_PGTABLE_H
 Copyright (C) 1996, 2000 by Ralf Baechle */#ifndef _ASM_INST_H#define _ASM_INST_H
 Copyright (C) 1998 Phil Blundell */
 Copyright (C) 2000 Philipp Rumpf <prumpf@tux.org> * * based on skeletonfb, which was * Created 28
 Dec 1997 by Geert Uytterhoeven
 Copyright (C) 1996 Paul Mackerras (paulus@cs.anu.edu.au)
 Copyright (c) 2001 Axis Communications AB * * Author: Fredrik Hugosson
 Copyright (C) 1991, 1992 Linus Torvalds * * ext/freelists.c
 Copyright (C) 1998 Steffen A. Mork (mork@ls7.cs.uni-dortmund.de)
 Copyright (C) 1996 Paul Mackerras. */#include <linux/kernel.h>#include <linux/delay.h>#include
 <linux/types.h>#include <linux/string.h>#include <linux/slab.h>#include <linux/blk.h>#include <li
 (C) 2001 Brad Hards * * Original author: The Zapman <zapman@interlan.net> * Inspired by, and
 much credit goes to Michael Rothwell * <rothwell@interlan.net> for the test equipment, hel
 Copyright (C) 1996,98,99 Jakub Jelinek (jj@sunsite.mff.cuni.cz) */
 Copyright (C) 2001 Anton Blanchard (antonb@au.ibm.com) * * These routines maintain argument size
 conversion between 32bit and 64bit * iocls.
 Copyright (C) 2001 Stefan Eletzhofer <stefan.eletzhofer@eletztrick.de> * * \$Id: system3.c,v 1.1.6.1
 2001/12/04 17:28:06 seletz Exp \$
 Copyright (c) 2000 Jeroen B. Vreeken (pe1rxq@amsat.org) * * Still somewhat based on the Linux ov511
 driver.
 Copyright (C) 1995 David A Rusling
 Copyright 1998-2001 by Jes Sorensen, <jes@trained-monkey.org>.
 Copyright (C) 1997 Claus-Justus Heine
 Copyright (C) Russell King
 Copyright (C) 2001 Allan Trautman, IBM Corporation * * iSeries specific routines for PCI.
 (C) 1992 V8.00.004/02/92", 5, 44, FD {"IBM F1 BIOS V1.1004/30/92", 5, 25, FD}, {"FUTURE DOMAIN
 TMC-950", 5, 21, FD}, /* Added for 2.2.16 by Matthias_Heidbrink@b.maus.de */ {"IBM F1
 V1.2009/22/93",
 Copyright (c) 1995 Michael Teske * * History: *
 Copyright 2001 MontaVista Software Inc. * Author: jsun@mvista.com or jsun@junsun.net * * First-level
 interrupt dispatcher for ddb5477
 Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin
 Schwidefsky (schwidefsky@de.ibm.com) * * Derived from "include/asm-i386/current.h"
 Copyright (C) 1996 - 1999 Gadi Oxman <gadio@netvision.net.il>
 Copyright Digital Equipment Corporation 1996.
 Copyright (C) by Hannu Savolainen 1993-1996
 Copyright (c) 1999,2000,2001 Wolfgang Denk (wd@denx.de) */
 Copyright (c) 2000 Mark Fletcher * * Sponsored by SuSE
 Copyright (c) 1998 Dan Malek (dmalek@jlc.net) */#ifdef __KERNEL__#ifndef __ASM_FADS_H__#define
 __ASM_FADS_H__
 Copyright (C) 1997-2000 Richard Gooch
 Copyright (C) 1999 Silicon Graphics, Inc. * * Cache error handler
 Copyright (C) 1994, 1995, 1996 by Ralf Baechle and Andreas Busse * * Multi-CPU abstraction reworking:
 Copyright (C) 1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz) */#ifndef _SPARC_TURBOSPARC_H#define
 _SPARC_TURBOSPARC_H
 Copyright (C) 1998, 1999, 2000 Richard Henderson * * Code supporting the MIATA (EV56+PYXIS).
 Copyright (C) 1999,2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Denis Joseph
 Barrow (djbarrow@de.ibm.com,barrow_dj@yahoo.com) * * A little set of queue utilities.
 Copyright (C) 1996 Alex deVries <puffin@redhat.com> */#ifndef _SGI_USEMA_H#define _SGI_USEMA_H
 Copyright (C) 2000 Rob Scott (rscott@mtrob.fdns.net) * Steve Hill (sjhill@cotw.com) * *
 Changelog:
 Copyright (C) 1995-2000 Geert Uytterhoeven
 Copyright (C) 1999 Stephane Eranian <eranian@hpl.hp.com> */#include <linux/init.h>#include
 <linux/string.h>#include <linux/time.h>#include <linux/types.h>#include <linux/proc_fs.h>
 Copyright (c) 1999-2000 James McKenzie, All Rights Reserved
 Copyright (C) 1995, 1996, 1997, 2000, 2001 by Ralf Baechle
 Copyright (C) 1997-2000 Russell King * * Changes to support ARXE 16-bit SCSI card by Stefan Hanske

(c) Copyright 2000 kernel concepts <nils@kernelconcepts.de> *
developed for * Jentro AG, Haar/Munich (Germany) * * TCO timer driver for
i8xx chipsets * based on so
Copyright (C) 1995, 1996 by Andreas Busse * * NOTE: Some of the argument checking could be removed
when * things have settled down. Also, instead of returning 0xffffffff * on failure of vdma_alloc
Copyright (C) 1996 Paul Mackerras. * * platinumfb.c: Console support for PowerMac "platinum" display
adaptor.
Copyright (C) 2001 Takashi Oe * * Mmap code by Michel Lanners <mlan@cpu.lu>
Copyright (C) 2001 Greg Kroah-Hartman (greg@kroah.com)
Copyright (C) 1997 Michael AK Tesch * written with much help from Jon Howell * * Updated for 3D RAGE
PRO and 3D RAGE Mobility by Geert Uytterhoeven
Copyright (C) 2000, 2001 Wolfgang Denk, wd@denx.de * Modified for direct IDE interface * by Thomas
Lange, thomas@corelatus.com * Modified for direct IDE interface on 8xx without using the PCMCIA
Copyright (C) 1998-2000 Jens Axboe */#ifndef _IDE_CD_H#define _IDE_CD_H
Copyright (C) 1994-1996 Linus Torvalds
Copyright (C) 2001 Liam Davies (ldavies@agile.tv) *
Copyright (C) 1996 Free Software Foundation, Inc.
Copyright (C) 2000-2001 Silicon Graphics, Inc. */#ifndef _ASM_IA64_SN_SNCONFIG_H#define
_ASM_IA64_SN_SNCONFIG_H
(C) 1997 Linus Torvalds */
(C) 2001 Fernando Anton, this code is GPL. * IPv6 Project - Work based in IPv6 draft by Arturo
Azcorra. * Universidad Carlos III de Madrid - Leganes (Madrid) - Spain * Universidad Pol
Copyright 2000, 2001 MontaVista Software Inc.
Copyright (c) 1999-2000 Grant Erickson <grant@lcse.umn.edu> * Minor rework. * * Module name:
4xx_tlb.c
(C) 1995 Thomas Bogendoerfer (tsbogend@alpha.franken.de) */
Copyright (c) 1999 Csaba Halasz <qgehal@uni-miskolc.hu>
Copyright (C) 1993 Paul B. Monday * * sysv/inode.c
Copyright (C) 1994 Linus Torvalds * * Pentium III FXSR, SSE support * General FPU state handling
cleanups * Gareth Hughes <gareth@valinux.com>, May 2000
Copyright (C) 1996 Stoned Elipot
(C) 1986-1990 V7.009/18/90", 5, 46, FD
Copyright (C) 1992, 1993 Drew Eckhardt * low level scsi driver for ST01/ST02, Future Domain TMC-885,
* TMC-950 by Drew Eckhardt <drew@colorado.edu> * * Note : TMC-880 boards don't w
Copyright (C) 2000 Steven J. Hill (sjhill@cotw.com) * * \$Id: NAND.c,v 1.12 2001/10/02 15:05:14 dwmw2
Exp \$
Copyright 2001 MontaVista Software Inc. * Author: jsun@mvista.com or jsun@junsun.net * * First-level
interrupt dispatcher for ddb5476
Copyright 2001 by Micro Solutions, Inc., DeKalb IL. USA\n");
Copyright (C) 1998 Eddie C. Dost (ecd@skynet.be)
Copyright 1998 Artur Skawina <skawina@geocities.com> * * Supported cards:
(C) Copyright 1996 Linus Torvalds * * Modified 1996-12-23 by Dave Grothe <dave@gcom.com> to fix bugs
in * the original code and to make semaphore waits * in
Copyright (c) 1996, 1997 by Paul H. Hargrove.
Copyright (C) 1991, 1992 Linus Torvalds * * coh/namei.c
Copyright (C) 2000 Andre Hedrick <andre@suse.com> Further tiny build fixes and trivial hoovering
Alan Cox
Copyright (C) 2001 Kristian H
Copyright (C) 1992 David Giller
Copyright (C) 1998, 1999 Richard Henderson * * Code supporting the ALCOR and XLT (XL-300/366/433).
Copyright (C) 1995, 1996, 1997, 1998 Jakub Jelinek (jj@ultra.linux.cz) *
Copyright (C) 1992, Linus Torvalds * * I don't think we'll ever need a.out ...
(C) 2001 IBM Deutschland Entwicklung GmbH by Carsten Otte
(cotte@de.ibm.com");MODULE_DESCRIPTION("Linux for S/390 channel attached tape device
driver");MODULE_PARM (tape, "1-" __MODULE_STRING (256)
(C) 2000 David Brownell, david-b@pacbell.net (usb-ohci.c) * * HW-initialization based on material
of
Copyright (C) 2000-2001 Deep Blue Solutions
Copyright Elmer Joandi, all rights restricted *

Copyright (C) 1992 Rick Sladkey * * nfs directory handling functions
 Copyright (C) 1995-1997 Claus-Justus Heine.
 Copyright (C) 2001 Russell King * * Page table allocation/freeing primitives for 32-bit ARM processors.
 Copyright 1994. * * This file also contains code originally written by Linus Torvalds,
 Copyright (c) 2000 FutureTV Labs Ltd * * Tbox has no real-time clock -- we get millisecond ticks to update
 * our soft copy.
 (C) 1999 Stelias Computing Inc * * HISTORY
 Copyright 1999 Jaroslav Kysela <perex@suse.cz>
 Copyright 2000 (c) Grant Grundler <grundler@puffin.external.hp.com> */
 Copyright (C) 1999 Jakub Jelinek (jj@ultra.linux.cz)
 (C) Copyright 1991-2000 Linus Torvalds * * We have a per-user structure to keep track of how many *
 processes, files etc the user has claimed, in order to be * able to have per-user limits for sys
 Copyright (C) 2000, David Gibson, Linuxcare Australia <hermes@gibson.dropbear.id.au>
 Copyright (C) 1991, 1992 Linus Torvalds * * nfservctl system-call when nfsd is not compiled in.
 Copyright (C) 1999 IBM Corporation * * Linux driver for IBM PCI tokenring cards based on the
 LanStream MPC * chipset.
 Copyright 1996, 1997 David S. Miller (davem@caip.rutgers.edu) */
 copyright; /* Copyright message.
 Copyright (C) 1995 by Ralf Baechle */#ifndef __ASM_MIPS_SOCKIOS_H#define __ASM_MIPS_SOCKIOS_H
 Copyright: Copyright (c) 1996 John Shifflett, GeoLog Consulting */static inlineint round_period(unsigned int
 period)
 Copyright (C) 1997 David S. Miller (davem@caip.rutgers.edu)
 Copyright (C) 1994, David S. Miller (davem@caip.rutgers.edu) */
 Copyright (C) 2000 Steven J. Hill (sjhill@cotw.com) * * \$Id: nand_ecc.h,v 1.1 2000/10/12 00:57:15 sjhill
 Exp \$
 Copyright 2001 Manfred Spraul
 Copyright (c) 1998 Thomas Davis <ratbert@radiks.net> * All Rights Reserved
 Copyright (C) 1996 Martin Apel, * Geert Uytterhoeven
 Copyright (C) 2000 Emmanuel Roger <winfield@freegates.be>
 Copyright 2000 Ani Joshi <ajoshi@unixbox.com> *
 (C) Copyright 1999 Linus Torvalds * * This implements the common parts of PCI pccard drivers, * notably
 detection and infrastructure conversion (ie change * from socket index to "struct pci_dev" e
 Copyright (C) 1997, 1998 Russell King
 Copyright 1998-2000 by Armin Schindler (mac@melware.de)
 Copyright (C) 1999-2000 by David Brownell <dbrownell@users.sourceforge.net>
 Copyright 1999 Philipp Rumpf (prumpf@tux.org) * * Initial Version 04-23-1999 by Helge Deller
 (helge.deller@ruhr-uni-bochum.de)
 Copyright (C) 1998 Anton Blanchard (anton@progsoc.uts.edu.au)
 Copyright (C) 1997-1999 Janos Farkas <chexum@shadow.banki.hu> * * Using parts of the minix
 filesystem
 Copyright 2001 H. Peter Anvin - All Rights Reserved
 Copyright (C) 1998 Dave Perks <dperks@ibm.net>
 (C)Copyright 1998-2001 SysKonnnect GmbH.
 Copyright (C) 2001 Benjamin Herrenschmidt <benh@kernel.crashing.org> * * Based on dummy_cs.c 1.27
 2000/06/12 21:27:25
 Copyright (C) 1999,2000 IBM Deutschland Entwicklung GmbH, IBM Corporation */
 copyright as above. * * Modified for Sun3 OBIO i82586 by Sam Creasey (sammy@sammy.net)
 Copyright (c) 1998 Harald Koerfgen */#include <asm/asm.h>#include <asm/errno.h>#include
 <asm/fpregdef.h>#include <asm/mipsregs.h>#include <asm/offset.h>#include <asm/regdef.h>
 Copyright (C) 1999 Nexus Electronics Ltd */
 Copyright (C) 1998 - 2002 Douglas Gilbert
 Copyright (c) 1997-1999 Perceptive Solutions, Inc. * All Rights Reserved
 Copyright (c) 2000 Axis Communications AB * * Authors: Bjorn Wesen
 Copyright (C) 1993, 1994, 1995 Eric Youngdale * * mid to lowlevel SCSI driver interface * Initial
 versions: Drew Eckhardt * Subsequent revisions: Eric Youngdale
 Copyright 1998--2000 Martin Mares <mj@ucw.cz> */
 Copyright (C) 1995 Linus Torvalds * * 1997-11-02 Modified for POSIX.1b signals by Richard Henderson
 Copyright (C) 2000 Philipp Rumpf <prumpf@tux.org> * * based on linux/drivers/char/pc_keyb.c, which had
 the following comments: *

(c) Copyright 1999, 2000 Red Hat Software
 Copyright (C) 2000 Jim Pick <jim@jimpick.com>
 Copyright 2000 MontaVista Software Inc. * Author: MontaVista Software, Inc. * ppopov@mvista.com
 or source@mvista.com * * Carsten Langgaard, carstenl@mips.com
 Copyright (C) 1995 Leo Spiekman (spiekman@dutette.et.tudelft.nl)
 Copyright (C) 1998, 1999, 2000 Axis Communications AB */
 Copyright 1997-2000 Philip Blundell <philb@gnu.org> * * Module parameters: *
 Copyright (C) 1992 - 1997, 2000-2002 Silicon Graphics, Inc. All rights reserved
 Copyright 1995 David S. Miller (davem@caip.rutgers.edu)
 (C) SysKonnnect.";
 Copyright (C) 1997 Martin Mares <mj@atrey.karlin.mff.cuni.cz> * * The __delay function must _NOT_ be
 inlined as its execution time * depends wildly on alignment on many x86 processors. The addition
 Copyright (C) 1995, 1996 by Volker Lendecke *
 Copyright (C) 2000,2001 Maciej W. Rozycki <macro@ds2.pg.gda.pl> *
 Copyright (C) 2000 Hewlett-Packard Co, Linuxcare Inc.
 Copyright (C) 1992, 1993, 1994, 1995 * Remy Card (card@masi.ibp.fr) * Laboratoire MASI - Institut Blaise
 Pascal * Universite Pierre et Marie Curie (Paris VI) */
 Copyright (C) 1999 by Ralf Baechle */#ifndef _ASM_SN_SN0_IP27_H#define _ASM_SN_SN0_IP27_H
 Copyright (C) 2000 Silicon Graphics, Inc. * Written by Ulf Carlsson (ulfc@engr.sgi.com) * sys32_execve
 from ia64/ia32 code, Feb 2000, Kanoj Sarcar (kanoj@sgi.com) */#include <linux/mm.h>#include
 Copyright (c) 1999 Michael Gee <michael@linuxspecific.com>
 Copyright 1994-1999 by Fritz Elfert (fritz@isd4linux.de)
 Copyright 1993, 1994, 1995 Drew Eckhardt * Visionary Computing * (Unix and Linux consulting and
 custom programming) * drew@PoohSticks.ORG * +1 (303) 786-7975 * * TolerANT and SCS
 Copyright 2000 by Hans Reiser, licensing governed by reiserfs/README * * Trivial changes by Alan Cox to
 add the LFS fixes
 Copyright (c) 2001 David Howells (dhowells@redhat.com). * - Derived partially from ideas by Andrea
 Arcangeli <andrea@suse.de> * - Derived also from comments by Linus */
 Copyright (C) 1997,1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz) * Based upon code written by Linus
 Torvalds and others. */
 Copyright (C) 1998-2001 Hewlett-Packard Co
 Copyright (C) 2000 RidgeRun, Inc. * Author: RidgeRun, Inc. * glonnon@ridgerun.com,
 skranz@ridgerun.com, stevej@ridgerun.com *
 Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001 by Ralf Baechle
 (C) 1995-1999 ITConsult-Pro Co. <info@itc.hu>\n", VERSION);
 Copyright (C) 1999, 2000 Silicon Graphics, Inc. */#include <linux/errno.h>#include
 <linux/sched.h>#include <linux/kernel.h>#include <linux/mm.h>#include <linux/stddef.h>#include
 <linux/unistd.h>
 Copyright (C) 1998-1999 Andrzej Krzysztofowicz, Author and Maintainer
 Copyright (C) 1989, 1991 Free Software Foundation, Inc.
 Copyright (C) 2000 Geert Uytterhoeven <geert@sonycom.com> * Sony Software
 Development Center Europe (SDCE), Brussels */#include <linux/init.h>#include <asm/mc146818rtc.h>
 Copyright 1999, 2000 Precision Insight, Inc., Cedar Park, Texas.
 copyright information. printk(KERN_WARNING "NetWinder Floating Point Emulator V0.95 "
 Copyright (C) 1999 Keith Whitwell
 Copyright (C) 2001 David Mosberger-Tang <davidm@hpl.hp.com> */
 Copyright (c) 1995, 1996 Daniel M. Eischen * All rights reserved
 Copyright (C) 1991, 1992, 1993, 1994 Linus Torvalds * * Swap reorganised 29.12.95, * Asynchronous
 swapping added 30.12.95. Stephen Tweedie * Removed race in async swapping. 14.4.1996. Bruno H
 Copyright (C) 1991, 1992 Linus Torvalds * * ext2fs fsync primitive
 Copyright (C) 2000 ARM Limited
 Copyright (C) 1999 Nexus Electronics Ltd. * * Changelog:
 Copyright (C) 1998-2001 Gerard Roudier <groudier@free.fr>
 Copyright (c) 1998-1999, RedCreek Communications Inc. ---** --- All rights reserved
 Copyright 1999 Red Hat Software --- All Rights Reserved
 copyright follows: *
 Copyright (C) 1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz) * * You can put anything here, but:
 Copyright (C) 1996,97,98 Ralph Metzler (rjkm@thp.uni-koeln.de) & Marcus Metzler
 (mocm@thp.uni-koeln.de)

(C) 2001 Mountain View Data, Inc. */
 Copyright (c) 1999-2002 LSI Logic Corporation * Originally By: Steven J. Ralston *
 (mailto:sjralston1@netscape.net) * (mailto:Pam.Delaney@lsil.com) * * \$Id: mptctl.h,v 1.9 2002/02/27 18:44:26

Copyright (C) 1999, 2000 by Silicon Graphics, Inc. * * PROM library functions for acquiring/using memory descriptors given to us * from the ARCS firmware. This is only used when CONFIG_ARC_MEMORY

Copyright (C) 1999,2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Hartmut Penner (hp@de.ibm.com), * Martin Schwidefsky (schwidefsky@de.ibm.com) * * Derived f

Copyright 1993-1999 NVIDIA, Corporation. All rights reserved

Copyright (C) 1994 Florian La Roche * * Jun 7 1999, cache symlink lookups in the page cache. -DaveM

Copyright (C) 1996, 1998 by Ralf Baechle * * Multi-arch abstraction and asm macros for easier reading:

Copyright (C) 2000 Kazumoto Kojima *

Copyright (C) 2001 Junichi Morita <jun1m@mars.dti.ne.jp> *

(C) Copyright 2000 Grant Grundler <grundler@puffin.external.hp.com> *

Copyright (C) 1995, 1999, 2000, 2001 by Silicon Graphics, Inc. * * References:

Copyright (C) 1999, 2000 Philipp Rumpf <prumpf@tux.org> */

Copyright 2001 by Kai Germaschewski <kai.germaschewski@gmx.de> * 2001 by Karsten Keil <keil@isdn4linux.de> * * based upon Karsten Keil's original isac.c driver

Copyright (C) 1996,1997,1998 Russell King

Copyright 1994, Tom Zerucha. tz@execpc.com Additional Code, and much appreciated help by Michael A. Griffith grif@cs.ucr.edu

Copyright (C) 1992,1993,1994,1996 | W. Metzenthen, 22 Parker St, Ormond, Vic 3163, Australia | | E-mail billm@jacobi.maths.monash.edu.au | |

Copyright (C) 1992 Thomas Wuensche * closely related to the aha1542 driver from Tommy Thorn * (as close as different hardware allows on a lowlevel-driver :-)) * * Revised (and renamed) by John

Copyright (C) 1992 - 1997, 1999 Silicon Graphics, Inc.

Copyright (C) 1997, 1998, 1999, 2000 Ralf Baechle ralf@gnu.org * * To do: *

(C) Copyright 1995 by Geert Uytterhoeven, * Peter De Schrijver * * lance.c: An AMD LANCE ethernet driver for linux. * Written 1993-94 by Donald Becker.

(c) Copyright 2002 Guido Guenther <agx@sigxcpu.org>, All Rights Reserved

Copyright (C) 1996 Paul Mackerras (Paul.Mackerras@cs.anu.edu.au)

Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999 Ralf Baechle

Copyright (C) 2000 Greg Banks, Mitch Davis * C API to interface to the standard LinuxSH BIOS * usually from within the early stages of kernel boot. */

Copyright (C) 1997 Geert Uytterhoeven * * and SPARC console subsystem

Copyright (C) 1997,1998 Russell King */

Copyright 2000 Paul Mackerras.

Copyright (C) 1998 Peter Maydell (pmaydell@chiark.greenend.org.uk)

Copyright (C) 2000,2002 Stephen Rothwell */

Copyright (C) 1998 Vladimir Roganov and Gleb Raiko * * This driver is partly based on the Frame buffer device for ATI Mach64 * and partially on VESA-related code.

Copyright (C) 2000 Crossnet Co. <info@crossnet.co.jp> * * This code is GPL

Copyright (C) 2000 TurboLinux, Inc.

Copyright (C) 1992 Linus Torvalds * Adapted from arch/i386 by Gary Thomas

Copyright (C) 2000 Andreas E. Bombe

Copyright: Copyright (c) 1996 John Shifflett, GeoLog Consulting */staticunsigned char calc_sync_xfer(unsigned int period, unsigned int offset)

Copyright (c) 1995-1998 Mark Lord

Copyright 1999,2000 Jeff Garzik

Copyright (C) 1998 Daniel Jacobowitz <dan@debian.org>

Copyright (C) 1999 Niibe Yutaka * * ASID handling idea taken from MIPS implementation.

Copyright (C) 2001 by Ralf Baechle

Copyright (C) 1998 */

Copyright (C) 1992,1993,1994,1996,1997,1999 | W. Metzenthen, 22 Parker St, Ormond, Vic 3163, Australia | | E-mail billm@melbpc.org.au

Copyright (C) 1998-99";char *inia100_InitioName = "by Initio Corporation";char *inia100_ProductName = "INI-A100U2W";char *inia100_Version = "v1.02c";

Copyright (C) 1996 Peter J. Braam <braam@maths.ox.ac.uk> and * Michael Callahan

<callahan@maths.ox.ac.uk> * * Rewritten for Linux 2.1. Peter Braam <braam@cs.cmu.edu>
 (C) Copyright 1999, 2000 Thomas Sailer <sailer@ife.ee.ethz.ch>. (proc file per device)
 Copyright (C) 1999 Walt Drummond <drummond@valinux.com> * * This file is used for SMP configurations only.
 Copyright (c) 1999 Vojtech Pavlik * * Based on the work of:
 Copyright (c) 1998-1999 Thomas Davis,
 (C) 2000-2002 by Harald Welte <laforge@gnumonks.org> * based on RR's ip_conntrack_ftp.c * *
 ip_conntrack_irc.c,v 1.21 2002/02/05 14:49:26 laforge Exp
 (C) 1996 Miguel de Icaza * * This file is not meant to be included by user level applications * but the solaris syscall emulator
 copyright(struct cdrom_device_info{ int ret; u_char buf[8]; struct cdrom_generic_command cgc;
 struct cdrom_device_ops *cdo = cdi->ops;
 (C) Copyright IBM Corp. 1994, 2002. All Rights Reserved
 Copyright (c) 1998-2000 Dag Brattli, All Rights Reserved
 Copyright (C) 1999 Silicon Graphics, Inc. */#ifndef _ASM_CACHECTL#define _ASM_CACHECTL
 (C) Nicolas Pitre <nico@cam.org> * Rewritten: big cleanup, much simpler, better HZ accuracy. *
 Copyright is held by AT * * AT&T gives permission for the free use of the CRC source code.
 Copyright 1994 Comtrol Corporation.
 Copyright (C) 1992 Rick Sladkey * * nfs inode and superblock handling functions
 Copyright (C) 1996 David S. Miller * Kevin D. Kissell, kevink@mips.com and Carsten Langgaard,
 carstenl@mips.com
 Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Denis Joseph
 Barrow (djbarrow@de.ibm.com,barrow_dj@yahoo.com) * * s390fpu.h functions for saving & restoring th
 Copyright (C) 1994-2002 Dario Ballabio.\n"); printk("%s config options -> tc:%c, lc:%c, mq:%d, rs:%c,
 et:%c.\n", driver_name, tag_type, YESNO(linked_comm), max_queue_depth,
 Copyright 2001 Stelian Pop <stelian.pop@fr.alcove.com>, Alc * * For all support questions please contact:
 <support@auverttech.fr>
 Copyright Management Information (UDF 2.01 3.3.4.5.1.2)struct DVDCopyrightImpUse { uint16_t
 headerChecksum; uint8_t CGMSInfo; uint8_t dataType;
 uint8_t protectionSystemInfo[4];} __attribute__
 Copyright (C) 1995 - 2000, 2001 by Ralf Baechle
 Copyright (C) 1998-2001 Hewlett-Packard Co * Stephane Eranian <eranian@hpl.hp.com> * David
 Mosberger <davidm@hpl.hp.com> * * 00/08/23 Asit Mallick <asit.k.mallick@intel.com> TLB handling for
 SMP
 Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin
 Schwidefsky (schwidefsky@de.ibm.com), * * Derived from "arch/i386/lib/delay.c"
 Copyright (c) 2001 Christopher L Cheney (ccheney@cheney.cx)
 Copyright 1998 Michael Mraka (michael@fi.muni.cz) * and with fixes from Michael Shuey
 (shuey@ecn.purdue.edu) * The mixer code cheats; Sparc hardware doesn't generally allow independent *
 line contr
 Copyright 2001,2002 MontaVista Software Inc.
 copyright 1999 The Puffin Group Inc.
 (C) Copyright 1995 1996 Linus Torvalds * CRIS-port by Axis Communications AB */
 Copyright (C) 2002 Shane Nay (shane@minirl.com) */#include <asm/system.h>
 Copyright (C) 1999, 2000 Nexus Electronics Ltd. */
 Copyright (C) 2000 Maciej W. Rozycki * * This file contains the time handling details for PC-style clocks as
 * found in some MIPS systems.
 Copyright (c) 1999 by Oliver Aldulea (oli@bv.ro) * * This code is based on the RISCom/8 multiport
 serial driver written * by Dmitry Gorodchanin (pgmdsg@ibi.com), based on the Linux serial * driver
 Copyright 1999 by Werner Cornelius (werner@titro.de)
 Copyright (C) 1998 Derrick J. Brashear (shadow@dementia.org) */
 Copyright (C) 2001 FarSite Communications Ltd.
 Copyright (C) 1997, 1998 Ralf Baechle ralf@gnu.org */#include <linux/sched.h>#include <linux/mm.h>
 (C) Copyright 2000 Brian Warner <warner@lothar.com>
 Copyright (C) 1999 Walt Drummond <drummond@valinux.com> */#include <linux/config.h>
 Copyright (C) 1995, 1996, 1997, 1998 David S. Miller (davem@redhat.com)
 (C) Copyright 2001 Ralf Baechle */#include <linux/module.h>#include <asm/addrspace.h>#include
 <asm/byteorder.h>
 Copyright (C) 2001 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Fritz Elfert
 (elfert@de.ibm.com, felfert@millenux.com) * * Documentation used:

Copyright 2000 by Hans Reiser, licensing governed by reiserfs/README */
 Copyright (c) 1996-1999 Russell King.
 Copyright (C) 1996, 1997, 1998, 2000 Ralf Baechle */#ifndef _ASM_MC146818RTC_H#define
 _ASM_MC146818RTC_H
 Copyright (C) 1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz) * * Based on sun4m's smp.c, which is:
 Copyright (C) 1999-2000 Andre Hedrick <andre@linux-ide.org> * * Extracts if ide.c to address the
 evolving transfer rate code for * the SETFEATURES_XFER callouts. Various parts of any given funct
 Copyright (C) 2000 MIPS Technologies, Inc.
 Copyright (C) 1998-1999 ITConsult-Pro Co. <info@itc.hu> * * Contributors:
 Copyright (C) 1999 Bent Hagemark, Ingo Molnar * * SGI Visual Workstation interrupt controller
 Copyright (C) 1999-2001 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> */
 Copyright (C) 2000 - 2002 Paul Bristow <paul@paulbristow.net> */
 Copyright (C) 1992 David Giller, rafetmad@oxy.edu * 1994, 1995 Eberhard Moenkeberg,
 emoenke@gwdg.de * 1996 David van Leeuwen, david@tm.tno.nl *
 Copyright (C) 1994 - 1999, 2000 by Ralf Baechle and others.
 Copyright (C) 1996 SpellCaster Telecommunications Inc.\n");
 Copyright (c) 1998, 1999, RedCreek Communications Inc. ---** --- All rights reserved
 Copyright (C) 2000 Silicon Graphics, Inc. */#ifndef _ASM_SGI_IO_H#define _ASM_SGI_IO_H
 Copyright (C) 1991, 1992 Linus Torvalds * * Pentium III FXSR, SSE support * Gareth Hughes
 <gareth@valinux.com>, May 2000
 Copyright (C) 1998-2001 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>
 Copyright (C) 2000 by Colin Ngam */#ifndef _ASM_SN_XTALK_XTALKADDRS_H#define
 _ASM_SN_XTALK_XTALKADDRS_H
 Copyright (C) 2001 Ben Collins <bcollins@debian.org> * 2000 Bonin Franck <boninf@free.fr> * *
 Mainly based on work by Emanuel Pirker and Andreas E. Bombe
 Copyright (C) 1998 by Ralf Baechle */#include <asm/asm.h>#include <asm/offset.h>#include
 <asm/regdef.h>
 Copyright (C) 2001, 2002 Jeff Garzik (jgarzik@mandrakesoft.com) */
 Copyright (C) 1995, 1996 Paul H. Hargrove
 Copyright (C) 1993 Linus Torvalds * * Delay routines, using a pre-computed "loops_per_jiffy" value.
 Copyright (C) 1996 * Adrian Rodriguez (adrian@franklins-tower.rutgers.edu) * Laboratory for Computer
 Science Research Computing Facility * Rutgers, The State University of New Jersey * * NeXTstep
 Copyright (c) 1999 - 2001 Greg Kroah-Hartman <greg@kroah.com>
 Copyright (c) 2000 Mark Douglas Corner <mcorner@umich.edu> * * \$Id: hci_usb.c,v 1.6 2002/04/17
 17:37:20 maxk Exp \$
 Copyright (C) 1997 Rudolf Koenig (rfkoenig@immd4.informatik.uni-erlangen.de) */
 Copyright 1998-2001 by Leonard N. Zubkoff " "<lnz@dandelion.com>\n", Controller);}
 copyright information.
 Copyright (C) 2000 Philipp Rumpf <prumpf@tux.org> * * Some code taken from i386 version.
 Copyright 1993, 1994 Drew Eckhardt * Visionary Computing * (Unix and Linux consulting and
 custom programming) * Drew@Colorado.EDU * +1 (303) 786-7975 * * Drew's work was spon
 Copyright (C) 1998-1999 Russell King.
 Copyright (C) 1997 Miguel de Icaza
 Copyright (C) 1993 Pascal Haible, Bruno Haible * * sysv/file.c
 Copyright (C) 1996, 97, 2000, 2001 by Ralf Baechle
 Copyright 2001 MontaVista Software Inc. * Author: Jun Sun, jsun@mvista.com or jsun@junsun.net * *
 arch/mips/vr4181/common/serial.c * initialize serial port on vr4181.
 Copyright (C) 2000 Philipp Rumpf <prumpf@tux.org> * * Based on linux/drivers/video/vgacon.c and
 linux/drivers/video/fbcon.c, * which were
 Copyright (C) 1999, 2000 Jakub Jelinek (jakub@redhat.com) */
 Copyright (C) 1998 Pavel Machek (pavel@ucw.cz) */
 Copyright (C) 1989, 1992, 1993, 1994, 1995 Free Software Foundation, Inc.
 Copyright (C) 1995 Jean-loup Gailly and Mark Adler
 COPYRIGHT * This file is distributed under the terms of the GNU General Public
 Copyright 1997 Transmeta Corporation - All Rights Reserved
 Copyright 1998, Michael Schmitz <mschmitz@lbl.gov> * * derived in part from: */
 Copyright (C) 1996 Eddie C. Dost (ecd@skynet.be)
 Copyright (C) 1998 * Daniel Pirkel <daniel.pirkel@email.cz> * Charles University, Faculty of Mathematics and
 Physics */

Copyright (C) 2001 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> */
 Copyright (C) 1997, 1998 Ralf Baechle
 Copyright (c) 1996 Russell King.
 Copyright (C) 2000 Toshiba Corporation */#ifndef __ASM_TX3927_H #define __ASM_TX3927_H
 Copyright (C) 1991, 1992, 1995 Linus Torvalds * * This file contains the PC-specific time handling details:
 Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org) * * Rewritten by Cort Dougan
 (cort@cs.nmt.edu) for PReP
 Copyright (C) Eicon Technology Corporation, 2000. * * Eicon File Revision : 1.7
 Copyright 1999 Ben Pfaff and Petr Vandrovec * Based on VGA info at
<http://www.goodnet.com/~tinara/FreeVGA/home.htm>
 Copyright (c) 1996-2000 Russell King. * * Changelog:
 Copyright 1999 (C) Niibe Yutaka */#ifndef __ASM_SH_CACHE_H#define __ASM_SH_CACHE_H
 Copyright (C) 1998 Geert Uytterhoeven * * 2000 - Removal of OpenFirmware dependencies by:
 Copyright (C) 1998-9 Tim Waugh <tim@cyberelk.demon.co.uk>
 Copyright 2001 MontaVista Software Inc. * Author: Jun Sun, jsun@mvista.com or jsun@junsun.net * *
 drivers/sound/nec_vrc5477.c * AC97 sound driver for NEC Vrc5477 chip (an integrated, * m
 Copyright (C) 1997,1998 Jakub Jelinek (jj@ultra.linux.cz)
 Copyright (C) 2000 Neil Brown <neilb@cse.unsw.edu.au> */
 Copyright (C) 1998-2002 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>
 /#define __KERNEL_SYSCALLS__ / see <asm/unistd.h> */#include <linux/config.h>
 Copyright: GPL *
 copyright 1996 by David Weis, weisd3458@uni.edu
 Copyright (C) 2000, 2001 Silicon Graphics, Inc. */#ifndef _ASM_TERMIOS_H#define _ASM_TERMIOS_H
 Copyright (C) 2000 Jun Sun (jsun@mvista.com) *
 copyright 1994-1999 by Donald Becker.
 Copyright (C) 2000 Ken Aaker (kdaaker@rchland.vnet.ibm.com)
 Copyright (c) 1999-2001 Vojtech Pavlik * * Based on the work of:
 Copyright (c) 2000 Peter Berger (pberger@brimson.com)
 Copyright 1999,2000 Nortel Networks
 Copyright (C) 1994-2002 Dario Ballabio.\n"); printk("%s config options -> of:%c, lc:%c, mq:%d,
 et:%c.\n", driver_name, YESNO(have_old_firmware), YESNO(linked_comm), max
 Copyright (c) 1999 Grant Erickson <grant@lcse.umn.edu> * PowerPC 403GCX/405GP modifications.
 */#include <linux/config.h>#include <linux/kernel.h>#include <linux/mm.h>#include <asm/ptrace.h>#i
 Copyright (C) 1996 Miguel de Icaza (miguel@nuclecu.unam.mx)
 Copyright (C) 1996 David S. Miller (davem@caip.rutgers.edu) * * Returns 0, if ok, and number of bytes not
 yet set if exception * occurs and we were called as clear_user.
 Copyright (C) 1998 Jakub Jelinek * * This driver is partly based on the Open Firmware console driver
 Copyright (C) 1996 Paul Mackerras. */#include "nonstd.h"#include "privinst.h"
 Copyright Richard Zidlicky
 Copyright (C) 1996 Jesper Skov (jskov@cs.auc.dk) */
 Copyright (C) 1996 | W. Metzenthen, 22 Parker St, Ormond, Vic 3163, Australia | |
 E-mail billm@jacobi.maths.monash.edu.au | |
 Copyright (c) 2000 Steven Hill (sjhill@cotw.com) * * Changelog:
 Copyright (c) 1999-2000 Grant Erickson <grant@lcse.umn.edu> * * Module name: oak_setup.c
 Copyright 2001 MontaVista Software Inc. * Author: Jun Sun, jsun@mvista.com or jsun@junsun.net * * This
 file define the irq handler for MIPS CPU interrupts.
 Copyright (C) 2001 A * * Enable the CF configuration.
 Copyright 2001 MontaVista Software Inc. * Author: jsun@mvista.com or jsun@junsun.net * *
 arch/mips/ddb5xxx/common/irq.c * Common irq code for DDB boards. This really should belong *
 arch/mip
 Copyright (C) 2000 David Huggins-Daines <dhd@debian.org>
 Copyright (c) 1999 Nicolas Pitre <nico@cam.org> */#include <linux/config.h>#include
 <asm/arch/hardware.h>
 Copyright (C) 1995 Miguel de Icaza (miguel@nuclecu.unam.mx) * * 1996: sparc_free_io, 1999:
 ioremap()/iounmap() by Pete Zaitcev.
 (c) Copyright 1999-2001 Red Hat Software.\n");
 (C) Copyright 1996, 1997, 1999 by Ralf Baechle
 Copyright (C) 2001 Todd Inglett, IBM Corporation * * PCI manipulation via device_nodes.
 Copyright (C) 2000 Steve Hill (sjhill@cotw.com) * Rob Scott (rscott@mtrob.fdns.net)

Copyright (C) 1996, Linus Torvalds */
 Copyright (c) 2000 Al Borchers <borchers@steinerpoint.com>
 Copyright (c) 2001,2001 IBM Corp. * * All rights reserved
 Copyright 2000-2002 Jeff Garzik
 Copyright (C) 1997 Eddie C. Dost (ecd@skynet.be)
 Copyright (C) 1992,1993,1994,1995,1997 | W. Metzenthen, 22 Parker St, Ormond, Vic 3163, | | Australia. E-mail billm@suburbia.net | |
 Copyright (C) 2000 John G Dorsey <john * * This file contains definitions for the SA-1111 Companion Chip. * (Structure and naming borrowed from SA-1101.h, by Peter Danielsson.)
 Copyright (C) 2000, 2001 Broadcom Corporation *
 Copyright (C) 1999
 Copyright 2000, Ingo Molnar <mingo@redhat.com> * * Registry idea and naming [crucial! :-)] by: *
 Copyright (C) 2001 Cluster File Systems, Inc.
 Copyright 1994 by Donald Becker.
 Copyright (C) 1999 Axis Communications AB */
 Copyright (C) 1997,1998,1999 Jakub Jelinek (jj@ultra.linux.cz) */
 Copyright (C) 1996 Russell King
 Copyright (C) 1997, 1998, 1999, 2000 Ralf Baechle (ralf@gnu.org)
 Copyright (C) 1999, 2000 Tim Waugh <tim@cyberelk.demon.co.uk>
 Copyright (C) 2002 Momentum Computer * * Author: RidgeRun, Inc. * glonnon@ridgerun.com, skranz@ridgerun.com, stevej@ridgerun.com
 Copyright (C) 2001 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Ulrich Weigand (Ulrich.Weigand@de.ibm.com) */
 Copyright (C) Chuck Fleckenstein (cfleck@co.intel.com) *
 Copyright (C) 1997 Eddie C. Dost (ecd@skynet.be) * * Modified Aug 1, 2000 Francois Wautier * Modified for complete driver Joachim Martillo
 Copyright (C) 2000 Harald Koerfgen */
 Copyright (C) 1996 Paul Mackerras. */#include <stdarg.h>#include <linux/config.h>#include <linux/types.h>#include <linux/errno.h>#include <linux/kernel.h>#include <linux/delay.h>#include <linu
 Copyright (C) 1999, 2000 Silicon Graphics, Inc.
 Copyright (C) 1998, 1999 by Ralf Baechle */#ifndef _ASM_SIGINFO_H#define _ASM_SIGINFO_H
 Copyright (C) Alex Holden <alex@linuxhacker.org> 1998, 1999. */
 Copyright (C) 1994 - 1999 by Ralf Baechle
 Copyright (c) 1998-1999 Dag Brattli, All Rights Reserved
 Copyright (C) 1996,1998 Jakub Jelinek (jj@ultra.linux.cz)
 Copyright 1999 Derrick J Brashear (shadow@dementia.org) */
 Copyright (C) 2002 David S. Miller (davem@redhat.com) *
 Copyright (C) 2000 Hewlett-Packard Co
 Copyright (C) 1999 Werner Seiler
 Copyright (C) 1995, 1996, 1997, 1998 Jakub Jelinek (jj@ultra.linux.cz) */
 (C) 1993, Hamish Macdonald, see a2091.c for more info *
 Copyright (C) 2000 MIPS Technologies, Inc. All rights reserved
 COPYRIGHT XEBEC (C) 1984",xd_xebec_init_controller,xd_xebec_init_drive," XEBEC"
 Copyright (c) 2001 Anton Altparmakov (AIA) */
 Copyright (C) 2000 Don Dugger <n0ano@valinux.com>
 Copyright (C) 1999, 2000 Grant Grundler */#include <linux/config.h>#include <linux/types.h>#include <linux/kernel.h>#include <linux/init.h> /* for __init and __devinit */#include <linux/pci.h>
 Copyright (C) 1999 Cort Dougan <cort@cs.nmt.edu> */#ifndef __KERNEL__#ifndef _PPC_HW_IRQ_H#define _PPC_HW_IRQ_H
 (C) 1998/1999 R.E.Wolff@BitWizard.nl \n"); printk (KERN_INFO "sx: version %s\n", RCS_ID); header_printed = 1; }
 Copyright (C) 1998 Jakub Jelinek (jj@ultra.linux.cz)
 Copyright (C) 1999 Mike Bernson <mike@mlb.org>
 Copyright Roman Zippel, 1997. All rights reserved
 Copyright (C) 1994,1995 | W. Metzenthen, 22 Parker St, Ormond, Vic 3163, | | Australia. E-mail billm@jacobi.maths.monash.edu.au | |
 (C) Copyright 1998, 1999 Axis Communications AB, LUND, SWEDEN*!
 Copyright (C) 1995 Geert Uytterhoeven
 Copyright (C) 1992,1993,1994,1997,1999 | W. Metzenthen, 22 Parker St, Ormond, Vic 3163,

Australia | | E-mail billm@melbpc.org.au | |

Copyright history from vga16fb.c:

Copyright (C) 1998 Vladimir Roganov * Code (mostly sleleton and comments) derived from DECstation IRQ * handling. */#include <linux/errno.h>#include <linux/init.h>#include <linux/kerne

Copyright (c) 2001-2002 IBM Corp. * * All rights reserved

Copyright (C) 1996 Paul Mackerras (paulus@cs.anu.edu.au) * Amiga/APUS changes by Jesper Skov (jskov@cygnus.co.uk). * * This file contains the code used by various IRQ handling routines:

Copyright (C) 2000, 2002 Maciej W. Rozycki * * These are addresses which have to be known early in the boot process. * For other addresses refer to tc.h ioasic_addrs.h and friends.

Copyright (C) 1998, 2000 Richard Henderson * * This file contains declarations and inline functions for interfacing * with the IRQ handling routines in irq.c.

Copyright (c) 1999 The Puffin Group/* Written by David Kennedy and Alex deVries */

copyright was changed, and the change * is retroactive to all "true" BSD software (ie everything * from UCB as opposed to other peoples code that just carried

Copyright (C) 1995, 1996, 1997, 1999, 2001 by Ralf Baechle

Copyright (C) 2000-2001, Anton Altaparmakov (AIA) */

COPYRIGHT (1<<2) /#define SND_PCM_AES0_CON_EMPHASIS (7<<3) /* mask - emphasis

/#define SND_PCM_AES0_CON_EMPHASIS_NONE (0<<3) / none emphasis */#define

SND_PCM_AES0_CON_EMPHASIS_5015 (1<<3) /* 50/

(C) 2000 Red Hat. GPL * * \$Id: cfi_cmdset_0001.c,v 1.87 2001/10/02 15:05:11 dwmw2 Exp \$

Copyright (C) 1994-1999 Linus Torvalds */

Copyright (C) 1991, 1992 Linus Torvalds */

Copyright (C) 1991, 1992, 1993, 1994 Linus Torvalds * * Swap reorganised 29.12.95, Stephen Tweedie. * kswapd added: 7.1.96 sct * Removed kswapd_ctl limits, and swap out as many pages as neede

Copyright (C) 2000 Kanoj Sarcar (kanoj@sgi.com) */#include <linux/init.h>#include

<linux/kernel.h>#include <linux/sched.h>#include <linux/mm.h>#include <asm/page.h>#include

<asm/pgtable.h>#inc

Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Hartmut Penner (hp@de.ibm.com), * Martin Schwidefsky (schwidefsky@de.ibm.com), * Den

Copyright (C) 1994-1999 by Mika Kuoppala

Copyright (C) 1995 - 1999 Gadi Oxman <gadio@netvision.net.il> * * \$Header\$

Copyright (c) 2000, 2001 Conectiva, Inc.\n";

Copyright (C) 1997 Paul Mackerras. * * BenH: Changed to match those of heathrow (but not all of them). Please * check if I didn't break anything (especially the media bay).

Copyright (C) 1998, 1999 Martin von L

(C) 2001 Johannes Erdfelt <jerdfelt@valinux.com>

(C) Copyright 1986 Western Digital Corp.",xd_wd_init_controller,xd_wd_init_drive," Western Dig. 1002-27X"

Copyright (C) 1995 by Ralf Baechle */#ifndef __ASM_MIPS_MMIO_H#define __ASM_MIPS_MMIO_H

Copyright (C) 1991, 1992 Linus Torvalds * * Big-endian to little-endian byte-swapping/bitmaps by * David S. Miller (davem@caip.rutgers.edu), 1995 * Directory entry file type support and

Copyright (C) 1996-1998 Russell King */#include <linux/adfs_fs.h>

Copyright (C) 2000 Hewlett Packard (Paul Bame bame@puffin.external.hp.com) *

Copyright (c) 1997, 1998, 1999-2000 Dag Brattli, All Rights Reserved

Copyright (C) 1995 Pete A. Zaitcev (zaitcev@yahoo.com)

Copyright (C) 2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Authors(s): Martin Schwidefsky (schwidefsky@de.ibm.com) * * These functions have standard call interface

Copyright (C) 1998-2000 Geert Uytterhoeven * * Heavily based on the procfs interface for the PCI bus, which is

Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) * Sun3/3x models added by David Monro (davidm@psrg.cs.usyd.edu.au) */#ifndef _SPARC_MACHINES_H#define _SPARC_MACHINES_H

Copyright by Jan den Ouden

Copyright (C) 05/1998 Peter Maydell <pmaydell@chiark.greenend.org.uk> * Based on the Sun Lance driver and the NetBSD HP Lance driver * Uses the generic 7990.c LANCE code. */

Copyright (C) 1995 - 1998 Russell King <linux@arm.linux.org.uk> * Protocol taken from original busmouse.c * read() waiting taken from psaux.c * * Medium-level interface for quadrature or bus mic

COPYRIGHT (C) 1986 Gary S. Brown. You may use this program, or * code or tables extracted from it, as desired without restriction. * * First, the polynomial itself and its table of feedback term

Copyright (c) 1997 Perceptive Solutions, Inc.

Copyright (C) 1998 * Daniel Pirkel <daniel.pirkel@email.cz> * Charles University, Faculty of Mathematics and Physics * * ext2 - inode (block) bitmap caching inspired

(C) 1997 Perceptive Solutions, Inc. All rights reserved

(C) 1999, 2000 Axis Communications AB\n"); #ifdef CONFIG_JFFS_PROC_FS jffs_proc_root = proc_mkdir("jffs", proc_root_fs);#endif fm_cache = kmem_cache_create("jffs_fm", sizeof(struct jffs_fm),

Copyright (C) 1998/1999 R.E.Wolff@BitWizard.nl * * SX serial driver. * -- Supports SI, XIO and SX host cards. * -- Supports TAs, MTAs and SXDCs.

Copyright (C) 1998-2000 Gerard Roudier * * The sym53c8xx driver is derived from the ncr53c8xx driver that had been * a port of the FreeBSD ncr driver to Linux-1.2.13.

Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001 by Ralf Baechle */#ifndef _ASM_WATCH_H#define _ASM_WATCH_H

Copyright 1994 Roman Hodek <Roman.Hodek@informatik.uni-erlangen.de> * * Loosely based on the work of Robert De Vries' team and added:

Copyright (C) ARM Limited

Copyright (c) 2001 Johann Deneux <deneux@ifrance.com> * * USB/RS232 I-Force joysticks and wheels.

Copyright (C) 1992 Lawrence FoardVersion 2 and 3 extensions to driver:

Copyright (C) 1994 Martin Schaller * Roman Hodek * * with work by Andreas Schwab * Guenther Kelleter

Copyright (C) 1999 SuSE GmbH Nuernberg

(C) 2000 Red Hat. GPL \$Id: cfi_probe.c,v 1.66 2001/10/02 15:05:12 dwmw2 Exp \$*/

Copyright (c) 1998 Dag Brattli, All Rights Reserved

Copyright (c) 2000 Mark Douglas Corner <mcorner@umich.edu> * * USB Bluetooth driver, based on the Bluetooth Spec version 1.0B

Copyright (C) 1995 Waldorf Electronics

Copyright (c) 2000 Inside Out Networks, Inc.

Copyright (C) 1989 - 1997 Carnegie Mellon University * * Carnegie Mellon University encourages users of this software to * contribute improvements to the Coda project. Contact Peter Braam * <coda@

Copyright (C) 1997 | W. Metzenthen, 22 Parker St, Ormond, Vic 3163, Australia | |

E-mail billm@jacobi.maths.monash.edu.au | |

(C) Copyright 2000, 2001

Copyright (C) 2000 David J. McKay (david.mckay@st.com)

copyright string in the executable of your product. */

Copyright ♦ 2001 Flaga hf. Medical Devices, K * * \$Id: cfi_flagadm.c,v 1.7 2001/10/02 15:05:13 dwmw2 Exp \$

Copyright (C) 2001, 2002, MontaVista Software Inc. * Author: Jun Sun, jsun@mvista.com or jsun@junsun.net * * include/asm-mips/time.h * header file for the new style time.c file and time serv

Copyright (C) 2000 Intel Corp.

Copyright 1992--1999 Drew Eckhardt, Frederic Potter, * David Mosberger-Tang, Martin Mares */

Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin Schwidefsky (schwidefsky@de.ibm.com), * Hartmut Penner (hp@de.ibm.com), * Den

Copyright (C) 2000 David Gibson, Linuxcare Australia <hermes@gibson.dropbear.id.au> * With some help from :

Copyright (C) 2000 Intel

Copyright (c) 2001,2002 IBM Corp. * * All rights reserved

Copyright (C) 1995, 1999, 2001 by Ralf Baechle */#ifndef _ASM_ERRNO_H#define _ASM_ERRNO_H

Copyright (C) 2001 SUGIOKA Tochinobu * * SH-2000 Support.

Copyright (c) 1998 - 2001 Frodo Looijaard <frodol@dds.nl> and

Copyright (C) 1995-1999 Simon G. Vogl

Copyright (c) 1997 Dan Malek (dmalek@jlc.net) */#ifndef __KERNEL__#ifndef __MACH_MBX_DEFS#define __MACH_MBX_DEFS

(c) Copyright 1999 Deepak Saxena * * Originally written by Deepak Saxena(deepak@plexity.net)

Copyright (C) 2001 Jakob Kemi <jakob.kemi@telia.com>

Copyright 2001 PPC 64 Team, IBM Corp

(C) 1992 V8.00.004/02/92

Copyright (C) 1998 Lieven Willems (lw_linux@hotmail.com)

Copyright (C) 1992 Lawrence Foard * Version 2 and 3 extensions to driver:

Copyright (C) 2001 MIPS Technologies, Inc. */#include <linux/config.h>#include <linux/hdreg.h>#include <linux/init.h>#include <linux/ioport.h>#include <linux/sched.h>#include <linux/interrupt.h>

Copyright (C) 2001 Mark Langsdorf (mark.langsdorf@amd.com) * based on sc520cdp.c by Sysgo Real-Time Solutions GmbH * * \$Id: net520.c,v 1.5 2001/10/02 15:05:14 dwmw2 Exp \$

Copyright (C) 1995, 1996, 1997, 1998 Russell King

Copyright (C) 1998 Eddie C. Dost (ecd@skynet.be) * * These routines maintain argument size conversion between 32bit and 64bit * ioctl.

Copyright (C) 2000 John G Dorsey <john * * This file contains definitions for the low-level SA-1100 kernel PCMCIA * interface. Please see linux/Documentation/arm/SA1100/PCMCIA for details.

Copyright (c) 2000 Steve Hill (sjhill@cotw.com)

Copyright (C) 1999, 2000 Silicon Graphics, Inc. * * Changed system calls macros _syscall5 - _syscall7 to push args 5 to 7 onto

Copyright (C) 1996 Martin von L * original #-checking implemented by tytso. */

Copyright (C) 1998 Russell King

Copyright 1998-2000 OmniVision Technologies * Many improvements by Bret Wallach <bwallac1@san.rr.com> * Color fixes by Orion Sky Lawlor <olawlor@acm.org> (2/26/2000) * Snapshot code by Kevin Moo

Copyright by Marcus Niemann <niemann@www-bib.fh-bielefeld.de>

Copyright 1999 Silicon Graphics, Inc. */#ifndef _ASM_ARC_TYPES_H#define _ASM_ARC_TYPES_H

Copyright (C) 1999 MIPS Technologies, Inc. All rights reserved

Copyright (C) 1998, 1999 Richard Henderson * * Code supporting the NORITAKE (AlphaServer 1000A), * CORELLE (AlphaServer 800), and ALCOR Primo (AlphaStation 600A).

Copyright (c) 1998-2000 Dag Brattli <dagb@cs.uit.no> ,

Copyright (C) Alex Holden <alex@linuxhacker.org> 1998, 1999. *

Copyright: GPL *

(C) Copyright 1999 Randy Dunlap.

Copyright (C) 1991, 1992 Linus Torvalds * 1995 Jay Estabrook * *

User definable mapping table and font loading by Eugene G. Crosser, * <crosser@average.org>

Copyright (C) 1998-1999 Russell King

Copyright (C) 1992, 1993 | W. Metzenthien, 22 Parker St, Ormond, Vic 3163, | |

Australia. E-mail billm@vaxc.cc.monash.edu.au | |

Copyright (C) 2000 John Dorsey

Copyright (C) 1997 David S. Miller (davem@caip.rutgers.edu) *

Copyright (C) 1998, 1999 Stephane Eranian <eranian@hpl.hp.com> * * 12/07/98 S. Eranian

added pt_regs & switch_stack * 12/21/98 D. Mosberger updated to match latest code * 6/17/99 D. Mosberger add

Copyright (C) 1993, 1994, 1995, 1998, 1999 Eric Youngdale * generic SCSI package header file by *

Initial versions: Drew Eckhardt * Subsequent revisions: Eric Youngdale * * <drew@colo

Copyright (c) 1999 Grant Erickson <grant@lcse.umn.edu> * * Module name: oak.h

Copyright (C) 1996 Eddie C. Dost (ecd@skynet.be) * * Kernel module support added on 96/04/26 by *

Stefan Reinauer <stepan@home.culture.mipt.ru>

Copyright (c) 1998 David Huggins-Daines.

Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin Schwidofsky <schwidofsky@de.ibm.com> * Martin Peschke <peschke@fh-brandenburg.de> */

Copyright 1997 Algorithmics Ltd * All Rights Reserved

Copyright (C) 1992, 1993, 1994, 1995 * Remy Card (card@masi.ibp.fr) * Laboratoire MASI - Institut Blaise Pascal * Universite Pierre et Marie Curie (Paris VI) * * from

(C) 1986-1990 1800-V2.07/28/89", 5, 50, 2, 0, 0

Copyright (C) 1995 by Ralf Baechle */#ifndef __ASM_MIPS_SYSMIPS_H#define __ASM_MIPS_SYSMIPS_H

Copyright (C) 1992 by Linus Torvalds *

Copyright (C) 2001 Russell King * * \$Id: cpu-sa1110.c,v 1.6 2001/10/22 11:53:47 rmk Exp \$

(C) 1990 - 2000 Specialix International Ltd., Byfleet, Surrey, UK.

Copyright (C) 1995 Linus Torvalds * Adapted from 'alpha' version by Gary Thomas * Modified by Cort Dougan (cort@cs.nmt.edu) * Modified for MBX using prep/chrp/pmac functions by Dan (dmalek@jlc.

Copyright (c) 2000 Adaptec Inc. * All rights reserved

copyright of the skeleton driver is held by the United States Government, as represented by DIRNSA, and it is released under the GPL.

Copyright (C) Paul Mackerras 1997. * * Updates for PPC64 by Todd Inglett, Dave Engebretsen & Peter Bergner.

Copyright 2000 H. Peter Anvin - All Rights Reserved

Copyright (C) 1995-01 ICP vortex Computersysteme GmbH, Achim Leubner * See gdth.c for further

informations and * below for supported controller types * * <achim@vortex.de>
 Copyright (c) 2000-2001 Vojtech Pavlik <vojtech@suse.cz>
 Copyright (C) 1998, 99, 2000, 01, 2002 Ralf Baechle (ralf@gnu.org)
 Copyright (C) 1999-2002 Maxim Krasnyansky <maxk@qualcomm.com>
 Copyright (C) 1997 Russell King */
 Copyright (C) 1996 Paul Mackerras. */#ifndef __KERNEL__#ifndef _PPC_PROM_H#define _PPC_PROM_H
 copyright or doing. * * Parts distributed under GPL.
 Copyright (C) 1996 * Adrian Rodriguez (adrian@franklins-tower.rutgers.edu) * Laboratory for Computer
 Science Research Computing Facility * Rutgers, The State University of New Jersey * * swab sup
 Copyright (C) 1996 Dave Redman (djhr@tadpole.co.uk)
 Copyright (C) 1996 Miguel de Icaza (miguel@nuclecu.unam.mx)
 Copyright (C) 1994 by Waldorf GMBH, written by Ralf Baechle
 Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Hartmut Penner
 (hp@de.ibm.com) * * Derived from "arch/i386/mm/extable.c"
 Copyright (C) 1999, 2000 Niibe Yutaka *
 Copyright (C) 2001-2002 Jan-Benedict Glaw <jbglaw@lug-owl.de> * * This driver is at all a modified
 version of Erik Mouw's * ./linux/Documentation/DocBook/procfs_example.c, so: thank * you, Erik! H
 Copyright (C) 1998 Dan Malek (dmalek@jlc.net) * * Software floating emulation for the MPC8xx processor.
 I did this mostly * because it was easier than trying to get the libraries compiled for * so
 Copyright (C) 1995 */#ifndef __KERNEL__#ifndef __ASM_PPC_FLOPPY_H#define __ASM_PPC_FLOPPY_H
 (c) Copyright 2000 Red Hat Software
 Copyright (C) 1997 Jay Estabrook * * This file is used for creating a bootp file for the Linux/AXP kernel
 Copyright (c) 2001 Dave Engebretsen
 Copyright (C) 1996, 1999 Jay A Estabrook
 (C) 1986-1990 V7.009/18/90
 Copyright (C) 1992 Darren Senn */
 Copyright (C) 1999 Carnegie Mellon University *
 Copyright (C) 2000 Steve Hill <sjhill@cotw.com> * * Some code borrowed from Nicolas Pitre's 'head-
 sa1100.S' file. This * is merged with head.S by the linker.
 Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) */#ifndef _SPARC_VIKING_H#define
 _SPARC_VIKING_H
 Copyright (C) 2000, Goutham Rao <goutham.rao@intel.com> */
 Copyright (C) 1998 Martin von L
 Copyright (c) 1999-2002 LSI Logic Corporation * Originally By: Steven J. Ralston * (mailto:netscape.net)
 * (mailto:Pam.Delaney@lsil.com) * * \$Id: mptscsih.h,v 1.16 2002/02/27 18:44:30 sralsto
 Copyright (C) 1995-1998 Linus Torvalds */
 Copyright (C) 1995-1999 Martin von L
 Copyright (c) 2001 Vojtech Pavlik * * CATC EL1210A NetMate USB Ethernet driver
 copyright Brad Keryan and Michael Gee. * * David E. Nelson (dnelson@jump.net)
 (C) 1997 Miguel de Icaza (miguel@nuclecu.unam.mx) * * Major 10 is the streams clone device. The IRIX
 Xsgi server just * opens /dev/gfx and closes it immediately.
 Copyright (C) 1996 David S. Miller (davem@caipfs.rutgers.edu) */
 Copyright (C) 2000 Ralf Baechle * * Mostly stolen from the sparc64 ioctl32 implementation.
 Copyright 1999 Paul Mackerras.
 Copyright (C) 2001 IBM Corporation * Author(s): Carsten Otte <cotte@de.ibm.com> * Tuan
 Ngo-Anh <ngoanh@de.ibm.com> *
 Copyright (C) 1991, 1992 Linus Torvalds * * 1997-11-28 Modified for POSIX.1b signals by Richard
 Henderson
 Copyright (C) 2002 Maciej W. Rozycki */#include <linux/config.h>#include <linux/errno.h>#include
 <linux/init.h>#include <linux/sched.h>#include <linux/kernel.h>#include <linux/mm.h>#include <
 Copyright (C) 2000 Philipp Rumpf <prumpf@tux.org>
 Copyright (c) 1995 Caldera, Inc.\n" \n
 (C) Copyright 1996, 1997 by Ralf Baechle */#ifndef __ASM_MIPS_CACHEOPS_H#define
 __ASM_MIPS_CACHEOPS_H
 Copyright by Brent Baccala <baccala@FreeSoft.org>
 Copyright (c) 1997 Yamaha Corporation. All Rights Reserved
 (C) 2001 Red Hat, Inc., designed by Axis Communications AB.\n");
 Copyright (C) 1998-2001 David Mosberger-Tang <davidm@hpl.hp.com>

Copyright (C) 1995 Vadim V. Model * model@cecmow.enet.dec.com *
 vadim@rbrf.msk.su *

Copyright (C) 1999-2002 Richard Gooch

Copyright (C) 1997 by Theodore Ts

Copyright (C) 1994-96 Marc ZYNGIER

Copyright 1998--1999 Red Hat corp --- All Rights Reserved

Copyright (C) 1994 - 1999 by Ralf Baechle * * Changed set_except_vector declaration to allow return of previous * vector address value - necessary for "borrowing" vectors.

Copyright (C) 1995 - 1997 Marco van Wieringen - ELM Consultancy B.V. *

Copyright (C) 1999,2000 MIPS Technologies, Inc. All rights reserved

Copyright (c) 1995 * Ted Lemon (hereinafter referred to as the author) * * Redistribution and use in source and binary forms, with or without * modification, are permitted provided that the follow

Copyright (C) 1992 Drew Eckhardt * Linux scsi disk driver by * Drew Eckhardt
 <drew@colorado.edu> * * Modified by Eric Youngdale ericy@andante.org to * add scatter-gath

Copyright (C) 1999 Paul

Copyright (C) 1991, 1992 Linus Torvalds * * 1997-01-28 Modified by Finn Arne Gangstad to make timers scale better.

Copyright (C) 1997 David S. Miller (davem@caip.rutgers.edu) * * These routines maintain argument size conversion between 32bit and 64bit * environment.

Copyright (C) 1994 - 2000 Ralf Baechle

Copyright (C) 1999 David Mosberger-Tang <davidm@hpl.hp.com>

Copyright (c) 1999-2000 Grant Erickson <grant@lcse.umn.edu> * * Module name: oak_setup.h

Copyright (C) 1995 Richard Hirst * * Based on: *

Copyright:\n");

(C) 2001-2002 Bj * * Developed with the assistance of:

Copyright (c) 1999-2000 Grant Erickson <grant@lcse.umn.edu> * * Module name: walnut_setup.c

Copyright (C) 2000 J.I. Lee <jung-ik.lee@intel.com> */

(C) Copyright 2000 Oliver Neukum <Oliver.Neukum@lrz.uni-muenchen.de> *

Copyright (c) 1998 Hugo Fiennes * * 26-feb-2002: Add support for 2d3D SA-1110 Development board *
 Abraham van der Merwe <abraham@2d3d.co.za>

Copyright (C) 1994 Wolfgang Stanglmeier * * Other major contributions: *

Copyright 1999-2000 by Mitchell Blank Jr/* Based on clip.c; 1995-1999 by Werner Almesberger, EPFL LRC/ICA */

Copyright (c) 1997, 1999 Dag Brattli, All Rights Reserved

Copyright (c) 1997-1999, RedCreek Communications Inc. ---** --- All rights reserved

(C) 1999 Trond Myklebust <trond.myklebust@fys.uio.no> */

Copyright (C) 1997 Anton Blanchard (anton@progsoc.uts.edu.au) */

Copyright (c) 1997, 1998-1999 Dag Brattli <dagb@cs.uit.no>, * All Rights Reserved

Copyright (C) 2000 Dan Malek. * Quick hack of Paul's code to make XMON work on 8xx processors. Lots * of assumptions, like the SMC1 is used, it has been initialized by the * loader at some point,

Copyright (C) 1998-2000 IBM Corporation * Author(s): Martin Schwidofsky * * Derived from "linux/arch/i386/kernel/semaphore.c

Copyright (C) 1994-1996 Linus Torvalds */

(C) 1999-2000 Ben Fennema

Copyright (C) 2001 Todd Inglett, IBM Corporation * * pSeries LPAR support.

Copyright (c) 2000 Eric Brower (ebrower@usa.net) *

Copyright (C) 2001 IBM

Copyright 1993, Drew Eckhardt * Visionary Computing * (Unix and Linux consulting and custom programming) * drew@colorado.edu * +1 (303) 440-4894 * * DISTRIBUTION RELEASE 3.

(C) SK " ;#endif

(C) 2000-2001 by Harald Welte <laforge@gnumonks.org> * based on a copy of RR's ip_nat_ftp.c * * ip_nat_irc.c,v 1.16 2001/12/06 07:42:10 laforge Exp

(C) Copyright 1995 by Geert Uytterhoeven, * Peter De Schrijver * * lance.c: An AMD LANCE ethernet driver for linux. * Written 1993-94 by Donald Becker.

(C) 2001 Red Hat, Inc. * * Author: Arjan Van De Ven <arjanv@redhat.com> * Loosly based on i82365.c from the pcmcia-cs package

Copyright (C) 1999 Stuart Menefy */

Copyright (C) 1995-1998 Stallion Technologies (support@stallion.oz.au).

Copyright 2001 MontaVista Software Inc. * Author: jsun@mvista.com or jsun@junsun.net *

Copyright (C) 2000 YAEHASHI Takeshi * Generic scan keyboard driver */

Copyright (C) 1999 Red Hat Inc. *

(C) Chad Page, Theodore Ts * * This RAM disk is designed to have filesystems created on it and mounted * just like a regular floppy disk.

Copyright (C) 1995, 1999 Ralf Baechle

Copyright (C) 1998 Daniel Jacobowitz <dan@debian.org> * * pmc-valkyrie.h: Console support for PowerMac "control" display adaptor.

Copyright (C) 2001 Deep Blue Solutions Ltd.

Copyright (C) 1998, 1999 David Mosberger-Tang <davidm@hpl.hp.com>

(C) 1986-1990 1800-V2.07/28/89", 72, 50, 2, 0, 2

Copyright (c) 1995 Michael Teske

Copyright 1993 -- 1997 Drew Eckhardt, Frederic Potter, * David Mosberger-Tang *

Copyright (C) 1998 Johnnie Peters

Copyright 2001 MontaVista Software Inc. * Author: jsun@mvista.com or jsun@junsun.net * * First-level interrupt dispatcher for ocelot board.

(C) 1996, Peter J. Braam

Copyright (C) 2001 Stuart Menefy (stuart.menefy@st.com)

Copyright (C) 2001 MIPS Technologies, Inc. */#include <linux/config.h>#include <linux/delay.h>#include <linux/kernel.h>#include <linux/sched.h>#include <linux/seq_file.h>#include <asm/bootinfo

(C) 1999 by Joshua M. Thompson (funaho@jurai.org) * * Redistribution and use in source and binary forms, with or without * modification, are permitted provided that the following conditions * are

Copyright (C) 1998-1999 ITConsult-Pro Co. <info@itc.hu> * * Contributors:

Copyright (C) 1999 Hewlett-Packard Co

Copyright (C) 1999, 2000 Niibe Yutaka * * Simple interrupt handling using IMASK of SR register.

Copyright (c) 1998 Thomas Davis, <ratbert@radiks.net> ,

Copyright (C) 1999 Niibe Yutaka */

Copyright (C) 1999, 2000 by Silicon Graphics

Copyright (C) 1998 Ralf Baechle */#ifndef _ASM_ASMMACRO_H#define _ASM_ASMMACRO_H

Copyright (c) 1995 Strom Systems, Inc. under the terms of the GNU

(C) 1999,2000 Nortel Networks.\n"

Copyright (C) 1995, 1996 Olaf Kirch, <okir@monad.swb.de> */

Copyright (C) 1996 by ACN S.A */#ifndef _ASM_UNISTD_H#define _ASM_UNISTD_H

Copyright (C) 2001 Keith M Wesolowski */#include <linux/init.h>#include <linux/kernel_stat.h>#include <linux/types.h>#include <linux/interrupt.h>#include <linux/bitops.h>#include <linux/kernel.

(c) Copyright 1999 Red Hat Software Inc.

Copyright (C) 2000 Silicon Graphics, Inc. * Written by Ulf Carlsson (ulfc@engr.sgi.com) *

Copyright (C) 2000-2001 Toshiba Corporation * * Based on arch/mips/ddb5xxx/ddb5477/pci_ops.c

Copyright (C) 1995, 1996, 1997, 1998, 1999, 2000 Ralf Baechle * Modified further for R[236]000 compatibility by Paul M. Antoine

Copyright (c) 1999 Algorithmics Ltd

Copyright (c) 1993, 2000 Joerg Reuter DL1BKE

Copyright 1994 Digital Equipment Corporation.

Copyright (C) 1996-2000 Russell King.

Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) */#ifndef _MACSERIAL_H#define _MACSERIAL_H

Copyright (C) 2000 Adam Harrison <adam@antispin.org>*/

Copyright (C) 1995-1998 Jean-loup Gailly. * For conditions of distribution and use, see copyright notice in zlib.h */

Copyright (C) 2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin Schwidefsky (schwidefsky@de.ibm.com), * Gerhard Tonn (ton@de.ibm.com) * * Conversion b

(C) 1998 Red Hat Software <alan@redhat.com> * TCP NFS related read + write fixes

Copyright (C) 1998 Deborah Wallach (updates for SA1100/Brutus).

Copyright (c) 1999 Silicon Graphics, Inc. */#include <asm/asm.h>#include <asm/offset.h>#include <asm/regdef.h>#include <asm/sgidefs.h>

Copyright (C) 1999,2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Ingo Adlung (adlung@de.ibm.com) * * Derived from "arch/i386/kernel/irq.c"

Copyright (C) 2000 Russell King

Copyright (C) 1997 Eddie C. Dost (ecd@skynet.be) */

Copyright (C) 2000 Hewlett Packard (Paul Bame bame@puffin.external.hp.com) * * most of these calls might reasonably be moved to ../kernel -PB

Copyright (c) 1997 Algorithmics Ltd */
 Copyright (C) 1995, 1999 by Ralf Baechle */#ifndef _ASM_SOCKIOS_H#define _ASM_SOCKIOS_H
 Copyright (C) 1999, 2001 Ralf Baechle
 Copyright 1998-2001 by Jes Sorensen, <jes@trained-monkey.org>. * * RETURNS: An appropriate -ERRNO
 error value on error, or zero for success.
 Copyright (C) 1999,2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin
 Schwidefsky (schwidefsky@de.ibm.com), * * Derived from "arch/i386/kernel/sys_i386.c"
 Copyright (C) 2001 Shirish H. Phatak, Tacit Networks, Inc. * * This code is based on code from namei.c in
 the linux file system; * see copyright notice below.
 Copyright (C) 20yy <Robert L Holtorf> <IBM Corp>
 Copyright (C) 1991, 1992 Linus Torvalds * * Big-endian to little-endian byte-swapping/bitmaps by *
 David S. Miller (davem@caip.rutgers.edu), 1995
 Copyright (C) 1998 - 2002 Michel Lanners <mailto:mlan@cpu.lu>
 copyright); exec_idle = calibrate_delay(EXEC_DELAY);#ifdef WANDEBUB printk(KERN_DEBUG
 "%s: exec_idle = %d\n", modname, exec_idle);#endif
 Copyright (c) 1999, 2000, 2001, 2002 Axis Communications AB * * Authors: Bjorn Wesen (initial
 version) * Ola Knutsson (LED handling) * Johan Adolfsson (read/se
 Copyright (C) 1998-1999 Pauline Middelink (middelin@polyware.nl)
 Copyright (C) 1999 Free Software Foundation, Inc.
 Copyright (C) 1998 Philip Blundell
 Copyright (C) 200-2001 Toshiba Corporation
 (C) Copyright 2000-2001 David Brownell <dbrownell@users.sourceforge.net> * * usb-ohci.h
 Copyright 2001, 2002 by Robert Olsson <robert.olsson@its.uu.se> * Uppsala
 University, Sweden * * A tool for loading the network with preconfigured packets. * The
 Copyright (C) 2001 Troy D. Armstrong IBM Corporation * * This modules exists as an interface between a
 Linux secondary partition * running on an iSeries and the primary partition's Virtual Service
 Copyright (C) 1995 Hamish Macdonald */
 Copyright (C) 2000 IBM Corporation
 Copyright (C) 2000, Rohit Seth <rohit.seth@intel.com>
 Copyright (C) 1999, 2000 Silicon Graphics, Inc. */#ifndef _ASM_PTRACE_H#define _ASM_PTRACE_H
 (C) 1996 Kai Harrekilde-Petersen,
 Copyright (C) 1996 Jesper Skov (jskov@cygnus.co.uk) * * This driver is based on cyberstorm.c
 (C) 2001 Ben Collins <bcollins@debian.org> * * Mainly based on work by Emanuel Pirker and Andreas E.
 Bombe
 Copyright (C) 2000-2001 Hewlett-Packard Co * Stephane Eranian <eranian@hpl.hp.com> * David
 Mosberger-Tang <davidm@hpl.hp.com> */#include <linux/config.h>
 Copyright (C) 1998,1999 Philip Blundell */#ifndef __ASM_ARCH_DMA_H#define __ASM_ARCH_DMA_H
 Copyright (C) 1999 Tigran Aivazian <tigran@veritas.com> */
 Copyright (C) 1998-2000 Andreas S. Krebs (akrebs@altavista.net), Maintainer
 Copyright (C) 20yy Allan H Trautman, IBM Corporation
 Copyright (C) 05/1998 Peter Maydell <pmaydell@chiark.greenend.org.uk> * * This code has basically
 these routines at the moment:
 Copyright (C) 1994 David S. Miller (davem@caip.rutgers.edu). */
 Copyright (C) 1997-2001 Geert Uytterhoeven
 Copyright (C) 2000 IBM Corporation * Author(s): Alan Altmark (Alan_Altmark@us.ibm.com) *
 Xenia Tkatschow (xenia@us.ibm.com) *
 Copyright (c) 1999 Nexus Electronics Ltd. */#ifndef __ASM_ARCH_SYSTEM_H#define
 __ASM_ARCH_SYSTEM_H
 Copyright (C) 1998-1999 Phil Blundell
 Copyright (C) 1999 Silicon Graphics, Inc. * * Kevin Kissell, kevink@mips.com and Carsten Langgaard,
 carstenl@mips.com
 Copyright 2001 Mike Corrigan IBM Corp
 (C) INESC 1999 *
 Copyright (C) 1995-1998 Jean-loup Gailly and Mark Adler
 Copyright 1994 by Bj
 copyright (C) 1991, 1992 Linus Torvalds. It was * extensively rewritten by Theodore Ts'o, 8/16/92 --
 9/14/92, * and then fixed as suggested by Michael K. Johnson 12/12/92. * * This version does
 copyright; see LICENSE.FlashPoint for details. * * \$Workfile: scsi.c \$
 (C) 1994-98 W.Zimmermann\n");if (azt_port == -1) { printk ("aztcd:

```

KernelVersion=%s DriverVersion=%s For IDE/ATAPI-drives use ide-cd.c\n",
AZT_VERSION);} else          printk
Copyright (C) 1996 Eddie C. Dost      (ecd@skynet.be)
Copyright 1999 Philipp Rumpf (prumpf@tux.org) *
Copyright (C) 1998 Paul Mackerras.
Copyright (C) 1995,1996,1997,1998 Riccardo Facchetti (fizban@tin.it)
Copyright (C) 1997, 1998, 1999, 2000 Ralf Baechle ralf@gnu.org */#include <asm/asm.h>#include
<asm/regdef.h>#include <asm/offset.h>
Copyright (C) 2001 David J. McKay (david.mckay@st.com)
Copyright (c) 1997 Dag Brattli <dagb@cs.uit.no>, All Rights Reserved
(c) Copyright 1995 Alan Cox <alan@lxorguk.ukuu.org.uk> * * Software only watchdog driver. Unlike
its big brother the WDT501P * driver this won't always recover a failed machine.
Copyright (c) 1999-2002 LSI Logic Corporation * Originally By: Steven J. Ralston, Noah Romer *
(mailto:sjralston1@netscape.net) * (mailto:Pam.Delaney@lsil.com) * * $Id: mptctl.c,v 1.52 2002/0
Copyright (C) 1999 Creative Technology Ltd.");
Copyright (C) 1992,1993 Brad McLean * * Modifications to makecode and queuecommand * for proper
handling of multiple devices courteously * provided by Michael Weller, March, 1993
Copyright 2000,2001 MontaVista Software Inc. * Author: MontaVista Software, Inc. *
ppopov@mvista.com or source@mvista.com * * This file was derived from Carsten Langgaard's *
arch/mips/
Copyright (C) 1999, 2001 Ralf Baechle (ralf@gnu.org)
Copyright (c) 1999-2002 LSI Logic Corporation * Originally By: Steven J. Ralston *
(mailto:sjralston1@netscape.net) * (mailto:Pam.Delaney@lsil.com) * * $Id: mptbase.c,v 1.110
2002/02/27 18:44
Copyright (C) 1991, 1992, 1999 Linus Torvalds */
Copyright (C) 1998-1999 Russell King * * DIGITAL Shark LED control routines.
Copyright (C) Eicon Technology Corporation, 2000. * * Eicon File Revision : 1.16
Copyright (C) 1998 Ralf Baechle
(c) Copyright 1999 Hewlett-Packard Company
Copyright (C) 2001 MIPS Technologies, Inc. All rights reserved
Copyright (C) 1996, 1999 by Ralf Baechle
Copyright (C) 2000 Andreas E. Bombe
Copyright (C) 2001 Christoph Hellwig <hch@infradead.org> */
Copyright (C) 1995-1997 David S. Miller (davem@caip.rutgers.edu)
(C) 1999 by Joshua M. Thompson (funaho@jurai.org) * Based on via-cuda.c by Paul Mackerras. * * 1999-
07-01 (jmt) - First implementation for new driver architecture.
Copyright 1993 United States Government as represented by the Director, National Security
Agency. The author may be reached as becker@scyld.com, or C/O
Scyld Computing Corporation 410 Severn
Copyright (C) 2001 Russell King * * Page table allocation/freeing primitives for 26-bit ARM processors.
(c) Copyright 2001 Scott Jennings <linuxdrivers@oro.net> * 9/27 - 2001 [Initial release] * *
Additional fixes Alan Cox *- Fixed formatting * - Removed debug printks * -
Fixed
Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin
Schwidefsky (schwidefsky@de.ibm.com) * * Derived from "include/asm-i386/io.h"
Copyright (c) 1998 Dan Malek (dmalek@jlc.net) */#ifndef __MACH_BSEIP_DEFS#define
__MACH_BSEIP_DEFS
Copyright (C) 2009-2002 Netfilter core team <coreteam@netfilter.org> * * 19 Jan 2002 Harald Welte
<laforge@gnumonks.org> * - increase module usage count as soon as we have rules inside * a
tab
Copyright (C) 1998-2000 Harald Koerfgen
Copyright (C) 1991, 1992 Linus Torvalds.
Copyright (C) 1996 Paul Mackerras
Copyright (C) 1992-1997, 2000-2002 Silicon Graphics, Inc. All Rights Reserved
Copyright (C) 1999 Goutham Rao <goutham.rao@intel.com> */
Copyright (C) 1999 Cort Dougan <cort@cs.nmt.edu> * * PowerPC-64 Support added by Dave Engebretsen,
Peter Bergner, and * Mike Corrigan {engebret|bergner|mikec}@us.ibm.com
Copyright (c) 1995,1996 Eric van der Maarel <H.T.M.v.d.Maarel@marin.nl> * * Version 0.6
Copyright (C) 1999 Silicon Graphics, Inc. */#ifndef _ASM_SIGNAL_H#define _ASM_SIGNAL_H

```

Copyright (c) Harald Koerfgen, 1998 */#include <linux/string.h>#include <linux/init.h>#include
<linux/ioport.h>#include <asm/addrspace.h>#include <asm/errno.h>#include
<asm/dec/machtype.h>#inc
Copyright (C) Carnegie Mellon University */
Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) */#include <linux/init.h>#include
<linux/kernel.h>#include <linux/types.h>#include <linux/string.h>
Copyright (C) 1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz) * * Ultra/PCI support added: Sep 1997 Eddie C.
Dost (ecd@skynet.be)
copyright follows. See wavelan.p.h for details. * * This file contains the declarations for the WaveLAN
hardware. Note that * the WaveLAN ISA includes a i82586 controller (see definitions in * fil
Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation */
Copyright (C) 2000 * William Greathouse (wgreathouse@smva.com) * * This program is largely derived
from work by the linux-usb group * and associated source files. Please see the usb/serial
Copyright (C) 2000 Toshiharu Nozawa
Copyright (C) 1999 Walt Drummond <drummond@valinux.com> * * 11/12/01 D.Mosberger Convert
get_cpuinfo() to seq_file based show_cpuinfo(). * 04/04/00 D.Mosberger renamed cpu_initialized to
cpu_online
Copyright (C) 2000 Steven J. Hill (sjhill@cotw.com) * * \$Id: spia.c,v 1.12 2001/10/02 15:05:14 dwmw2
Exp \$
(C) 1986-1990 V6.0209/18/90
Copyright (C) 1997 Jes Sorensen
Copyright (C) 1996, 1997, 1998, 1999 by Ralf Baechle
Copyright (C) 2000 Stuart Menefy * * Provide real functions which expand to whatever the header file
defined. * Also definitions of machine independant IO functions.
Copyright (C) 1995,1996 David S. Miller (davem@caip.rutgers.edu)
Copyright (C) 1997 Thomas Bogendoerfer (tsbogend@alpha.franken.de) * * jazz_esp is based on David S.
Miller's ESP driver and cyber_esp
Copyright (C) 1996 by David S. Miller
Copyright (C) 1997 Eddie C. Dost (ecd@skynet.be) * * Adopted for sparc by V. Roganov and G. Raiko.
Copyright (C) 2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Denis Joseph
Barrow (djbarrow@de.ibm.com,barrow_dj@yahoo.com) * * Generic channel device initialisation suppor
Copyright (C) 1999 Niibe Yutaka * * Based on:
(C) by the respective authors, and licensed under the GPL
Copyright 1998 by Werner Cornelius (werner@isd4linux.de)
(C) 1992 V3.00.004/02/92", 5, 44, 3, 0, 0
Copyright (C) 2000 Silicon Graphics, Inc. * Written by Ulf Carlsson (ulfc@engr.sgi.com)
Copyright (C) 1995 1996 Heiko Schlittermann <heiko@lotte.sax.de> * VERSION: 2.14(hs) * * ... anyway,
I'm back again, thanks to Marcin, he adopted * large portions of my code (at least the parts co
(C) IBM Corporation, IBM Deutschland Entwicklung GmbH, 2000a * History of changes * 07/24/00 new
file * 12/13/00 changed IDALs to 4kByte-IDALs
Copyright 1999 Silicon Graphics, Inc. */#ifndef _ASM_SYSMIPS_H#define _ASM_SYSMIPS_H
Copyright (C) 1996, 1999, 2001 Ralf Baechle
Copyright (C) 1994 by Hamish Macdonald * Taken from linux/kernel/ptrace.c and modified for M680x0. *
linux/kernel/ptrace.c is by Ross Biro 1/23/92, edited by Linus Torvalds * * Modified by Cort
Copyright (c) 2001 Axis Communications AB */
Copyright (C) 1998 Russell King * * Note! Some code fragments found in here have a special calling *
convention - they are not APCS compliant!
Copyright (C) 2000 Hewlett Packard Corp (Co-Author: Grant Grundler, grundler@cup.hp.com)
Copyright 2000,2001 Philipp Rumpf <prumpf@mandrakesoft.com>
Copyright 1994 Roman Hodek <Roman.Hodek@informatik.uni-erlangen.de> * * Some parts are based on
hd.c by Linus Torvalds
Copyright (c) 2000 PocketPenguins Inc * * Derived from setup_hd64465.c which bore the message:
Copyright 2001 MontaVista Software Inc. * Author: Jun Sun, jsun@mvista.com or jsun@junsun.net * *
include/asm-mips/gt64120/momenco-ocelot/gt64120-dep.h * Board-dependent definitions for GT-641
Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001 Ralf Baechle
Copyright (C) 1996-2001 Linus Torvalds */
Copyright (C) 1999, 2000, 2001 Axis Communications AB * * 1994-07-02 Alan Modra * fixed
set_rtc_mmss, fixed time.year for >= 2000, new mktime * 1995-03-26 Markus Kuhn * fixed 500 ms
bu

Copyright (C) 1996, 1997, 1998, 2001 by Ralf Baechle
 Copyright (C) 1996 Russell King, Dave Gilbert
 Copyright (C) 1995 Hamish Macdonald */
 (C) 2000 Red Hat. GPL * \$Id: map_rom.c,v 1.17 2001/10/02 15:05:12 dwmw2 Exp \$ */
 Copyright (C) 1996, 1997, 1998 Ingo Molnar, Miguel de Icaza, Gadi Oxman * * RAID-1 management functions.
 (c) Copyright 2000 Ryan Bradetich
 Copyright (C) 1998-2000 Ken Tyler * * Parts of the Initialization code are based on Cyberfb.c by Allan Bair, * and on the NetBSD CyberVision64 frame buffer driver by Michael Teske who gave * permi
 Copyright (C) 1991, 1992, 1996 Linus Torvalds */
 Copyright (C) 2001 Anton Altaparmakov (AIA) */#include <asm/byteorder.h>
 Copyright (C) 2001 Richard Russon <ldm@flatcap.org>
 Copyright (C) 1992 Rick Sladkey *
 Copyright (C) 1996 Paul Mackerras. */#ifndef _MESH_H#define _MESH_H
 Copyright (C) 2002 Maciej W. Rozycki * * additional sources:
 Copyright (c) 2002 Petko Manolov (petkan@users.sourceforge.net)
 Copyright (C) 2000 Silicon Graphics, Inc. * * TODO: Implement the compatibility syscalls. * Don't waste that much memory for empty entries in the syscall * table.
 Copyright (C) 2001 Russell King, All rights reserved
 Copyright (C) 1999 Silicon Graphics, Inc. */#include <linux/config.h>#include <linux/init.h>#include <linux/kernel.h>
 Copyright (C) 1996, 1999 David S. Miller (davem@redhat.com) */
 Copyright (C) 2001 Intel
 copyright: failed return FALSE; }
 Copyright (C) 1996 David S. Miller (dm@sgi.com) */#ifndef __ASM_SGI_SGI_H#define __ASM_SGI_SGI_H
 (C) Copyright 1999 Linus Torvalds */
 Copyright (C) 1996 Paul Mackerras. * MPC8xx modifications by Dan Malek
 Copyright (C) 1994, 1995, 1996, 1997, 1998 Ralf Baechle
 Copyright (C) 1994, 1995, 1996, 1999 by Ralf Baechle */#ifndef _ASM_USER_H#define _ASM_USER_H
 Copyright (C) 2002 Denis Oliver Kropp <dok@directfb.org>
 Copyright (C) 1999 Vijay Chander <vijay@engr.sgi.com> */#ifndef
 _IA64_PLATFORM_HPSIM_SSC_H#define _IA64_PLATFORM_HPSIM_SSC_H
 Copyright (C) 1998, 1999 Hewlett-Packard Co
 Copyright (C) 1999-2000 David Mosberger-Tang <davidm@hpl.hp.com> */#include
 <linux/config.h>#include <linux/errno.h>#include <linux/fs.h>#include <linux/mm.h>#include
 <linux/mman.h>#include <li
 Copyright (C) 1998 David S. Miller (davem@redhat.com)
 Copyright (C) 1999 Ralf Baechle (ralf@gnu.org) */#ifndef _ASM_XTALK_XTALK_H#define
 _ASM_XTALK_XTALK_H
 Copyright 2000 MontaVista Software Inc.
 Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) */#ifndef _DECSERIAL_H#define
 _DECSERIAL_H
 Copyright (C) 2000 Tacitus Systems
 Copyright 1999 The Puffin Group, (Alex deVries, David Kennedy) * * only these routines should be used out
 of the real kernel (i.e. everything * using virtual addresses) for obvious reasons */
 Copyright (C) 1996, 2001 David S. Miller (davem@caip.rutgers.edu) */
 (C) 2000 James Morris, this code is GPL. * * 2000-03-27: Simplified code (thanks to Andi Kleen for clues).
 * 2000-05-20: Fixed notifier problems (following Miguel Freitas' report). * 2000-06-19: F
 (C) 1998 Phil Blundell */#include <linux/config.h>#include <linux/ioport.h>#include <asm/irq.h>#include
 <asm/io.h>#include <asm/system.h>
 (C) Copyright 1999 Gregory P. Smith * * \$Id: usb-uhci.c,v 1.275 2002/01/19 20:57:33 acher Exp \$
 Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) */
 Copyright (C) 1999 Cort Dougan <cort@ppc.kernel.org> */
 Copyright (C) 1996-2001 Cort Dougan <cort@fslmlabs.com>
 Copyright (C) Steven Whitehouse * New nbd_end_request() for compatibility with new linux block *
 layer code. */
 copyright Texas Instruments and contains * intellectual property of both TI and their contractors. * *
 TMS380 COMMprocessor Microcode Version 3.11 for Token Ring.
 Copyright (C) 1997 Geert Uytterhoeven * * This file is based on the following documentation: *

Copyright (C) 2000, 2001 Silicon Graphics, Inc.
 Copyright (C) 1999-2001 David Mosberger-Tang <davidm@hpl.hp.com> */#include
 <asm/asmmacro.h>#include <asm/page.h>
 Copyright (C) 1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz) *
 Copyright (C) 2000 David Mosberger-Tang <davidm@hpl.hp.com>
 Copyright (C) 1999, Anthony Tong <atong@uiuc.edu> * * Ani Joshi / Jeff Garzik *
 - Code cleanup
 Copyright (C) 1999, 2000 Silicon Graphics, Inc. */#include <asm/asm.h>#include <asm/offset.h>#include
 <asm/regdef.h>#include <asm/mipsregs.h>#include <asm/stackframe.h>
 Copyright (c) 2002 Silicon Graphics, Inc. All Rights Reserved
 Copyright (c) 2001 by David Brownell
 Copyright (C) 2000, 2001 UTS Global LLC * * tubtty.c -- Linemode tty driver
 Copyright (c) 1993 Ning and David Mosberger. This is based on code originally written by Bas Laarhoven
 (bas@vimec.nl) and David L. Brown, Jr., and incorporates improvements suggested by Kai Harre
 Copyright (C) 1999-2001 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> * * Note
 that this file has dual use: when building the kernel * natively, the file is translated into a binar
 Copyright (C) 1996-2000 Vojtech Pavlik * * Sponsored by SuSE
 (C) Copyright 1987 Seagate", 15, 40, SEAGATE
 Copyright (C) 1997,1999 Martin von L
 (C) 1991 1800-V2.0.", 72, 39, 2, 0, 4
 Copyright (C) 2000 FutureTV Labs Ltd * * This file contains the hardware definitions of the Tbox
 Copyright (C) 1996, 2001 Silicon Graphics, Inc. All rights reserved
 Copyright 1996-1999 Thomas Bogendoerfer * * Derived from the lance driver written 1993,1994,1995
 by Donald Becker.
 Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) */#include <linux/types.h>#include
 <linux/kernel.h>#include <linux/sched.h>
 Copyright (C) 1991, 1992 Linus Torvalds * * minix directory handling functions
 Copyright (C) 1999,2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Denis Joseph
 Barrow (djbarrow@de.ibm.com,barrow_dj@yahoo.com) * * Based on Intel version
 (C) 1991, 1992 by Linus Torvalds * * The source code distribution of the Columbia AppleTalk Package for *
 UNIX, version 6.0, (CAP) was used as a specification of the * location and format of files
 (c) Copyright 2000 Helge Deller <hdeller@redhat.com>
 Copyright 1995, Russell King * * ALPHA RELEASE 1.
 Copyright (C) 1997 Free Software Foundation, Inc.
 Copyright (c) 2001 Pete Zaitcev <zaitcev@redhat.com>
 Copyright 1995 Roman Hodek <Roman.Hodek@informatik.uni-erlangen.de>
 Copyright (C) 1997, 1998, 1999, 2000 by Ralf Baechle
 Copyright (C) 1995 - 1997, 1999 Silcon Graphics, Inc.
 Copyright from the original FreeBSD version follows: *
 copyright 2000 by Hans Reiser, and the * licensing of what follows is governed by reiserfs/README */
 COPYRIGHT * This file is distributed under the terms of the GNU General Public
 Copyright (C) 2001 MIPS Technologies, Inc. */#ifndef _ASM_TERMBITS_H#define _ASM_TERMBITS_H
 Copyright 1995 by * Graham Wheeler, Francisco J. Ballesteros, Denis Froschauer * and available under GPL
 */
 Copyright (c) 1998-1999 Rebel.com
 Copyright (C) 2000 Nicolas Pitre * * Brutus uses the LEDs as follows:
 Copyright (C) 1997, 1998, 1999 Ralf Baechle (ralf@gnu.org)
 Copyright (C) 1998-2000 Jens Axboe <axboe@suse.de>
 Copyright (C) 2001 MontaVista Software, ppopov@mvista.com * Copied and modified Carsten Langgaard's
 time.c * * Carsten Langgaard, carstenl@mips.com
 Copyright (C) 2001 Red Hat, Inc. * * Created by David Woodhouse <dwmw2@cambridge.redhat.com>
 Copyright (C) 2000 - 2001 by Kanoj Sarcar (kanoj@sgi.com)
 Copyright (C) 1996 Cort Dougan * Adapted for Power Macintosh by Paul Mackerras
 Copyright (C) 2000, 2001 Axis Communications AB * * Authors: Bjorn Wesen (bjornw@axis.com)
 Copyright (c) 1995-2000 Advanced System Products, Inc.
 Copyright (c) 2001 Ralf Baechle */#include <linux/tty.h>#include <linux/major.h>#include
 <linux/ptrace.h>#include <linux/init.h>#include <linux/console.h>#include <linux/fs.h>
 Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) */#ifndef _ASM_CPU_H#define _ASM_CPU_H
 Copyright (c) 2001 Silicon Graphics, Inc. All rights reserved

Copyright 1994 Free Software Foundation, Inc. Written by Ian Lance Taylor, Cygnus Support
 Copyright (C) 1999-2001 Klaus
 (C) Copyright 2000 Oliver Neukum <Oliver.Neukum@lrz.uni-muenchen.de> * * See microtek.c for history
 Copyright (C) 1994 - 2001 Ralf Baechle */#include <linux/delay.h>#include <linux/init.h>#include
 <linux/irq.h>#include <linux/interrupt.h>#include <linux/kernel.h>#include <linux/spinlock.h>
 Copyright (c) 1997, 1999-2000 Dag Brattli <dagb@cs.uit.no>,
 Copyright (C) 1998-2001 Thomas Sailer (t.sailer@alumni.ethz.ch)
 Copyright (C) 2001 Sistina Software * * January-April 2001
 Copyright (C) 1999 Niibe Yutaka
 (C) 1999 R.E.Wolff@BitWizard.nl * * Specialix pays for the development and support of this driver. * Please
 DO contact support@specialix.co.uk if you require * support. But please read the documen
 Copyright (C) 1999 Kaz Kojima *
 Copyright (C) 2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Denis Joseph
 Barrow (djbarrow@de.ibm.com,barrow_dj@yahoo.com) * Gerhard Tonn (ton@de.ibm.com)
 Copyright (C) 1998, 2001 by Ralf Baechle */#include <linux/mc146818rtc.h>#include <asm/io.h>#include
 <asm/jazz.h>
 Copyright (C) 1997-1999 Jakub Jelinek (jj@ultra.linux.cz)
 (C) 2000 In-System Design, Inc. (support@in-system.com) * * The ISD200 ASIC does not natively support
 ATA devices. The chip * does implement an interface, the ATA Command Block (ATACB) which provi
 Copyright (C) 2000 Kazumoto Kojima * * Hitachi SolutionEngine Support.
 copyright does however _not_ include the ELF hash() function
 (C) IBM Corporation, IBM Deutschland Entwicklung GmbH, 2000 */#ifndef CCWCACHE_H#define
 CCWCACHE_H#include <linux/slab.h>#include <asm/irq.h>
 Copyright (C) 2000 John Dorsey <john * * Original (leds-footbridge.c) by Russell King
 Copyright 1991, 1992, 1993, and by Julian Cowley, Copyright 1994.
 copyright (C) by Hannu Savolainen 1993-1996 * * Although the relevant code here is all new, the handling
 of * sample/alias/multi- samples is entirely based on a driver by Matt * Martin and Rutger
 Copyright (C) 19yy <name of author>
 Copyright (C) 1998 Peter J. Braam <braam@cs.cmu.edu>,
 Copyright (c) 2001 Greg Kroah-Hartman (greg@kroah.com) * * All rights reserved
 Copyright (C) 1996, 1997, 1998, 2001 by Ralf Baechle */#ifndef _ASM_BRANCH_H#define
 _ASM_BRANCH_H
 Copyright (C) 1997 Geert Uytterhoeven * * This driver is partly based on the PowerMac console driver: *
 Copyright (C) 2001, 2002 David S. Miller (davem@redhat.com)
 Copyright by Thomas Pfeiffer (pfeiffer@pds.de)
 Copyright (c) 2001 Paul Mundt <lethal@chaoticdreams.org> * * This file is part of the LinuxDC project
 (linuxdc.sourceforge.net).
 Copyright (C) 1997, 1998, 1999 David S. Miller (davem@redhat.com) */
 Copyright SysKonnct 1998,1999.
 Copyright (c) 2001 M. R. Brown <mrbrown@0xd6.org>
 Copyright (C) 1997 Andr *
 Copyright 1999,2000 Cytronics
 Copyright (C) Riccardo Facchetti 1995-98\n"); if (io == -1 || dma == -1 || irq == -1) {
 printk(KERN_INFO "aedsp16: I/O, IRQ and DMA are mandatory\n"); return -EINVAL; }
 Copyright (C) 1999 David S. Miller (davem@redhat.com) */
 Copyright (c) 2001 IBM Corp. * * All rights reserved
 Copyright (C) 1999 Cort Dougan <cort@cs.nmt.edu> *
 Copyright (C) 1999 David A. Hinds -- dahinds@users.sourceforge.net
 Copyright 1994-1996 Donald Becker
 (C) Copyright 1999 Linus Torvalds * * Modified for ARM by Russell King
 Copyright (C) 1996, 1998, 1999, 2002 by Ralf Baechle
 Copyright (C) 1996 Miguel de Icaza (miguel@nuclecu.unam.mx) */
 Copyright (c) 2000-2001 Vojtech Pavlik * * USB HID support for Linux
 Copyright (C) 2000 Silicon Graphics, Inc. * Written by Ulf Carlsson (ulfc@engr.sgi.com) */#include
 <linux/config.h>#include <linux/init.h>#include <linux/threads.h>#include <asm/asm.h>#include
 Copyright (C) 1996 * Adrian Rodriguez (adrian@franklins-tower.rutgers.edu) * Laboratory for Computer
 Science Research Computing Facility * Rutgers, The State University of New Jersey *
 Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org) * Updated and modified by Cort Dougan
 (cort@cs.nmt.edu)

Copyright (C) ARM Limited 1998. All rights reserved

Copyright (C) 2000 Goutham Rao <goutham.rao@intel.com> * * 00/12/13 davidm Rename to swiotlb.c and add mark_clean() to avoid * unnecessary i-cache flushing.

Copyright (C) 2000 David S. Miller (davem@redhat.com) * * Almost entirely stolen from tdfx_context.c, see there * for authors.

Copyright 2001 MontaVista Software Inc. * Author: Jun Sun, jsun@mvista.com or jsun@junsun.net * * arch/mips/ddb5xxx/ddb5477/irq.c * The irq setup and misc routines for DDB5476.

Copyright (C) 1998, 1999 David Mosberger-Tang <davidm@hpl.hp.com> */#define get_unaligned(ptr) \ ((__typeof__(*(ptr)))ia64_get_unaligned((ptr), sizeof(*(ptr))))

(C) 1997 Carnegie Mellon University * * Carnegie Mellon encourages users to contribute improvements to * the Coda project. Contact Peter Braam (coda@cs.cmu.edu).

Copyright (C) 1993, 1994, 1995 Eric Youngdale * * generic mid-level SCSI driver * Initial versions: Drew Eckhardt * Subsequent revisions: Eric Youngdale

Copyright (C) 1999-2000 VA Linux Systems

Copyright (c) 2001 Ladislav Michl <ladis@psi.cz>

Copyright (C) 1994 Cronyx Ltd. * Author: Serge Vakulenko, <vak@zebug.msk.su> * * This software is distributed with NO WARRANTIES, not even the implied * warranties for MERCHANTABILITY or FITNESS F

Copyright (C) 2001 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s):

Copyright (C) 1996 Paul Mackerras.

Copyright (c) 1995,1996 Bradford W. Johnson <johns393@maroon.tc.umn.edu>

Copyright 2001 MontaVista Software Inc. * Author: jsun@mvista.com or jsun@junsun.net * * arch/mips/gt64120/common/gt_irq.c * Interrupt routines for gt64120. Currently it only handles timer ir

Copyright (C) 2001 Red Hat, Inc. All rights reserved

Copyright (C) 1997 Michael A. Griffith (grif@acm.org) */

Copyright (C) 2001 A * * I/O routine and setup routines for A&D ADX Board

Copyright 1996-2000 Hans Reiser, see reiserfs/README for licensing

(C) Copyright 1999-2000 Scott J. Bertin

Copyright (C) 1997 Dan Malek (dmalek@jlc.net). * * This file contains low-level support and setup for PowerPC 8xx * embedded processors, including trap and interrupt dispatch.

Copyright 2000 by Hypercope GmbH

Copyright (C) 1995 Hamish Macdonald * * Contains common initialization routines, specific init code moved * to motorola.c and sun3mmu.c

Copyright (C) 1999, 2001 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>

Copyright 1999 Matrox Graphics Inc.

Copyright (C) 2000-2001 Anton Altaparmakov (AIA) */#include <linux/ntfs_fs.h>

Copyright (C) 1996 David Sitsky (David.Sitsky@anu.edu.au)

Copyright (C) 1998-2000 Andre Hedrick (andre@linux-ide.org)

Copyright (c) 2000-2001 Jean Tourrilhes <jt@hpl.hp.com>

Copyright 1993, Drew Eckhardt * Visionary Computing * (Unix consulting and custom programming) * drew@colorado.edu * +1 (303) 666-5836 * * DISTRIBUTION RELEASE 7

Copyright (C) 1996-1999 Russell King

Copyright (C) 2001 Stelian Pop <stelian.pop@fr.alcove.com>, Alc *

Copyright (C) 1997 Fabio Riccardi. * And from the frame buffer device for Open Firmware-initialized devices:

Copyright (C) 2000,2001 Cirrus Logic Corp.

Copyright (c) 2001 Benjamin Herrenschmidt <benh@kernel.crashing.org>

Copyright 1995, Erik H. Moe

Copyright (C) 1996 Thomas K. Dyas (tdyas@eden.rutgers.edu) * * This is a little driver that lets a user-level program access * the SPARC Mostek real time clock chip. It is no use unless you * use

Copyright (C) 1999 Wolfgang Scherr <scherr@net4you.net>

Copyright (C) 1994 by Waldorf Electronics

Copyright (c) 2001 Paul Stewart

Copyright (C) 1995 Hamish Macdonald * * Moved 8/20/1999 Sam Creasey

Copyright (C) 1990 - 1992, 1999 Silicon Graphics, Inc.

Copyright (c) 1999 Jean Tourrilhes

Copyright (C) 1998 Gleb Raiko */#include <linux/config.h>#include <linux/init.h>#include <linux/kernel.h>#include <linux/sched.h>#include <linux/mm.h>

Copyright (C) 2000 FutureTV Labs Ltd. */#ifndef __ASM_ARM_ARCH_IO_H#define __ASM_ARM_ARCH_IO_H

Copyright (C) 1999 Silicon Graphics, Inc. */#include <asm/asm.h>#include <asm/cachectl.h>#include

```

<asm/current.h>#include <asm/fpregdef.h>#include <asm/mipsregs.h>#include <asm/offset.h>#inclu
Copyright (C) 1991, 1992, 1995 Linus Torvalds * * This file contains the m68k-specific time handling
details. * Most of the stuff is located in the machine specific files.
Copyright (C) 1996 Paul M. Antoine
Copyright 1995 Linus Torvalds */
Copyright (C) 1996 Hans-Joachim Widmaier
Copyright 1994 Roman Hodek <Roman.Hodek@informatik.uni-erlangen.de>
Copyright (C) 1996 Jesper Skov (jskov@cygnus.co.uk) * * This file is based on cyber_esp.h (hence the
occasional reference to * CyberStorm).
Copyright (C) 2000 Michael Cornwell <cornwell@acm.org>
Copyright (C) 1995-01 ICP vortex, an Intel company, Achim Leubner *
* * <achim@vortex.de>
Copyright (C) 1998, 1999, 2000 Philip Blundell
Copyright (C) 1996 Paul Mackerras. */#ifndef _MAC53C94_H#define _MAC53C94_H
Copyright (c) 1999 by Oliver Aldulea (oli at bv dot ro) * * This code is based on the RISCom/8 multiport
serial driver written * by Dmitry Gorodchanin (pgmdsg@ibi.com), based on the Linux serial *
Copyright (C) 2000 IBM Deutschland Entwicklung GmbH, IBM Corporation* Author(s): Gerhard Tonn
(ton@de.ibm.com),*/
Copyright (C) 1993 Greg Harp * Atari Support by Bjoern Brauel, Roman Hodek * * Big cleanup Sep 11..14
1994 Roman Hodek:
Copyright 2001 Compaq Computer Corporation. * * $Id: bootldr.c,v 1.6 2001/10/02 15:05:11 dwmw2 Exp
$
(C) 2000 Los Alamos National Laboratory
Copyright (C) 2001 Red Hat, Inc. * * Created by Arjan van de Ven <arjanv@redhat.com>
Copyright (C) 1996 Dave Frascone * Cloned from Richard Hirst [richard@sleepie.demon.co.uk] * *
Based on: *
Copyright (C) 2002 Ladislav Michl */#ifndef _ASM_SGI_SGIGIO_H#define _ASM_SGI_SGIGIO_H
Copyright (C) 2000 Kazumoto Kojima * * Hitachi SolutionEngine support
Copyright (C) 1998-2001 David Mosberger-Tang <davidm@hpl.hp.com> */
copyright; see LICENSE.FlashPoint for details. * * $Workfile: sccb_dat.c $
Copyright (C) 2001 MIPS Technologies, Inc. */#include <linux/errno.h>#include <linux/linkage.h>#include
<linux/mm.h>#include <linux/smp.h>#include <linux/smp_lock.h>#include <linux/sched.h>#in
Copyright (C) 2000 Netgem S.A. * * $Id: docecc.c,v 1.4 2001/10/02 15:05:13 dwmw2 Exp $
Copyright 1998-2001 (c) Cirrus Logic Corp. * Version 1.04
*****
Copyright (C) 1994, 1995, 1996, 1999, 2000 by Ralf Baechle
Copyright (C) 1996,1999 David S. Miller (davem@redhat.com)
Copyright (C) 1992 Remy Card (card@masi.ibp.fr) * Laboratoire MASI - Institut Blaise Pascal
* Universite Pierre et Marie Curie (Paris VI) * from
Copyright (C) 1994-1996 Greg Ungerer.
Copyright (C) 1995, 1996, 1997, 1998 Jakub Jelinek (jj@ultra.linux.cz) */
Copyright (c) 2000 PocketPenguins Inc * * Derived from setup_hd64461.c which bore the message:
Copyright (C) 2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Gerhard Tonn
(ton@de.ibm.com) * * Heavily inspired by the 32-bit Sparc compat code which is
(C) Copyright 1999 Red Hat Software * * Written by Alan Cox, Building Number Three Ltd *
Modified by Deepak Saxena <deepak@plexity.net> * Modified by Boji T Kannanthanam
<boji.t.kannanthanam@
Copyright (C) 2000 Arcom Control System Ltd
Copyright 2001-2002 Stephane Dalton <sdalton@videotron.ca> * and Stéphanie Doyon
<s.doyon@videotron.ca> * Maintained by Stéphanie Doyon <s.doyon@videotron.ca>. */
(C) IBM Corporation, IBM Deutschland Entwicklung GmbH, 2000a * History of changes * 07/24/00 new
file
Copyright (c) 1998 Algorithmics Ltd */
(C) 1994 Kai Petzke, wpp@marie.physik.tu-berlin.de * * Advantages:
Copyright (C) 1994-96 Marc ZYNGIER <zyngier@ufr-info-p7.ibp.fr> Based on work done by Søren
Schmidt for FreeBSD
Copyright (C) 1991, 1992 Linus Torvalds * * xenix/inode.c
Copyright (C) 1999-2000 Hewlett-Packard Co
Copyright (C) 1998 Frederic Rible F1OAT (frible@teaser.fr)

```

Copyright (C) 2001 Mike Corrigan
 Copyright (c) 1998 Corey Thomas (corey@world.std.com)
 Copyright (C) 1999, 2000 Silicon Graphics, Inc. */#include <linux/init.h>#include <linux/kernel.h>#include
 <linux/pci.h>#include <asm/sn/arch.h>#include <asm/pci/bridge.h>#include <asm/paccess.
 Copyright (C) 2001 Ladislav Michl (ladis@psi.cz) */
 Copyright (C) 1997 David S. Miller (davem@caip.rutgers.edu) */
 Copyright (C) 1999 Silicon Graphics, Inc. */#ifndef _ASM_SGIARCS_H#define _ASM_SGIARCS_H
 Copyright (C) 1999 Wolfgang Scherr <scherr@net4you.net> Iomega Buz driver version 1.0
 Copyright (C) 1999 by Silicon Graphics, Inc. */#include <linux/config.h>#include <linux/kernel.h>#include
 <linux/mm.h>#include <linux/sched.h>#include <linux/string.h>
 Copyright (C) 2001 Russell King * * Perform "ISA" memory and IO accesses. The EBSA110 has some
 "peculiarities" * in the way it handles accesses to odd IO ports on 16-bit devices. These * devices
 Copyright (C) 1999 Don Dugger <Don.Dugger@intel.com> */
 Copyright (c) 2000 Steve Hill (sjhill@cotw.com) * * Changelog:
 Copyright 2000 IBM Corporation");MODULE_AUTHOR("Gerhard Tonn <ton@de.ibm.com>");
 Copyright (C) 1999,2001 Axis Communications AB */
 (C) Copyright 1999 Red Hat Software * * Written by Alan Cox, Building Number Three Ltd
 Copyright (C) 1999 Alpha Processor, Inc., * (David Daniel, Stig Telfer, Soohoon Lee) * *
 Code common to all IRONGATE core logic chips.
 Copyright 1997 by Fritz Elfert (fritz@isd4linux.de)
 Copyright (c) 1998-2000 Dag Brattli <dagb@cs.uit.no>, * All Rights Reserved
 (c) Copyright 2001, Red Hat Inc.\n"); if((sv11_unit=sv11_init(io,irq))==NULL) return -
 ENODEV; return 0;}
 Copyright (C) 1997 Jes Sorensen * * History:
 Copyright (C) 2001 Keith M Wesolowski */#include <linux/kernel.h>#include <linux/init.h>#include
 <linux/errno.h>#include <linux/sched.h>#include <linux/param.h>#include <linux/string.h>#includ
 Copyright (C) 1997 R */#define ITERATE_SPLIT_DONE 1
 Copyright (C) 2000, 2001, 2002 David S. Miller (davem@redhat.com) * * Support for Apple GMAC and
 assorted PHYs by * Benjamin Herrenschmidt (benh@kernel.crashing.org)
 Copyright (C) 1994-1996 Greg Ungerer. * * This code is loosely based on the Linux serial driver,
 written by * Linus Torvalds, Theodore T'so and others.
 Copyright (C) 2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Holger Smolinski
 (Holger.Smolinski@de.ibm.com) */
 Copyright (C) 1994-1996 Linus Torvalds
 Copyright (c) 1997 University of Troms * * Revision History: *
 (C) 2000 R.E.Wolff@BitWizard.nl
 copyright; see LICENSE.FlashPoint for details. * * \$Workfile: harpoon.h \$
 Copyright (c) 1997, 1998-2000 Dag Brattli <dagb@cs.uit.no>
 Copyright (C) 2001 Richard Schaal
 Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997,
 Copyright (C) 1995-1998 Mark Adler * For conditions of distribution and use, see copyright notice in zlib.h
 */
 Copyright (C) 1998, 1999 Ralf Baechle */#ifndef _ASM_DS1286_h#define _ASM_DS1286_h
 Copyright (C) 2000, 2001 by Ralf Baechle */#ifndef _ASM_HW_IRQ_H#define _ASM_HW_IRQ_H
 Copyright (C) 2001 Jean Tourrilhes <jt@hpl.hp.com>
 Copyright (C) 1996 David S. Miller (dm@sgi.com) */#ifndef _ASM_SGI_SGI_H#define _ASM_SGI_SGI_H
 Copyright (c) 1997, 1998 by Ralf Baechle */#include <linux/init.h>#include <linux/kernel.h>#include
 <asm/bcache.h>#include <asm/sni.h>
 Copyright (c) 2001 David Howells (dhowells@redhat.com). * - Derived partially from idea by Andrea
 Arcangeli <andrea@suse.de> * - Derived also from comments by Linus */#include <linux/rwsem.h>#i
 Copyright (C) 1996-1999 David S. Miller (davem@caip.rutgers.edu)
 Copyright (C) 1996 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
 Copyright (C) 1999 by Silicon Graphics */#include <linux/config.h>#include <linux/module.h>#include
 <linux/spinlock.h>#include <asm/uaccess.h>
 (C)Copyright 1997-1998 DAVICOM Semiconductor,Inc. All Rights Reserved
 Copyright (C) 1994, 1995 by Ralf Baechle */
 Copyright 1999-2001 by Donald Becker. Written 1997-2001 by Donald Becker.
 [8139too.c]
 Copyright ♦ ARM Limited 1998. All rights reserved

Copyright (C) 1999, 2000, 2001 Silicon Graphics, Inc. */#include <linux/config.h>#include
<linux/module.h>#include <linux/string.h>#include <linux/mm.h>#include <linux/interrupt.h>#include
<lin

Copyright (C) 2000 Greg Banks, Mitch Davis *

(c) Copyright 1999-2001 Quicknet Technologies, Inc.

(C) 1992, 1993 Eric Youngdale * * Rock Ridge Extensions to iso9660

Copyright (C) Shane Nay (shane@minirl.com)

Copyright: (C) 2001 MontaVista Software Inc.

Copyright (C) 1993 Stephen Tweedie (sct@dcs.ed.ac.uk) * from

Copyright (C) 1994, 1995, 1996, 1999 Ralf Baechle

Copyright 1993, 1994, 1995 Drew Eckhardt; Visionary Computing ; (Unix and Linux consulting and
custom programming); drew@PoohSticks.ORG; +1 (303) 786-7975;; TolerANT and SCSI

Copyright (C) 1999-2000 Maxim Krasnyansky <max_mk@yahoo.com>

Copyright (C) 1999 Intel Corp.

Copyright (C) 2000 Red Hat, Inc. *

Copyright (C) 1998-1999 Pete Zaitcev (zaitcev@yahoo.com) * * This is mainly a variation of
drivers/char/serial.c, * credits go to authors mentioned therein.

Copyright(C) 1996,1998 Jakub Jelinek * * derived from:

Copyright (C) 2000 Andrey Panin <pazke@orbita.don.sitek.net>

Copyright (C) 2000 Eric Youngdale * * mid-level SCSI DMA bounce buffer allocator

Copyright (C) 2000 Niibe Yutaka * * Generic I/O routine. These can be used where a machine specific
version * is not required.

Copyright (C) 1998,1999 Jakub Jelinek (jj@ultra.linux.cz) *

Copyright (C) 1997-1998 Geert Uytterhoeven

Copyright (C) 1998 Jakub Jelinek(jj@ultra.linux.cz) */

Copyright (C) 1999 by Michael Klar *

Copyright (C) 1997, 1998, 1999, 2000 FutureTV Labs Ltd */

Copyright (C) 1997-2000 Russell King

Copyright (C) 1999 Joseph Malicki

Copyright (C) 1999-2000, 2002 Hewlett-Packard Co. * David Mosberger-Tang <davidm@hpl.hp.com>

(C) Copyright 2001 Oliver Neukum

(C) 1999 Thomas Bogendoerfer (tsbogend@alpha.franken.de) * * Based on David S. Miller's esp driver

Copyright 1999 SuSE GmbH (Philipp Rumpf, prumpf@tux.org)

Copyright (C) 1999-2002 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> */

Copyright by Karsten Keil <keil@isdn4linux.de>

Copyright (C) by Rebel.com 1998-1999 * * RWA010 specs received under NDA from Rockwell

Copyright (C) 1998 Russell King.

Copyright (C) 1995 David A Rusling

(C) 1996 Peter Braam

Copyright (c) 1996-2000 Jonathan A. Buzzard (jonathan@buzzard.org.uk) * * Thanks to Juergen Heinzl
<juergen@monocerus.demon.co.uk> for the pointers * on making sure the structure is aligned and pa

(C)Copyright 1998-2001 SysKonnnect GmbH. * * Driver for SysKonnnect Gigabit Ethernet Server Adapters:
*

Copyright (C) 1999,2000 Walt Drummond <drummond@valinux.com>

Copyright (C) 2000 Niibe Yutaka * HP620 keyboard translation table */

Copyright (C) 1995 Linus Torvalds * * This file contains the code used by various IRQ handling routines:

Copyright (C) 1991, 1992 Linus Torvalds * * super.c contains code to handle: - mount structures *
- super-block tables * - fil

Copyright 1999, 2000 Creative Labs, Inc. *

Copyright (C) 1994, 1995, 1996 by Ralf Baechle */#ifndef __ASM_MIPS_CACHECTL#define
__ASM_MIPS_CACHECTL

Copyright (C) 2002 Khalid Aziz <khalid_aziz@hp.com> * * Definitions for HCDP defined serial ports (Serial
console and * debug ports)

Copyright by Petr Novak <petr.novak@i.cz>

Copyright (C) 1998 Randy Gobbel. * * May 1999, Al Viro: proper release of /proc/net/bmac entry, switched
to * dynamic procs inode.

(c) Copyright 1995 Simon "Guru Aleph-Null" Janes * NCM: Network and Communications Management, Inc.
*

Copyright (C) 1999, 2000 by Silicon Graphics, Inc. */#include <linux/config.h>#include

```

<linux/signal.h>#include <linux/sched.h>#include <linux/interrupt.h>#include <linux/kernel.h>#include
<lin
Copyright (C) 1995-1996 Mark Adler * For conditions of distribution and use, see copyright notice in zlib.h
*/
(C) Copyright 1999 Red Hat Software * * Written by Alan Cox, Building Number Three Ltd
Copyright (C) 1999-2000 Andre Hedrick <andre@linux-ide.org>
copyright (C) 1991, 1992 Linus Torvalds. It was * extensively rewritten by Theodore Ts'o, 8/16/92 --
9/14/92, * and then fixed as suggested by Michael K. Johnson 12/12/92. * * This version suppo
Copyright (C) 1999 by
Copyright (C) 1999 Silicon Graphics, Inc. */#include <asm/asm.h>#include <asm/mipsregs.h>#include
<asm/regdef.h>#include <asm/stackframe.h>
Copyright (C) 1999 Srinivasa Prasad Thirumalachar <sprasad@sprasad.engr.sgi.com> * * 99/10/01
davidm Make sure we pass zero for reserved parameters. * 00/03/07 davidm Updated
pal_cache_flush() to b
Copyright (C) 2000 MIPS Technologies, Inc. All rights reserved
Copyright (C) 2001 Silicon Graphics, Inc.
Copyright (C) 1996 Eddie C. Dost (ecd@skynet.be) */
Copyright (C) 1998, 1999 by Ralf Baechle * * FIXME: For some of the supported machines this is dead
wrong.
Copyright (C) 1999, 2000 Silicon Graphics, Inc. */#ifndef _ASM_IO_H#define _ASM_IO_H
Copyright (c) 2000 Grant Erickson <grant@borg.umn.edu> * All rights reserved
Copyright (C) 1991, 1992, 1993, 1994 Linus Torvalds * Swap reorganised 29.12.95, Stephen Tweedie *
Support of BIGMEM added by Gerhard Wichert, Siemens AG, July 1999 * Reshaped it to be a zoned
Copyright (C) 1995 by Ralf Baechle */#ifndef __ASM_MIPS_STATFS_H#define __ASM_MIPS_STATFS_H
(C) Copyright 1999 Randy Dunlap * * 5/24/00 Removed optional (and unnecessary) locking of the driver
while * the device remains plugged in. Corrected race conditions in ibmcam_open * and ibmcam_pr
Copyright (C) 2000 Rob Scott (rscott@mtrob.fdns.net) * Steve Hill (sjhill@cotw.com) * * This
file contains the hardware definitions for the * LinkUp Systems L7200 SOC developmen
Copyright (C) 2001 Andrea Arcangeli <andrea@suse.de> SuSE */
Copyright (C) 1998-2001 Russell King
Copyright (c) 2000-2002 by David Brownell
Copyright (C) 1996 Paul Mackerras. * * The so far unpublished platinumfb.c
Copyright (C) 1998-2000 Russell King, Phil Blundell
Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org) * Updated and modified by Cort Dougan
<cort@fsmllabs.com>
Copyright (C) 1994 Wolfgang Stanglmeier
Copyright (C) 1999 James Simmons
copyright remain somewhere in the * code (for myself, I go with the GPL). * Nobody want to take
responsibility for anything, except the fame... */
Copyright (C) 1999, 2000 Kaz Kojima *
Copyright (C) 1997 - 2000, 2001 by Ralf Baechle
Copyright Micro Memory INC 2001. All rights reserved
Copyright (C) 1994 Linus Torvalds */
Copyright (C) 2001 Manfred Spraul * ethtool support (jgarzik) * Replace some MII-related magic
numbers with constants (jgarzik) TODO:
(C) Copyright 1999 Gregory P. Smith
Copyright (C) 1996 Albert D. Cahalan
COPYRIGHT (0)#define EEPROM_COPYRIGHT_LEN (44)#define EEPROM_CHECKSUM
(62)#define EEPROM_CHECKSUM_REV (63)#define EEPROM_MAC (64)#define
EEPROM_MAC_REV (70)#define EEPROM_SERIAL (112)#defin
Copyright (C) 1997 David S. Miller (davem@caip.rutgers.edu)
copyright; see LICENSE.FlashPoint for details. * * $Workfile: sccb.c $
Copyright (C) 1999 Geert Uytterhoeven * * 2001 - Documented with DocBook * - Brad
Douglas <brad@neruo.com>
Copyright (c) 1995 David van Leeuwen*/
Copyright (C) 1999 Mike Shaver */
Copyright (C) 1999,2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Denis Joseph
Barrow (djbarrow@de.ibm.com,barrow_dj@yahoo.com) */
Copyright Motorola 1984 ( * It was written to be part of the Linux operating system. *

```

Copyright (C) 2000 Rob Scott (rscott@mtrob.fdns.net) * Steve Hill (sjhill@cotw.com) * * 04-21-2000 RS Created file * 05-03-2000 SJH Tick rate was wrong

Copyright (C) 1999 Cort Dougan <cort@ppc.kernel.org>

Copyright (C) 1994, 1995, 1996, 1999 by Ralf Baechle

Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) */#include <linux/kernel.h>#include <linux/module.h>#include <linux/sched.h>#include <linux/types.h>#include <linux/interrupt.h>#include <li

Copyright (C) 1999-2001 Hewlett-Packard Co. * David Mosberger-Tang <davidm@hpl.hp.com> */#ifndef _ASM_IA64_MACHVEC_H#define _ASM_IA64_MACHVEC_H

Copyright (C) 1999 Silicon Graphics, Inc. * * FIXME: Handle split L2 caches.

(C) Copyright 1995 by Geert Uytterhoeven <geert@linux-m68k.org> * * Fixes and tips by:

Copyright (C) 1998 Ulf Carlsson

Copyright (C) 1991, 1992 Linus Torvalds * * Goal-directed block allocation by Stephen Tweedie (sct@dcs.ed.ac.uk), 1993 * Big-endian to little-endian byte-swapping/bitmaps by * David S. M

Copyright (C) 1991, 1992, 1995 Linus Torvalds

Copyright (C) 1999-2000 Michael Cornwell <cornwell@acm.org>

Copyright (C) 2000 Philipp Rumpf <prumpf@tux.org>.

Copyright (C) 1992 - 1997, 2000-2001 Silicon Graphics, Inc. All rights reserved

Copyright (c) 1994-1997 Justin Gibbs. * All rights reserved

(C) 2000-2002 by Harald Welte <laforge@gnumonks.org> * * Distributed under the terms of GNU GPL */

Copyright (C) 1993 Hamish Macdonald * Greg Harp

(C) 1996-1998 by Thomas Sailer, HB9JNX/AE4WA */

(C) Copyright 1996 Linus Torvalds

Copyright (C) 2000,2001 Axis Communications AB * * Authors: Bjorn Wesen (bjornw@axis.com)

Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org) * Rewritten by Cort Dougan (cort@fslabs.com) for PReP

Copyright (C) 1995. Send bug reports for the * VFAT filesystem to <chaffee@cs.berkeley.edu>. Specify * what file operation caused you trouble and if you can duplicate * the problem, send

Copyright (C) 1991, 1992 Linus Torvalds * * setup.s is responsible for getting the system data from the BIOS, * and putting them into the appropriate places in system memory. * both setup.s and sy

Copyright (c) 1998 Harald Koerfgen

Copyright ♦ 1993, 1994 Motorola Inc. All rights reserved

Copyright (C) 1992 - 1997, 2000 - 2001 Silicon Graphics, Inc. * All rights reserved

Copyright (C) 1996 Roman Zippel * * The concept of some functions bases on the original Amiga OS function

Copyright (C) 2000 Hewlett-Packard Co.

Copyright 1995-1998 Mark Adler "/* If you use the zlib library in a product, an acknowledgment is welcome in the documentation of your product. If for some reason you cannot include such an ac

Copyright 2001 MontaVista Software Inc. * Author: jsun@mvista.com or jsun@junsun.net * * arch/mips/ddb5xxx/ddb5477/debug.c * vrc5477 specific debug routines.

Copyright (C) 1995 Pete Zaitcev

Copyright (C) 1997 Cobalt Microserver

Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Hartmut Penner (hpenner@de.ibm.com), * Martin Schwidefsky (schwidefsky@de.ibm.com), *

(C) Copyright 1999, 2000 Silicon Graphics, Inc.

Copyright (C) 1991, 1992 Linus Torvalds * * 1996-12-23 Modified by Dave Grothe to fix bugs in semaphores and * make semaphores SMP safe * 1998-11-19 Implemented

schedule_timeout()

Copyright (C) 1996 David S. Miller (davem@caip.rutgers.edu) */

Copyright (C) 1997,1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz) */

Copyright (C) 1998,1999,2000 R.E.Wolff@BitWizard.nl

Copyright (C) 2000 Serguei Miridonov <mirsev@cicese.mx>

(C) Copyright 1996 Linus Torvalds * * m68k version by Andreas Schwab

Copyright (C) 1991, 1992 Linus Torvalds * * coh/file.c

(C) 1986-1990 V6.0105/31/90

Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * * Derived from "include/asm-i386/timex.h"

COPYRIGHT (C) 1999-2000 QLOGIC CORPORATION

Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin

Schwedefsky (schwedefsky@de.ibm.com), * Denis Joseph Barrow
 (djbarrow@de.ibm.com,barrow_dj@y
 Copyright (C) 2000 David Huggins-Daines <dhd@debian.org> */
 Copyright (C) 2001 Anton Blanchard <anton@au.ibm.com>, IBM * * Type of int is used as a full 64b word
 is not necessary.
 Copyright (C) 1995, 1996, 1997, 1998 by Ralf Baechle */#include <linux/sched.h>#include
 <linux/pc_keyb.h>#include <asm/keyboard.h>#include <asm/jazz.h>
 (C) 2000 Red Hat. GPL * \$Id: map_ram.c,v 1.14 2001/10/02 15:05:12 dwmw2 Exp \$ */
 Copyright (C) 1996 Paul Mackerras. * * This file contains low-level assembler routines for managing * the
 PowerPC MMU hash table. (PPC 8xx processors don't use a * hash table, so this file is
 Copyright 1999 SuSE GmbH * * IRQ/IPI changes taken from work by Thomas Radke *
 <tomsoft@informatik.tu-chemnitz.de>
 Copyright (C) 1994, Linus Torvalds */
 Copyright 1999-2000 Jeremy Fitzhardinge <jeremy@goop.org>
 Copyright Motorola 1984 (
 Copyright 1995, 1996 by Chris Beauregard (cpbeaure@undergrad.math.uwaterloo.ca)
 Copyright (c) 1999-2001 Dag Brattli
 Copyright (C) 1998-2002 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> */
 Copyright (C) 1994 - 1999 Ralf Baechle
 Copyright (C) 1995-1997 Paul H. Hargrove
 Copyright (c) 1999-2000 Vojtech Pavlik * * Input driver to ImExPS/2 device driver module.
 Copyright (c) 1997 Carnegie-Mellon University */
 (C) Copyright 1999 Gregory P. Smith (from usb-ohci.c) * * Intel documents this fairly well, and as far as I
 know there * are no royalties or anything like that, but even so there are * people who
 Copyright (C) 2000, Axis Communications AB. * * Written by Hans-Peter Nilsson. * Pieces used from
 memcpy, originally by Kenny Ranerup long time ago.
 Copyright (C) 1999 Ingo Molnar <mingo@redhat.com> */
 Copyright (C) 1998 by Ralf Baechle */#include <linux/init.h>#include <linux/kernel.h>#include
 <linux/mm.h>#include <asm/floppy.h>
 Copyright (C) 2001 MIPS Technologies, Inc.
 Copyright 1997 by Carsten Paeth (calle@calle.in-berlin.de)
 Copyright (C) 1997, 1998, 1999, 2000 Ingo Molnar, Hajnalka Szabo * * Many thanks to Stig Venaas
 for trying out countless experimental * patches and reporting/debugging problems patiently!
 Copyright (C) 2000-2001 Toshiba Corporation */#ifndef __ASM_TX3927_JMR3927_H #define
 __ASM_TX3927_JMR3927_H
 Copyright (C) 2002 Jenna Hall <jenna.s.hall@intel.com> */#ifndef _ASM_IA64_MCA_ASM_H#define
 _ASM_IA64_MCA_ASM_H
 Copyright (C) 1991, 1992, 1993, 1994 Linus Torvalds * * Modified by Fred N. van Kempen, 01/29/93, to
 add line disciplines * which can be dynamically activated and de-activated by the line * disci
 Copyright (C) 1996, 1997, 1998 by Ralf Baechle */#include <linux/delay.h>#include <linux/init.h>#include
 <linux/ioport.h>#include <linux/sched.h>#include <linux/kernel.h>#include <linux/linkage
 Copyright (C) 1998-2000 Andrzej Krzysztofowicz
 Copyright 1993 Harm Hanemaayer
 Copyright (C) 2001 MIPS Technologies, Inc. */#include <linux/config.h>#include <linux/init.h>#include
 <linux/sys.h>
 Copyright (C) 1998 Harald Koerfgen */
 Copyright (C) 1997, 98, 1999, 2000 Ralf Baechle
 Copyright (C) 1999 Ralf Baechle (ralf@gnu.org)
 (C) Copyright Johannes Erdfelt 1999-2001
 (C) 1996 P. Braam and M. Callahan
 Copyright (c) 1999-2002 Mark W. McClelland
 Copyright (C) 1999 Ganesh Venkitachalam <venkitac@us.ibm.com> * * Modifications by Stephane Eranian,
 Hewlett-Packard Co. * Modifications by David Mosberger-Tang, Hewlett-Packard Co.
 Copyright (C) 1999, 2000, 2001 David E. Nelson * * David E. Nelson (dnelson@jump.net)
 (C) 1996 Philip Blundell * * 10-04-96 RMK Various cleanups & reduced register usage. * 08-04-98
 RMK Shifts re-ordered
 Copyright 2001 MontaVista Software Inc. * Author: jsun@mvista.com or jsun@junsun.net * *
 arch/mips/ddb5xxx/ddb5477/setup.c * Setup file for DDB5477.
 Copyright (C) 1994 Martin Schaller

Copyright (C) 2000 David S. Miller (davem@redhat.com) */#include <linux/config.h>
 Copyright 1998-2001 by Leonard N. Zubkoff <lnz@dandelion.com>
 Copyright 2000 by Digi International
 COPYRIGHT + EEPROM_COPYRIGHT_LEN DPRINTK("eeprom: copyright = \"%s\\n",
 (char *) &e[EEPROM_COPYRIGHT]); else
 Copyright (C) 1991, 1992 Linus Torvalds * * Added devfs support. * Jan-11-1998, C. Scott Ananian
 <cananian@alumni.princeton.edu> * Shared /dev/zero mmaping support, Feb 2000, Kanoj Sarcar <
 Copyright (C) 1994, 1995, 1996 Normunds Saumanis (normunds@fi.ibm.com) * * LILO command line
 usage: ncr53c406a=<PORTBASE>[,<IRQ>[,<FASTPIO>]] * Specify IRQ = 0 for non-interrupt driven
 mode. *
 Copyright (C) 1999 Arun Sharma <arun.sharma@intel.com>
 Copyright (C) 1994-96 Marc ZYNGIER <zyngier@ufr-info-p7.ibp.fr> or
 <maz@gloups.fdn.fr>
 Copyright 1997 by Carsten Paeth <calle@calle.de>
 Copyright (C) 1996-98 Erik Andersen
 Copyright (C) 1998 Eddie C. Dost <ecd@skynet.be>
 Copyright (C) 2000 Steve Hill (sjhill@cotw.com) * * Changelog:
 Copyright (C) 1999 Asit Mallick <Asit.K.Mallick@intel.com>
 Copyright (c) 2000 Eric Sandeen <eric_sandeen@bigfoot.com>
 Copyright (C) 2001 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin
 Schwidefsky (schwidefsky@de.ibm.com). * * xchg wants to panic if the pointer is not aligned. To avoid mul
 Copyright (C) 1995, 1996, 1997 by Comtrol, Inc.
 Copyright (C) 1997 Claus-Justus Heine.
 Copyright (C) 1999 Geert Uytterhoeven * * Written for 2.0.x by Steffen A. Mork * Ported to 2.1.x by Geert
 Uytterhoeven
 Copyright (C) 1996 David S. Miller * Made portable by Ralf Baechle
 Copyright (C) 1993, 1994, 1995 Eric Youngdale * * Modified by Eric Youngdale * Use request_irq and
 request_dma to help prevent unexpected conflicts * Set up on-board DMA controller,
 (C) 2002 Alan Stern <stern@rowland.org>
 Copyright (C) 1991, 1992 Linus Torvalds * * ext2 fs regular file handling primitives
 Copyright (C) 1999, 2000 by Ralf Baechle */#ifndef _ASM_SN_KLCONFIG_H#define
 _ASM_SN_KLCONFIG_H
 (C) 1986-1989 V5.0C2/14/89", 5, 46, FD
 Copyright (C) 1996-98";char *i91uInitioName = "by Initio Corporation";char *i91uProductName = "INI-
 9X00U/UW";char *i91uVersion = "v1.03g";
 Copyright (C) 1998 Ralf Baechle */#include <linux/init.h>#include <linux/types.h>
 Copyright (C) 1997, 1998 Jay Estabrook
 Copyright (c) 1997 Dan Malek (dmalek@jlc.net) * * I used the serial.c driver as the framework for this
 driver. * Give credit to those guys. * The original code was written for the MBX860 board. I
 Copyright (C) 1995 Andreas Busse */#include <linux/config.h>#include <linux/sys.h>
 Copyright (C) 1999 Ralf Baechle (ralf@gnu.org) */#ifndef _ASM_XTALK_XWIDGET_H#define
 _ASM_XTALK_XWIDGET_H
 Copyright (C) 2000 Tilmann Bitterberg * (tilmann@bitterberg.de) * * RTAS (Runtime Abstraction
 Services) stuff * Intention is to provide a clean user interface * to use the RTAS.
 Copyright (C) 1996, 1998, 2002 by Ralf Baechle
 Copyright (C) 2000 Nicolas Pitre
 (C) 1993 by Hamish Macdonald *
 (C) DTC 17-MAY-1985
 Copyright (C) 2000 Andre Hedrick <andre@linux-ide.org>
 Copyright (C) 2000 Sibyte * * Written by Justin Carlson (carlson@sibyte.com)
 Copyright (C) 1999 Jochen Scharrlach <Jochen.Scharrlach@schwaben.de>
 Copyright (C) 1994 Bjoern Brauel * * 5/2/94 Roman Hodek:
 Copyright (C) 1995, 1996, 1997, 1998, 1999, 2001 Ralf Baechle
 Copyright (C) 1994 - 2000 Ralf Baechle
 Copyright (C) 1999, 2000 Creative Labs, Inc. *
 (C) 1991 Linus Torvalds - minix filesystem * * Steve Beynon : Missing last directory
 entries fixed * (stephen@askone.demon.co.uk) : 21st June 1996
 Copyright (C) 1995-1999 Russell King

Copyright (C) 2000 Philipp Rumpf <prumpf@tux.org>
 Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) */#ifndef _ASM_SGIALIB_H#define
 _ASM_SGIALIB_H
 Copyright (C) 2001 Greg Kroah-Hartman (greg@kroah.com) * * Original driver for 2.2.x by anonymous
 Copyright (C) 2001 Nicolas Pitre */#include <linux/init.h>
 Copyright (c) 1999-2000 Grant Erickson <grant@lcse.umn.edu> * * Module name: as400_setup.h
 Copyright (c) 2001 Axis Communications AB * * This file is under GPL.
 Copyright (C) 1997 Eddie C. Dost (ecd@skynet.be) * * Modified by Francois Wautier 2000
 (fw@auroratech.com)
 Copyright (C) 1992, 1993 Krishna Balasubramanian * Many improvements/fixes by Bruno Haible. *
 Replaced `struct shm\_desc' by `struct vm_area_struct', July 1994. * Fixed the shm swap deallocation (s
 Copyright (C) 2000-2001 Qualcomm Incorporated
 Copyright (C) 1996 by Paul M. Antoine
 Copyright (C) 1998-2001 Hewlett-Packard Co * Stephane Eranian <eranian@hpl.hp.com> * David
 Mosberger-Tang <davidm@hpl.hp.com> * * 6/10/99: Updated to bring in sync with x86 version to
 facilitate
 Copyright (C) 2000 Ken Aker (kdaaker@rchland.vnet.ibm.com)
 (c) Copyright 1999-2001 Quicknet Technologies, Inc.
 Copyright (C) 1998 Harald Koerfgen and Paul M. Antoine */#include <linux/init.h>#include
 <linux/kernel.h>#include <linux/string.h>
 Copyright (C) 1997, Olaf Kirch */
 Copyright (C) 1997 Paul Mackerras. * * pmc-valkyrie.c: Console support for PowerMac "control" display
 adaptor.
 Copyright (C) 1999 Benjamin Reed. All Rights Reserved
 Copyright (C) 1998-2000 David Mosberger-Tang <davidm@hpl.hp.com> *
 (C) Copyright 1998, 99, 2000, 01 Ralf Baechle
 Copyright (C) 1995-1999 ITConsult-Pro Co. <info@itc.hu>
 Copyright (C) 1999, 2000 Silicon Graphics, Inc. */#ifndef _ASM_PROCESSOR_H#define
 _ASM_PROCESSOR_H
 Copyright (C) 1999, 2000 IBM Deutschland Entwicklung GmbH, * IBM Corporation *
 Author(s): Michael Holzheu (holzheu@de.ibm.com), * Holger Smolinski (Holg
 Copyright (C) 1999-2000 CJ, cjtsai@ali.com.tw, Maintainer *
 Copyright (C) 1996 Cort Dougan <cort@fslmlabs.com> * Adapted for Power Macintosh by Paul Mackerras. *
 Low-level exception handlers and MMU support * rewritten by Paul Mackerras.
 Copyright (C) 1992, Linus Torvalds *
 Copyright by Werner Cornelius <werner@isd4linux.de>
 Copyright (C) 1995-2000 Russell King.
 Copyright (C) 1993 Linus Torvalds * * Delay routines calling functions in arch/sh/lib/delay.c
 Copyright (C) 2001 Juha Yrj *
 Copyright (C) 1996,1997 Thomas K. Dyas (tdyas@eden.rutgers.edu) * * This is the lowlevel driver for the
 AMD7930 audio chip found on all * sun4c machines and some sun4m machines.
 Copyright (C) 1998, 1999 Richard Henderson
 Copyright (C) 2001-2002 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> * *
 06/16/00 A. Mallick added siginfo for most cases (close to IA32) * 09/29/00 D.
 Mosberger added ia32_interc
 Copyright (C) 1999, 2001 David Mosberger-Tang <davidm@hpl.hp.com>
 Copyright 1999 by Cytronics
 (C) Copyright 1997 Thomas Schoebel-Theuer, * with heavy changes by Linus Torvalds */
 Copyright (C) 2000, 2002 Maciej W. Rozycki
 Copyright (c) 1999 Grant Erickson <grant@lcse.umn.edu> * Modifications for IBM PowerPC 400-class
 processor evaluation * boards. * * Module name: crt0.S
 (C) 1986-1989 V6.0A7/28/89
 Copyright (c) 2000 Mountain View Data, Inc.
 Copyright 1997, Theodore Ts */
 Copyright (C) 2001 Thiemo Seufer.
 (C) 2000 David Brown <usb-storage@davidb.org>
 Copyright (C) 1997 Eddie C. Dost (ecd@skynet.be)
 Copyright 1995,96 by Thinking Objects Software GmbH Wuerzburg
 Copyright (C) 1999 Nicolas Pitre <nico@cam.org> * * SA1100 specific tweaks. This is merged into head.S
 by the linker.

Copyright (C) 1999-2002 Silicon Graphics, Inc. All rights reserved
 Copyright (C) Eicon Technology Corporation, 2000. * * Eicon File Revision : 1.9
 Copyright (C) 1998 Harald Koerfgen * and David Airlie * * based on jazz_esp.h:
 Copyright (C) 1998, 1999, 2000 Phil Blundell
 Copyright (C) 2001 Steven J. Hill (sjhill@realitydiluted.com)
 Copyright (C) 1996, Paul Gortmaker.
 Copyright (C) 1998 Jakub Jelinek (jj@ultra.linux.cz) */
 Copyright (C) 1998 Philip Blundell <philb@gnu.org> * * This file contains the HP300-specific initialisation code. It gets * called by setup.c.
 Copyright (c) 2001 David Paschal <paschal@rcsis.com> * * USB Printer Device Class driver for USB printers and printer cables
 (C) 2000 YAEHASHI Takeshi
 Copyright - Galileo technology
 Copyright 2001 Anton Blanchard (anton@samba.org) */
 Copyright (C) 2001, Roman Weissgaerber <weissg@vienna.at>
 Copyright (C) 1996 David S. Miller (davem@caip.rutgers.edu)
 (C) Copyright 1999, 2000, 2001 Axis Communications AB, LUND, SWEDEN*! \$Id: ds1302.c,v 1.12 2002/04/10 15:35:25 johana Exp \$
 Copyright (C) 1999 Philip Blundell
 Copyright 2001 MontaVista Software Inc. * Author: jsun@mvista.com or jsun@junsun.net * * include/asm-mips/ddb5xxx/ddb5477.h * DDB 5477 specific definitions and macros.
 Copyright (C) 1999-2001 David Mosberger-Tang <davidm@hpl.hp.com> * * 1/06/01 davidm Tuned for Itanium.
 (C) Copyright 1999 Bas Huisman,
 Copyright (C) 1999 - 2001 Greg Kroah-Hartman (greg@kroah.com)
 Copyright (c) 1998 Actisys Corp., www.actisys.com
 Copyright 2001, Blue Mug Inc. All rights reserved
 Copyright - Galileo technology. 9/3/2000
 Copyright (C) 1996-1998 Russell King */
 Copyright (C) 2000, 2001 Silicon Graphics, Inc. */#ifndef _ASM_SIGINFO_H#define _ASM_SIGINFO_H
 Copyright (C) 1997 Cullen Jennings
 Copyright (C) 1994 Linus Torvalds * * 29 dec 2001 - Fixed oopses caused by unchecked access to the vm86 * stack - Manfred Spraul <manfreds@colorfullife.com>
 Copyright (C) 1997-1999 Russell King * from: *
 Copyright (C) 1995, 1996, 1997 by Ralf Baechle
 Copyright (C) 1999-2000, 2002 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>
 * Stephane Eranian <eranian@hpl.hp.com> * * 11/24/98 S.Eranian updated TIMER_IRQ and irq_canonicalize
 Copyright (C) 1996,97 Ralph Metzler (rjkm@thp.uni-koeln.de)
 Copyright (C) 2001 Blue Mug, Inc. All Rights Reserved
 Copyright (c) 1995-1997 Claus-Justus Heine
 Copyright (C) 2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Hartmut Penner (hp@de.ibm.com) * Ulrich Weigand (weigand@de.ibm.com) * Martin Schwid
 Copyright (C) 2000 Silicon Graphics, Inc. */#include <linux/kernel.h>#include <linux/sched.h>#include <linux/mm.h>#include <linux/errno.h>#include <linux/smp.h>#include <linux/smp_lock.h>#incl
 Copyright (C) 1997, 1998 Ralf Baechle ralf@gnu.org * * To do: *
 (C) 1986-1990 1800-V2.0", 73, 43, 2, 0, 3
 Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)
 Copyright (C) 1996 Richard Russon
 Copyright (C) 1999-2002 3ware Inc.
 Copyright (C) 1999,2000 Qlogic, Corporation * All rights reserved
 Copyright (C) 1995, 1999 by Ralf Baechle */#ifndef __ASM_MIPS_REG_H#define __ASM_MIPS_REG_H
 Copyright (C) 1997 Martin Mares <mj@atrey.karlin.mff.cuni.cz> */
 Copyright (C) 2000 Rob Scott (rscott@mtrob.fdns.ne * Steve Hill (sjhill@cotw.com) * *
 Changelog:
 Copyright (C) 1997, 2001 Ralf Baechle (ralf@gnu.org)
 Copyright (C) 1999 Silicon Graphics, Inc.
 Copyright (C) 1996 Thomas K. Dyas (tdyas@noc.rutgers.edu)
 Copyright: (C) 2001 Emness Technology

(C) 1997 Claus-Justus Heine.
 Copyright 2000 Jindrich Makovicka, Ani Joshi
 Copyright (c) 1998 Harald Koerfgen */
 Copyright (C) 1995, 1998 David S. Miller (davem@caip.rutgers.edu) */
 Copyright (C) 2000 Steve Hill (sjhill@cotw.com) * * Extra MM routines for L7200 architecture
 Copyright (C) 1995 Linus Torvalds * Adapted from 'alpha' version by Gary Thomas * Modified by Cort
 Dougan (cort@cs.nmt.edu) */
 Copyright 2000, 2001 (c) Trond Myklebust <trond.myklebust@fys.uio.no> *
 Copyright(C) 1996 David S. Miller */
 Copyright (C) 1995, 96, 97, 98, 99, 2000, 2001, 2002 by Ralf Baechle */
 Copyright (c) 1999-2000 Vojtech Pavlik * * USB HIDBP Mouse support
 Copyright (C) 1998, 2000 Philip Blundell */
 (C) The elitist m68k Users(TM) * * based on the existing parport_amiga and lp_mfc
 Copyright (C) 1998 Stelias Computing Inc
 Copyright (C) XLR8, Inc. 1994-2000
 Copyright (C) 1995, 1996, 1997, 1998, 1999 by Ralf Baechle
 Copyright (c) 1998 Inside Out Networks, Inc.
 (C) Copyright 1995 1996 Linus Torvalds */
 Copyright (C) 1991, 1992 Linus Torvalds, * consider these trivial functions to be PD. */
 Copyright (C) 1999, 2000 Silicon Graphics
 COPYRIGHT 0#define DVD_CPM_COPYRIGHTED 1
 Copyright (C) 1997, 1999 David S. Miller (davem@redhat.com) */
 Copyright (C) 1995, 1996, 1997, 1998, 1999, 2000, 2001 Ralf Baechle
 Copyright (C) 1996 Cort Dougan <cort@cs.nmt.edu> * Low-level exception handlers and MMU support *
 rewritten by Paul Mackerras.
 Copyright (C) 2000 Intel Corporation.
 Copyright (C) 1996 Eddie C. Dost (ecd@skynet.be) * * This character device driver allows user programs to
 access the * PROM device tree. It is compatible with the SunOS /dev/openprom * driver and
 Copyright (C) 1999 Cort Dougan <cort@cs.nmt.edu> */#ifndef __PPC_SYSTEM_H#define
 __PPC_SYSTEM_H
 Copyright: Telford Tools, Inc. * 1996 *
 Copyright (C) 1996,1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz) */#ifndef _ASM_UACCESS_H#define
 _ASM_UACCESS_H
 Copyright (c) Peter Danielsson 1999 * * Definition of constants related to the sa1101 * support chip for the
 sa1100
 Copyright (C) 2001 MIPS Technologies, Inc. */#ifndef __ASM_IOCTL_H#define __ASM_IOCTL_H
 Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) */#include <linux/init.h>#include
 <linux/config.h>#include <linux/kernel.h>#include <linux/types.h>#include <linux/string.h>
 Copyright (C) 1996, 1999 David S. Miller (davem@caip.rutgers.edu) */#ifndef _SPARC64_IOMMU_H#define
 _SPARC64_IOMMU_H
 Copyright (C) 2000 Los Alamos National Laboratory.
 Copyright (C) 2001 Paul Mundt */#include <linux/init.h>
 Copyright (c) 1991-2002 Steven J. Ralston * Written By: Steven J. Ralston * (yes I wrote some of the
 orig. code back in 1991!) * (mailto:sjralston1@netscape.net) * (mailto:Pam.Delaney@lsil.com
 Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) */
 Copyright (C) 1998 Chris G. Davis (cdavis@cois.on.ca) */
 Copyright (C) 1997 Paul Mackerras (paulus@cs.anu.edu.au)
 Copyright 1997,1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz) */
 Copyright (C) 2001 Silicon Graphics, Inc. */#ifndef _ASM_ERRNO_H#define _ASM_ERRNO_H
 Copyright 1995, Erik H. Moe * Renamed and updated to 1.3.x by Michael Griffith <grif@cs.ucr.edu> * Chris
 Loveland <cwl@iol.unh.edu> to support the isp2100 and isp2200*/
 Copyright (C) 1999 Pavel Semerad (semerad@ss1000.ms.mff.cuni.cz) */
 Copyright (Computer Programs) Regulations 1992 (S.I. 1992 No.3233). *
 (C) Copyright 1999-2001 Johannes Erdfelt */
 Copyright 1993--1999 Drew Eckhardt, Frederic Potter, * David Mosberger-Tang, Martin Mares */
 Copyright (C) 1995 Linus Torvalds
 Copyright 2001 MontaVista Software Inc. * Author: jsun@mvista.com or jsun@junsun.net * * rtc and time
 ops for vr4181. Part of code is derived from * linux-vr, originally written by Bradley D. La
 Copyright(c) 2000, Compaq Computer Corporation * Fibre Channel Host Bus Adapter * 64-bit, 66MHz PCI

* Originally developed and tested on:
 Copyright (C) 1991, 1992, 1993 Linus Torvalds */
 Copyright (C) 1996 David S. Miller (davem@caipfs.rutgers.edu) * * A lot of this driver was directly stolen from Erik H. Moe's PCI * Qlogic ISP driver. Mucho kudos to him for this code.
 Copyright (C) 1998, 1999 David Mosberger-Tang <davidm@hpl.hp.com> * * Register stack engine related helper functions. This file may be * used in applications, so be careful about the name-space an
 Copyright (c) 1997-2000 LAN Media Corporation (LMC) * All rights reserved
 Copyright (C) 1992 Martin Harriss * * martin@bdsi.com
 Copyright (C) 1991, 1992 Linus Torvalds * * minix regular file handling primitives
 Copyright (c) 1999 Dan Malek (dmalek@jlc.net) * * This file contains structures and information for the communication * processor channels found in the dual port RAM or parameter RAM. * All CPM co
 Copyright (C) 1999 Arun Sharma <arun.sharma@intel.com>
 (C) 1993, Hamish Macdonald, see a3000.c for more info *
 Copyright (C) 1996-2000 Russell King
 Copyright (C) 2000 Anton Blanchard (anton@linuxcare.com.au) */
 Copyright (c) 2001 Anton Altaparmakov */
 Copyright (c) 1999-2001 Vojtech Pavlik */
 Copyright (C) 2001 by Liam Davies (ldavies@agile.tv) *
 Copyright (C) 1997 Thomas Bogendoerfer (tsbogend@alpha.franken.de) */
 Copyright (C) 2000 Andre Hedrick <andre@linux-ide.org>
 Copyright (C) 1996 Paul M. Antoine * Modified for DECStation and hence R3000 support by Paul M. Antoine
 * Further modifications by David S. Miller and Harald Koerfgen
 Copyright by Karsten Keil <keil@isd4linux.de>
 copyright; see LICENSE.FlashPoint for details. * * \$Workfile: eeprom.h \$
 Copyright (C) 1997 Theodore Ts */
 Copyright (C) 1992,1995 | W. Metzenthen, 22 Parker St, Ormond, Vic 3163, | |
 Australia. E-mail billm@jacobi.maths.monash.edu.au | |
 Copyright (C) 1999 Hewlett-Packard (Frank Rowand)
 Copyright (c) 1997, 1999 Phil Blundell.
 Copyright (c) 1999 Dag Brattli, All Rights Reserved
 Copyright (C) 1995-1997 Simon G. Vogl
 Copyright (C) 2001 Romain Dolbeau <dolbeau@irisa.fr>
 Copyright 1998 Compaq Computer Corporation
 Copyright (C) 2001 Mike Corrigan IBM Corporation
 Copyright (C) 1997,1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz) * * 1999-08-19 Implemented solaris F_FREESP (truncate) * fcntl, by Jason Rappleye (rappleye@ccr.buffalo.edu)
 Copyright (C) 1997,1998,1999 Jakub Jelinek (jj@sunsite.mff.cuni.cz) *
 Copyright (C) 1999 Rainer Johanni <Rainer@Johanni.de>
 Copyright (C) 1998,1999 Jakub Jelinek (jj@ultra.linux.cz) * * Sources:
 (C) Copyright 1999 Andrea Arcangeli
 Copyright (C) 1998 Gleb Raiko */#include <linux/init.h>#include <asm/addrspace.h>#include <asm/bootinfo.h>
 Copyright (C) 1996-1997,1999 Jakub Jelinek (jj@ultra.linux.cz) * * Sources:
 Copyright (C) 1993 Ning and David Mosberger. * Original:
 Copyright (C) 2001 Axis Communications AB * * Authors: Mikael Starvik (starvik@axis.com)
 (C) 2001 Red Hat, Inc. * * GPL'd
 (c) Copyright 1995 Alan Cox <alan@lxorguk.ukuu.org.uk> * * Release 0.08.
 Copyright (c) 2000 David Woodhouse <dwmw2@mvhi.com> * Steven J. Hill
 <sjhill@cotw.com> * * \$Id: nand_ids.h,v 1.1 2000/10/13 16:16:26 mdeans Exp \$
 Copyright (c) 2000 James E. Blair <corvus@gnu.org>
 Copyright (C) 1994-1999 Russell King
 Copyright (C) 1999, 2000 by Ralf Baechle */#ifndef _ASM_SN_ADDRS_H#define _ASM_SN_ADDRS_H
 copyright as the source file * from which it was derived. */
 Copyright (C) 1994, 1995, 1996, by Andreas Busse
 Copyright (C) 1999 by Ralf Baechle */#ifndef _ASM_SN_TYPES_H#define _ASM_SN_TYPES_H
 Copyright (C) 1995-2000 Russell King
 Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) */#include <linux/init.h>#include <asm/sgialib.h>
 Copyright (C) 1999 Ralf Baechle * This file is part of the Linux driver for the SGI IOC3. */#ifndef _ASM_IA64_SN_IOC3_H#define _ASM_IA64_SN_IOC3_H

Copyright (C) 2000 David Mosberger-Tang <davidm@hpl.hp.com> * * 32-bit integer division.
 Copyright (C) 1999, 2000, 2001 Silicon Graphics, Inc. */#ifndef _ASM_PGALLOC_H#define
 _ASM_PGALLOC_H
 Copyright (c) 1996-1999 Distributed Processing Technology Corporation * All rights reserved
 Copyright (c) 2001 Martin Diehl
 Copyright 1992, Linus Torvalds. */
 Copyright (C) 2000 Eric Youngdale * * Bus scan logic.
 Copyright (C) 1999 Niibe Yutaka * But consider these trivial functions to be public domain. */
 Copyright (C) 1995 David S. Miller */
 Copyright (C) 1997, 1998, 2001 by Ralf Baechle */#include <linux/kernel.h>#include
 <linux/sched.h>#include <linux/notifier.h>#include <linux/timer.h>#include <asm/io.h>#include
 <asm/irq.h>#inc
 Copyright (C) 1992 - 1997, 2000-2002 Silicon Graphics, Inc. All Rights Reserved
 Copyright (c) 2001-2002 IBM Corp.
 Copyright (C) 1992-1997,1999,2001-2002 Silicon Graphics, Inc. All Rights Reserved
 (C) 1994 Linus Torvalds */
 (C) 1998 James Banks
 Copyright (C) 1992 Tommy Thorn.
 Copyright (C) 1997 Paul Mackerras. * * and indirectly: *
 Copyright (C) 1999-2000, Brad Douglas <brad@neruo.com>
 Copyright (C) 1995 - 1999 Ralf Baechle
 (c) Copyright 1998 Alan Cox <alan@lxorguk.ukuu.org.uk>
 Copyright (C) 2001 by Ladislav Michl */#include <linux/kernel.h>#include <linux/interrupt.h>#include
 <linux/kernel_stat.h>#include <linux/time.h>
 (C) 1999 SuSE GmbH Nuernberg
 Copyright (C) 1995, 1996, 1997 David S. Miller (davem@caip.rutgers.edu)
 Copyright (C) 1992 - 1997, 1999, 2000 Silicon Graphics, Inc.
 Copyright (C) 1999,2000 Anton Blanchard (anton@samba.org) */
 Copyright (c) 2000 Eric Brower <ebrower@usa.net> *
 Copyright (C) 1996, 1997 by Ralf Baechle
 Copyright (C) 1997 Richard Waltham <dormouse@farsrobt.demon.co.uk> *
 Copyright (C) 1996, 1997 by Ralf Baechle */#include <linux/kernel.h>#include <linux/sched.h>#include
 <linux/signal.h>#include <asm/branch.h>#include <asm/cpu.h>#include <asm/inst.h>#include <a
 (C) 2000-2002 Netfilter core team\n"); return 0;}
 Copyright (C) 1992 David B. Gentzel * Low-level SCSI driver for UltraStor 14F, 24F, and 34F * by
 David B. Gentzel, Whitfield Software Services, Carnegie, PA * (gentzel@nova.enet.dec.com) * sc
 Copyright (C) 1999, 2000, 2001 by
 Copyright (C) 1995-1999 Olaf Kirch <okir@monad.swb.de> */
 Copyright 1995-2000 Kai Makisara.
 Copyright unasserted) ** AN = 0 (Digital audio) ** P = 0 (Consumer)
 */
 Copyright 1996 by Carsten Paeth (calle@calle.in-berlin.de)
 Copyright (C) 1992, 1999 Linus Torvalds, Ingo Molnar * * S/390 I/O interrupt processing and I/O request
 processing is * implemented in arch/s390/kernel/s390io.c
 Copyright (c) by Cirrus Logic Corporation <pcaudio@crystal.cirrus.com>
 copyright : (C) 2000 by Adaptec email : deanna_bonds@adaptec.com
 Copyright (C) 1993, 1994, 1995 * Remy Card (card@masi.ibp.fr) * Laboratoire MASI - Institut Blaise Pascal
 * Universite Pierre et Marie Curie (Paris VI) */
 Copyright (C) 1995, 1996, 2001 by Ralf Baechle */#ifndef _ASM_TERMIO_H#define _ASM_TERMIO_H
 Copyright (C) 1999 Silicon Graphics, Inc. */#include <linux/init.h>
 (C) 1991, 1992 by Linus Torvalds * * "XXX" in a comment is a note to myself to consider changing
 something.
 Copyright (C) 1998, 1999 by Ralf Baechle */#include <linux/config.h>#include <linux/ioport.h>#include
 <linux/sched.h>#include <linux/pc_keyb.h>#include <asm/keyboard.h>#include <asm/io.h>
 Copyright (C) 1999 Silicon Graphics, Inc. */#include <linux/config.h>#include <linux/init.h>#include
 <linux/kernel.h>#include <linux/sched.h>#include <linux/mm.h>
 Copyright 2000 Compaq Computer Corporation
 Copyright Galileo Technology. */#ifndef __INCcoreh #define __INCcoreh
 Copyright (C) 1998-2001 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> */

Copyright 2001 MontaVista Software Inc. * Author: jsun@mvista.com or jsun@junsun.net *

(C) 1998 Red Hat Software <alan@redhat.com>

Copyright (C) 1995, 1996, 1997, 1998 by Ralf Baechle

Copyright (C) 1995, 1996, 2000, 2001 by Ralf Baechle

(C) Copyright (Corey Minyard), (1998). All rights reserved

Copyright 1993, 1994 Drew Eckhardt * Visionary Computing * (Unix and Linux consulting and custom programming) * drew@Colorado.EDU * +1 (303) 786-7975 * * For more information, pl

Copyright (C) 1995, Linus Torvalds */

Copyright (C) 2000 YAGASHI Takeshi * HP600 keyboard scan routine and translation table

Copyright (C) 1992 - 1997, 2000 Silicon Graphics, Inc.

Copyright (c) 2001 Anton Altaparmakov (AIA) */

Copyright 2000 - 2001 Silicon Graphics, Inc.

Copyright (C) 1995-2000 Linus Torvalds */

Copyright (C) 1999,2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * * Derived from "include/asm-i386/semaphore.h"

Copyright (C) 1996-1997 Claus-Justus Heine.

(C) 1991 David B. Gentzel * Low-level scsi driver for UltraStor 14F * by David B. Gentzel, Whitfield Software Services, Carnegie, PA * (gentzel@nova.enet.dec.com) * scatter/gather added by Sc

(C) SysKconnect." ;#endif /* !lint */

(C) 2000 Nicolas Pitre <nico@cam.org> * * \$Id: sa1100-flash.c,v 1.26 2002/03/13 16:30:44 rmk Exp \$

Copyright (C) 1999 Nathan Laredo (laredo@gnu.org)

Copyright (C) 1992,1993,1994,1995 | W. Metzenthen, 22 Parker St, Ormond, Vic 3163, |

| Australia. E-mail billm@jacobi.maths.monash.edu.au | |

(C) 1992, 1993 Linus Torvalds, (C) 1997 Ingo Molnar * * moved some of the old arch/i386/kernel/irq.h to here. VY

Copyright (C) 1996 Eddie C. Dost (ecd@skynet.be) */

Copyright (C) 1999 Srinivasa Prasad Thirumalachar <sprasad@sprasad.engr.sgi.com> * * 02/01/04 J. Hall Updated Error Record Structures to conform to July 2001 * revision of the SAL spec. * 01/

(C) 1996,1998 by Thomas Bogendoerfer (tsbogend@alpha.franken.de) * * This driver is based on work from Andreas Busse, but most of * the code is rewritten.

Copyright (C) 2000-2002 Netfilter core team <coreteam@netfilter.org> * * 19 Jan 2002 Harald Welte <laforge@gnumonks.org> * - increase module usage count as soon as we have rules inside * a tab

Copyright (C) 2000 Axis Communications AB. * * Created by Simon Kagstrom <simonk@axis.com>.

Copyright 2001 MontaVista Software Inc. * Author: jsun@mvista.com or jsun@junsun.net * * arch/mips/ddb5xxx/common/rtc_ds1386.c * low-level RTC hookups for s for Dallas 1396 chip.

Copyright (c) 2000 Vojtech Pavlik <vojtech@suse.cz>

Copyright (c) Phil Blundell <pb@nexus.co.uk>, 1998 * * based on

Copyright (C) 2000 Andrea Arcangeli <andrea@suse.de> SuSE

Copyright (C) 1999 Martin Mares <mj@ucw.cz> * * Arbitrary resource management.

Copyright (C) 2000 Philipp Rumpf

copyright * -Removed SK_PNMI_RLMT_MODE_CHK_xxx macros. Those of RLMT should be * used. * * Revision 1.33 1999/03/23 10:41:02 mhaveman * Changed comments.

Copyright (C) 2000 Niibe Yutaka

Copyright (C) 1995 Jean-loup Gailly. * For conditions of distribution and use, see copyright notice in zlib.h */

Copyright (C) 1997, 98, 99, 2000 Ralf Baechle

Copyright (C) 1992 Linus Torvalds

Copyright (C) 1995, 1996 by Volker Lendecke

Copyright (C) 1999, 2001 Silicon Graphics, Inc. */#include <asm/asm.h>#include <asm/errno.h>#include <asm/fpregdef.h>#include <asm/mipsregs.h>#include <asm/offset.h>#include <asm/regdef.h>

Copyright 2000 by Carsten Paeth <calle@calle.de> * * Heavily based on devpts filesystem from H. Peter Anvin

(c) Copyright 1998 Rebel.com (Woody Suwalski <woody@netwinder.org>) *

Copyright (C) 1998, 1999, 2001 Hewlett-Packard Co

Copyright (C) 1999,2000 Walt Drummond <drummond@valinux.com> * * 00/04/19 D. Mosberger

Rewritten to mirror more closely the x86 I/O APIC code. * In

particular, we now have separate handlers for

Copyright (c) 1999 Johannes Erdfelt <johannes@erdfelt.com>

Copyright (C) 1994 - 1999 Ralf Baechle */#ifndef _ASM_KEYBOARD_H#define _ASM_KEYBOARD_H
 Copyright (C) 1998, 1999, 2000 by Ralf Baechle
 Copyright (c) 1997 Paul Mackerras <paulus@cs.anu.edu.au> * Initial Power Macintosh COFF version.
 Copyright (C) 1996, 1997, 1998, 2000, 2001 by Ralf Baechle */#ifndef __ASM_WATCH_H#define
 __ASM_WATCH_H
 Copyright 2001 Bradley D. LaRonde <brad@lrc.com>
 Copyright (C) 1996, 1998, 1999, 2001 by Ralf Baechle * * Multi-arch abstraction and asm macros for easier
 reading:
 Copyright (C) 2000-2002 Silicon Graphics, Inc. All rights reserved
 (C) 1986-1989 V6.0A7/28/89", 5, 46, FD
 Copyright 1994, Anders Klemets <klemets@it.kth.se> * * This software may be freely distributed for
 noncommercial purposes * as long as this notice is retained.
 Copyright 2000,1 Compaq Computer Corporation. * * Use consistent with the GNU GPL is permitted, *
 provided that this copyright notice is * preserved in its entirety in all copies and derived works
 Copyright (C) 2001, 2002 Red Hat, Inc. * * Created by David Woodhouse
 <dwmw2@cambridge.redhat.com>
 Copyright 1999 SuSE GmbH * changed by Philipp Rumpf
 Copyright (C) 1995, 1996, 1999 by Ralf Baechle */#include <asm/asm.h>#include
 <asm/mipsregs.h>#include <asm/regdef.h>
 Copyright (C) 1998 Richard Henderson
 Copyright (C) 2000 Kazumoto Kojima * * SMSC 37C93x Super IO Chip support
 Copyright (C) 1994, 1995, 1996 Paul M. Antoine.
 Copyright (C) 2001 Broadcom Corporation.
 Copyright 2001 Blue Mug Inc. for Acunia N.V. * * 08-jun-2001: Initial clone of arch-sa1100/ide.h by Jon
 McClintock * (jonm@bluemug.com).
 Copyright (C) 1995-1999 Gary Thomas, Paul Mackerras, Cort Dougan.
 Copyright (C) 1997 Eddie C. Dost (drivers/sbus/char/flash.c)
 Copyright (C) 1996 by Erik Stahlman
 Copyright (c) 1997 Dan Malek (dmalek@jlc.net) * * In addition to the individual control of the
 communication * channels, there are a few functions that globally affect the * communication process
 Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) */#ifndef _SPARC_CLOCK_H#define
 _SPARC_CLOCK_H
 Copyright (C) 2000-2001 by David Brownell <dbrownell@users.sourceforge.net> */
 Copyright (c) 2000 Greg Kroah-Hartman <greg@kroah.com>
 Copyright (c) 1994, 1995, 1996, 1997, 1998, 2001 Ralf Baechle
 Copyright 1996 Thomas K. Dyas (tdyas@noc.rutgers.edu) * * This is the lowlevel driver for the CS4231
 audio chip found on some * sun4m and sun4u machines.
 Copyright (C) by Hannu Savolainen 1993-1996\n"); for(card = 0; card < max; card++,
 sb_cards_num++) {#if defined CONFIG_ISAPNP || defined CONFIG_ISAPNP_MODULE /* Please
 remember that even with CO
 Copyright (C) 1995, 96, 97, 98, 99, 2000 by Ralf Baechle */#ifndef _ASM_RISCOS_SYSCALL_H#define
 _ASM_RISCOS_SYSCALL_H
 Copyright (C) 1999 Nathan Laredo <laredo@gnu.org>
 Copyright (C) 1999 Eddie C. Dost (ecd@atecom.com) */
 (C) Copyright 1999, Axis Communications AB, LUND, SWEDEN*!
 Copyright (C) 1997 - 2000 Ralf Baechle */#include <linux/config.h>#include <linux/kernel.h>#include
 <linux/init.h>#include <linux/pci.h>#include <linux/types.h>#include <asm/byteorder.h>#inclu
 (C) Copyright 1996, 1997, 1999 by Ralf Baechle */#ifndef _ASM_R4kCACHEOPS_H#define
 _ASM_R4kCACHEOPS_H
 Copyright (c) 1999-2002 Petko Manolov - Petkan (petkan@users.sourceforge.net)
 Copyright (C) Eicon Technology Corporation, 2000. * * Eicon File Revision : 1.10
 (C) (((C) << 11)
 Copyright (C) 1999,2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Hartmut
 Penner (hp@de.ibm.com) * Martin Schwidelsky (schwidelsky@de.ibm.com) * * Derived fr
 Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) * * Ulf Carlsson - Compatibility with the IRIX
 structures added
 copyright was as follows: * * skeleton.c Written 1993 by Donald Becker.
 Copyright (C) 1996 Linus Torvalds */
 Copyright 1999 Ralf Baechle (ralf@gnu.org)

Copyright (C) 1996 David Redman (djhr@tadpole.co.uk) * * This file handles the Sparc specific level14
 ticker * This is really useful for profiling OBP uses it for keyboard * aborts and other stuff
 Copyright (C) 1992,1993 by Michael K. Johnson * - Thanks much to Gunter Windau for pointing out to me
 where the error * checking ought to be.
 Copyright (C) 1999 by Ralf Baechle */#ifndef _ASM_SN_SN0_ADDRS_H#define _ASM_SN_SN0_ADDRS_H
 Copyright (C) 1999,2000 Tigran Aivazian <tigran@veritas.com> */
 Copyright (C) 1999 Eric Youngdale * * SCSI queueing library. * Initial versions: Eric Youngdale
 (eric@andante.org). * Based upon conversations with large numbers *
 Copyright (c) 2001 Stefani Seibold
 Copyright (C) 2001 Anton Blanchard <anton@au.ibm.com>, IBM
 (C) 1992, 1993 Linus Torvalds, (C) 1997 Ingo Molnar,
 Copyright (C) 2000,2001 Marc Boucher */#include <linux/module.h>#include <linux/skbuff.h>#include
 <linux/file.h>#include <net/sock.h>
 Copyright (c) 2000 Peter Denison <peterd@pnd-pc.demon.co.uk> * * Heavily based on PCI quirks handling
 which is
 (C) 1999-2001 Ben Fennema
 Copyright (C) 2000 Don Dugger <n0ano@valinux.com>
 Copyright (c) 2001 Vojtech Pavlik * * Sponsored by SuSE
 Copyright (C) 1995, 1998 David S. Miller (davem@caip.rutgers.edu) * * Most DMA dependencies put in
 driver specific files by * Jesper Skov (jskov@cygnus.co.uk)
 Copyright (C) 1996, 1997, 1998 Ralf Baechle */#ifndef _ASM_MC146818RTC_H#define
 _ASM_MC146818RTC_H
 Copyright (C) 1999,2000 Tigran Aivazian <tigran@veritas.com> */
 Copyright (C) 1999 Russell King.
 Copyright 2002 Pete Zaitcev <zaitcev@yahoo.com> * * Yamaha YMF7xx driver.
 Copyright (c) 2001 Shirish. H. Phatak
 Copyright 1999 by Cytronics
 Copyright 1998-2001 Cirrus Logic Corporation <pcaudio@crystal.cirrus.com> *
 <twoller@crystal.cirrus.com>
 Copyright (C) 1997 Eddie C. Dost (ecd@skynet.be) */
 Copyright (C) 1998, 1999 Philip Blundell */
 (C) 1999, 2000 Silicon Graphics, Inc. */#include <linux/config.h>#include <linux/init.h>#include
 <linux/kernel.h>#include <linux/sched.h>#include <linux/interrupt.h>#include <linux/kernel_stat.
 Copyright (C) 1994 - 2000 Ralf Baechle */
 Copyright (C) 1996 David S. Miller (davem@caip.rutgers.edu) */#ifndef _SPARC_IOMMU_H#define
 _SPARC_IOMMU_H
 Copyright (c) 1996 Paul Mackerras <paulus@cs.anu.edu.au>
 Copyright (C) 1999 by Ralf Baechle */#ifndef _ASM_SN_SN0_HUB_H#define _ASM_SN_SN0_HUB_H
 Copyright (C) 1998-1999 Thomas Sailer (sailer@ife.ee.ethz.ch) * * Heavily modified by Zach Brown
 <zab@zabbo.net> based on lunch * with ESS engineers. Many thanks to Howard Kim for providing *
 c
 Copyright (C) 1998-2001 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>
 */#include <asm/hardirq.h>
 (C) Copyright 1999 Silicon Graphics, Inc. */#ifndef _ASM_R10KCACHEOPS_H#define
 _ASM_R10KCACHEOPS_H
 Copyright (C) 1997 Geert Uytterhoeven. * * Hardware information from:
 Copyright (C) 1992 Rick Sladkey * * structure passed from user-space to kernel-space during an nfs
 mount
 Copyright (C) 1999 Silicon Graphics, Inc. */#ifndef _ASM_SGI_SGIMC_H#define _ASM_SGI_SGIMC_H
 Copyright (C) 1996, 1999, 2001 David S. Miller (davem@redhat.com) */
 Copyright (C) 1998-2001 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> *
 Stephane Eranian <eranian@hpl.hp.com>
 Copyright (C) 2000 Geert Uytterhoeven <geert@sonycom.com> * Sony Software
 Development Center Europe (SDCE), Brussels * * Re-write the whole thing to use new irq.c file.
 Copyright (c) 2000 Benjamin Kong <benjamin_kong@ali.com.tw>
 Copyright (C) 1993 Greg Harp * Atari Support by Bjoern Brauel, Roman Hodek * Archimedes Support by
 Dave Gilbert (linux@treblig.org) * * Big cleanup Sep 11..14 1994 Roman Hodek:
 (C) 1993 Ray Burr - Modified for Amiga FFS filesystem. *
 Copyright (C) 1999 Hewlett-Packard Co.

Copyright (c) 2001 Axis Communications AB * * Author: Mikael Starvik
 Copyright (C) 2000-2002 Silicon Graphics, Inc. All rights reserved
 Copyright (C) 2000 Russell King * * Consistent memory allocators. Used for DMA devices that want to *
 share uncached memory with the processor core. The function return * is the virtual address
 Copyright (C) 1994 Martin Schaller * * 2001 - Documented with DocBook * - Brad Douglas
 <brad@neruo.com>
 Copyright (c) 1994 - 2000 by Ralf Baechle
 Copyright (C) 1994, 1995, 1996, 2001 Ralf Baechle
 Copyright (C) 2000, Roman Weissgaerber <weissg@vienna.at>
 Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org) * * Modifications by Paul Mackerras (PowerMac)
 (paulus@cs.anu.edu.au) * and Cort Dougan (PReP) (cort@cs.nmt.edu)
 Copyright (C) 1998 Alan Cox */
 Copyright (C) 1997, 1998 Martin Mares <mj@atrey.karlin.mff.cuni.cz> */
 (c) Copyright 2000 Jakob Oestergaard <jakob@ostenfeld.dk> * * 12/4 - 2000 [Initial revision]
 * 25/4 - 2000 Added /dev/watchdog support * 09/5 - 2001
 Copyright (C) 2001 Fred Lewis <frederick.v.lewis@intel.com>
 Copyright (C) 1996 David S. Miller (dm@sgi.com) */#include <linux/init.h>#include
 <linux/kernel.h>#include <asm/sgialib.h>
 Copyright (C) 1998 Phil Blundell * * CATS has a real-time clock, though the evaluation board doesn't.
 copyright 1999 SuSE GmbH (Philipp Rumpf)
 Copyright (C) 1997 Jakub Jelinek <jj@sunsite.mff.cuni.cz> */
 Copyright (C) 1991, 1992 Linus Torvalds * * proc base directory handling functions
 Copyright (C) 2000 - 2001 by Silicon Graphics, Inc. */
 Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) * * Further modifications to make this work:
 Copyright (C) 1995 - 1999 by Ralf Baechle
 Copyright (C) 1992 by Jim Weigand and Linus Torvalds
 Copyright (C) 2000 Stelias Computing Inc
 Copyright (C) 1995-1996 Jean-loup Gailly * For conditions of distribution and use, see copyright notice in
 zlib.h */
 Copyright (C) 1997 R */
 copyright; see LICENSE.FlashPoint for details. * * \$Workfile: globals.h \$
 Copyright 2001 Mike Corrigan, IBM Corp
 copyright 1989 Regents of the University of California\n"); return 0;}
 Copyright (c) 1995 Picture Elements * Stephen Williams (steve@icarus.com) * Gus Baldauf
 (gbaldauf@ix.netcom.com) * * Linux/SPARC port by Peter Zaitcev. * Integration into SPARC tree by
 Copyright by Werner Cornelius (werner@titro.de)
 copyright 2000 Martin K. Petersen <mkp@mkp.net>
 Copyright (C) 1999, 2001 Silicon Graphics, Inc. * * Heavily inspired by the 32-bit Sparc compat code which
 is
 Copyright (C) 1996-2001 Cort Dougan * Adapted for Power Macintosh by Paul Mackerras
 Copyright (c) 1998 Russell King * * Modifications:
 Copyright (C) 2001 MontaVista Software Inc.
 Copyright (C) 1995 Adrian M. Rodriguez (adrian@remus.rutgers.edu) *
 (C) 1991 Linus Torvalds - minix filesystem * * affs directory handling functions
 Copyright (c) 1998 Lichen Wang, <lwang@actisys.com>
 (C)Copyright Data Technology Corp 12/03/88",xd_dtc_init_controller,xd_dtc_init_drive," DTC 5150X"
 Copyright (c) 2000-2001 LSI Logic Corporation. *
 Copyright (C) 1995 Olaf Kirch <okir@monad.swb.de> */
 Copyright (c) 2000 Randy Dunlap <randy.dunlap@intel.com>
 Copyright (C) 1995, 1996 Mike Jagdis (jaggy@purplet.demon.co.uk) */
 Copyright (C) 1998 Carnegie Mellon University *
 Copyright (c) 1999 Al Smith */
 Copyright (C) 1995-1997 H. Peter Anvin
 Copyright 2000 MontaVista Software Inc. * PPC405 modifications * Author: MontaVista Software,
 Inc. * frank_rowand@mvista.com or source@mvista.com * debbie_chu@mvista.com * *
 Mo
 Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Denis Joseph
 Barrow (djbarrow@de.ibm.com,barrow_dj@yahoo.com), * Martin Schwidefsky (schwidefsky@de
 Copyright (c) 1999 Ulf Carlsson * * Derived from DECstation promcon.c

Copyright 2001 Jeff Garzik
 Copyright (c) 1997-1998 Inside Out Networks, Inc.
 copyright; see LICENSE.FlashPoint for details. * * \$Workfile: utility.c \$
 Copyright (C) 2000 Andrew Henroid
 Copyright (C) 1997-1999 Russell King * * Modifications:
 Copyright (C) 1999, 2000 Silicon Graphics, Inc. */#include <linux/sched.h>#include
 <linux/mm.h>#include <linux/smp.h>#include <linux/smp_lock.h>#include <linux/kernel.h>#include
 <linux/signal.h
 Copyright (C) 1994 - 2000 Ralf Baechle */#include <linux/delay.h>#include <linux/init.h>#include
 <linux/interrupt.h>#include <linux/kernel.h>#include <linux/spinlock.h>
 (C) 1997 M. Kirkwood * Coverted to new API by Alan Cox <Alan.Cox@linux.org> * Various bugfixes and
 enhancements by Russell Kroll <rkroll@exploits.org> * * TODO: Allow for more than one of these fo
 (C) Copyright 1999-2000 Scott J. Bertin <sbertin@mindspring.com>,
 Copyright (C) 1999 by Ralf Baechle */#ifndef _ASM_IA64_SN_KLCONFIG_H#define
 _ASM_IA64_SN_KLCONFIG_H
 Copyright (C) 1998-99, Frank A. Vorstenbosch * * ncpfs symlink handling code
 Copyright (C) 1992 David L. Brown, Jr.
 Copyright (C) 1996 Jesper Skov (jskov@cygnus.co.uk) * * This driver is based on the CyberStorm driver,
 hence the occasional * reference to CyberStorm.
 copyright 1997-2001 by Donald Becker.
 (c) Copyright 1996 Alan Cox <alan@redhat.com>, All Rights Reserved
 Copyright (C) 2000 Serguei Miridonov <mirsev@cicese.mx>
 Copyright 1993 assigned to the United States Government as represented
 Copyright (C) 2000, 2002 Maciej W. Rozycki * * Definitions for the address spaces of the MIPS CPUs.
 Copyright (c) 1996 Cort Dougan <cort@cs.nmt.edu> * Rewritten for PReP
 Copyright (C) 1994-2000 Russell King
 Copyright (C) 1997 by Bill Hawes * * Routines to support directory cacheing using the page cache. * This
 cache code is almost directly taken from ncpfs.
 Copyright (C) 1996, 1997, 1999 by Ralf Baechle
 Copyright (C) 1994 Linus Torvalds */
 Copyright (C) 1996 David S. Miller (davem@caip.rutgers.edu). */
 Copyright (C) 2000 Deep Blue Solutions Ltd.
 Copyright (C) 1991, 1992 Linus Torvalds * changes by Thomas Schoebel-Theuer */
 Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) * * Based upon preliminary work which is: *
 Copyright (C) 1998-2002 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>
 (C)Copyright 1995-1996 Tekram Technology Co., Ltd.
 *****/
 Copyright (C) 2000 Sugioka Toshinobu * Modified to support multiple serial ports. Stuart Menefy (May
 2000). * * TTY code is based on sx.c (Specialix SX driver) by: *
 Copyright (C) 1995-1997, 1999 Martin von L
 Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) */#include <linux/config.h>#include
 <linux/init.h>#include <linux/kernel.h>#include <linux/types.h>#include <linux/string.h>
 Copyright (c) 1997 - 1999 PLX Technology, Inc.
 Copyright 2001 MontaVista Software Inc. * Author: MontaVista Software, Inc. * ppopov@mvista.com
 or source@mvista.com *
 Copyright (C) 1995-2001 Russell King
 Copyright 1999-2002 Transmeta Corporation
 Copyright (C) 1996 Paul Mackerras. * * Adapted for 64bit PowerPC by Dave Engebretsen and Peter
 Bergner. * {engebret|bergner}@us.ibm.com
 Copyright (c) 2000 MontaVista Software, Inc. (source@mvista.com) * 2.3.99 updates * * I used the
 8xx uart.c driver as the framework for this driver. * The original code was written for the EST8260
 Copyright (C) 1996 Dave Redman (djhr@tadpole.co.uk) */
 Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin
 Schwidofsky (schwidofsky@de.ibm.com) * * Derived from "include/asm-i386/bugs.h"
 Copyright (c) 1998-1999, Dag Brattli <dagb@cs.uit.no>
 (C) INESC 1998 *
 Copyright (c) 1999 Ulf Carlsson <ulfc@bun.falkenberg.se>
 Copyright (c) 1997 Justin T. Gibbs. * All rights reserved
 Copyright (C) 2001 Peter Bergner

Copyright (C) 1991, 1992 Linus Torvalds * * Modified to make sys_syslog() more flexible: added
 commands to * return the last 4k of kernel messages, regardless of whether * they've been read or no
 (C) Copyright Linus Torvalds 1999
 Copyright (c) 1997 Alan Cox
 Copyright (C) 1999 Vineet M Abraham <vmabraham@hotmail.com>
 *****/
 Copyright (C) 2000-2001 by Harald Welte <laforge@gnumonks.org> */#include <linux/module.h>#include
 <linux/netfilter_ipv6/ip6_tables.h>
 Copyright (C) 1990, 1999 by Silicon Graphics, Inc.
 Copyright (C) 1996,1997,1999 Jakub Jelinek (jj@ultra.linux.cz)
 Copyright (C) 1999-2000 Andre Hedrick <andre@linux-ide.org>
 Copyright (C) 2001 Jeff Garzik (jgarzik@mandrakesoft.com) */
 Copyright (C) 1998-1999 Pauline Middelink <middelink@polyware.nl>
 Copyright (c) 1998 Phil Blundell * * Changelog:
 Copyright (c) 2000 Mike Corrigan <mikejc@us.ibm.com> * * Module name: htab.c
 Copyright (c) 1999-2000 Vojtech Pavlik * * Input driver to keyboard driver binding.
 Copyright (c) 2000-2001 Silicon Graphics, Inc. All rights reserved
 copyright; see LICENSE.FlashPoint for details. * * \$Workfile: scam.c \$
 Copyright (C) 1992 - 1997, 2000-2001 Silicon Graphics, Inc.
 Copyright (C) 2001 David Mosberger-Tang <davidm@hpl.hp.com> * * 01/05/16 Rohit Seth
 <rohit.seth@intel.com> Moved SMP booting functions from smp.c to here. * 01/04/27 David Mosberger
 <davidm@hpl.hp.com>
 Copyright (c) by Jaroslav Kysela <perex@suse.cz> * Definitions for Yamaha YMF724/740/744/754 chips *
 Copyright (c) 2001 Cluster File Systems, Inc. * * Extended attribute support
 Copyright (C) 1998, 1999, 2000 Ralf Baechle * * Based on code written by Paul Gortmaker.
 Copyright (C) 1999, 2000 Ingo Molnar * * RAID-5 management functions.
 Copyright 1992 by Greg Harp
 Copyright (C) 2000 Franz Sirl. * * Adapted to ADB changes and support for more devices by * Benjamin
 Herrenschmidt. Adapted from code in MkLinux * and reworked.
 Copyright (C) 1997 Richard Waltham <dormouse@farsrobt.demon.co.uk>
 Copyright (C) 2001 Mountainview Data, Inc. */#define __NO_VERSION__#include
 <linux/module.h>#include <linux/errno.h>#include <linux/kernel.h>#include <linux/major.h>#include
 <linux/slab.h>#inc
 Copyright(C) 1995 Linus Torvalds
 Copyright (C) 1999 Ralf Baechle (ralf@gnu.org) */#ifndef _ASM_IA64_SN_ARCH_H#define
 _ASM_IA64_SN_ARCH_H
 Copyright (c) 2000 Silicon Graphics, Inc. */#ifndef _ASM_BITOPS_H#define _ASM_BITOPS_H
 Copyright (C) 1999, 2000 Johannes Erdfelt <johannes@erdfelt.com>
 Copyright (C) 1992 Tommy Thorn and * Modified by Eric Youngdale * * This file is aha1740.c, written and
 Copyright (C) 2000 Silicon Graphics, Inc. */#ifndef _ASM_STAT_H#define _ASM_STAT_H
 Copyright (C) 2001 Ben. Herrenschmidt (benh@kernel.crashing.org)
 Copyright (c) 1996-2000 Vojtech Pavlik * * Sponsored by SuSE
 (C) Copyright 1996 Linus Torvalds * accelerated versions (and 21264 assembly versions) contributed by *
 Rick Gorton <rick.gorton@alpha-processor.com> * * Don't look at this too closely - you'll
 Copyright (C) 1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz) */
 Copyright (c) 1998, 2001 Axis Communications AB * * Authors: Bjorn Wesen
 Copyright (c) 2000, 2001 Axis Communications AB * * Authors: Bjorn Wesen
 Copyright 1999 Precision Insight, Inc., Cedar Park, Texas.
 Copyright 2000, 2001 MontaVista Software Inc. * Author: MontaVista Software, Inc. *
 stevel@mvista.com or source@mvista.com *
 Copyright (C) 1995, 1996 Gero Kuhlmann <gero@gkminix.han.de> * * Allow an NFS filesystem to be
 mounted as root. The way this works is:
 Copyright (C) 1997 Martin Mares */
 Copyright 2000,2001 MontaVista Software Inc.
 Copyright (C) 1999, 2000 Michael Klar *
 Copyright (C) 1992,1993,1994,1996,1997 | W. Metzenthen, 22 Parker St, Ormond, Vic 3163,
 Australia | | E-mail billm@suburbia.net | |
 Copyright (C) 1999 Bradley D. LaRonde and Michael Klar * * Clean up to conform to the new IRQ
 Copyright (C) 2001 Aleph One Ltd. for Acunia N.V.

Copyright (C) 1999 Phil Blundell * * ISA shared memory and I/O port support
 Copyright (C) 2001 Red Hat, Inc.
 COPYRIGHT)) { printk("
 Copyright (C) 2001 Kyle A. Lucke IBM Corporation
 Copyright (C) 1998 Peter J. Braam
 Copyright (C) 1998, 1999 Ralf Baechle */#ifndef _ASM_CURRENT_H#define _ASM_CURRENT_H
 Copyright (C) 1993 Linus Torvalds * * Delay routines
 Copyright (C) 1999, 2000, 2001 Silicon Graphics, Inc. */#ifndef _ASM_SEMAPHORE_H#define
 _ASM_SEMAPHORE_H
 Copyright (C) 1999 Andrea Arcangeli
 Copyright (C) 1997, 1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz) */
 Copyright (C) 1994-1996 Linus Torvalds
 Copyright (C) 1994 Linus Torvalds
 (C) Copyright 1995 1996 Linus Torvalds * * Re-map IO memory to kernel address space so that we can
 access it. * This is needed for high PCI addresses that aren't mapped in the * 640k-1MB IO memory
 Copyright (C) 1997-2000 Pavel Machek <pavel@ucw.cz> (drivers/block/nbd.c)
 Copyright (C) 2001 Anton Altaparmakov (AIA) * * The utf8 routines are copied from Python wstrop module.
 Copyright (C) 2001 Romain Dolbeau <dolbeau@irisa.fr> * Based on code written by:
 COPYRIGHT + EEPROM_COPYRIGHT_LEN); i if (e[i] < 0x20 || e[i] > 0x7E)
 break;
 Copyright (C) 2000 Maciej W. Rozycki */#include <linux/init.h>#include <linux/config.h>#include
 <linux/kernel.h>#include <linux/mm.h>#include <linux/bootmem.h>
 Copyright (c) 2000-2001 Vojtech Pavlik * * Based on the work of:
 Copyright (c) 2001 Denis Oliver Kropp <dok@convergence.de> *
 Copyright (C) 2001 Thomas Gleixner autronix automation <gleixner@autronix.de> *
 Copyright (C) 2000, 2001 Blue Mug, Inc. All Rights Reserved
 Copyright 1999 Ben Pfaff <pfaffben@debian.org> and Petr Vandrovec <VANDROVE@vc.cvut.cz>
 Copyright (C) 1997, 1998, 1999 David S. Miller (davem@caipfs.rutgers.edu)
 Copyright (C) 2000 Sam Creasey * * Contains common routines for sun3/sun3x DVMA management.
 Copyright (C) 1995, 96, 97, 98, 99, 2000, 2001 by Ralf Baechle */#ifndef _ASM_IRQ_H#define
 _ASM_IRQ_H
 copyright; see LICENSE.FlashPoint for details. * * \$Workfile: diagnose.c \$
 Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) * * This file originally came from the gdb
 sources, and the * copyright notices have been retained below.
 Copyright (C) 1998, 1999, 2001 David Mosberger-Tang <davidm@hpl.hp.com>
 (c) Copyright 1995 Simon "Guru Aleph-Null" Janes * NCM: Network and Communications Management, Inc.
 * * BUT, I'm the one who modified it for ethernet, so:
 Copyright H. H. Bergman 1992 */
 Copyright 2000 MontaVista Software Inc. * Author: MontaVista Software, Inc. * stevel@mvista.com
 or source@mvista.com *
 Copyright (C) 2001 MIPS Technologies, Inc. */#include <linux/kernel.h>#include <linux/sched.h>#include
 <linux/signal.h>#include <asm/branch.h>#include <asm/cpu.h>#include <asm/inst.h>#include
 Copyright (c) 1998-2000 Dag Brattli <dagb@cs.uit.no>
 Copyright (C) 1995, 1996, 2001 by Ralf Baechle */#ifndef __ASM_MIPS_IOCTL_H#define
 __ASM_MIPS_IOCTL_H
 Copyright (C) 2000 Takashi YOSHII * * PC like DMA API for SuperH's DMAC.
 Copyright (c) 2001 M. R. Brown <mrbrown@linuxdc.org> * * This file is part of the LinuxDC project
 (www.linuxdc.org)
 Copyright (c) 1997, 1999 by Ralf Baechle
 Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) * * Pioneer work for sun4m: Paul Hatchman
 (paul@sfe.com.au) * Joint edition for sun4c+sun4m: Pete A. Zaitcev <zaitcev@ipmce.su>
 Copyright (C) 2001 Peter Bergner, IBM Corp.
 Copyright (C) 1995-1999 Madge Networks Ltd */
 Copyright (C) 1997 Peter De Schrijver * * This driver is partly based on the PowerMac console driver: *
 Copyright (C) 1998 Philip Blundell */
 Copyright (C) 2000, 2001 Axis Communications AB * * Authors: Bjorn Wesen (bjornw@axis.com)
 Copyright (C) 1996 Paul Mackerras. * * Adapted for 64bit PowerPC by Dave Engebretsen, Peter Bergner,
 and * Mike Corrigan {engebret|bergner|mikejc}@us.ibm.com
 Copyright 1993 by Theodore Ts
 Copyright 1993, Drew Eckhardt * Visionary Computing * (Unix and Linux consulting and custom

programming) * drew@colorado.edu * +1 (303) 440-4894 * * DISTRIBUTION RELEASE 3.
 Copyright (C) 1997 Linus Torvalds * * In function preconditions the term "valid" applied to a pointer to * a
 structure means that the pointer is non-NULL and the structure it * points to has all f
 (c) Copyright 2001 Red Hat Inc. <alan@redhat.com> * * based on the old aacraid driver that is.. *
 Adaptec aacraid device driver for Linux.
 Copyright (C) 2001 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> * * 06/16/00 A.
 Mallick initialize csd/ssd/tssd/cflg for ia32_load_state * 04/13/01 D. Mosberger dropped saving tss
 Copyright (C) 1995 Linus Torvalds * * Updated and modified by Cort Dougan (cort@cs.nmt.edu) and *
 Paul Mackerras (paulus@cs.anu.edu.au)
 Copyright (C) 2002 Lionel Bouton <Lionel.Bouton@inet6.fr>, Maintainer
 Copyright (c) 1998-1999 Dag Brattli <dagb@cs.uit.no>,
 Copyright (C) 1994-2000 Algorithmics Ltd. All rights reserved
 Copyright (C) 1991, 1992 Linus Torvalds * * This file contains the interface functions for the various *
 time related system calls: time, stime, gettimeofday, settimeofday, * adjtime
 Copyright (C) 2000 MIPS Technologies, Inc. All rights reserved
 (C) 1991 Linus Torvalds - minix filesystem * 1992, 1993, 1994 Eric Youngdale Modified for ISO 9660
 filesystem. * 1994 Eberhard Moenkeberg - multi session handling. * 1995 Mark Do
 Copyright 2000 IBM Corporation.
 Copyright 2001 MontaVista Software Inc. * Author: jsun@mvista.com or jsun@junsun.net * *
 arch/mips/ddb5xxx/common/nile4.c * misc low-level routines for vrc-5xxx controllers.
 Copyright (c) 1998-1999 TiVo, Inc. * PowerPC 403GCX modifications.
 Copyright (C) 2001 Ralf Baechle */#include <linux/init.h>#include <linux/console.h>#include
 <linux/kdev_t.h>#include <linux/major.h>#include <asm/sn/addr.h>#include
 <asm/sn/sn0/hub.h>#include
 Copyright (c) 1997, 1998, 2000-2002 Silicon Graphics, Inc. All rights reserved
 Copyright (C) 1995, 96, 97, 98, 99, 2000, 01 by Ralf Baechle
 Copyright 2000 Silicon Graphics, Inc. */#ifndef __ASM_SN_KLKERNVARS_H#define
 __ASM_SN_KLKERNVARS_H
 Copyright (C) 1999,2001 Richard Zidlicky
 Copyright 1999 by Werner Cornelius (werner@titro.de)
 Copyright (C) 2001 MIPS Technologies, Inc. */#ifndef _ASM_TERMBITS_H#define _ASM_TERMBITS_H
 Copyright (C) 1996-1998 Takashi Iwai
 Copyright (C) 2002 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin
 Schwidefsky (schwidefsky@de.ibm.com) * * Based on asm-alpha/semaphore.h and asm-i386/rwsem.h
 Copyright (C) 1998 * Daniel Pirkel <daniel.pirkel@email.cz> * Charles University, Faculty of Mathematics and
 Physics * * from
 Copyright (C) 1998 Eddie C. Dost (ecd@skynet.be)
 Copyright (C) 1993 Bas Laarhoven.
 Copyright (c) 1998-1999 Phil Blundell */#ifndef __ASM_ARCH_MEMORY_H#define
 __ASM_ARCH_MEMORY_H
 Copyright (C) 1995,1997 David S. Miller (davem@caip.rutgers.edu)
 Copyright (c) 1989 Carnegie Mellon University. * All rights reserved
 Copyright (c) 2000 Rob Scott (rscott@mtrob.fdns.net) * Steve Hill (sjhill@cotw.com) * *
 Changelog:
 copyright follow. See wavelan_cs.h for details. * * This code is derived from Anthony D. Joseph's code and
 all the changes here
 (C) 1999 Nicolas Pitre <nico@cam.org> * * Reorganised to be machine independent.
 copyright message below. As per the GPL it must be maintained
 Copyright by Traverse Technologies Pty Ltd, www.travers.com.au
 Copyright (c) 1996 Paul Mackerras <paulus@cs.anu.edu.au> * Low-level exception handlers, MMU
 support, and rewrite.
 Copyright 1999, Thomas Davis, tadavis@lbl.gov.
 Copyright (C) 1999,2000 IBM Deutschland Entwicklung GmbH, IBM Corporation# Author(s): Holger
 Smolinski <Holger.Smolinski@de.ibm.com>
 Copyright (C) 1999 Zach Brown (with obvious credit due Ingo) */
 Copyright (C) 1996 Linus Torvalds
 Copyright(c) 2000, Compaq Computer Corporation * Fibre Channel Host Bus Adapter 64-bit, 66MHz PCI *
 Originally developed and tested on:
 Copyright: (c) 1998-2000 Arnaldo Carvalho de Melo

Copyright (C) 1999 Richard Hirst <richard@sleepie.demon.co.uk> *

Copyright (C) 2001 Anton Altaparmakov (AIA) */

Copyright 1992, 1993, 1994, 1995, 1996 Rickard E. Faith * * \$Id: fdomain.c,v 5.45 1996/10/02 15:13:06 root Exp \$

Copyright (C) 1999, 2000 Sebastien Rougeaux <sebastien.rougeaux@anu.edu.au>

Copyright (C) 1997-1999 (C) ITConsult-Pro Co. <info@itc.hu>

Copyright (C) 1995-99 Simon G. Vogl

Copyright (C) 1999, 2000 Silicon Graphics, Inc. */#ifndef _ASM_PAGE_H#define _ASM_PAGE_H

Copyright (C) by Hannu Savolainen 1993-1996

Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org) * * Largely rewritten by Cort Dougan (cort@cs.nmt.edu) * and Paul Mackerras. * Adapted for iSeries by Mike Corrigan (mikejc@us.ibm.com) * PP

Copyright (C) 1993, 1994 Alain Knaff

Copyright (C) 1994 - 2000 Ralf Baechle */#include <linux/config.h>#include <linux/kernel.h>#include <linux/delay.h>#include <linux/init.h>#include <linux/interrupt.h>#include <linux/kernel_stat

Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org) * * Derived from "arch/m68k/kernel/ptrace.c"

Copyright (c) 1998 Russell King */

Copyright (C) 1997, 1998, 1999, 2000 Ralf Baechle ralf@gnu.org * * Modified for R4300/TX49xx (Jun/2001)

Copyright (C) 1998, 1999, 2000 Richard Henderson * * Code supporting the Cabriolet (AlphaPC64), EB66+, and EB164, * PC164 and LX164.

Copyright (C) 1991, 1992 Linus Torvalds

Copyright (C) 1994, 1995 by Waldorf Electronics, written by Ralf Baechle.

Copyright (C) 1997, 1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz)

Copyright (C) 2000 Nicolas Pitre *

Copyright (C) 1999 Cort Dougan. */

(C) 1997 Thomas Schoebel-Theuer * * The algorithms implemented here seem to be a completely new invention, * and I'll publish the fundamentals in a paper.

Copyright (C) 1997, 1999 Jakub Jelinek (jj@ultra.linux.cz)

Copyright (C) 1996 Martin Apel * Geert Uytterhoeven * * Zorro II additions : *

Copyright (c) 1998, Dag Brattli * All Rights Reserved

Copyright (c) 1999 Alexander Larsson <alex@cendio.se> * * This code is GPL

Copyright 1998 Franco Venturi

Copyright (C) 1999, 2001 Hewlett-Packard Co * Stephane Eranian <eranian@hpl.hp.com> * * 09/24/99 S.Eranian add speculation recovery code

Copyright (c) 1997, 1999 Dag Brattli <dagb@cs.uit.no> ,

(C) 1999, 2000 Ralf Baechle (ralf@gnu.org)

Copyright (C) 2001 Ralf Baechle */

Copyright (C) 2000 MIPS Technologies, Inc. */#include <linux/types.h>#include <linux/sched.h>#include <linux/mm.h>

Copyright (c) 1993, 1994 Motorola Inc. All rights reserved

(C) 1995-2001 Russell King v0.04\n";

Copyright (C) 1998, 2001 by Ralf Baechle */#include <linux/kernel.h>#include <linux/mc146818rtc.h>

Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) */#ifndef _SPARC_KDEBUG_H#define _SPARC_KDEBUG_H

Copyright (c) 1998-2000 Dag Brattli <dag@brattli.net> ,

Copyright 2001 by Micro Solutions, Inc., DeKalb IL.\n", pi->device); printk("%s: BACKPACK %s, Micro Solutions BACKPACK Drive at 0x%x\n", pi->device, BACKPACK_VERSION, pi->port); printk("%s: Unit: %d

Copyright (C) 1999, 2001 David Mosberger-Tang <davidm@hpl.hp.com> * * Lots of stuff stolen from arch/alpha/kernel/smp.c

Copyright (C) 1992 - 1997, 1999 Silcon Graphics, Inc.

(C) 2000 Carnegie Mellon University * * Carnegie Mellon encourages users of this code to contribute improvements * to the Coda project <http://www.coda.cs.cmu.edu/> <coda@cs.cmu.edu> .

(c) Copyright 2000 Zach Brown <zab@zabbo.net> * * I need to thank many people for helping make this driver happen. * As always, Eric Brombaugh was a hacking machine and killed many bugs * that I

(C) Copyright IBM Corp. 1994, 2002."

Copyright (C) 1995 Jean-loup Gailly * For conditions of distribution and use, see copyright notice in zlib.h */

Copyright (c) 1999-2000 Grant Erickson <grant@lcse.umn.edu> * * Module name: iSeries_setup.c

Copyright (C) 1989, 92-98, 1999 Free Software Foundation, Inc.
 copyright 2000 Philipp Rumpf <prumpf@tux.org> * * Initial PA-RISC Version: 04-23-1999 by Helge Deller
 Copyright (C) 1999 David S. Miller (davem@redhat.com) * * This is a good place to start if you're trying to
 understand the * emulation code, because it's pretty simple. What we do is * essentially
 Copyright (C) by Hannu Savolainen 1993-1997
 Copyright (c) 1996, 1998, 1999 by Ralf Baechle
 Copyright (C) 1999,2000 Arm Limited
 Copyright 1995 by Geert Uytterhoeven (geert@linux-m68k.org) * Peter De Schrijver *
 (Peter.DeSchrijver@linux.cc.kuleuven.ac.be) *
 (C) 1990 - 2000 Specialix International Ltd., Byfleet, Surrey, UK. *
 Copyright (C) 2002 Maciej W. Rozycki */#ifndef __ASM_MIPS_DEC_KN02_H #define
 __ASM_MIPS_DEC_KN02_H
 (C) 2000 Red Hat, Inc.
 Copyright (C) 1991,1996 Free Software Foundation
 (C) Copyright 1999 Georg Acher, acher@in.tum.de
 Copyright (C) 05/1998 Peter Maydell <pmaydell@chiark.greenend.org.uk> * * Most of this stuff was
 obtained by looking at other LANCE drivers, * in particular a2065.[ch]. The AMD C-LANCE datasheet wa
 Copyright (c) 1998-2000 Harald Koerfgen */#include <linux/config.h>#include <asm/asm.h>#include
 <asm/cachectl.h>#include <asm/current.h>#include <asm/fpregdef.h>#include <asm/mipsregs.h>#inclu
 Copyright 2000 Jakub Jelinek (jakub@redhat.com) */
 Copyright (c) 1997, 1998, 2000 FutureTV Labs Ltd.
 Copyright (c) 1999 Grant Erickson <grant@lcse.umn.edu> * * Module name: ppc4xx.h
 Copyright (C) 1999, 2000 Silicon Graphics, Inc. * * Protected memory access. Used for everything that
 might take revenge * by sending a DBE error like accessing possibly non-existant memory or *
 Copyright (C) 1994, 1995, 1996 by Ralf Baechle and Andreas Busse * * Multi-cpu abstraction and
 reworking:
 Copyright applies:
 Copyright (C) 1995, 1996, 1997, 1998 by Ralf Baechle */#ifndef __ASM_FCNTL_H#define __ASM_FCNTL_H
 Copyright (C) 1998, 1999 Ralf Baechle
 Copyright (C) 1995, 1996, Olaf Kirch <okir@monad.swb.de> */
 (c) Copyright 2000 kernel concepts <nils@kernelconcepts.de>, All Rights Reserved
 Copyright (C) 1999 ARM Limited
 Copyright(C) 1995 David S. Miller (davem@caip.rutgers.edu)
 Copyright(C) 1996, 2000 David S. Miller
 Copyright (C) 1997, 1998, 2000 Philip Blundell */
 Copyright (C) 1993-1996 Bas Laarhoven,
 Copyright (C) 1998 Ingo Molnar. */
 Copyright (c) 2000 MontaVista Software Inc. (source@mvista.com) * 2.3.99 Updates * * I copied this from
 the 8xx CPM Ethernet driver, so follow the * credits back through that.
 Copyright (C) 1998 V. Roganov and G. Raiko * * Code is derived from Ultra/PCI PSYCHO controller support,
 see that * for author info.
 Copyright (C) 1997,1998,1999 Jakub Jelinek (jj@ultra.linux.cz)
 Copyright (C) 1997-2000 by Russell King <rmk@arm.linux.org.uk>
 Copyright (C) 2000 Mountain View Data, Inc. * * Extended Attribute Support
 Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) */#ifndef _SPARC64_AUXIO_H#define
 _SPARC64_AUXIO_H
 Copyright (C) 1994 David Carter * * with work by William Rucklidge (wjr@cs.cornell.edu) *
 Geert Uytterhoeven * Jes Sorensen (jds@kom.auc.dk)
 Copyright (C) 1997 R
 (C) 1998 Stephen Tweedie */
 (C) 2002 Samuel Chessman
 Copyright (C) 2001 Niibe Yutaka *
 Copyright (C) 1996 - 1999 Gadi Oxman <gadio@netvision.net.il> */
 Copyright (C) 1997 Markus Schroeder (schroedm@uni-duesseldorf.de)
 Copyright (C) 2000 YAEHASHI Takeshi * Hitachi HD64461 companion chip support */#include
 <linux/config.h>
 Copyright (C) 2001 Keith M Wesolowski
 copyright 1999-2001 by Donald Becker.
 Copyright (C) 2000 Franz Sirl. * * Stuff inside CONFIG_MAC_ADBKEYCODES should go away during 2.5

when all * major distributions are using the Linux keycodes. * Stuff inside CONFIG_MAC_EMUMOUSEBTN
 Copyright (C) by Paul Barton-Davis 1998
 (C) 1998 R.E.Wolff@BitWizard.nl *
 Copyright (c) 1999 Colin Van Dyke * * Joystick device driver for the input driver suite.
 Copyright (c) 1994 The Australian National University. * All rights reserved
 (C) 1997 Carnegie Mellon University * * Carnegie Mellon University encourages users of this software to *
 contribute improvements to the Coda project.
 Copyright 1991, 1992 Free Software Foundation, Inc.
 Copyright (C) 1998-2000 Russell King * * MIPS and 50xx clock support
 Copyright: (c) 2000 Sangoma Technologies Inc.
 Copyright (C) 2000 Trond Myklebust * * NFS page cache wrapper.
 Copyright (c) 2000-2002 Silicon Graphics, Inc. All rights reserved
 Copyright (C) 1993 Pascal Haible, Bruno Haible * * sysv/inode.c
 Copyright (C) 1995, 96, 97, 98, 99, 2000 by Ralf Baechle */#ifndef _ASM_UNISTD_H#define
 _ASM_UNISTD_H
 Copyright (C) 1999, 2000, 2001 Nexus Electronics Ltd */
 Copyright (C) 1998, Paul Gortmaker.
 Copyright (C) 1995,1996 David S. Miller (davem@caip.rutgers.edu)
 Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Hartmut Penner
 (hp@de.ibm.com), * Martin Schwidefsky (schwidefsky@de.ibm.com) * * Derived from "
 Copyright (C) 1999, 2000 MIPS Technologies, Inc. All rights reserved
 Copyright (C) 1997, 1998, 1999, 2000, 2001 Ralf Baechle
 Copyright (C) 1994, Karl Keyte: Added support for disk statistics
 Copyright (C) 1993-1996 Bas Laarhoven.
 Copyright (C) 1999, 2000, 2001
 (C) 1992,1993 Brad McLean. See aha1740.c * for more info *
 Copyright 2001 MontaVista Software Inc. * Author: MontaVista Software, Inc. *
 ahennessy@mvista.com * * Based on arch/mips/au1000/common/prom.c
 Copyright (C) 2001 Daniel Barlow <dan@telent.net> * Some of this code is "inspired" by linux-wlan-ng-
 0.1.10, but nothing * has been copied from it. linux-wlan-ng-0.1.10 is originally :
 Copyright (C) 1994 - 2001 by Ralf Baechle
 COPYRIGHT (c) 1995-1999 BY AURORA TECHNOLOGIES, INC., WALTHAM, MA. *
 Copyright (C) 1999,2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Denis Joseph
 Barrow (djbarrow@de.ibm.com,barrow_dj@yahoo.com), * Martin Schwidefsky (schwidefs
 Copyright (C) 2000-2001 Silicon Graphics, Inc. All rights reserved
 Copyright (C) 1997, 2001 Silicon Graphics, Inc. All rights reserved
 Copyright 2000-2002 The Linux Kernel Team
 (C) 2001 Shirish H. Phatak, Tacit Networks, Inc. */
 Copyright (C) 1992 - 1997, 2000 Silicon Graphics, Inc. * * gda.h -- Contains the data structure for the
 global data area, * The GDA contains information communicated between the * PROM, SYMMON, a
 Copyright (C) 1997, 1998 David S. Miller (davem@caip.rutgers.edu) */
 Copyright (C) 2000,2001 Qualcomm Inc", VERSION); BT_INFO("Written 2000,2001 by Maxim
 Krasnyansky <maxk@qualcomm.com>"); return 0;}
 (C) 1996 by Thomas Bogendoerfer (tsbogend@bigbug.franken.de) * * This driver is based on work from
 Andreas Busse, but most of * the code is rewritten.
 Copyright (C) 1999 by Harald Koerfgen */#include <linux/kernel.h>#include <linux/mm.h>#include
 <linux/sched.h>#include <linux/string.h>
 Copyright (C) 1992 - 1997 Silicon Graphics, Inc. */#ifndef __ASM_SN_NMI_H#define __ASM_SN_NMI_H
 Copyright 1997 Brent Baccala (baccala@freesoft.org) * * Mixer code adapted from code contributed by and
 Copyright (C) 1996 David Redman (djhr@tadpole.co.uk) */
 Copyright (C) 2000 Peter J. Braam
 Copyright (C) 1995 Mark Adler * For conditions of distribution and use, see copyright notice in zlib.h */
 (C) Copyright 1999, 2001 Silicon Graphics, Inc. */#ifndef _ASM_SEMAPHORE_HELPER_H#define
 _ASM_SEMAPHORE_HELPER_H
 Copyright (c) 1999 Grant Erickson <grant@lcse.umn.edu> * * Module name: 4xx_tlb.h
 Copyright(c) 1998 Inside Out Networks, All rights reserved
 Copyright (C) 1991, 1992 Linus Torvalds * * adfs regular file handling primitives
 Copyright (C) 1999-2000 Walt Drummond <drummond@valinux.com> */#include <linux/config.h>
 (C) 2002 Thomas Gleixner (gleixner@autronix.de) * * \$Id: autcpu12-nvram.c,v 1.1 2002/02/22 09:30:24

gleixner Exp \$
 (C) Copyright 1999 Thomas Sailer, sailer@ife.ee.ethz.ch
 Copyright (C) 1996-2001 Russell King
 Copyright (c) 1995, 1996 Dean W. Gehmert
 Copyright (C) 2000 UTS Global LLC * * tubtbyld.c -- Linemode tty driver screen-building functions
 Copyright 2001 by Kai Germaschewski <kai.germaschewski@gmx.de>
 (C) Copyright 1997 Alain Malek * (Alain.Malek@cryogen.com) *
 Copyright (C) 1991, 1992 Linus Torvalds *
 Copyright (C) 2000 Geert Uytterhoeven <geert@sonycom.com> * Sony Software
 Development Center Europe (SDCE), Brussels */
 Copyright (C) 1996 Russell King.
 Copyright (C) 1999 Silicon Graphics, Inc. */#include <linux/init.h>#include <asm/mipsregs.h>#include
 <asm/regdef.h>#include <asm/stackframe.h>
 Copyright (C) 1995-1996 Jean-loup Gailly. * For conditions of distribution and use, see copyright notice in
 zlib.h */
 Copyright 2000 Philipp Rumpf */
 Copyright (C) 1997, 1998, 1999, 2000, 2001 by Ralf Baechle
 Copyright (C) 1996 by Ralf Baechle * * Multi-arch abstraction and asm macros for easier reading:
 Copyright (C) 1995, 1999 by Ralf Baechle */#ifndef _ASM_MMIO_H#define _ASM_MMIO_H
 Copyright (C) Vijay Chander <vijay@engr.sgi.com>
 (C) Copyright 1994 Linus Torvalds * * Changes: *
 (C) 1998 Peter J. Braam * */
 Copyright (C) 1995, 1996, 1997 Olaf Kirch <okir@monad.swb.de> */
 (C) Copyright 1999-2000 Johannes Erdfelt <johannes@erdfelt.com>
 Copyright (C) 1999 Nicolas Pitre (full GPIO irq isolation) * * 2001/11/14 RMK Cleaned up and
 standardised a lot of the IRQs.
 Copyright: (c) 1995-1999 Sangoma Technologies Inc.
 Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) */#include <asm/asm.h>#include
 <asm/fpregdef.h>#include <asm/mipsregs.h>#include <asm/offset.h>#include <asm/regdef.h>
 Copyright (C) 2000, Dag Brattli <dag@brattli.net>
 Copyright: (c) 1999-2000 Sangoma Technologies Inc.
 (c) Copyright 1995 CymruNET Ltd * Innovation Centre *
 Singleton Park * Swansea *
 Wales * UK * SA2 8PP * *
 http://www.cymru.net
 Copyright (C) 1996 SpellCaster Telecommunications Inc. * * Card functions implementing ISDN4Linux
 functionality
 Copyright (C) 1999 Andreas E. Bombe
 Copyright (C) 1999 Silicon Graphics, Inc. */#include <asm/asm.h>#include <asm/regdef.h>
 (C) Copyright D-Link SYSTEM Inc. 1991, 1992 * Copyright, 1988, Russell Nelson, Crynwr
 Software * * Adapted to the sample network driver core for linux, * written by: Donald Becker
 <becker@super.o
 Copyright (c) 1999-2001 Vojtech Pavlik * * The input layer module itself
 Copyright (c) 1987-1999 Carnegie Mellon University All Rights Reserved
 Copyright (c) by Jaroslav Kysela <perex@suse.cz> * Definitions for Cirrus Logic CS461x chips *
 Copyright (C) 1997-1999 Russell King */
 Copyright (C) 1998, 1999, 2000 Richard Henderson * * Code supporting the RUFFIAN.
 Copyright (C) 1997 Martin von L
 Copyright (C) 1993 Pascal Haible, Bruno Haible * * sysv/alloc.c
 Copyright (C) 1998-2001 Russell King */#include <asm/irq.h>#define NR_SCANCODES 128
 Copyright (C) 2001, 2002 by Ralf Baechle
 (C) IBM Corporation, IBM Deutschland Entwicklung GmbH, 1999,2000 * * History of changes (starts July
 2000)
 Copyright (C) 1999, 2001 MIPS Technologies, Inc. */#ifndef _ASM_SOFTIRQ_H#define _ASM_SOFTIRQ_H
 Copyright (C) 1995 by Linus Torvalds
 Copyright by Carsten Paeth <calle@calle.de>
 Copyright 1994-1999 by Fritz Elfert (fritz@isd4linux.de)
 Copyright (C) 2000 Paul Mackerras * * portions based on sunhme.c by David S. Miller
 Copyright (C) 2000 Takaya Kinjo <t-kinjo@tc4.so-net.ne.jp> *

Copyright ♦ 1999 Hannu Mallat * All rights reserved
 (C) IBM Corporation, IBM Deutschland Entwicklung GmbH, 1999-2001 * * History of changes (starts July 2000) * 11/09/00 complete redesign after code review * 02/01/01 added dynamic registration of i
 Copyright (C) 1997,1999 Jakub Jelinek (jj@ultra.linux.cz)
 Copyright (C) 1999, 2000 by Silicon Graphics, Inc. * * For now it's just a crude hack good enough to run certain fp programs like * Mozilla. * XXX: Handle MIPS II/III/IV/V enhancements, exceptions
 Copyright (C) 1999 Emanuel Pirker
 Copyright (C) 2000, 2001 Axis Communications AB * * Authors: Bjorn Wesen
 Copyright (c) 1998-1999 Dag Brattli <dagb@cs.uit.no> * All Rights Reserved
 Copyright (C) 1994, 1995 Linus Torvalds * * This file is the bootloader for the Linux/AXP kernel
 Copyright (c) 1998 Harald Koerfgen */#ifndef ASM_TC_H#define ASM_TC_H
 Copyright (C) 1996 Paul Mackerras. */#include <linux/config.h>#include <linux/errno.h>#include <linux/sched.h>#include <linux/kernel.h>#include <linux/param.h>#include <linux/string.h>#include
 Copyright (C) 2000 UTS Global LLC * * tubio.h -- All-Purpose header file
 Copyright (C) 2000 Ralf Baechle
 Copyright 1999 by Ralf Spachmann (mel@melware.de)
 Copyright (C) 2000, 2002 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> * * Kernel unwind support.
 copyright follows (also see the end of this file). * See wavelan.p.h for details. *
 Copyright Information:
 Copyright (C) 1994 - 1999, 2000, 01 Ralf Baechle * Modified for R3000 by Paul M. Antoine, 1995, 1996 * Complete output from die() by Ulf Carlsson, 1998
 Copyright (C) 1998 by Ralf Baechle */#include <linux/sched.h>#include <asm/keyboard.h>
 Copyright 1996, 1997, 1998, 1999 Derrick J Brashear (shadow@andrew.cmu.edu) * The 4231/ebus support was written by David Miller, who didn't bother * crediting himself here, so I will. * * Based on
 Copyright (c) 2001 IBM * * All rights reserved
 (C) 1993, Hamish Macdonald, see mvme147.c for more info *
 Copyright (C) 1996-1998 Linus Torvalds */
 Copyright (C) 2001 Andrea Arcangeli <andrea@suse.de> SuSE */
 Copyright (C) 1999 by Helge Deller
 Copyright (C) 2002 Maciej W. Rozycki */#include <linux/config.h>#include <linux/init.h>#include <linux/mm.h>#include <linux/module.h>#include <linux/sched.h>#include <linux/smp.h>#include <li
 Copyright (C) 1998 Ingo Molnar * * Support of BIGMEM added by Gerhard Wichert, Siemens AG, July 1999
 Copyright (C) 1999 by Ralf Baechle
 Copyright 2000-2001 MontaVista Software Inc.
 Copyright (C) 1995 (davem@caip.rutgers.edu) */#ifndef _SPARC_USER_H#define _SPARC_USER_H
 Copyright (C) 1992 Remy Card (card@masi.ibp.fr) * * xenix/alloc.c
 copyright; see LICENSE.FlashPoint for details. * * \$Workfile: busmstr.c \$
 Copyright (C) 1992 - 1997, 2000-2002 Silicon Graphics, Inc. All rights reserved
 Copyright (C) 1998, 1999, 2001 by Ralf Baechle */#include <linux/sched.h>#include <linux/ide.h>#include <linux/ioport.h>#include <linux/hdreg.h>#include <asm/ptrace.h>#include <asm/hdreg.h>
 Copyright (C) 2000,2001 Ken Aaker (kdaaker@rchland.vnet.ibm.com), IBM Corp
 Copyright (C) 1999, 2000 Tim Waugh <tim@cyberelk.demon.co.uk> * * This file should only be included by drivers/parport/parport_pc.c.
 Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) */#include <linux/init.h>#include <linux/kernel.h>#include <linux/types.h>#include <linux/sched.h>#include <linux/mm.h>#include <linux/bootm
 Copyright (C) 1995-97 Simon G. Vogl
 Copyright (C) 1996 Eddie C. Dost (ecd@skynet.be) */#ifndef _ZS_H#define _ZS_H
 Copyright (C) 2000 UTS Global LLC * * tubttyrcl.c -- Linemode Command-recall functionality
 Copyright (C) 2000 Ulf Carlsson * * At this time Linux/MIPS64 only supports syscall tracing, even for 32-bit * binaries.
 (C) Copyright (C) 2000-2001
 Copyright (c) 1982, 1986 Regents of the University of California. * All rights reserved
 Copyright (C) 1990, 1991 Free Software Foundation, Inc. FIXME: Can someone provide a transliteration of this name into ASCII? Using the following chars caused a compiler warning on HIUX (so I re
 (C) 1986-1990 V6.0209/18/90", 5, 47, FD
 Copyright (C) 1998, 1999, 2000 Richard Henderson * * Code supporting the SX164 (PCA56+PYXIS).

Copyright (C) 1994 Linus Torvalds * * Cyrix stuff, June 1998 by:
 Copyright (C) 1999 Cort Dougan <cort@cs.nmt.edu> * * Use inline IRQs where possible - Anton Blanchard
 <anton@au.ibm.com>
 Copyright (C) 2001 Paul Mackerras <paulus@au.ibm.com>, IBM
 Copyright 1993 United States Government as represented by the Director,
 Copyright (C) 1995 - 1998 by Andreas Busse and Ralf Baechle */#ifndef __ASM_JAZZ_H #define
 __ASM_JAZZ_H
 Copyright (C) 1999 Silicon Graphics, Inc. */#ifndef _ASM_MMU_CONTEXT_H#define
 _ASM_MMU_CONTEXT_H
 Copyright (C) 2000 Anton Blanchard (anton@linuxcare.com) * * This file implements mcount(), which is
 used to collect profiling data. * This can also be tweaked for kernel stack overflow detection.
 Copyright (C) 1992,1993,1994,1997 | W. Metzenthien, 22 Parker St, Ormond, Vic 3163, |
 | Australia. E-mail billm@suburbia.net | |
 Copyright 2001 MontaVista Software Inc. * Author: MontaVista Software, Inc. *
 ahennesy@mvista.com or source@mvista.com * * Based on
 arch/mips/ddb5xxx/ddb5477/kgdb_io.c
 Copyright (C) 1994-1996 Bas Laarhoven,
 Copyright (C) 1997, 1999 Jakub Jelinek (jj@ultra.linux.cz) * * Based on older sparc32/sparc64 checksum.S,
 which is: *
 Copyright (C) 2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Holger Smolinski
 (Holger.Smolinski@de.ibm.com) Denis Joseph Barrow (djbarrow@de.ibm.com,barrow_dj@yahoo.
 Copyright (c) 1992--1995 by H. H. Bergman. All rights reserved
 Copyright (C) 2000 Andrew Tridgell <tridge@valinux.com> * * Earlier work by Werner Almesberger, Paul
 'Rusty' Russell and Paul Mackerras.
 Copyright (C) 1996-1997 R
 Copyright (C) 1995 Linus Torvalds (Linus.Torvalds@helsinki.fi)
 Copyright (C) 1995, 1996, 1997 Paul M. Antoine and Harald Koerfgen
 Copyright (C) 2002 Maciej W. Rozycki */#ifndef __ASM_MIPS64_ADDRSPACE_H#define
 __ASM_MIPS64_ADDRSPACE_H
 Copyright 2000 Alan Cox <alan@redhat.com> * * The core of this code is taken from the ALSA project
 driver by * Jaroslav. Please send Jaroslav the credit for the driver and * report bugs in this
 Copyright (c) 1999 Silicon Graphics, Inc. */#ifndef _ASM_BCACHE_H#define _ASM_BCACHE_H
 Copyright (C) 1997 Paul Mackerras. * * pmc-control.c: Console support for PowerMac "control" display
 adaptor.
 Copyright (C) 1997, 1998, 1999 David S. Miller (davem@redhat.com)
 Copyright (C) 1999 Jakub Jelinek (jj@ultra.linux.cz) */
 (C) values (high-low)
 Copyright (C) 1999 Stephane Eranian <eranian@hpl.hp.com> */#ifndef _LINUX_RTC_H_#define
 _LINUX_RTC_H_
 (C) Copyright 1999-2000 Peter Pregler
 Copyright (C) Russell King.
 Copyright (C) 1999 Ulf Carlsson (ulfc@bun.falkenberg.se)
 copyright follows: * -----
 Copyright (C) 1997, 1998, 1999 Jakub Jelinek (jj@ultra.linux.cz) */
 Copyright (C) 1998 Gabriel Paubert.
 COPYRIGHT 0x01#define DVD_STRUCT_DISCKEY 0x02#define DVD_STRUCT_BCA
 0x03#define DVD_STRUCT_MANUFACT 0x04
 Copyright (C) 1997 Russell King
 Copyright (c) 2001, 2d3D, Inc.
 Copyright (C) 1999 ARM Limited.
 Copyright 2000,2001 The Linux Kernel Team
 Copyright (C) 1991, 1992 Linus Torvalds * * ext3 symlink handling code
 Copyright (C) 2000 Asit Mallick <Asit.K.Mallick@intel.com>
 Copyright 1993, Drew Eckhardt * Visionary Computing * (Unix and Linux consulting and custom
 programming) * drew@colorado.edu * +1 (303) 440-4894 *
 (C) 2000 Andrea Arcangeli <andrea@suse.de> SuSE * Queue request tables / lock, selectable elevator,
 Jens Axboe <axboe@suse.de> * kernel-doc documentation started by NeilBrown <neilb@cse.unsw.edu.au
 Copyright (C) 1996 Paul Mackerras. * * Updates for PPC64 by Peter Bergner & David Engebretsen, IBM
 Corp.

Copyright 1998 by Werner Cornelius (werner@ikt.de)
 Copyright (c) 1999-2002 LSI Logic Corporation * Original author: Steven J. Ralston *
 (mailto:sjralston1@netscape.net) * (mailto:Pam.Delaney@lsil.com) * * \$Id: mptscsih.c,v 1.80
 2002/02/27 18:
 (C) Copyright 1999,2000 Thomas Sailer <sailer@ife.ee.ethz.ch>. (proc file per device)
 Copyright (C) 1999 Silicon Graphics, Inc. * * Kevin D. Kissell, kevink@mips.com and Carsten Langgaard,
 carstenl@mips.com
 Copyright 1993-2000 J
 Copyright (C) 1994-1996 Dmitry Gorodchanin (pgmdsg@ibi.com) * * This code is loosely based on the
 Linux serial driver, written by * Linus Torvalds, Theodore T'so and others. The RISCom/8
 Copyright (C) 2001. All rights reserved
 Copyright 1993, Drew Eckhardt# Visionary Computing # (Unix and Linux consulting and custom
 programming)# drew@Colorado.EDU# +1 (303) 786-7975
 Copyright (C) 1998 Gleb Raiko */#include <stdarg.h>#include <linux/kernel.h>#include <linux/init.h>
 Copyright (C) 1997 Geert Uytterhoeven * Based on linux/driver/video/pm2fb.c:
 Copyright (C) 1991, 92, 94, 95, 96, 1997, 1998 Free Software Foundation, Inc.
 Copyright (C) 1999 Nexus Electronics Ltd * * Extra MM routines for CL7500 architecture
 Copyright (C) 1999 by Ralf Baechle */#ifndef _ASM_IA64_SN_TYPES_H#define _ASM_IA64_SN_TYPES_H
 Copyright (C) 1996 Thomas K. Dyas (tdyas@noc.rutgers.edu) * * Definitions for the AMD79C30 Digital
 Subscriber Controller which is * used as an audio chip in sun4c architecture machines. The * info
 Copyright (C) 1998 Lieven Willems (lw_linux@hotmail.com) * * Changes :
 Copyright (C) 1992,1993,1994,1997,1999 | W. Metzenthen, 22 Parker St, Ormond, Vic
 3163, | | Australia. E-mail billm@melbpc.org.au | |
 Copyright (C) 1997 Andi Kleen
 Copyright (C) 1999, 2000, 2001 by Ralf Baechle
 Copyright (c) 2001 PPC64 Team, IBM Corp
 Copyright (C) 2001 MIPS Technologies, Inc. */#include <linux/errno.h>#include <linux/linkage.h>#include
 <linux/mm.h>#include <linux/smp.h>#include <linux/smp_lock.h>#include <linux/mman.h>#inc
 (C) 1996-2000 Thomas Sailer, HB9JNX/AE4WA\n"KERN_INFO "baycom_par: version 0.9 compiled "
 __TIME__ " " __DATE__ "\n";
 Copyright (c) 1992--1996 by H. H. Bergman. All rights reserved
 Copyright (C) 1994-1996 Bas Laarhoven.
 Copyright (C) 2001 REINER SCT * Author: Matthias Bruestle * * Contact: linux-usb@sii.li (see
 MAINTAINERS)
 Copyright (C) 1999 Russell King
 Copyright (c) 1997 Antonio Santos
 Copyright (C) 1995, 1996, 1999, 2001 by Ralf Baechle */#ifndef _ASM_IOCTL_H#define _ASM_IOCTL_H
 Copyright 2001 MontaVista Software Inc. * Author: Jun Sun, jsun@mvista.com or jsun@junsun.net * *
 Common time service routines for MIPS machines. See * Documents/MIPS/README.txt.
 Copyright (C) 1996 Thomas K. Dyas (tdyas@eden.rutgers.edu) */
 (C) 1999-2002 Nemosoft Unv.
 Copyright 1997 -- 2000 Martin Mares <mj@ucw.cz> */
 Copyright Theodore Ts * rights reserved. * * Redistribution and use in source and binary forms, with or
 without * modification, are permitted provided that the following conditions * are met: *
 Copyright (C) 2000 Alexander Larsson (alex@cendio.se), Cendio Systems AB *
 Copyright (C) 1999 Nexus Electronics Ltd. */
 Copyright (C) 1998, 1999, 2000, 2001 Ralf Baechle
 (C) 1995 Linus Torvalds * * Alpha division..
 Copyright (C) 1996, 1997, 2000 by Ralf Baechle */#ifndef _ASM_SIGCONTEXT_H#define
 _ASM_SIGCONTEXT_H
 Copyright (c) 1995,2001 Compaq Computer Corporation
 Copyright (C) 1998 by Thorsten Knabe <tek@rbg.informatik.tu-darmstadt.de> *
 (C) Copyright 1996 Linus Torvalds * * This routine is "moral-ware": you are free to use it any way you wish,
 and * the only obligation I put on you is a moral one: if you make any improvements * t
 Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Hartmut Penner
 (hpenner@de.ibm.com) * * Derived from "arch/i386/mm/init.c"
 Copyright (C) 1994, 1995,1996 by Bao C. Ha.
 Copyright (C) 2000 Don Dugger <n0ano@valinux.com> * * Derived from i386 and Alpha versions.
 (c) Copyright 2000 John Marvin

Copyright(C) 1996, 1997 David S. Miller * derived from:
 Copyright (C) 2001 Russell King * * Local hardware definitions.
 Copyright (C) 1997, 1998, 1999, 2000 Ralf Baechle ralf@gnu.org */#include <linux/config.h>#include
 <asm/addrspace.h>#include <asm/asm.h>#include <asm/regdef.h>#include <asm/cacheops.h>#inclu
 Copyright (C) 1993 Bjoern Brauel * Roman Hodek
 Copyright (C) 1997 Russell King * * Modifications:
 Copyright (C) 1996 Paul Mackerras * * and on the Open Firmware based frame buffer device: *
 Copyright (C) by Hannu Savolainen 1993-1996 *
 Copyright (C) 1994, 95, 96, 97, 98, 99, 2000 by Ralf Baechle
 (C) 1999 Thomas Bogendoerfer */
 Copyright (C) 1997 Michal Rehacek (Michal.Rehacek@st.mff.cuni.cz) */
 Copyright (C) 1998,1999 Russell King
 Copyright (C) 1999, 2000 David S. Miller (davem@redhat.com) */
 Copyright (C) 1993 Turtle Beach Systems, Inc.
 Copyright (C) 1999 VA Linux Systems
 Copyright (C) 1999-2000 Nicolas Pitre
 Copyright - Galileo Technology. * * Other functions are derived from other MIPS PCI implementations, or
 were
 Copyright (C) 1999,2000 Qlogic, Corporation. * All rights reserved
 Copyright 2000 VA Linux Systems, Inc., Fremont, California.
 copyright (C) 1992 Michael K. Johnson * Interrupt support added 1993 Nigel Gamble * Removed 8255
 status defines from inside __KERNEL__ Marcelo Tosatti */
 Copyright 2001 MontaVista Software Inc. * Author: MontaVista Software, Inc. *
 ahennessy@mvista.com *
 (c) Copyright 2001 Red Hat Inc. *
 Copyright (C) 1999 Niibe Yutaka * * Based on linux/arch/i386/mm/fault.c:
 Copyright (C) 1999, 2000 by Silicon Graphics */#include <linux/config.h>#include <linux/init.h>#include
 <linux/signal.h>#include <linux/sched.h>#include <linux/kernel.h>#include <linux/errno.h>
 Copyright 1999-2002 Paul Mackerras.
 Copyright (C) 1999-2000 Linus Torvalds *
 Copyright 1998-2001 by Carsten Paeth <calle@calle.in-berlin.de>
 Copyright (C) 2001 Axis Communications AB * * Generate structure offsets for use in entry.S. No extra
 processing * needed more than compiling this file to assembly code. Horrendous * assembly co
 Copyright (C) 1996 Frank Neumann * * History:
 Copyright (c) 1995-1996 Gary Thomas <gdt@linuxppc.org> * Initial PowerPC version.
 copyright text*/
 Copyright (C) 1991-1998 Linus Torvalds * Re-organised Feb 1998 Russell King * * We now have
 independent partition support from the * block drivers, which allows all the partition code to * b
 Copyright (C) 1996 Paul Mackerras. */#include <linux/config.h>#include <linux/kernel.h>#include
 <linux/string.h>#include <linux/init.h>#include <linux/version.h>#include <linux/threads.h>#incl
 Copyright (C) 2000 Matthew Wilcox <matthew@wil.cx>
 Copyright (C) 1997-1999 Jakub Jelinek (jj@sunsite.mff.cuni.cz) */
 Copyright (C) 1997, 1998 by Ralf Baechle */#ifndef __ASM_MIPS_SNI_H #define __ASM_MIPS_SNI_H
 Copyright (C) 1996 Paul Mackerras and Mark Abene
 Copyright (C) 2002 Ladislav Michl */
 (C) Copyright 1999, 2001 Ralf Baechle
 (C) 1986-1988 V4.0I 03/16/88
 Copyright (C) 1999 Silicon Graphics, Inc. * * This file contains exception handler for address error exception
 with the * special capability to execute faulting instructions in software. The * ha
 Copyright (C) 1998 Andrew Veliath
 Copyright (C) 1998, 1999, 2000 Richard Henderson * * Code common to all CIA core logic chips.
 Copyright (C) 1995 Russell King * * Delay routines, using a pre-computed "loops_per_second" value.
 Copyright (C) 1995 Miguel de Icaza (miguel@nuclecu.unam.mx) */
 Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * * Derived from "include/asm-
 i386/cache.h"
 Copyright (c) 1999 Martin Mares <mj@ucw.cz> */
 (C) Copyright 1999 Randy Dunlap
 Copyright (c) 1999-2002 Petko Manolov (petkan@users.sourceforge.net)**
 Copyright (C) 2001 Axis Communications AB */

Copyright (c) 2002 Takayoshi Kochi (t-kouchi@cq.jp.nec.com)
 (C) Copyright 1998-2000 by some Elitist 680x0 Users(TM) *
 Copyright (C) 1996 * Adrian Rodriguez (adrian@franklins-tower.rutgers.edu) * Laboratory for Computer
 Science Research Computing Facility * Rutgers, The State University of New Jersey * * Clean sw
 Copyright (C) 1996-1999 Russell King.
 (C) Linus Torvalds
 Copyright (C) 1997 Eddie C. Dost (ecd@skynet.be) * JavaStation support by Pete A. Zaitcev. * * This code
 is mainly put together from various places in * drivers/char, please refer to these sourc
 Copyright (C) 1999 Walt Drummond <drummond@valinux.com>
 Copyright 1995,96 by Michael Hipp (Michael.Hipp@student.uni-tuebingen.de)
 Copyright (C) 1999 Hewlett-Packard Company
 Copyright 2000, Compaq Computer Corporation * Fibre Channel Host Bus Adapter * 64-bit, 66MHz PCI *
 Originally developed and tested on:
 Copyright (c) 1996-1999 Russell King. */#ifndef __ASM_ARCH_SYSTEM_H#define
 __ASM_ARCH_SYSTEM_H
 (C) 1993 V3.203/12/93", 5, 44, 3, 2, 0 { "IBM F1 P2 BIOS v1.0104/29/93", 5, 28,
 3, -1, 0 }, { "Future Domain Corp. V1.0008/18/93", 5, 33, 3,
 Copyright (C) 1995, 1999 by Ralf Baechle
 Copyright (C) 1997, 1998 Patrik Rak (prak3264@ss1000.ms.mff.cuni.cz)
 Copyright (C) 2002 MIPS Technologies, Inc. All rights reserved
 Copyright (C) 1994, 1995, 1996 Paul M. Antoine. */#ifndef __ASM_STACKFRAME_H#define
 __ASM_STACKFRAME_H
 Copyright (C) 2000 Anton Blanchard (anton@samba.org) */
 Copyright (C) 2001 Anton Altaparmakov (AIA) */#include <linux/fs.h>#include "ntfsendian.h"#include
 <asm/types.h>
 Copyright (C) 2001 David S. Miller (davem@redhat.com) */
 (C) by Gert Doering and Klaus Weidner * Used by permission of Gert Doering */
 Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) */#ifndef _SPARC_MACHINES_H#define
 _SPARC_MACHINES_H
 Copyright (C) 1998, 1999, 2001 David Mosberger-Tang <davidm@hpl.hp.com> */
 Copyright (C) 2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Gerhard Tonn
 (ton@de.ibm.com) * * Seperated from binfmt_elf32.c to reduce exports for module enablement.
 Copyright (c) 1994-1998 Initio Corporation
 Copyright 1993, Drew Eckhardt * Visionary Computing * (Unix and Linux consulting and custom
 programming) * drew@colorado.edu * +1 (303) 440-4894 * * DISTRIBUTION RELEASE 2.
 Copyright (C) 1992, 1993, 1994, 1995 * Remy Card (card@masi.ibp.fr) * Laboratoire MASI - Institut Blaise
 Pascal * Universite Pierre et Marie Curie (Paris VI) * * BSD ufs-inspired inode and direc
 Copyright (C) 1999,2000 Andreas Bombe <andreas.bombe@munich.netsurf.de>,
 Copyright (C) 1996 Paul H. Hargrove
 Copyright (C) 2000, 2001 Keith M Wesolowski */#include <linux/kernel.h>#include <linux/init.h>#include
 <linux/pci.h>#include <linux/types.h>#include <asm/pci.h>#include <asm/ip32/mace.h>#inclu
 Copyright (C) 2001 Ladislav Michl (ladis@psi.cz) */#ifndef _ASM_SGI_SGINT23_H#define
 _ASM_SGI_SGINT23_H
 Copyright 1995-1998 by Leonard N. Zubkoff <lnz@dandelion.com>
 Copyright (C) 1995 */#ifndef __ASM_ALPHA_FLOPPY_H#define __ASM_ALPHA_FLOPPY_H
 Copyright (C) 1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz) */#ifndef _SPARC_PGTSUN4C_H#define
 _SPARC_PGTSUN4C_H
 Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999 by Ralf Baechle * Modified further for R[236]000 by
 Paul M. Antoine, 1996
 (C) 2000-2002 by Harald Welte <laforge@gnumonks.org> * * 2000/09/22 ulog-cprange feature added *
 2001/01/04 in-kernel queue as proposed by Sebastian Zander *
 <zander@fokus.gmd.de> * 2001/0
 Copyright (C) David Alan Gilbert 1995/1996,2000
 Copyright (c) 1997 Justin T. Gibbs.
 Copyright (C) 1995 Linus Torvalds * Adapted from 'alpha' version by Gary Thomas * Modified by Cort
 Dougan (cort@cs.nmt.edu) * Synergy Microsystems board support by Dan Cox (dan@synergymicro.com)
 (c) Copyright 1999, Thomas Davis, tadavis@lbl.gov
 Copyright 2000, Jayson C. Vantuyl <vantuyl@csc.smsu.edu> * and Bryon W. Roche
 <bryon@csc.smsu.edu> * * 64-bit addressing added by Kanoj Sarcar <kanoj@sgi.com> *
 and Leo Dagum

(C) Copyright 1999 Deti Fliegl, deti@fliegl.de
 Copyright 1998-2000 Red Hat, Inc --- All Rights Reserved
 Copyright (C) 2000 Scott A McConnell (samconn@cotw.com)
 Copyright 2000 Compaq Computer Corporation. * * Use consistent with the GNU GPL is permitted, *
 provided that this copyright notice is * preserved in its entirety in all copies and derived works.
 (C) 1997 Thomas Schoebel-Theuer, * with heavy changes by Linus Torvalds */
 Copyright 1995 * Anthony D. Joseph * Massachusetts Institute of Technology * * Permission to use,
 copy, modify, and distribute this program * for any purpose and without fee is hereby gra
 Copyright (C) 2001 Anton Altaparmakov <antona@users.sf.net> (AIA) * * Documentation is available at
<http://linux-ntfs.sf.net/ldm>
 (C) 1998 Krzysztof G. Baranowski * * Marcelo Tosatti <marcelo@conectiva.com.br> : SMP fixes
 Copyright (C) 1991, 1992 Linus Torvalds * * 1997-11-02 Modified for POSIX.1b signals by Richard
 Henderson
 Copyright (C) 2000 Ani Joshi <ajoshi@unixbox.com>
 Copyright (C) 1993 Linus Torvalds * * Delay routines calling functions in arch/i386/lib/delay.c
 Copyright (C) 1997 by Volker Lendecke *
 (C) 2000 Nicolas Pitre <nico@cam.org>
 Copyright (C) 1995, 96, 97, 98, 1999, 2000 by Ralf Baechle
 Copyright: (c) 1995-1997 Sangoma Technologies Inc.
 Copyright (C) 1996-2000 Takashi Iwai
 Copyright (C) 1996,1997,1999 Jakub Jelinek (jakub@redhat.com) */
 Copyright (C) Michel D * * APUS PCI routines.
 Copyright (C) 1999, 2000, 01, 2002 Silicon Graphics, Inc.
 Copyright (C) 2001 MIPS Technologies, Inc. * * Hairry, the userspace application uses a different argument
 passing * convention than the kernel, so we have to translate things from o32 * to ABI64 c
 Copyright (c) 1999 Grant Erickson <grant@lcse.umn.edu> * PowerPC 403GCX/405GP modifications. * *
 Module name: head_4xx.S
 Copyright (C) 1996, 1997, 1998 Ingo Molnar, Miguel de Icaza, Gadi Oxman * * MULTIPATH management
 functions.
 (C) IBM Corporation, IBM Deutschland Entwicklung GmbH, 2000 * * History of changes (starts July 2000)
 Copyright (c) 2001 Denis Oliver Kropp <dok@convergence.de>
 Copyright (C) 2000 Red Hat, Inc.
 Copyright clarification
 Copyright (C) 1999 Silicon Graphics */#ifndef _ASM_SYSTEM_H#define _ASM_SYSTEM_H
 Copyright (C) 1996, 1997, 1998 by Ralf Baechle * and i386 version. */#ifndef
 __ASM_SH_UACCESS_H#define __ASM_SH_UACCESS_H
 (C) Copyright 1999 Linus Torvalds
 Copyright (C) 1995 Linus Torvalds * * Support of BIGMEM added by Gerhard Wichert, Siemens AG, July
 1999
 Copyright (C) 2000, 2001 Kanoj Sarcar
 Copyright (C) 2001 Ralf Baechle (ralf@gnu.org) */#include <linux/sched.h>#include <linux/mm.h>
 Copyright (C) 1995 Michael Dreher * * This file contains the code to create and destroy nodes * in the B-
 tree structure.
 Copyright (C) 2001 By Joachim Martillo, Telford Tools, Inc.
 Copyright (C) 1998 Geert Uytterhoeven
 Copyright (C) 1991-1998 Linus Torvalds * Re-organised Feb 1998 Russell King */
 Copyright (c) 2001-2002 " MODULEAUTHOR#include "mptbase.h"
 Copyright (C) 1999, 2000, 2001 Silicon Graphics, Inc. */#ifndef _ASM_UNALIGNED_H#define
 _ASM_UNALIGNED_H
 Copyright (C) 2000,2001 Cirrus Logic Corp.* -- adapted from drivers by Thomas Sailer, * --
 but don't bug him; Problems should go to:
 Copyright(c) 1996 Kars de Jong/* Based on the ide driver from 1.2.13pl8 */
 Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) */#ifndef _SGIWD93_H#define _SGIWD93_H
 Copyright (C) 1998-2000 Andre Hedrick <andre@linux-ide.org>, Integrater * * CYPRESS CY82C693 chipset
 IDE controller
 Copyright (c) 2000 Tilmann Bitterberg * (tilmann@bitterberg.de) * * Error processing of errors found by
 rtas even-scan routine * which is done with every heartbeat. (chrp_setup.c)
 Copyright (C) 2000 Wolfgang Grandegger (wolfgang@ces.ch)
 Copyright (c) 2000 Rob Scott (rscott@mtrob.fdns.net) * * Changelog:

Copyright (C) 2000 Andrew Grover
 Copyright (C) 2000 Silicon Graphics, Inc. * Modified for further R[236]000 support by Paul M. Antoine, 1996. * Kevin D. Kissell, kevink@mips.com and Carsten Langgaard, carstenl@mips.com
 Copyright (c) 2001-2002 Silicon Graphics, Inc. All rights reserved
 Copyright 2000, Ingo Molnar <mingo@redhat.com>
 (C) 1999 Helge Deller <helge.deller@ruhr-uni-bochum.de>
 Copyright (C) Pavel Machek, pavel@ucw.cz. This code is GPL.
 Copyright (C) 1999-2001 Hewlett-Packard Co
 Copyright 1997-2000 Pavel Machek <pavel@ucw.cz>
 Copyright (c) 1995-2000 FORE Systems, Inc., as an unpublished work. This
 Copyright (C) 2000 David S. Miller (davem@redhat.com) */
 copyright follow. See wavelan_cs.h for details. * * This file contain the declarations of the Wavelan hardware. Note that * the Pcmcia Wavelan include a i82593 controller (see definitions in * fil
 Copyright (C)2001 Daniel Maas <dmaas@dcine.com> * receive, proc_fs by Dan Dennedy
 <dan@dennedy.org> * * based on:
 (C) 1986-1990 1800-V1.07/28/89", 5, 50, 2, 0, 0
 Copyright (C) 1998-2001 Russell King */#include <asm/mach-types.h>
 Copyright 1999 by Armin Schindler (mac@melware.de)
 Copyright (C) 1999,2000 Martin Lucina, Tom Zerucha * * \$Id: tga_fb.c,v 1.12.2.3 2000/04/04 06:44:56 mato Exp \$
 Copyright (C) 1992, 1998 Linus Torvalds, Ingo Molnar * * This file contains the code used by various IRQ handling routines:
 Copyright (C) Eicon Technology Corporation, 2000. * * Eicon File Revision : 1.0
 Copyright (C) 1996-98 Ingo Molnar, Gadi Oxman
 Copyright (c) 1999, 2000 Brian Warner <warner@lothar.com>
 Copyright (C) 1998 - 2002 Michel Lanners <mailto:mlan@cpu.lu>
 copyright 1993-1998 by Donald Becker.
 Copyright (C) 1993, 1994, 1995 Eberhard Moenkeberg <emoenke@gwdg.de>
 Copyright (c) 2000 Al Borchers (borchers@steinerpoint.com)
 (c) Copyright 2000 Grant Grundler
 Copyright 2000, 2001 Red Hat, Inc. */
 Copyright (C) 1997,1998 Russell King
 Copyright (c) 1999 Dag Brattli, <dagb@cs.uit.no>,
 Copyright (C) 1995 Miguel de Icaza (miguel@nuclecu.unam.mx) * * Parts based on the psaux.c driver written by:
 (C) 1999-2000 Stelias Computing Inc * * HISTORY
 Copyright (C) 1999, 2000
 Copyright (C) 1997 Michael A. Griffith (grif@acm.org)
 Copyright 1999 by M. Steinkopf
 Copyright (c) 1995-1997 Claus-Justus Heine
 Copyright 2001,2002 - Jani Monoses <jani@iv.ro> *
 Copyright (c) 1996, 97, 98, 99, 2000 FutureTV Labs Ltd. */
 Copyright (C) 1994-1997 Claus-Justus Heine
 Copyright (C) 1996, 1997 David S. Miller (davem@caip.rutgers.edu)
 (C) 1993 by Hartmut Schirmer
 Copyright (C) 1997,1998 Jirka Hanika (geo@ff.cuni.cz) * * There are two kinds of Fibre Channel adapters used in Linux. Either * the adapter is "smart" and does all FC bookkeeping by itself and * j
 Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin Schwidfsky (schwidfsky@de.ibm.com) */
 Copyright (c) 2001 Jean Tourrilhes, All Rights Reserved
 (C) Copyright 1998 Linus Torvalds * * These functions have a non-standard call interface to make * them more efficient, especially as they return an error * value in addition to the "real" return
 Copyright (c) 1998 Richard Guenther <richard.guenther@student.uni-tuebingen.de> * * \$Id: saa5249.c,v 1.1 1998/03/30 22:23:23 alan Exp \$
 Copyright (C) 1996, 1997, 1998 by Ralf Baechle */#include <linux/config.h>#include
 <linux/hdreg.h>#include <linux/init.h>#include <linux/mm.h>#include <linux/interrupt.h>#include
 <linux/ide.h>
 (C) %d.
 pAC->I2c.SenTable[i].SenValue / 10,
 pAC->I2c.SenTable[i].SenValue % 10);

```

len += sprintf(buffer + len,
    "Temperature (F)      %d.%d\n",
    (((pAC->
Copyright (C) 2001 Stefan Eletzhofer <stefan.eletzhofer@gmx.de> * * Original (leds-footbridge.c) by
Russell King
Copyright (C) 1991, 1992 Linus Torvalds * * affs symlink handling code
Copyright (C) 2000 David Mosberger-Tang <davidm@hpl.hp.com> */
Copyright (C) 1996 Cort Dougan <cort@cs.nmt.edu> * Adapted for Power Macintosh by Paul Mackerras. *
Low-level exception handlers and MMU support * rewritten by Paul Mackerras.
Copyright (C) 1999, 2001 Axis Communications AB * * Code that sets up the DRAM registers, calls the *
decompressor to unpack the piggybacked kernel, and jumps.
Copyright (c) 2001-2002 by David Brownell
Copyright (C) 1995 - 2000 by Ralf Baechle
Copyright (C) 1995, 1996 Gero Kuhlmann and me. * * BOOTP rewritten to construct and analyse packets
itself instead * of misusing the IP layer. num_bugs_causing_wrong_arp_replies--; *
--
Copyright (C) 1998 Phil Blundell */#include <linux/sched.h>#include <linux/ioport.h>#include
<linux/init.h>#include <linux/pci.h>
Copyright (C) 1994, 95, 96, 97, 98, 2000 Ralf Baechle
Copyright (c) 2001 Greg Kroah-Hartman (greg@kroah.com)
(C) IBM Corporation, IBM Deutschland Entwicklung GmbH, 1999,2000 */
Copyright (C) 1997, 1998 Ralf Baechle (ralf@gnu.org) */#include <linux/config.h>#include
<linux/init.h>#include <linux/kbd_ll.h>#include <linux/kernel.h>#include <linux/kdev_t.h>#include
<linux
Copyright (C) 1998-2002 Richard Gooch
Copyright (C) 2001-2002 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> * *
06/16/00 A. Mallick added csd/ssd/tssd for ia32 thread context * 02/19/01 D.
Mosberger dropped tssd; it's
copyright below.
Copyright (C) 1999 Ralf Baechle (ralf@gnu.org) */#ifndef _ASM_SN_SNO_SNO_FRU_H#define
_ASM_SN_SNO_SNO_FRU_H
Copyright (C) 1994, 95, 96, 97, 98, 99, 2000 by Ralf Baechle at alii
(C) Copyright 1999 Red Hat Software\n"); if((page_buf = kmalloc(4096, GFP_KERNEL))==NULL)
copyright/GPL on a Debian system and in the file COPYING in the Linux kernel source.*/
Copyright (C) 1998/1999 R.E.Wolff@BitWizard.nl * * written for the SX serial driver. * Contains the code
that should be shared over all the serial drivers.
Copyright (C) 1995 Russell King
Copyright (C) 1996,1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz) */
Copyright (c) 1999 Jakub Jelinek (jakub@redhat.com) * Based on linux/drivers/video/skeletonfb.c by Geert
Uytterhoeven. * ----- *
Copyright (c) 2000 RP Internet (www.rpi.net.au).
(C) 2002 Alan Stern <stern@rowland.org> * * Initial work:
Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
Copyright (C) 2000 Ralf Baechle <ralf@gnu.org> * swiped from i386, and cloned for MIPS by Geert,
polished by Ralf. */#include <linux/config.h>#include <linux/types.h>#include <linux/mm.h>#inclu
Copyright 2001 MontaVista Software Inc. * Author: MontaVista Software, Inc. *
ahennessy@mvista.com * * Based on skelton.c by Donald Becker.
(C) Copyright 1993, 1994 by Bjorn Ekwall <bjorn@blox.se> * * Based on adapter information
gathered from DOS packetdriver * sources from D-Link Inc: (Special thanks to Henry Ngai of D-
Link.)
(C) 1995 by Andreas Busse (andy@waldorf-gmbh.de) * * A driver for the Mac onboard Sonic ethernet chip.
Copyright (C) 1998-2000 Krzysztof Halasa <khc@pm.waw.pl>
(C) 2002 Robert Kaiser <rkaiser@sysgo.de> * * This code is GPL
Copyright 1998-2000 by Armin Schindler (mac@melware.de)
Copyright (C) 1998-2001 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> * *
08/02/00 A. Mallick <asit.k.mallick@intel.com> * Modified RID allocation for SMP *
Goutham Rao
Copyright (C) 1997, 2001 Ralf Baechle
Copyright (C) 1998 R.E.Wolff@BitWizard.nl * * written for the SX serial driver. * Contains the code that

```

should be shared over all the serial drivers.

Copyright (C) 1999-2001 Gerard Roudier <groudier@free.fr> * * This driver is derived from the Linux sym53c8xx driver.

Copyright 1999 Paul Mackerras. * * Also touched by the grubby hands of Paul Fulghum paulkf@microgate.com

Copyright (C) Eicon Technology Corporation, 2000. * * Eicon File Revision : 1.15

Copyright(C) 1995 David S. Miller (davem@caip.rutgers.edu) */

Copyright 1992, Linus Torvalds.

Copyright (C) 2000 Marc Boucher */#include <linux/module.h>#include <linux/skbuff.h>#include <linux/file.h>#include <net/sock.h>

Copyright (C) 1998 Elmer.Joandi@ut.ee,

Copyright (C) 1999,2000 Moxa Technologies Co., LTD. * * for : LINUX 2.0.X, 2.2.X, 2.4.X *
date : 2001/05/01 * version : 1.2

Copyright (C) 1996 Peter J. Braam <braam@cs.cmu.edu>, * Michael Callahan <callahan@maths.ox.ac.uk>
* * Redone for Linux 2.1

Copyright asserted flag -- do not modify#define SPCS_NOTAUDIODATA 0x00000002 /* 0 =
Digital audio, 1 = not audio */#define SPCS_PROFESSIONAL 0x00000001 /* 0 =
Consumer (IEC-958), 1 = pro (AES3-1992

Copyright (C) 1992-1997,2000-2002 Silicon Graphics, Inc. All Rights Reserved

Copyright (C) 1994-2002 Dario Ballabio (ballabio_dario@emc.com) * * Alternate email:
dario.ballabio@inwind.it, dario.ballabio@tiscalinet.it

Copyright (C) 2001 Dave Engebretsen IBM Corporation

(C) 1991 Linus Torvalds - minix filesystem * * affs regular file handling primitives

Copyright (C) 1999 Vijay Chander <vijay@enr.sgi.com> */#include <linux/init.h>#include <linux/kernel.h>#include <linux/param.h>#include <linux/string.h>#include <linux/types.h>#include <linux/

Copyright (C) 2002 by Ralf Baechle */#ifndef _ASM_WAR_H#define _ASM_WAR_H

Copyright (C) 1998, 1999 Russell King, Phil Blundell */#include <linux/config.h>#include <linux/module.h>#include <linux/sched.h>#include <linux/ioport.h>#include <linux/kernel.h>#include <linu

Copyright (c) 2000 Vojtech Pavlik <vojtech@suse.cz> * * USB Abstract Control Model driver for USB modems and ISDN adapters

Copyright (C) 2001 A

Copyright (c) 1991 The Regents of the University of California. * All rights reserved

(C) Copyright 2001 Linus Torvalds * * Atomic wait-for-completion handler data structures. * See kernel/sched.c for details.

Copyright (c) 1998-1999 Ilario Nardinocchi (nardinoc@CS.UniBO.IT)

(c) Copyright 1999, 2001 Alan Cox

Copyright (C) 1993 Bruno Haible

Copyright (C) 1996 Paul Mackerras. * * NB this file must be compiled with -O2.

(C) 1986-1989 V5.0C2/14/89

Copyright (C) by Hannu Savolainen 1993-1997 * * cs4232.c

(C) 1996 Miguel de Icaza

Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin Schwidefsky (schwidefsky@de.ibm.com) * * Derived from "include/asm-i386/delay.h"

Copyright (C) 1991, 1992, 1995 Linus Torvalds */

Copyright (c) 2000 Guillaume Delvit based on Gerd Knorr source and

Copyright (C) 1999 Ralf Baechle

Copyright (C) 1998 IBM Corporation# Author(s): Martin Schwidefsky

(C) Copyright 1999 Deti Fliegl (new USB architecture) * * \$id\$

Copyright (C) 2002 Hewlett-Packard Co.

(C) Copyright Al Viro 2000, 2001 * Released under GPL v2. *

Copyright (c) 1997 Dan Malek (dmalek@jlc.net) * * I copied the basic skeleton from the lance driver, because I did not * know how to write the Linux driver, but I did know how the LANCE worked.

Copyright (C) 1996 Paul Mackerras. */#include <linux/config.h>#include <linux/errno.h>#include <linux/sched.h>#include <linux/smp.h>#include <asm/ptrace.h>#include <asm/string.h>#include <asm/

Copyright (C) 1997 Miguel de Icaza (miguel@nuclecu.unam.mx) */

Copyright (C) 1999,2000 Philipp Rumpf

copyright { __u8 type;

Copyright 1998 H. Peter Anvin -- All Rights Reserved
 Copyright 2001 MontaVista Software Inc. * Author: MontaVista Software, Inc. *
 ahennessy@mvista.com or source@mvista.com *

Copyright (C) 1998-1999 Ilario Nardinocchi (nardinoc@CS.UniBO.IT)
 Copyright (c) 1995 Picture Elements * Stephen Williams * Gus Baldauf * * Linux/SPARC port by
 Peter Zaitcev. * Integration into SPARC tree by Tom Dyas.
 Copyright (c) 2000-2001 ConnectCom Solutions, Inc. * All Rights Reserved
 Copyright (C) 2000 by Francois Wautier * based on code from Bjorn Davis * * Read and write command for
 the eprom attached to * the PLX9050
 Copyright (C) 1994 Waldorf GMBH, * written by Ralf Baechle */#include <linux/linkage.h>#include
 <linux/errno.h>
 Copyright (C) 2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin
 Schwidefsky (schwidefsky@de.ibm.com), * * Tape dump ipl record. Put it on a tape and ipl from it and it
 Copyright (c) 2000-2001 Vojtech Pavlik * * Sponsored by SuSE
 Copyright (C) 1997 Eddie C. Dost (ecd@skynet.be) */
 Copyright (C) 2000 Niibe Yutaka * 2001 Yutaro Ebihara * * I/O routine and setup routines for A-
 ONE Corp CAT-68701 SH7708 Board
 Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Denis Joseph
 Barrow (djbarrow@de.ibm.com,barrow_dj@yahoo.com), * * Originally written by Glenn Engel, Lake Stev
 Copyright (C) 2000, 01 MIPS Technologies, Inc. All rights reserved
 Copyright (C) Eicon Technology Corporation, 2000. * * Eicon File Revision : 1.12
 Copyright (C) 2002 Shane Nay (shane@minirl.com)
 Copyright 1992, 1993, 1994, 1995 Rickard E. Faith * * \$Id: fdomain.h,v 5.12 1995/10/12 19:01:09 root
 Exp \$
 Copyright (C) 2000 MIPS Technologies, Inc. * written by Carsten Langgaard, carstenl@mips.com
 */#include <linux/config.h>#include <asm/asm.h>#include <asm/cachectl.h>#include <asm/current.h>#
 Copyright (c) 1995--1997 David A. van Leeuwen.
 (C) Copyright 1990 D-Link, Inc. * Copyright, 1988-1992, Russell Nelson, Crynwr Software * *
 Adapted to the sample network driver core for linux, * written by: Donald Becker
 <becker@super.org> *
 Copyright (C) 1995 Peter Zaitcev (zaitcev@yahoo.com)
 Copyright (c) 2000 Gerd Knorr * based on code by:
 copyright */ for (i = EEPROM_COPYRIGHT;
 Copyright 1999-2001 Jeff Garzik <jgarzik@mandrakesoft.com> * * Contributors (thanks, all!)
 Copyright (c) 2000-2002 Silicon Graphics, Inc. All Rights Reserved
 Copyright (C) 1997, Olaf Kirch <okir@monad.swb.de> */
 Copyright 2001 MontaVista Software Inc. * Author: MontaVista Software, Inc. *
 ahennessy@mvista.com * * Based on drivers/char/serial.c
 Copyright 1999 by Carsten Paeth <calle@calle.de>
 (C)Copyright 1989-1998 SysKonnect, * a business unit of Schneider & Koch & Co. Datensysteme GmbH.
 * All Rights Reserved
 Copyright (C) 2000 by Colin Ngam */#ifndef _ASM_SN_SN_XTALK_XBOW_H#define
 _ASM_SN_SN_XTALK_XBOW_H
 Copyright (C) 2001 IBM Corporation * Author(s): Carsten Otte <cotte@de.ibm.com> * Tuan
 Ngo-Anh <ngoanh@de.ibm.com> *
 Copyright (C) 1995 (davem@caip.rutgers.edu) */#ifndef _SPARC64_USER_H#define _SPARC64_USER_H
 (C) 2000 Guenter Geiger <geiger@debian.org> with copy/pastes from the driver of Winfried Ritsch
 <ritsch@iem.kug.ac.at>
 Copyright (C) 1999-2000 Pete Zaitcev * * This driver is used to program OS into a Flash SIMM on * Krups
 and Espresso platforms.
 Copyright (C) 2000 UTS Global LLC * * tuball.c -- Initialization, termination, irq lookup
 Copyright 2001,2002 Jeff Garzik <jgarzik@mandrakesoft.com>
 Copyright (C) 1997 Carnegie Mellon University * * Carnegie Mellon University encourages users of this code
 to contribute * improvements to the Coda project. Contact Peter Braam <coda@cs.cmu.edu>.
 Copyright (c) 1999 Grant Erickson <grant@lcse.umn.edu> * PowerPC 403GCX/405GP modifications.
 Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * * Derived from "include/asm-
 i386/a.out.h"
 Copyright (C) 1992,1994,1995 | W. Metzenthen, 22 Parker St, Ormond, Vic 3163, | |
 Australia. E-mail billm@jacobi.maths.monash.edu.au | |

Copyright (C) 1999 Cort Dougan.
 Copyright (C) 2000 Maciej W. Rozycki
 Copyright (C) 1997 Eddie C. Dost (ecd@skynet.be)
 Copyright (C) 1999 Andrew R. Baker (andrewb@uab.edu) - INT2 corrections
 (c) Copyright 1998, Building Number Three Ltd.\n"); if((slvl_unit=slvl_init(io,irq, txdma, rxdma, slow))=NULL) return -ENODEV; return 0;}
 (C) Linus Torvalds and Mats Anderson * * Rewritten to use GNU 'as' by Chris Noe <stiker@northlink.com>
 May 1999
 Copyright (C) 1998,2000 Rik van Riel * Thanks go out to Claus Fischer for some serious inspiration and *
 for goading me into coding this file... * * The routines in this file are used to kill a
 Copyright (C) 1999 David A. Hinds. All Rights Reserved
 Copyright (C) 1996 Andrew Tridgell (Andrew.Tridgell@anu.edu.au)
 Copyright (C) 1993 Pascal Haible, Bruno Haible * * sysv/dir.c
 Copyright (C) 1996, 1997, 1998, 1999 Jakub Jelinek (jj@ultra.linux.cz) */
 Copyright (C) 1999,2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Hartmut
 Penner (hp@de.ibm.com) * Ulrich Weigand (weigand@de.ibm.com) * Martin S
 Copyright (C) 2000 Geert Uytterhoeven <geert@sonycom.com> * Sony Software Development
 Center Europe (SDCE), Brussels * * include/asm-mips/ddb5xxx/ddb5xxx.h * Common header f
 Copyright (C) 1991, 1992 Linus Torvalds * * Extensively rewritten by Theodore Ts'o, 8/16/92 -- 9/14/92.
 Now * much more extensible to support other serial cards based on the * 16450/16550A UA
 Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin
 Schwidefsky (schwidefsky@de.ibm.com) * * Derived from "include/asm-i386/spinlock.h"
 Copyright (C) 1999-2001 Marcus Niemann
 Copyright (c) 1998, 1999 Frodo Looijaard <frodol@dds.nl>
 Copyright (C) 1995, 2001 by Ralf Baechle
 Copyright (C) 1998 by Ralf Baechle */#include <linux/delay.h>#include <linux/init.h>#include
 <linux/linkage.h>#include <linux/types.h>#include <linux/mm.h>#include <asm/addrspace.h>#include
 <a
 Copyright (C) 1996-1998 Stallion Technologies (support@stallion.oz.au).
 Copyright (C) 1998, 1999, 2000 FutureTV Labs Ltd. * * This file contains the hardware definitions of the
 FTV PCI card.
 Copyright (C) 1996 Eddie C. Dost (ecd@skynet.be) * Fixes by Pete A. Zaitcev <zaitcev@yahoo.com>. * *
 Fixed to use tty_get_baud_rate(). * Theodore Ts'o <tytso@mit.edu>, 2001-Oct-12
 Copyright (C) 1998, 1999, 2001 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>
 */
 (C) 2000 Guenter Geiger <geiger@debian.org> with copy/pastes from the driver of Winfried Ritsch
 <ritsch@iem.kug.ac.at> based on es1370.c
 (c) Copyright 1996-1997 Alan Cox <alan@redhat.com>, All Rights Reserved
 Copyright (C) 1999 Silicon Graphics, Inc. */#ifndef _ASM_STACKFRAME_H#define _ASM_STACKFRAME_H
 Copyright (C) 1997, Stephen Tweedie * * Provide stub functions for unreadable inodes
 (C) Copyright: put under GNU GPL in 10/96 (see
 README.tmscsim)*****
 **/* \$Id: tmscsim.c,v 2.60.2.30 2000/12/20 01:07:12 garloff Exp
 Copyright (C) 1996, 1997, 1999, 2000 by Ralf Baechle */#ifndef _ASM_ATOMIC_H#define
 _ASM_ATOMIC_H
 Copyright (C) 1999 Gerhard Wichert, Siemens AG * Gerhard.Wichert@pdb.siemens.de *
 Copyright (C) 2000 YAEHASHI Takeshi */#include <linux/config.h>#include <asm/io.h>#include
 <asm/irq.h>
 Copyright (C) 2001 Andrew Grover
 Copyright (C) 1999 Jakub Jelinek (jj@ultra.linux.cz) */
 (C) 1997 Carnegie Mellon University * * Stelias encourages users to contribute improvements to * the
 InterMezzo project. Contact Peter Braam (coda@stelias.com).
 Copyright (C) 1999 Ralf Baechle (ralf@gnu.org) */#ifndef _ASM_PCI_BRIDGE_H#define
 _ASM_PCI_BRIDGE_H
 (C) 1996 Peter J. Braam <braam@maths.ox.ac.uk> and * Michael Callahan <callahan@maths.ox.ac.uk> *
 * Rewritten for Linux 2.1. Peter Braam <braam@cs.cmu.edu>
 Copyright (C) 1996 Paul Mackerras. * * Apr. 14 2002 - BenH Rework bus reset code for
 new error handler * Add delay after initial bus reset *
 Copyright (c) 2001, 2002 Axis Communications AB * * This file is under the GPL.
 Copyright (C) 2000-2001 Hewlett-Packard Co * Stephane Eranian <eranian@hpl.hp.com> * * Fixme:

```

(C) W. Metzenthen.\n");#endif /* PRINT_MESSAGES */          /* Get a name string for error reporting */
for (i=0; exception_names[i].type; i++) if ( (exception_names[i].type & n) == except
Copyright (C) 1997 Jim Paradis */
Copyright 2001 MontaVista Software Inc. * Author: jsun@mvista.com or jsun@junsun.net */#include
<linux/sched.h>#include <linux/mm.h>#include <asm/io.h>#include <asm/pgtable.h>#include
<asm/proc
Copyright (C) 1991, 1992 Linus Torvalds (drivers/char/mem.c)
Copyright (C) 2001 Ralf Baechle
Copyright (c) 1997, 1998 Erik Andersen <andersee@debian.org>
Copyright (c) 2000 Markus Demleitner <msdemlei@tucana.harvard.edu>
Copyright (C) 1998 Alan Cox <alan@redhat.com> * * Modified heavily by Joshua M. Thompson based
on Dave Huang's NetBSD driver
Copyright (C) 1994, 1995, 1996, 1997, 1998, 1999, 2000 by Ralf Baechle * * Machine dependent structs
and defines to help the user use * the ptrace system call.
Copyright (c) 2000 Dan Malek (dmalek@jlc.net) */#ifndef __MACH_RPX_HIOX_DEFS#define
__MACH_RPX_HIOX_DEFS
Copyright (C) 2000 Harald Koerfgen
copyright headers. *
Copyright (C) 1998 David S. Miller (davem@redhat.com) */
Copyright (C) 1996 R
Copyright (C) 2002 Intel Corp.
Copyright (C) 2000 by Massimo Piccioni <dafastidio@libero.it>
Copyright (c) 1999-2001 Vojtech Pavlik
Copyright (C) 1992-1997, 1999 Silicon Graphics, Inc.
Copyright 1996, 1997 Michael A. Griffith <grif@acm.org>
Copyright 1999,2001 Silicon Graphics, Inc. */#ifndef _ASM_SN_ARC_TYPES_H#define
_ASM_SN_ARC_TYPES_H
Copyright (C) 2001 Kyle A. Lucke IBM Corporation
(C) 1999 Thomas Bogendoerfer (tsbogend@alpha.franken.de) * * 11/26/2000 -- disabled the existing code
because it didn't work for * me in 2.4. Replaced with a significantly more primitive version
Copyright (c) 1999 Bjorn Wesen, Axis Communications AB ;; ;; We got 784 bytes (par loader size)
to do DMA forwarding ;; between DMA0/1 (ethernet) and DMA3/4 (par port 0 RX/1 TX)
Copyright (c) 1997, 1999-2000 Dag Brattli, All Rights Reserved
Copyright (C) 1997 Paul Mackerras. */#ifndef _PPC_MEDIABAY_H#define _PPC_MEDIABAY_H
Copyright (C) 2001-2002 Silicon Graphics, Inc. All rights reserved
Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
Copyright(C) 1995 Miguel de Icaza
Copyright Torsten Duwe <duwe@informatik.uni-erlangen.de> 1993
Copyright (C) 1997,1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz) */
Copyright (C) 1998 Andrea Arcangeli * Fixed a xtime SMP race (we need the xtime_lock rw spinlock to *
serialize accesses to xtime/lost_ticks). */
Copyright (C) 2000, 2001 Broadcom Corporation */ #include <linux/cache.h>#include
<linux/init.h>#include <linux/spinlock.h>#include <linux/threads.h>#include <linux/time.h>#include
<linux/modul
Copyright (C) 1998, 1999, 2001-2002 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>
*/
Copyright (C) 20yy <Wayne G Holm> <IBM Corporation>
(C) 1999 Rusty Russell (rusty@rustcorp.com.au). */#include <linux/module.h>#include
<linux/skbuff.h>#include <linux/netfilter_ipv4/ip_conntrack.h>#include
<linux/netfilter_ipv4/ip_tables.h>#inc
Copyright 1995 (C) David S. Miller (davem@caip.rutgers.edu) * * Hacked to fit Sun3x needs by Thomas
Bogendoerfer
Copyright 1996 Linus Torvalds. *
(C) Copyright 1999 Linus Torvalds * * Common interfaces for "ptrace()" which we do not want * to
continually duplicate across every architecture.
Copyright (C) 1995, 1996, 1999, 2001 by Ralf Baechle */#include <asm/asm.h>#include
<asm/mipsregs.h>#include <asm/regdef.h>
Copyright (C) 2002 Maciej W. Rozycki */#include <linux/init.h>#include <linux/kernel.h>#include
<asm/traps.h>#include <asm/uaccess.h>#include <asm/addrspace.h>#include <asm/ptrace.h>

```

Copyright 1993 United States Government as represented by the
 Copyright (C) 1998-2000 Michel Aubry
 Copyright ♦ 1997-1998 by PowerLogix R
 Copyright (c) 1994, 95, 96, 97, 98, 99, 2000 Ralf Baechle
 Copyright 1999 Hans Reiser, see reiserfs/README for licensing and copyright details */
 (C) 2001 Pete Popov <ppopov@mvista.com> * * \$Id: pb1xxx-flash.c,v 1.2 2002/02/14 19:36:45 ppopov
 Exp \$
 Copyright (c) 1997-1999 Yamaha Corporation. All Rights Reserved
 Copyright (C) 1999, 2000 Silicon Graphics, Inc. */#ifndef _IOC3_H#define _IOC3_H
 copyright years. * * Revision 1.30 2002/04/22 09:39:12 johana * RS-485 support compiles.
 COPYRIGHT * This file is distributed under the terms of the GNU General Public
 Copyright (C) 1993 Bruno Haible * * This file contains code for allocating/freeing inodes.
 Copyright (C) 1998, 1999, 2001 Ralf Baechle
 Copyright by Roland Klabunde <R.Klabunde@Berkom.de>
 Copyright 1998-2001 Scott Murray <scott@spiteful.org>
 (c) Copyright 2001 Rodolfo Giometti <giometti@ascensit.com>
 Copyright (C) 1999 Silicon Graphics * * Low level exception handling
 Copyright (C) 1997 Sten Wang
 Copyright (C) 2000-2001 Hewlett-Packard Co
 Copyright (C) 1996-1999 Russell King. */#ifndef __ASM_ARCH_HARDWARE_H#define
 __ASM_ARCH_HARDWARE_H
 Copyright (C) 1994 Wolfgang Stanglmeier**
 Copyright (C) 2000 Deep Blue Solutions
 Copyright (C) 2001 Anton Blanchard (anton@au.ibm.com), IBM
 Copyright (C) 1996, 1997 Ingo Molnar, Miguel de Icaza, Gadi Oxman
 Copyright (C) 2001 Cluster File Systems, Inc. */
 Copyright (c) 1994, 1995, 2000 Justin T. Gibbs. * All rights reserved
 Copyright (C) 1995-1997, Olaf Kirch <okir@monad.swb.de> *
 Copyright (C) 1992 - 1997, 1999, 2000 Silicon Graphics, Inc.
 Copyright (C) 2001 David Mosberger <davidm@hpl.hp.com> * * 4/06/01 davidm Tuned to make it
 perform well both for cached and uncached copies.
 Copyright 1997--1999 Martin Mares <mj@ucw.cz> * * For more information, please consult the
 following manuals (look at * <http://www.pcisig.com/> for how to get them): *
 (C) Copyright 1999-2002 Johannes Erdfelt, johannes@erdfelt.com
 Copyright (C) 2001 Massimo Dal Zotto <dz@debian.org>
 Copyright (c) 1996-1999 Russell King. */#ifndef __ASM_ARCH_MEMORY_H#define
 __ASM_ARCH_MEMORY_H
 (C) 1999-2002 Nemosoft Unv. (webcam@smcc.demon.nl)
 Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) */#include <linux/init.h>
 Copyright (C) Original authors of ../asm-i386/checksum.h
 Copyright (C) 2000 - 2001 by Silicon Graphics, Inc. */#ifndef __ASM_SMP_H#define __ASM_SMP_H
 Copyright (C) 1995 Geert Uytterhoeven *
 COPYRIGHT (C) 1996-2000 QLOGIC CORPORATION
 copyright (c) 1998, David Weis weisd3458@uni.edu * * debugging on Quadra 800 and 660AV Michael
 Schmitz, Dave Kilzer 7/98
 (C) Copyright 1995 Linus Torvalds */#include <linux/slab.h>#include <linux/shm.h>#include
 <linux/mman.h>#include <linux/smp_lock.h>#include <linux/pagemap.h>
 Copyright (C) 2001 - 2002
 (C) Copyright 2000 Yggdrasil Computing, Inc. (port of new PCI interface * support from usb-ohci.c
 by Adam Richter, adam@yggdrasil.com).
 Copyright (C) 1999 Niibe Yutaka *
 Copyright (c) 2001 Cliff Brake <cbrake@accelent.com>
 Copyright (c) 1999-2000 Dag Brattli, All Rights Reserved
 Copyright (c) Matthew Wilcox 1999 <willy@bofh.ai>
 Copyright (C) 1999 Gleb Raiko */
 Copyright (C) 1999 Steve Dodd
 Copyright 1995 Kai Makisara. Last modified: Wed Sep 2 21:24:07 1998 by root@home
 Copyright (C) 1996 Paul Mackerras and Mark Abene. * * based on skeletonfb.c:
 (C) Copyright 1999 Johannes Erdfelt

Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) * * Sun3x version 2/4/2000 Sam Creasey (sammy@oh.verio.com)

Copyright (c) 1999-2000 Vojtech Pavlik * * Based on the work of:

Copyright (C) 1985 MIPS Computer Systems, Inc.

Copyright (C) 1996-2001 Cort Dougan <cort@fsmllabs.com> */#ifdef __KERNEL__#ifndef _PPC_SMP_H#define _PPC_SMP_H

Copyright (C) 2000 Serguei Miridonov <mirsev@cicese.mx> This code was modify/ported from the saa7111 driver written by Dave Perks.

Copyright (C) 1997,1998,1999 Free Software Foundation, Inc.

Copyright (C) 1999 David Mosberger-Tang <davidm@hpl.hp.com> * * vsprintf uses this to divide a 64-bit integer N by a small integer BASE. * This is incredibly hard on IA-64 and HPPA

Copyright (C) 1991, 1992 Linus Torvalds * * ext3fs fsync primitive

Copyright (C) 1998-2000 David Mosberger-Tang <davidm@hpl.hp.com> */

Copyright (C) 1996 Martin Apel* Geert Uytterhoeven

(C) 1996 Arthur Ma <arthur.ma@mountainviewdata.com> *

Copyright (C) 1992 - 1997 Silicon Graphics, Inc. */#ifndef __ASM_SN_INTR_H#define __ASM_SN_INTR_H

Copyright 1999, 2000 Creative Labs, Inc. *

Copyright (c) 1998, 2000 Harald Koerfgen */

Copyright (C) 1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz) */

Copyright 1995-1998 by Leonard N. Zubkoff " "<lnz@dandelion.com>\n", HostAdapter);}

Copyright 2001, 2002 Red Hat. * * Mmmm, chocolate vanilla mocha...

Copyright (C) Srinivasa Thirumalachar <sprasad@engr.sgi.com>

Copyright (C) 1999 Helge Deller (07-13-1999)

Copyright (c) 2001 Frederic Lepied <flepiet@mandrakesoft.com> * * USB Wacom Graphire and Wacom Intuos tablet support

Copyright (C) 1998, 1999, 2000 Harald Koerfgen

Copyright (C) 1998-2000 Michel Aubry, Maintainer

Copyright (C) 1999 - 2001 Kanoj Sarcar */#include <linux/config.h>#include <linux/init.h>#include <linux/errno.h>#include <linux/signal.h>#include <linux/sched.h>#include <linux/types.h>#inclu

Copyright (C) 1992,1993,1997 | W. Metzenthen, 22 Parker St, Ormond, Vic 3163, Australia | |

E-mail billm@suburbia.net | |

Copyright (C) 1996, 1999, 2000 by Ralf Baechle

copyright messages: *

(C) 1996-2000 Thomas Sailer, HB9JNX/AE4WA\n"KERN_INFO "baycom_ser_fdx: version 0.10 compiled " __TIME__ " " __DATE__ "\n";

Copyright (c) 1996,1997,1998 Russell King. */

Copyright (C) 2001 IBM Corporation * Author(s): Carsten Otte <cotte@de.ibm.com> * Tuan Ngo-Anh <ngoanh@de.ibm.com> *

Copyright Tim Alpaerts,

Copyright (C) 2001 MontaVista Software Inc. * Author: Jun Sun, jsun@mvista.com or jsun@junsun.net *

(C) Copyright Yggdrasil Computing, Inc. 2000 * (usb_device_id matching changes by Adam J. Richter) *

* NOTE! This is not actually a driver at all, rather this is * just a collection of helper

Copyright (c) 2000, 2001 Wolfgang Denk (wd@denx.de) */

Copyright (C) 2001 Daniel Barlow <dan@telent.net>

Copyright 1998-2000 AUVERTECH T

Copyright 1998 by Fritz Elfert (fritz@isdn4linux.de)

Copyright (c) 1998-1999 Dag Brattli <dagb@cs.uit.no>, All Rights Reserved

Copyright (c) 1997, 1998 Martin Mares <mj@atrey.karlin.mff.cuni.cz>

(C) 1999 Andrea Arcangeli <andrea@suse.de>

Copyright (C) 1998 Eddie C. Dost (ecd@skynet.be) */

Copyright (c) 2001 M. R. Brown <mrbrown@0xd6.org> * * Released under the terms of the GNU GPL v2.0.

Copyright (C) 1999 Niibe Yutaka *

Copyright (C) 2001 Anton Altaparmakov <antona@users.sf.net> * * Documentation is available at <http://linux-ntfs.sf.net/ldm>

Copyright (C) 1998 Andrea Arcangeli * 1999-03-10 Improved NTP compatibility by Ulrich Windl */

Copyright (C) 1999 AbsoluteValue Systems, Inc. All Rights Reserved

Copyright (c) 2001 Matrox Graphics Inc. * * Version: 1.62 2001/11/29

Copyright (C) 2001 Dave Engebretsen * * The PPC64 PMC subsystem encompasses both the hardware PMC registers and * a set of software event counters. An interface is provided via the * proc filesy

Copyright 1995 Roger C. Pao
 Copyright (C) 1997,1998 Jakub Jelinek (jj@ultra.linux.cz) */
 Copyright 1999 Silicon Integrated System Corporation * References:
 Copyright (c) 2001 Axis Communications AB. * * \$Id: usb-host.c,v 1.13 2001/11/13 12:06:17 pkg Exp \$
 Copyright (C) 1997 Richard Hirst * * Based on: *
 Copyright (C) 2000 VA Linux Co
 Copyright by Enrik Berkhan <enrik@starfleet.inka.de>
 Copyright (C) 1998 Ralf Baechle (ralf@gnu.org) */#ifndef __ASM_SGI_SGIHPC_H#define
 __ASM_SGI_SGIHPC_H
 Copyright (C) 2000 FutureTV Labs Ltd. * * Special startup code for FTV PCI board.
 (C) 2001-2002 Nemosoft Unv. webcam@smcc.demon.nl
 Copyright (C) 1998, 1999, 2000 Philip Blundell */
 Copyright (C) 1996,1997 David S. Miller (davem@caip.rutgers.edu)
 Copyright (C) 1999 David S. Miller (davem@redhat.com) * * Emulation routines originate from soft-fp
 package, which is part * of glibc and has appropriate copyrights in it.
 Copyright (C) 2000 Silicon Graphics, Inc. */#ifndef _ASM_SN_IO_H#define _ASM_SN_IO_H
 Copyright (c) 2000 Philip Edelbrock <phil@stimpy.netroedge.com>
 Copyright (C) 2001 Jun Nakajima <jun.nakajima@intel.com>
 Copyright (c) 1995 Caldera, Inc. <greg@caldera.com> * Neither Greg Page nor Caldera, Inc. admit
 liability nor provide * warranty for any of this software. This material is provided * "AS-IS" and at
 Copyright (C) 2002 Hewlett-Packard Company
 (C) Copyright 1995 by Geert Uytterhoeven <geert@linux-m68k.org> *
 (C)Copyright 1998,1999 SysKonnct,
 Copyright (C) 2000 Kazumoto Kojima * * Interrupt handling for IPR-based IRQ.
 Copyright 1995, Russell King. * Various bits and pieces copyrights include:
 Copyright (C) 2000,2002 Silicon Graphics, Inc. All rights reserved
 Copyright 1994, D. Frieauff * Email: fri@rsx42sun0.dofn.de * Phone: x49-7545-8-2256 , x49-7541-
 42305 */
 Copyright (C) 1997, 1998 Ralf Baechle (ralf@gnu.org)
 Copyright (C) 1991, 1992 Linus Torvalds * * ext3 fs regular file handling primitives
 copyright; see LICENSE.FlashPoint for details. * * \$Workfile: phase.c \$
 Copyright (C) 1999 Ralf Baechle */#ifndef _ASM_REGDEF_H#define _ASM_REGDEF_H
 Copyright (C) 1995 */#ifndef __ASM_I386_FLOPPY_H#define __ASM_I386_FLOPPY_H
 Copyright (C) 1999 Ralf Baechle (ralf@gnu.org) */#ifndef _ASM_SN_ARCH_H#define _ASM_SN_ARCH_H
 Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
 Copyright (C) 2000,2001 Axis Communications AB * * Authors: Bjorn Wesen * Hans-Peter
 Nilsson
 (C) 1997 Carnegie Mellon University * * Carnegie Mellon encourages users of this code to contribute
 improvements * to the Coda project. Contact Peter Braam <coda@cs.cmu.edu>.
 Copyright (C) 1999-2001 Nicolas Pitre * * Generic IRQ handling for the SA11x0, GPIO 11-27 IRQ
 demultiplexing.
 Copyright (C) 1995, 1996, 2001 Ralf Baechle
 Copyright (C) 1999 Don Dugger <don.dugger@intel.com> */
 Copyright (c) 1998-1999, Thomas Davis (tadavis@jps.net)
 Copyright (C) 1998 Philip Blundell <philb@gnu.org> * * This file contains the HP300-specific interrupt
 handling. * We only use the autovector interrupts, and therefore we need to * maintain lis
 Copyright (C) 1996 - 2000 Ralf Baechle * Kevin D. Kissell, kevink@mips.com and Carsten Langgaard,
 carstenl@mips
 Copyright (C) 1998, 1999 Eddie C. Dost (ecd@skynet.be)
 (C) 1992, 1993, 1994 Eric Youngdale Modified for ISO 9660 filesystem. *
 Copyright (C) 1996-1999 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
 Copyright 1992 - 2000 Kai Makisara email Kai.Makisara@metla.fi
 Copyright (C) 1998 Gleb Raiko */#include <asm/asm.h>#include <asm/regdef.h>#include
 <asm/stackframe.h>#include <asm/mipsregs.h>#include <asm/addrspace.h>
 Copyright (C) 1998-2001 David Mosberger-Tang <davidm@hpl.hp.com> */#include
 <linux/config.h>#include <linux/kernel.h>#include <linux/init.h>
 Copyright (C) 1993, 1994, 1995, 1999 Eric Youngdale * * adapted from:
 Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org) * Rewritten by Cort Dougan (cort@cs.nmt.edu)
 for PReP

Copyright 1996,1997 David S. Miller (davem@caip.rutgers.edu)
 Copyright 1997 by Alain Malek
 Copyright (C) 1992 Drew Eckhardt
 Copyright (C) 2001-2002 Marcel Holtmann <marcel@holtmann.org> *
 Copyright 2001 by Frode Isaksen <fisaksen@bewan.com>
 Copyright (C) 2000 Ani Joshi <ajoshi@unixbox.com> *
 Copyright 1999,2000 by Armin Schindler (mac@melware.de)
 Copyright 1999 Hewlett Packard Co. *
 (C) SysKonnnect.";#endif/* !defined(lint) */
 Copyright (C) 1998 Paul Mackerras. */
 Copyright (c) 1997,1998 Werner Koch (dd9jn)
 Copyright (C) 1999 Vijay Chander <vijay@engr.sgi.com> */#include <linux/config.h>
 Copyright (c) 1996-2002 Steven J. Ralston * Written By: Steven J. Ralston (19960517) *
 (mailto:sjralston1@netscape.net) * (mailto:Pam.Delaney@lsil.com) * * \$Id: scsi3.h,v 1.9 2002/02/27
 18:45
 Copyright 1999,2000 Cytronics * * Thanks to Deutsche Mailbox Saar-Lor-Lux GmbH * for
 sponsoring and testing fax * capabilities with Diva Server cards. *
 (dor@deutschemailbox.de)
 Copyright 1999-2000 Red Hat Software --- All Rights Reserved
 Copyright (C) 1998 Michael AK Tesch (tesch@cs.wisc.edu) * * Modifications to run under Linux
 Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org) * * Derived from "arch/i386/kernel/sys_i386.c"
 * Adapted from the i386 version by Gary Thomas * Modified by Cort Dougan (cort@cs.nmt.edu) *
 Copyright (C) 1996 SpellCaster Telecommunications Inc. * * structures, macros and defines useful for
 sending * messages to the adapter
 Copyright (C) 2000, 01 MIPS Technologies, Inc.
 Copyright (C) Eicon Technology Corporation, 2000. * * Eicon File Revision : 1.3
 (C) F6FBB 1998 * * Tue Aug 25 20:23:03 1998
 Copyright 1999 by Werner Cornelius (werner@isd4linux.de)
 Copyright (C) 1999 by Kaz Kojima */
 Copyright 2001 VA Linux Systems, Inc., Sunnyvale, California.
 (C) Copyright David Brownell 2000 (kernel hotplug, usb_device_id)
 Copyright (C) 1995, 1996 by Volker Lendecke * Modified 1997 Peter Waltenberg, Bill Hawes, David
 Woodhouse for 2.1 dcache *
 Copyright (C) 1998 Dave Perks <dperks@ibm.net>
 Copyright (C) 1995 Michael Dreher * * This file contains the code to modify the volume bitmap:
 Copyright (C) 2000, 2001, 2002 Maciej W. Rozycki * * Written by Ralf Baechle and Andreas Busse,
 modified for DECStation * support by Paul Antoine and Harald Koerfgen.
 Copyright 2000 Stuart Menefy (stuart.menefy@st.com)
 Copyright(C) 1996,1997 David S. Miller * derived from:
 copyright; see LICENSE.FlashPoint for details. * * \$Workfile: scsbmgr.h \$
 Copyright (C) 1996 Jakub Jelinek (jj@sunsite.mff.cuni.cz) */
 Copyright (C) 1999 Don Dugger <don.dugger@intel.com> */#include <linux/config.h>
 Copyright (C) 2000 Benjamin Herrenschmidt *
 Copyright (C) 1991, 1992, 1993, 1994 Linus Torvalds
 Copyright (C) 1994 - 2001 by Ralf Baechle at alii
 (c) Copyright 2001 Scott Jennings <linuxdrivers@oro.net> * * 4/19 - 2001 [Initial revision] *
 9/27 - 2001 Added spinlocking
 Copyright 1997. * * Portions of this file are....
 Copyright (c) 1994-97 Martin Buck <martin-2.buck@student.uni-ulm.de> * Read COPYING for more
 information *
 copyright; see LICENSE.FlashPoint for details.
 Copyright (C) 2000 MIPS Technologies, Inc. */#include <asm/asm.h>#include <asm/errno.h>#include
 <asm/fpregdef.h>#include <asm/mipsregs.h>#include <asm/offset.h>#include <asm/regdef.h>
 Copyright (C) 1992-2000 Don Kim (don.kim@esstech.com)
 Copyright (C) 1999 Xi Graphics, Inc.
 Copyright (C) 1999, 2001 David Mosberger-Tang <davidm@hpl.hp.com> */
 Copyright (c) 1998 * Daniel Pirkel <daniel.pirkel@email.cz> * Charles University, Faculty of Mathematics and
 Physics * * from
 Copyright 2001 American Megatrends Inc.

Copyright (C) 1995, 1996 Russell King
 (C) 1991, 1992 by Linus Torvalds * * The source code distributions of Netatalk, versions 1.3.3b2 and *
 1.4b2, were used as a specification of the location and format of * files used by Netatalk's
 Copyright (C) 1999-2002 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> * *
 Derived from the x86 and Alpha versions. Most of the code in here * could actually be factored into a com
 Copyright (C) 2002 Shane Nay (shane@minirl.com) *
 Copyright (C) 1999, 2000 Niibe Yutaka
 Copyright (C) 1999, Linus Torvalds *
 Copyright (C) 1998, 1999 Brent Baccala (baccala@freesoft.org) * * This is the lowlevel driver for the DBRI
 & MMCODEC duo used for ISDN & AUDIO * on Sun SPARCstation 10, 20, LX and Voyager models.
 Copyright (C) 1998 - 2002 Douglas Gilbert * * Modified 19-JAN-1998 Richard Gooch
 <rgooch@atnf.csiro.au> Devfs support
 Copyright (C) 1998 Philip Blundell <philb@gnu.org> * * Do the dirty work of rebooting the machine.
 Basically we need to undo all the * good stuff that head.S did when we started up. The caches
 Copyright 2001 MontaVista Software Inc. * Author: Jun Sun, jsun@mvista.com or jsun@junsun.net * *
 arch/mips/ddb5xxx/ddb5476/pci_ops.c * Define the pci_ops for DB5477.
 Copyright (C) 1999 by Ralf Baechle */#ifndef _ASM_IA64_SN_KLDIR_H#define _ASM_IA64_SN_KLDIR_H
 Copyright (C) 2001 Axis Communications AB. * * Author: Hans-Peter Nilsson.
 Copyright (c) 1996,1997 Russell King. * * Changelog:
 Copyright (C) 1994-1998 Linus Torvalds */
 Copyright (C) 1999-2001 David Mosberger <davidm@hpl.hp.com>
 (C) 1996-1997 Claus-Justus Heine.
 Copyright (C) Srinivasa Thirumalachar (sprasad@engr.sgi.com) */
 Copyright (C) 1996 David Mosberger-Tang. */
 Copyright (C) 1999 Niibe Yutaka */
 (C) Copyright 2000 John Fremlin <vii@penguinpowered.com>
 Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) * * FIXME: Handle split L2 caches.
 Copyright (c) 1997, 1998, 1999, 2000 FutureTV Labs Ltd. * * The FTV PCI card has no real-time clock. We
 get timer ticks from the * SCC chip.
 Copyright (C) 2000 Philipp Rumpf (prumpf@tux.org) * * Cache and TLB management
 Copyright (C) 2000 Mark Lord <mlord@pobox.com>
 Copyright 1999 Red Hat, Inc. * * Written by Benjamin LaHaise.
 Copyright (C) 1998 Harald Koerfgen * * Rewritten extensively for controller-driven IRQ support * by Maciej
 W. Rozycki.
 Copyright (C) 1998, 1999 Richard Henderson * * Code supporting the RAWHIDE.
 Copyright 1997-1998 Transmeta Corporation -- All Rights Reserved
 Copyright (c) 1994-2000 Justin T. Gibbs.
 Copyright (C) 1995, 1999 Silicon Graphics */#ifndef _ASM_REG_H#define _ASM_REG_H
 (C) 1997-1998 Caldera, Inc.
 (C) Copyright 1988 Western Digital Corp.,"xd_wd_init_controller,xd_wd_init_drive," Western Dig. WDXT-
 GEN2" { 0x0015,"SEAGATE ST11 BIOS REVISION",xd_seagate_init_controller,xd_seagate_init_drive," Sea
 Copyright (C) 1996 The Australian National University.
 Copyright (C) 2000 David Howells */
 Copyright Galileo Technology.
 Copyright (C) 1997 Rudolf Koenig (rfkoenig@immd4.informatik.uni-erlangen.de) * Used with dbri.h */
 (C) Copyright 1999 Gregory P. Smith *
 Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) * * with a lot of changes to make this thing work for
 R3000s * Tx39XX R4k style caches added. HK
 Copyright (C) 1999--2000 Geert Uytterhoeven * * Based on the PCI version: *
 Copyright (C) 1997 Eric Youngdale *
 Copyright (C) 1995, 1996 Russell King.
 Copyright 2000 - 2001 Kanoj Sarcar (kanoj@sgi.com) */#include <linux/config.h>#include
 <linux/init.h>#include <linux/mmzone.h>#include <linux/kernel.h>#include <linux/string.h>
 Copyright (c) 2000 Wolfgang Denk, DENX Software Engineering. */
 Copyright Micro Memory Inc 2001-2002. All rights reserved
 Copyright (C) 1994 Hamish Macdonald * * Delay routines, using a pre-computed "loops_per_jiffy" value.
 (c) Copyright 2000-2001 Marek Michalkiewicz <marekm@linux.org.pl> * * Based on acquirewdt.c which
 is based on wdt.c.
 Copyright (C) 1999 by Ralf Baechle */#ifndef _ASM_SN_SN0_HUBMD_H#define

```

_ASM_SN_SN0_HUBMD_H
Copyright (c) 2002 Hiroshi Aono (h-aono@ap.jp.nec.com)
Copyright (C) 1996 Paul Mackerras * Amiga/APUS changes by Jesper Skov (jskov@cygnus.co.uk). * *
Derived from "arch/i386/mm/init.c"
Copyright (c) 2000 Adaptec, Inc. (aacraid@adaptec.com)
Copyright (C) 1999, 2000, Trond Myklebust <trond.myklebust@fys.uio.no> */
Copyright (c) 1985, 1986 The Regents of the University of California. * All rights reserved
Copyright (C) 2000 UTS Global LLC * * tubttyaid.c -- Linemode Attention-ID functionality
Copyright (C) 1998 Paul Mackerras * * This file is derived from the Powermac "chips" driver:
Copyright (C) 1998, 1999, 2001 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>
* Stephane Eranian <eranian@hpl.hp.com> * * 01/19/99 S.Eranian heavily enhanced version (see
details be
Copyright (C) 1998 Phil Blundell * * Changelog:
Copyright (C) 2000 Cesar Miquel (miquel@df.uba.ar)
Copyright (C) 1992,1993,1994,1997 | W. Metzenthen, 22 Parker St, Ormond, Vic 3163,
Australia | | E-mail billm@suburbia.net | |
Copyright (C) 1998, 1999 by Ralf Baechle */#ifndef _ASM_UCONTEXT_H#define _ASM_UCONTEXT_H
Copyright (C) 1996 Martin von L * original #-!-checking implemented by tytso. *
Copyright (C) 1999 David S. Miller (davem@redhat.com) */
(C) 1998 Peter J. Braam * * Support for journalling extended attributes
Copyright (C) 1996 Russell King
Copyright (C) 1997-2000 Jakub Jelinek (jakub@redhat.com)
Copyright (C) 1996 Paul Mackerras. * * Modified to declare controllers as structures, added * client
notification of bus reset and handles PowerBook * sleep, by Benjamin Herrenschmidt.
Copyright (C) 1999-2001 Toshiba Corporation * * To do: *
Copyright (c) 1998-1999 David Huggins-Daines / Roman Zippel.
Copyright (C) 1997 David S. Miller (davem@caip.rutgers.edu)
Copyright (C) 1997 Ralf Baechle
Copyright (C) 1996 by Scott Laird
(C) 2001, 2001 Red Hat, Inc. * GPL'd * $Id: gen_probe.c,v 1.5 2001/10/02 15:05:12 dwmw2 Exp $ */
Copyright (C) 1991, 1992, 1993, 1994 Linus Torvalds * Swap reorganised 29.12.95, Stephen Tweedie */
Copyright (C) 2000, 2001 Andrew Grover
(C) 1992, 1993 Linus Torvalds, (C) 1997 Ingo Molnar * * IRQ/IPI changes taken from work by Thomas
Radke * <tomsoft@informatik.tu-chemnitz.de>
Copyright 1994, Linus Torvalds. */
Copyright (C) 1998 Harald Koerfgen
Copyright (C) 1997 Eric Youngdale * * SCSI error/timeout handling * Initial versions: Eric Youngdale.
Based upon conversations with * Leonard Zubkoff and David Miller
Copyright (C) 2000 Stuart Menefy (stuart.menefy@st.com)
Copyright (C) 1998-2000 by Jes Sorensen, <Jes.Sorensen@cern.ch>. * * Thanks to Essential
Communication for providing us with hardware * and very comprehensive documentation without which I
would no
Copyright (C) 2000 Greg Banks * Modified to support multiple serial ports. Stuart Menefy (May 2000). *
Copyright (C) 1996, 1999 David S. Miller (davem@redhat.com) */#ifndef __LINUX_DP83840_H#define
__LINUX_DP83840_H
copyright infomation. Do not change the version information unless an improvement has been made.
Merely removing my name, as Compex has done in the past, does not count as an improvement.
Copyright (C) 1993, 1994, 1995, 1998, 1999 Eric Youngdale * * mid to low-level SCSI driver interface
header * Initial versions: Drew Eckhardt * Subsequent revisions: Eric Youngdale
Copyright (C) 1996 Olaf Kirch <okir@monad.swb.de> */
Copyright (C) 1996, 1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz) */
Copyright (C) 2001 Kyle A. Lucke, IBM Corporation
Copyright (C) 1997 Michael A. Griffith (grif@acm.org) * * CompactPCI platform by Eric Brower, 1999.
Copyright (c) 1994 Timo Rossi * All rights reserved
Copyright (C) by Paul Barton-Davis 1998 * Some portions of this file are derived from work that is: *
copyright Joerg Dorchain (dorchain@mpi-sb.mpg.de) *
Copyright (C) 2001, Dag Brattli <dag@brattli.net>
Copyright (c) 1999 Grant Erickson <grant@lcse.umn.edu> * * Module name: ppc4xx_pic.c
(C) Alex Holden " <alex@linuxhacker.org> 1998.\n", VERSION);

```

Copyright (C) 1998 Philip Blundell <philb@gnu.org> * * This file contains the HP300-specific kernel symbols. None yet. :-)

Copyright (C) 1996, 1997, Olaf Kirch <okir@monad.swb.de> */

Copyright (C) 2000-2001 SysKonnnect GmbH."

Copyright (c) 1998-2000 Vojtech Pavlik * * Based on the work of:

Copyright (C) 1999,2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin Schwidefsky (schwidefsky@de.ibm.com), * Hartmut Penner (hp@de.ibm.com), *

Copyright (c) 1997-1999 Dag Brattli <dagb@cs.uit.no> ,

Copyright (C) 1995-1999 ITConsult-Pro Co. * * Contributors:

Copyright (C) 1994 David Carter * * with work by William Rucklidge (wjr@cs.cornell.edu) *
Geert Uytterhoeven * Jes Sorensen (jds@kom.auc.dk) *
Martin Apel

Copyright (C) 1998, 1999 Richard Henderson * * Code supporting the TAKARA.

Copyright (C) 1998-2002 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>
*/#include <linux/sched.h>#include <linux/kernel.h>#include <linux/mm.h>#include
<linux/smp_lock.h>#include

Copyright (C) 1998 Elmer Joandiu, elmer@ylenurme.ee

Copyright (C) 2000 Crossnet Co. <info@crossnet.co.jp> * * 2_by_8 routines added by Simon Muntun

Copyright (c) 1999-2001 Jean Tourrilhes <jt@hpl.hp.com>

Copyright (C) 1996 Larry Ewing (lewing@isc.tamu.edu)

Copyright 1994-2000 retained by the original author, Donald Becker. The timer-based reset code was supplied in 1995 by Bill Carlson, wwc@super.org.

Copyright (C) by Paul Barton-Davis 1998 * * Some portions of this file are taken from work that is

Copyright (C) 1998 Paul Mackerras * * This file is derived from the Powermac "chips" driver:

Copyright (C) 1999,2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Hartmut Penner (hp@de.ibm.com) */

Copyright (C) 1993, 1994, 1995, 1996, 1997 Free Software Foundation, Inc.

Copyright (C) 1997-2000 Anton Blanchard (anton@samba.org)

Copyright (C) 1999 by Ralf Baechle */#ifndef _ASM_SGI_SN0_HUBNI_H#define _ASM_SGI_SN0_HUBNI_H

Copyright (C) 1995, 1996, 1998 Free Software Foundation, Inc.

Copyright (c) 2001-2002 Greg Kroah-Hartman (greg@kroah.com)

(C) Copyright Data Technology Corp. 05/31/88",xd_dtc_init_controller,xd_dtc_init_drive," DTC 5150X"

Copyright (C) 1999 Eddie C. Dost (ecd@skynet.be) */

Copyright (C) 1991, 1992 Linus Torvalds * * 1997-11-28 Modified for POSIX.1b signals by Richard Henderson * 2000-06-20 Pentium III FXSR, SSE support by Gareth Hughes

Copyright (C) 1999 Vineet M Abraham <vmabraham@hotmail.com>

Copyright (C) 2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Ingo Adlung (adlung@de.ibm.com) */

Copyright (C) 2002 Maciej W. Rozycki */#ifndef __ASM_MIPS_DEC_KN01_H #define
__ASM_MIPS_DEC_KN01_H

Copyright (C) 1995 Jay Estabrook

Copyright (C) 2001 PPC64 Team, IBM Corp

Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) */#ifndef _SPARC_AUXIO_H#define
_SPARC_AUXIO_H

Copyright (C) 1994, 1995, 1996 by Andreas Busse * * Multi-cpu abstraction and macros for easier reading:

Copyright (c) 1999, 2000 Silicon Graphics, Inc. */#ifndef _ASM_BITOPS_H#define _ASM_BITOPS_H

Copyright (C) 2001 PPC64 Team, IBM Corp * * This struct defines the way the registers are stored on the * kernel stack during a system call or other kernel entry.

Copyright (C) 1999 Andrew R. Baker (andrewb@uab.edu) * - Indigo2 changes * -

Interrupt handling fixes

Copyright (C) 1999, 2000 Ralf Baechle

Copyright (c) 1997 Dan Malek (dmalek@jlc.net) * * This version of the driver is specific to the FADS implementation, * since the board contains control registers external to the processor * for th

Copyright (c) 1998-1999 TiVo, Inc. * Original implementation.

Copyright (C) 1998 Alan Bair

(C) 1997-1998 by Thomas Sailer, HB9JNX/AE4WA */

Copyright (C) 2001 Deep Blue Solutions Ltd

Copyright (c) 2000 MontaVista Software, Inc. Dan Malek (dmalek@jlc.net) * * This version of the driver is a combination of the 8xx fec and * 8260 SCC Ethernet drivers. People seem to be choosing

Copyright (C) 2000 Linus Torvalds. * 2000 Transmeta Corp. * aops copied from ramfs. */static
void ramdisk_updatepage(struct page * page, int need_kmap)
Copyright (C) 1993 Pascal Haible, Bruno Haible * * sysv/ialloc.c
Copyright 1995-1996 by Mylex Corporation. All Rights Reserved
Copyright (C) 1992,1994,1997 | W. Metzenthen, 22 Parker St, Ormond, Vic 3163, | |
Australia. E-mail billm@suburbia.net | |
Copyright (C) 2000 Silicon Graphics, Inc. * Written by Ulf Carlsson (ulfc@engr.sgi.com) * *
Based on code written by Paul Gortmaker.
Copyright (C) 1997 Eric Youngdale * * generic mid-level SCSI queueing.
Copyright (c) 1998-2001 Axis Communications AB * * csum_partial(const unsigned char * buff, int len,
unsigned int sum)
Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) *
Copyright (C) 1995 Linus Torvalds * Adapted from 'alpha' version by Gary Thomas * Modified by Cort
Dougan (cort@cs.nmt.edu) * * Support for PReP (Motorola MTX/MVME) * by Troy Benjegerdes (hoze
Copyright (C) 1999 Ralf Baechle (ralf@gnu.org) */#ifndef _ASM_SN_SNO_ARCH_H#define
_ASM_SN_SNO_ARCH_H
Copyright (C) 1995, 1996 by Paal-Kr. Engstad and Volker Lendecke
Copyright (C) 1996 Paul Mackerras. */#include <linux/config.h>#include <linux/string.h>#include
<asm/machdep.h>#include <asm/io.h>#include <asm/page.h>#include <linux/adb.h>#include
<linux/pmu
Copyright (C) 1996, 1997, 2001 Ralf Baechle
Copyright (C) 1997, 2001 by Geert Uytterhoeven and others * * This driver was written based on the
specifications in README.buddha and * the X-Surf info from Inside_XSurf.txt available at * htt
Copyright (c) 1999 Grant Erickson <grant@lcse.umn.edu> * * Module name: ppc4xx_pic.h
Copyright (C) 2001 Mike Corrigan IBM Corporation
(C) Copyright 1999 Linus Torvalds *
Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin
Schwidefsky (schwidefsky@de.ibm.com), */
Copyright (C) 1999, 2000 Andreas E. Bombe
Copyright (C) 1999, 2000 Silicon Graphics, Inc. */#include <linux/config.h>#include <asm/jazz.h>
Copyright (C) 2001 Hewlett-Packard Co
Copyright 2001 MontaVista Software Inc. * Author: MontaVista Software, Inc. *
ahennessy@mvista.com * * RTC routines for Dallas chip.
Copyright 2001 MontaVista Software Inc. * Author: MontaVista Software, Inc. *
ahennessy@mvista.com * * arch/mips/jmr3927/common/init.c
(c)Copyright 1987 SMS",xd_omti_init_controller,xd_omti_init_drive,"n OMTI 5520"
Copyright (C) 1997, 2001 Ralf Baechle (ralf@gnu.org), * derived from r4xx0.c by David S. Miller
(dm@engr.sgi.com). */#include <linux/init.h>#include <linux/kernel.h>#include <linux/sched.h>#incl
Copyright 2001 MontaVista Software Inc.
copyright treaties.
Copyright (C) 1999 Silicon Graphics, Inc. */#ifndef _ASM_CACHE_H#define _ASM_CACHE_H
Copyright: (c) 1998-2001 Arnaldo Carvalho de Melo
Copyright (c) 1998-2000 Vojtech Pavlik * * Sponsored by SuSE
(C) 1998 Peter J. Braam */
Copyright (C) 2002 Maciej W. Rozycki */#include <linux/init.h>#include <linux/kernel.h>#include
<linux/module.h>
Copyright (C) 1998-99 Frodo Looijaard <frodo@dds.nl>
Copyright (C) 1992 Krishna Balasubramanian * * Sep 1997 - Call suser() last after "normal" permission
checks so we * get BSD style process accounting right. * Occurs in sever
(C) IBM Corporation, IBM Deutschland Entwicklung GmbH, 1999,2000 * * This file is the interface of the
DASD device driver, which is exported to user space * any future changes wrt the API will resu
Copyright (C) 1997-1999 Russell King
Copyright (C) 1996 Paul Mackerras. */#include <linux/config.h>
Copyright - Galileo technology.
Copyright (c) 2001 MIPS Technologies, Inc. */#include <linux/init.h>#include <asm/asm.h>#include
<asm/current.h>#include <asm/cachectl.h>#include <asm/fpregdef.h>#include <asm/mipsregs.h>#incl
Copyright (C) 1995-1996 Jean-loup Gailly. * For conditions of distribution and use, see copyright notice in
zlib.h */
Copyright (C) 1999, 2000 Silicon Graphics, Inc. */#ifndef _ASM_UACCESS_H#define _ASM_UACCESS_H

Copyright (C) 2001 Mike Corrigan * * Dynamic DMA mapping support.
 Copyright (C) 1996,1997,1998 Russell King */
 Copyright (C) 19yy name of author
 Copyright (c) 2001 IBM Corp.
 Copyright 1994 by Robert de Vries
 Copyright (C) 1998-1999 Russell King * * Extra MM routines for the Tbox architecture
 Copyright (C) 1999 FutureTV Labs Ltd */
 Copyright (C) 1993 Corey Minyard
 Copyright 1999 Jeff Garzik <jgarzik@mandrakesoft.com> * * Original clgenfb author: Frank Neumann
 Copyright (C) 1992 Krishna Balasubramanian * * Removed all the remaining kerneld mess * Catch the -
 EFAULT stuff properly * Use GFP_KERNEL for messages as in 1.2 * Fixed up the unchecked user spac
 Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org) * * Derived from "arch/i386/mm/fault.c"
 (C) Erik Mouw (J.A.K.Mouw@its.tudelft.nl), April 21, 2000 * * LART uses the LED as follows:
 Copyright (C) 1996, 1997 Claus Heine
 Copyright (C) 1995-1997,1999,2001-2002 Silicon Graphics, Inc. All rights reserved
 Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Ulrich Hild
 (first version), * Martin Schwidefsky (schwidefsky@de.ibm.com), *
 Copyright (C) 2000 ARM Limited, Deep Blue Solutions Ltd.
 (C) 1998-1999 Dave Boynton
 Copyright (C) 2000 by Massimo Piccioni <dafastidio@libero.it>
 Copyright(C) 2001 Kirk Lee <kirk@hpc.ee.ntu.edu.tw> * * This code is GPLed
 Copyright (C) 1995 Richard Hirst * * based on amiints.c -- Amiga Linux interrupt handling code
 Copyright (c) 1998-2002 Axis Communications AB. * * The outline of this driver comes from skeleton.c.
 copyright I put the copyright notice from the * frle-0.22 device driver. * Some code is based
 on the nicstar driver by M. Welsh. * * Author: Rui Prior (rprior@inescn.pt) * P
 Copyright (C) 1999 by Ralf Baechle */#ifndef _ASM_SN_SN0_HUBPI_H#define
 _ASM_SN_SN0_HUBPI_H
 Copyright 2000 Red Hat corp --- All Rights Reserved
 Copyright (C) 1992,1993,1995,1997 | W. Metzenthen, 22 Parker St, Ormond, Vic 3163,
 Australia | | E-mail billm@suburbia.net | |
 Copyright (C) 1997,1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz) */
 Copyright (C) 1991, 1992, 1995 Linus Torvalds * * Adapted for PowerPC (PreP) by Gary Thomas * Modified
 by Cort Dougan (cort@cs.nmt.edu) * copied and modified from intel version
 Copyright (C) 1992 Rick Sladkey * * OS-specific nfs filesystem definitions and declarations
 Copyright (C) 2000 Linus Torvalds. * 2000 Transmeta Corp. * * Usage limits added by David
 Gibson, Linuxcare Australia. * This file is released under the GPL.
 (C)Copyright 1998,1999 SysKonnect, * a business unit of Schneider & Koch & Co. Datensysteme GmbH.
 * * See the file "skfddi.c" for further information.
 Copyright (C) 1997 - 2001 Heinz Mauelshagen, Sistina Software * * February-November 1997 * May-July
 1998 * January-March,July,September,October,Dezember 1999 * January,February,July,November 200
 Copyright (c) 2001 Andre Hedrick <andre@linux-ide.org> * * Asynchronous DMA -- TBA,
 this is a holding file.
 Copyright (C) 1998-1999, Aage Kvalnes <aage@cs.uit.no>
 Copyright 2000 IBM Corporation");MODULE_SUPPORTED_DEVICE ("dasd");MODULE_PARM (dasd, "1-"
 __MODULE_STRING (256) "s");MODULE_PARM (dasd_disciplines, "1-__MODULE_STRING (8)
 "s");EXPORT_SYMBOL (das
 Copyright (C) 1997 Roger Wolff (R.E.Wolff@BitWizard.nl)
 copyright label on that
 Copyright 1995,96 by Michael Hipp (Michael.Hipp@student.uni-tuebingen.de)
 Copyright (C) 1999 SuSE GmbH
 Copyright (c) 2000 Linus Torvalds */
 Copyright (c) David L. Mills 1993 * * * Permission to
 use, copy, modify, and distribute this software and its * * docum
 Copyright (C) 1996-2000 Thomas Sailer (sailer@ife.ee.ethz.ch)
 Copyright (C) 1995 Jay Estabrook
 Copyright (C) 1995, 1999, 2000 Ralf Baechle
 Copyright 1997 by Fritz Elfert (fritz@isd4linux.de)
 (C) Copyright 1999 Red Hat Software\n"); if (i2o_install_handler(&i2o_core_handler) < 0) {
 printk(KERN_ERR "i2o_core: Unable to install core handler.\nI2O stack not loaded!");

```

return 0;
Copyright (C) 1996-1999 Thomas Sailer (sailer@ife.ee.ethz.ch)
Copyright (C) 1999 Vojtech Pavlik * * Sponsored by SuSE
Copyright (C) 2000, 2001, 2002 Axis Communications AB * * Authors: Bjorn Wesen
Copyright (C) UTS Global LLC * * tubfs.c -- Fullscreen driver
Copyright (C) 1999 John G. Dorsey. All Rights Reserved
Copyright (C) 1996 Manish Vachharajani (mvachhar@noc.rutgers.edu) *
Copyright (c) 1999 Andreas Gal
Copyright 2000, David S. Miller <davem@redhat.com> */
Copyright (c) 2000-2002 LSI Logic Corporation * Originally By: Noah Romer * * $Id: mptlan.c,v 1.51
2002/02/11 14:40:55 sralston Exp $
(C) values. * (high-low) */#define RX_VALID 0x0080 /* R: set; tell adapter with
* RECEIVE.VALID interrupt. * C: reset
to zero.
Copyright 1996 Thomas K. Dyas (tdyas@noc.rutgers.edu)
Copyright (C) 1998, 1999 Phil Blundell * * FIQ support written by Philip Blundell <philb@gnu.org>, 1998.
Copyright (C) 1998-2001 David Mosberger-Tang <davidm@hpl.hp.com> * * 00/03/06 D. Mosberger Fixed
to return proper return value (bug found by * by Andreas Schwab
<schwab@suse.de>).
Copyright (C) 1991, 1992 Linus Torvalds. */
Copyright (C) 1996 David S. Miller (dm@sgi.com) * Compability with board caches, Ulf Carlsson */#include
<linux/init.h>#include <linux/kernel.h>#include <asm/sgialib.h>#include <asm/bcache.h>#i
Copyright (C) 2001 Keith M Wesolowski */#include <linux/types.h>#include <linux/init.h>#include
<linux/kernel.h>#include <asm/ip32/crime.h>#include <asm/ptrace.h>
Copyright (C) 1996, 1998, 1999, 2000 David S. Miller (davem@redhat.com)
Copyright (C) 1995 - 1998 Russell King * * Prototypes for generic busmouse interface
Copyright (C) 1999-2002 Hewlett Packard Co * Stephane Eranian <eranian@hpl.hp.com> *
David Mosberger-Tang <davidm@hpl.hp.com> */
Copyright (c) 1996, 1999 by Ralf Baechle */#include <linux/errno.h>#include <asm/asm.h>#include
<asm/offset.h>#include <asm/regdef.h>
Copyright 2001 by Kai Gernaschewski <kai.gernaschewski@gmx.de> * 2001 by Karsten Keil
<keil@isdn4linux.de> * * based upon Karsten Keil's original avm_pci.c driver
Copyright (C) 2001-2002 Silicon Graphics, Inc. All Rights Reserved
copyright: Copyright 1993 United States Government as represented by the Director, National
Security Agency.
Copyright (c) 1997, 1998, 2000 Justin T. Gibbs.
Copyright (C) 1995 - 1998, 2001 by Ralf Baechle */#ifndef _ASM_DELAY_H#define _ASM_DELAY_H
Copyright (C) 1998 Ralf Baechle */#include <asm/asm.h>#include <asm/regdef.h>
Copyright (C) 1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz) * * Based upon preliminary work which is: *
Copyright 1999 Richard Hirst <richard@sleepie.demon.co.uk> * * Based on atari_SCC.c which was
(C) Copyright 1999, 2000 Richard Henderson */
Copyright (C) 1996 Linus Torvalds * * m68k version by Andreas Schwab
Copyright (C) 1993 Greg Harp * Portions of this driver are based on code contributed by Brad Pepers * *
revised 28.5.95 by Joerg Dorchain * - now no bugs(?) any more for both HD & DD * - a
Copyright (C) 2000 FSMLabs, Inc. */#ifndef _ASM_IO_H#define _ASM_IO_H
(C) Copyright Deti Fliegl 1999 (new USB architecture)
(C) Copyright 1999, 2000, 2001 Axis Communications AB, LUND, SWEDEN*!
Copyright(C) 1996,1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz) */
Copyright (c) 1998-1999 David Huggins-Daines.
Copyright (c) 2000 Ericsson Radio Systems AB. * * Make use of MII for PHY control configurable. * Some
fixes.
copyright treaties. * * This source code may only be used to develop software products that * will operate
with Comtrol brand hardware.
Copyright (C) 2002 Broadcom, Inc. * memcpy/copy_user author: Mark Vandevoorde * * Mnemonic names
for arguments to memcpy/__copy_user
Copyright (C) 1994 - 2000, 2001 by Ralf Baechle
(c) Copyright 2000, 2001 Red Hat Inc * * Development of this driver was funded by Equinet Ltd *
http://www.equinet.com
Copyright (C) 1995 -- 1998 Martin Mares <mj@ucw.cz>

```

Copyright (C) 1997 Martin Mares * * Automatic IP Layer Configuration
 (C) * Rewritten by Richard Henderson <rth@tamu.edu> Dec 1996 * Add MOD_INITIALIZING Keith Owens
 <kaos@ocs.com.au> Nov 1999 * Add kallsyms support, Keith Owens <kaos@ocs.com.au> Apr 2000 * Add
 asm/
 Copyright (C) 1998 Eddie C. Dost (ecd@skynet.be) */
 Copyright (C) by Hannu Savolainen 1993-1996\n"); cfg.irq = irq; cfg.dma = dma;
 cfg.io_base = io;
 Copyright (C) 2001 Paul Mundt <lethal@chaoticdreams.org>
 Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) */#ifndef _SGI_SERIAL_H#define _SGI_SERIAL_H
 Copyright (c) 1999, 2000 Brian Warner <warner@lothar.com>
 (C) Copyright Randy Dunlap 2000
 Copyright (C) 1998 by Thorsten Knabe\n"); printk(KERN_INFO "ad1816: io=0x%x, irq=%d,
 dma=%d, dma2=%d, " "clockfreq=%d, options=%d isadmabug=%d\n",
 hw_config->io_base, hw_config->i
 (C) 1997 M. Kirkwood * Coverted to new API by Alan Cox <Alan.Cox@linux.org> * Various bugfixes
 and enhancements by Russell Kroll <rkrroll@exploits.org> * * TODO: Allow for more than one of th
 Copyright (C) 1999, 2001 Nexus Electronics Ltd. * * Changelog:
 Copyright GPL *
 Copyright (c) 2001 Matrox Graphics Inc. * * Version: 1.62 2000/11/29
 Copyright (C) 2002 Gary Brubaker (xavyer@ix.netcom.com)
 Copyright (C) 1996 Peter J. Braam <braam@maths.ox.ac.uk>, * Michael Callahan
 <callahan@maths.ox.ac.uk> * * Redone for Linux 2.1
 Copyright (C) 1996 Universidade de Lisboa * * Written by Pedro Roque Marques (roque@di.fc.ul.pt)
 copyright 1994-2001 by Donald Becker.
 Copyright (C) 1999, 2000 IBM Deutschland Entwicklung GmbH, * IBM Corporation */
 Copyright (C) 1999 Linus Torvalds. * * This file is released under the GPL.
 Copyright (C) 1999, Trond Myklebust <trond.myklebust@fys.uio.no> */
 (C) Copyright 1994 - 1997 Marco van Wieringen */
 Copyright (c) 2000 Mike Corrigan <mikejc@us.ibm.com>
 Copyright (c) 1998 Alan Bair * * This file is based on the initial port to Linux of grf_cvreg.h: *
 Copyright (C) 1995 Adrian M. Rodriguez (adrian@remus.rutgers.edu) */
 Copyright (C) 1998, 1999 David Mosberger-Tang <davidm@hpl.hp.com> */#define FIOSETOWN
 0x8901#define SIOCSPGRP 0x8902#define FIOGETOWN 0x8903#define SIOCGPGRP
 0x8904#define SIOCATMARK 0x8905#de
 Copyright (C) 1999,2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin
 Schwidefsky (schwidefsky@de.ibm.com), */
 Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Ulrich Hild
 (first version) * Martin Schwidefsky (heavily optimized CKSM version) *
 Copyright (C) 2000-2001 Silicon Graphics, Inc. All rights reserved
 Copyright: (c) 1998 Ben Greear
 Copyright (C) 2000, 2001, 2002 Axis Communications AB * * Authors: Bjorn Wesen
 (bjornw@axis.com)
 Copyright (C) 1999 Philipp Rumpf <prumpf@tux.org>
 Copyright (C) 1999, 2000 Silicon Graphics, Inc. */#ifndef _ASM_DELAY_H#define _ASM_DELAY_H
 Copyright 1999 by Ralf Spachmann (mel@melware.de)
 Copyright 2001 MontaVista Software Inc. * Author: MontaVista Software, Inc. *
 ahennessy@mvista.com * * arch/mips/jmr3927/common/rtc_ds1742.c * Based on
 arch/mips/ddb5xxx/commo
 Copyright (C) 1996,1997 Pekka Pietik
 Copyright (C) 2001 IBM.
 Copyright (c) 2002 Maciej W. Rozycki
 (C) 2001 IBM Corporation by Fritz Elfert (felfert@millenux.com");MODULE_DESCRIPTION ("Linux for S/390
 IUCV network driver");MODULE_PARM (iucv, "1s");MODULE_PARM_DESC (iucv, "Specify
 the initia
 Copyright (C) 1997 Roman Hodek * * 10/01/99 cleaned up the code and changing to the same interface *
 used by other architectures /Roman Zippel
 Copyright (C) 2000, 2001 Ralf Baechle
 Copyright (C) 1999-2002 Promise Technology, Inc.
 Copyright (c) 2001, 2002 Ladislav Michl <ladis@psi.cz> * * Based on Ulf Carlsson's code.

Copyright (C) 1999-2001 Russell King
 (C) 1993, Ralf Baechle, see gvp11.c for more info
 Copyright (C) 1996, 1999 Silcon Graphics, Inc.
 Copyright (C) 1991, 1992 Linus Torvalds * * Goal-directed block allocation by Stephen Tweedie *
 (sct@dcs.ed.ac.uk), 1993, 1998 * Big-endian to little-endian byte-swapping/bitmaps by *
 Copyright (C) 1994, 95, 96, 97, 98, 1999, 2000, 01 by Ralf Baechle */#include <asm/asm.h>#include
 <asm/mipsregs.h>#include <asm/regdef.h>#include <asm/sni.h>#include <asm/stackframe.h>
 Copyright (C) 1997 Eddie C. Dost (ecd@skynet.be) * * Adopted for sparc by V. Roganov and G. Raiko. *
 Fixes for different platforms by Pete Zaitcev.
 Copyright (C) 1998, 1999 David Mosberger-Tang <davidm@hpl.hp.com> */#include <linux/types.h>
 Copyright 1998 Red Hat corp --- All Rights Reserved
 Copyright (c) 2000-2001 Vojtech Pavlik
 Copyright (C) 2000 UTS Global LLC * * tubttysiz.c -- Linemode screen-size determiner
 (C) 2001 Dimitromanolakis Apostolos <apdim@grecian.net> * * Based in the radio Maestro PCI driver.
 Actually it uses the same chip * for radio but different pci controller.
 Copyright (C) 1992 Drew Eckhardt * Generic hard disk header file by * Drew
 Eckhardt * * <drew@colorado.edu>
 Copyright (C) 1995,1999 Pete Zaitcev (zaitcev@yahoo.com)
 Copyright (C) 1991-1998 Linus Torvalds * * devfs support - jj, rgooch, 980122
 Copyright (C) 1996-2001 Paul Mackerras (paulus@cs.anu.edu.au)
 Copyright 2000 MontaVista Software Inc. * PPC405GP modifications * Author: MontaVista
 Software, Inc. * frank_rowand@mvista.com or source@mvista.com *
 debbie_chu@mvista.com * *
 Copyright (c) 2001 Pavel Machek (pavel@suse.cz) sponsored by SuSE
 Copyright (C) 1997, 1998, 1999 Ralf Baechle
 Copyright (C) 2002 Maciej W. Rozycki */
 Copyright 1994-95 Roman Hodek <Roman.Hodek@informatik.uni-erlangen.de>
 Copyright (C) 1994 - 2000 Ralf Baechle */#include <linux/delay.h>#include <linux/init.h>#include
 <linux/ioport.h>#include <linux/interrupt.h>#include <linux/kernel.h>#include <linux/spinlock.h>
 Copyright (C) 2001 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> * * Adapted from
 arch/i386/kernel/ldt.c
 Copyright (C) Eicon Technology Corporation, 2000. * * Eicon File Revision : 1.6
 (C) Copyright 1997 Alan Cox, Licensed under the GNU GPL * * Thu May 27 1999 Andrew J. Kroll
 <ag784@freenet..buffalo..edu> *left out exported symbol... fixed
 Copyright (C) 1998 Patrik Rak (prak3264@ss1000.ms.mff.cuni.cz) */
 Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Hartmut Penner
 (hpenner@de.ibm.com), * Martin Schwidefsky (schwidefsky@de.ibm.com) * * Derived f
 Copyright 1999 Silicon Integrated System Corporation Revision: 1.08.04 Apr. 25 2002 Modified
 from the driver which is originally written by Donald Becker.
 Copyright (C) 1996, 1997 Claus Heine.
 Copyright (C) 1995, 1996 by Ralf Baechle, Andreas Busse, * Stoned Elipot and Paul M.
 Antoine. */#ifndef _ASM_BOOTINFO_H#define _ASM_BOOTINFO_H
 Copyright (C) 1998-2001 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> * *
 Unfortunately, this file is being included by bits/signal.h in * glibc-2.x. Hence the #ifdef __KERNEL__ u
 Copyright (C) 1999 ChenLi Tien (cltien@cmedia.com.tw) * C-media support
 (support@cmedia.com.tw) * * Based on the PCI drivers by Thomas Sailer (sailer@ife.ee.ethz.ch)
 Copyright (C) 1996 Thomas K. Dyas (tdyas@eden.rutgers.edu) * Added intersil code 05/25/98 Chris Davis
 (cdavis@cois.on.ca) */
 Copyright: (c) 2000 Sangoma Technologies Inc.
 (C) IBM Corporation, IBM Deutschland Entwicklung GmbH, 1999,2000 * * History of changes (starts July
 2000) * 02/01/01 added dynamic registration of ioctls
 Copyright (C) 1993,1994 Jon Tombs.
 Copyright (C) 1998 Gleb Raiko */#ifndef _ASM_BAGET_VIC_H#define _ASM_BAGET_VIC_H
 Copyright (C) 1998 Paul Mackerras. * * Various evolutions by Benjamin Herrenschmidt & Henry Worth
 Copyright (c) 2000 Eric Brower (ebrower@usa.net) */
 Copyright (C) 1998 Jakub Jelinek (jj@ultra.linux.cz) * * 1999-08-19 Fixed socketpair code * Jason
 Rappleye (rappleye@ccr.buffalo.edu)
 Copyright (C) 1998, 2001 by Ralf Baechle */#include <asm/ds1286.h>#include <asm/sgi/sgihpc.h>
 Copyright (C) 1995, 1996 Russell King, Dave Alan Gilbert (gilbertd@cs.man.ac.uk) * * MFM hard drive code

[experimental]
 (C) 2001 Vladimir Shebordaev <vshebordaev@mail.ru> *
 Copyright by Fritz Elfert <fritz@isd4linux.de>
 Copyright (C) 1998 Paul Mackerras * Ben. Herrenschmidt. *
 Copyright (C) 1994 - 2000, 2001 Ralf Baechle
 (C) 1999 Thomas Bogendoerfer (tsbogend@alpha.franken.de) * * based on code from Oliver Jowett
 <oliver@jowett.manawatu.gen.nz>
 Copyright (C) 1998 Franz Sirl * * Frame buffer structure from:
 copyright (c) 2001 Sun Microsystems (thockin@sun.com)
 Copyright (C) 1996-1999 Russell King */#ifndef __ASM_ARM_CHECKSUM_H#define
 __ASM_ARM_CHECKSUM_H
 Copyright (C) 2000 2001, The Delft University of Technology * * Authors: * - Johan Pouwelse
 (J.A.Pouwelse@its.tudelft.nl): initial version * - Erik Mouw (J.A.K.Mouw@its.tudelft.nl):
 Copyright (C) 2000 Asit K. Mallick <asit.k.mallick@intel.com>
 Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) * Sun3/3x models added by David Monro
 (davidm@psrg.cs.usyd.edu.au) */
 Copyright (C) 1998 by Ralf Baechle */#include <linux/mc146818rtc.h>#include <asm/io.h>
 Copyright (C) 1992 Krishna Balasubramanian and Linus Torvalds
 Copyright (C) 1999 Linus Torvalds
 Copyright (C) 2001 Broadcom Corporation
 copyright details
 Copyright 1994, 1995 Digital Equipment Corporation.
 (C) Copyright 1986 Western Digital Corporation", xd_wd_init_controller, xd_wd_init_drive," 1986 Western
 Digital");
 Copyright (C) 1996 Paul Mackerras (paulus@cs.anu.edu.au) * * Derived from "arch/alpha/kernel/setup.c"
 Copyright (C) 1998 by Harald Koerfgen */#include <linux/mc146818rtc.h>
 Copyright 1994-2001 Stephen Rothwell (sfr@canb.auug.org.au)
 Copyright (C) 1994 - 2000 by Ralf Baechle
 Copyright (C) 1998-2000 Hewlett-Packard Co
 Copyright 2001 Benjamin LaHaise.
 Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org) * * Adapted for Power Macintosh by Paul
 Mackerras
 Copyright (c) 2000-2001 Christoph Hellwig. * All rights reserved
 Copyright (c) 1998 Dag Brattli <dagb@cs.uit.no>, All Rights Reserved
 Copyright (C) 1999, 2000 Kaz Kojima * * FIXME! These routines can be optimized in big endian case.
 Copyright (C) 2000 by Tim Waugh (added LPSETTIMEOUT ioctl) */
 Copyright 1994 by Fritz Elfert (fritz@isd4linux.de)
 (C) 1998 Thomas Bogendoerfer * * This driver is bases on sbusfb.c, which is
 Copyright (C) 1999 Niibe Yutaka
 Copyright (C) 2001 by James.Bottomley@HansenPartnership.com */
 Copyright (C) 2000-2002 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> * *
 These routines maintain argument size conversion between 32bit and 64bit * environment.
 (C) 1995-2001 Linux DECnet Project Team\n";
 Copyright (C) 1993 Hamish Macdonald * Greg Harp
 Copyright (c) 1996-2000 Russell King.
 (C) 2000 Red Hat. GPLv2. * * \$Id: flashchip.h,v 1.7 2001/01/18 03:52:36 nico Exp \$
 Copyright (C) 1992,1995,1997 | W. Metzenthen, 22 Parker St, Ormond, Vic 3163, | |
 Australia. E-mail billm@suburbia.net | |
 Copyright (C) 1996-1997 Claus-Justus Heine
 Copyright (c) 2000 Sam Mosel <sam.mosel@computer.org>
 Copyright (C) 2000 MIPS Technologies, Inc. */#ifndef _ASM_SYSTEM_H#define _ASM_SYSTEM_H
 Copyright (C) 1996-1999 Martin von L
 Copyright 1993 United States Government as represented by the Director, National Security Agency.
 Copyright (C) 2000,2001,2002 Stephen Rothwell
 Copyright (C) 1997 Thomas Sailer (sailer@ife.ee.ethz.ch)
 Copyright 2001 (C) Ken Gordon
 (c) Copyright 1997 by Carsten Paeth (calle@calle.in-berlin.de)
 Copyright (C) 1998 Pete Zaitcev <zaitcev@yahoo.com> */
 Copyright (C) 1994 - 1999 by Ralf Baechle */#ifndef __ASM_PAGE_H#define __ASM_PAGE_H

Copyright (C) 1998, 1999 by Ralf Baechle */#include <linux/ioport.h>#include <linux/sched.h>#include
<linux/pc_keyb.h>#include <asm/keyboard.h>#include <asm/io.h>
Copyright 1992 - 2002 Kai Makisara email Kai.Makisara@metla.fi
Copyright (C) 2001 Dell Computer Corporation <Matt_Domsch@dell.com> * * This code takes all variables
accessible from EFI runtime and * exports them via /proc
copyright doesn't * GPL, so the module-only restriction has been removed.. */
Copyright (c) 1989 Regents of the University of California. * All rights reserved
(C) Controlreg (S) Statusreg */
Copyright (C) 1998 V. Roganov and G. Raiko */
Copyright (C) 1997,1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
Copyright(C) 1996 David S. Miller
Copyright (C) 1999 Richard Hirst */
Copyright (C) 1992, Linus Torvalds */
Copyright (C) 2000, 2001 Broadcom Corporation
(c) Copyright 1999,2000 Hewlett-Packard Company
(c) Copyright 2000 Hewlett-Packard Company
Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Hartmut Penner
(hp@de.ibm.com) * Ulrich Weigand (uweigand@de.ibm.com) * * Derived from "arch/i38
Copyright (C) 1998, 1999, 2001 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>
Copyright (C) 1995 Russell King
Copyright (C) 1998 Olivier A. D. Lebaillif * * Email: olivier.lebaillif@ifrsys.com
(C) 1998 Peter J. Braam
Copyright (C) 1998 Harald Koerfgen, Frieder Streffer and Paul M. Antoine
Copyright 1997 Paul Mackerras */#include <linux/errno.h>#include <linux/sched.h>#include
<linux/proc_fs.h>#include <linux/stat.h>#include <linux/string.h>#include <asm/prom.h>#include
<asm/uac
Copyright (C) 1992 by Linus Torvalds * based on ideas by Darren Senn * * Fixes:
Copyright 2001 Resilience Corporation <ebrower@resilience.com> * \$Id: map_absent.c,v 1.2 2001/10/02
15:05:12 dwmw2 Exp \$ * * This map driver is used to allocate "placeholder" MTD * devices on syst
(C) 1990 - 1998 Specialix International Ltd., Byfleet, Surrey, UK.
Copyright 2002 Intel (eli.kupermann@intel.com, * christopher.leech@intel.com, *
scott.feldman@intel.com) */
(C) 1999 David Airlie, airlie@linux.ie * [07-SEP-99] Bugfixes */
Copyright (C) 2000 John Marvin (jsm@fc.hp.com) */
Copyright (C) 1991, 1992 Linus Torvalds * 1995 Jay Estabrook
Copyright (C) 1994 by Florian La Roche * - Do not copy data too often around in the kernel. * - In
nfs_file_read the return value of kmallocc wasn't checked. * - Put in a better version of rea
Copyright (C) 1996 Frank Neumann *
Copyright (C) 1998-1999 Dave Gilbert / Russell King
Copyright (c) 1999-2002 LSI Logic Corporation * Originally By: Steven J. Ralston *
(mailto:sjralston1@netscape.net) * (mailto:Pam.Delaney@lsil.com) * * \$Id: mptbase.h,v 1.103
2002/02/27 20:24
Copyright (C) 1998 Jon Howell * *based on drivers/macintosh/platinum.c: Console support * for
PowerMac "platinum" display adaptor.
Copyright (C) 1992, 1993, 1994 Rick Sladkey
Copyright (C) 1997-1999 Richard Gooch
Copyright (C) 1999-2000 Andre Hedrick (andre@linux-ide.org)
Copyright (C) 1995 Vadim V. Model * * model@cecmow.enet.dec.com * vadim@rbrf.ru *
vadim@ipsun.ras.ru
Copyright 1994-1998 by Fritz Elfert (fritz@isd4linux.de)
Copyright (C) 1993 Stephen Tweedie (sct@redhat.com) * from
Copyright (C) 1997 - 2000 Ralf Baechle (ralf@gnu.org)
Copyright (C) 1999, 2001 Bradley D. LaRonde
Copyright (C) 1998 IBM Corporation * Author(s): Martin Schwidewsky <schwidewsky@de.ibm.com> */
Copyright (C) 2000, 2001 MIPS Technologies, Inc.
Copyright (C) 1996, 1999 by Ralf Baechle */#ifndef _ASM_BYTEORDER_H#define _ASM_BYTEORDER_H
Copyright (C) 1997 Dan Malek (dmalek@jlc.net). * Amiga/APUS changes by Jesper Skov
(jskov@cygnus.co.uk). * * This file contains the low-level support and setup for the * PowerPC platform,
includ

Copyright (C) 1998 Dan Jacobowitz * * Hardware information from:
 Copyright (C) 1995 Geert Uytterhoeven * * with work by Roman Zippel
 Copyright (C) 1997, 2000 David S. Miller (davem@redhat.com) */
 Copyright (C) 1992, 1993, 1994, 1995 * Remy Card (card@masi.ibp.fr) * Laboratoire MASI - Institut Blaise
 Pascal * Universite Pierre et Marie Curie (Paris VI) * * Enhanced block allocation by Ste
 Copyright (c) 2000 Marc Boucher */#include <linux/module.h>#include <linux/skbuff.h>
 Copyright (C) 2002 Jenna Hall <jenna.s.hall@intel.com>
 Copyright (C) 1999-2002 Hewlett-Packard Co * Stephane Eranian <eranian@hpl.hp.com> * David
 Mosberger-Tang <davidm@hpl.hp.com> * * 2001/10/11 Fix unaligned access to rotating registers in s/w
 pipel
 Copyright (c) 1999 Brian Gerst * * Sponsored by SuSE
 Copyright 1999 by Alex deVries <adevries@thepuffinggroup.com>
 Copyright: (c) 1995-2000 Sangoma Technologies Inc.
 Copyright (C) 1999 Silicon Graphics, Inc. */#ifndef _ASM_ASMMACRO_H#define _ASM_ASMMACRO_H
 Copyright (C) 1995, Advanced Micro Devices, Inc. and Cyrix, Inc. * All Rights Reserved
 (C) SysKonnct GmbH.";static const char SysKonnctBuildNumber[] = "@(#)SK-BUILD: 4.06 PL:
 01";
 Copyright (C) 2000 by Silicon Graphics, Inc. * * On SGI IP27 the ARC memory configuration data is
 completly bogus but * alternate easier to use mechanisms are available.
 Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) */#include <linux/init.h>#include
 <linux/kernel.h>#include <linux/string.h>
 Copyright (C) 1998-2002 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> * *
 05/12/00 grao <goutham.rao@intel.com> : added isr in siginfo for SIGFPE
 Copyright (C) 1998-2000
 Copyright (C) 1996 David S. Miller (davem@caipfs.rutgers.edu) * * Based upon code written by Ross Biro,
 Linus Torvalds, Bob Manson, * and David Mosberger.
 Copyright (C) 1995, 1996 Olaf Kirch <okir@monad.swb.de>
 Copyright (C) 1992 Drew Eckhardt * low level scsi driver header for ST01/ST02 by *
 Drew Eckhardt * * <drew@colorado.edu>
 Copyright (C) 1998 Joseph Malicki
 Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin
 Schwidefsky (schwidefsky@de.ibm.com) * * Derived from "include/asm-i386/bitops.h"
 Copyright (C) 2000, 2001 * Gary Brubaker (xavyer@ix.netcom.com) *
 Copyright (C) 1991, 1992 Linus Torvalds * * Added support for a Unix98-style ptmx device. * -- C. Scott
 Ananian <cananian@alumni.princeton.edu>, 14-Jan-1998 * Added TTY_DO_WRITE_WAKEUP to en
 Copyright (c) 2001 Ralf Baechle
 Copyright (C) 1995 Martin von L
 Copyright (C) 2000 Andrea Arcangeli <andrea@suse.de> SuSE */
 Copyright (C) 1997 Roger Wolff (R.E.Wolff@BitWizard.nl)
 Copyright (C) 1997-2000 Russell King, Stefan Hanske * * This driver is based on experimentation. Hence,
 it may have made * assumptions about the particular card that I have available, and * may n
 Copyright (C) 1997,1998 Jirka Hanika (geo@ff.cuni.cz) * * Sources:
 Copyright (c) 1999 Dag Brattli <dagb@cs.uit.no>
 Copyright (C) 1999, 2000 Creative Labs, inc. *
 Copyright (1999) The Puffin Group * Mostly rewritten by Philipp Rumpf <prumpf@tux.org>
 Copyright (C) 2001 Wolfgang M * * Very much code of this driver is borrowed from dabusb.c (Deti
 Fliegl) * and from the USB Skeleton driver (Greg Kroah-Hartman). Thank you.
 Copyright (C) 1995, 1996 Paul M. Antoine
 Copyright (c) 2001-2002 PPC64 team, IBM Corp
 Copyright (C) 1998, 1999 David Mosberger-Tang <davidm@hpl.hp.com> */
 Copyright (C) 2000 Steven J. Hill (sjhill@cotw.com) * Toshiba America Electronics
 Components, Inc. * * \$Id: nand_ecc.c,v 1.7 2002/03/21 14:13:50 dwmw2 Exp \$
 Copyright 1999 ARM Limited
 Copyright (C) 1999-2000 David Mosberger-Tang <davidm@hpl.hp.com> * * A simple API for unwinding
 kernel stacks. This is used for * debugging and error reporting purposes. The kernel doesn't need
 Copyright (C) 2001 MontaVista Software Inc. * Author: Jun Sun, jsun@mvista.com or jsun@junsun.net * *
 linux/arch/mips/vr4181/common/irq.c * Completely re-written to use the new irq.c
 Copyright (C) 1998 Pauline Middelink <middelink@polyware.nl>
 Copyright (C) 1992, 1993, 1994 Rick Sladkey * * OS-independent nfs remote procedure call functions

Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) * * Generalization by Jesper Skov (jskov@cygnus.co.uk)

Copyright (C) 2000 Kazumoto Kojima * * I/O routine for Hitachi SolutionEngine.

Copyright (C) 1998-2000, 2002 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> */

Copyright (C) 2001 Altera Corporation

Copyright (C) 1997 Geert Uytterhoeven

Copyright (C) 1998 Bernd Harries

Copyright (C) 1999 Tetsuya Okada

Copyright (C) 1999 David Mosberger-Tang <davidm@hpl.hp.com> * * vsprintf uses this to divide a 64-bit integer N by a small integer BASE. * This is incredibly hard on IA-64...

Copyright (c) 2000 MontaVista Software, Inc (source@mvista.com) * 2.3.99 Updates * * In addition to the individual control of the communication * channels, there are a few functions that globally

(C) 1994 V3.5", 5, 44, 3, 5, 0 { "FUTURE DOMAIN CORP. V3.6008/18/93", 5, 34, 3, 6, 0 }, { "FUTURE DOMAIN CORP. V3.6108/18/93", 5, 34, 3, 6, 0 },

copyright 2001 Steven Whitehouse <steve@chygwyn.com> * * (part of code stolen from loop.c)

Copyright (C) 2000-2001 David Mosberger-Tang <davidm@hpl.hp.com> */

Copyright (c) 1999-2001 LSI Logic Corporation" #define MODULEAUTHOR "Steven J. Ralston, Noah Romer, Pamela Delaney" #include "mptbase.h" #include "mptctl.h"

Copyright (C) by Hannu Savolainen 1993-1996\n");

(C) 1998-2001 Ben Fennema

Copyright (C) 1996 Olaf Kirch, <okir@monad.swb.de> * * TCP NFS related read + write fixes

Copyright 1999 SuSE GmbH (Philipp Rumpf)

Copyright (C) 2000 - 2001 Silicon Graphics, Inc. All rights reserved

(c) Copyright 1995 Alan Cox <alan@redhat.com> *

(C) 2000,2001 by Harald Welte <laforge@gnumonks.org> * * This software is distributed under the terms GNU GPL

Copyright (c) 2000 Daniel Egger <egger@suse.de>

Copyright (C) 1995, 1996, 1997, 1998 by Ralf Baechle and Andreas Busse * * Jazz family specific interrupt stuff

Copyright (C) 1998-2000 Andre Hedrick <andre@linux-ide.org>

Copyright (C) 1996 Paul Mackerras * * and on the PowerMac ATI/mach64 display driver: *

Copyright (c) 1997, 1998, 2000, 2001 Justin T. Gibbs.

Copyright (C) 2000 RidgeRun, Inc.

Copyright (C) 1992, 1998 Linus Torvalds, Ingo Molnar *

Copyright 2000 Silicon Graphics, Inc. */ #ifndef __ASM_SN_MAPPED_KERNEL_H #define __ASM_SN_MAPPED_KERNEL_H

Copyright 2000 Precision Insight, Inc., Cedar Park, Texas.

Copyright (C) 1994, 1995, 1996, 1997, 2000, 2001 by Ralf Baechle

Copyright (C) 1995, 1996, 1997 by Paal-Kr. Engstad and Volker Lendecke

copyright of skeleton.c was as follows: * * skeleton.c Written 1993 by Donald Becker.

Copyright (C) 1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz)

Copyright (C) 1998, 1999, 2000, 2001, 2002 Axis Communications AB * * Many, many authors. Based once upon a time on serial.c for 16x50.

Copyright (c) 1998 Dan Malek (dmalek@jlc.net) */ #ifdef __KERNEL__ #ifndef __MACH_RPX_DEFS #define __MACH_RPX_DEFS

Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * * Derived from "include/asm-i386/semaphore.h"

Copyright (C) 2001 Mountain View Data, Inc.

Copyright (C) 1996-1998 Martin Mares <mj@atrey.karlin.mff.cuni.cz> * * Derived from network configuration code in fs/nfs/nfsroot.c,

Copyright (c) 1997 Dan Malek (dmalek@jlc.net) * * The I/O on the MPC860 is comprised of blocks of special registers * and the dual port ram for the Communication Processor Module. * Within this sp

Copyright (C) 1994, 1995, 1996 scott snyder <snyder@fnald0.fnal.gov>

Copyright (C) 1998, 1999 Ralf Baechle */ #include <net/checksum.h> #include <linux/types.h> #include <asm/byteorder.h> #include <asm/string.h> #include <asm/uaccess.h>

Copyright (C) 2001 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> */ #ifndef _ASM_IA64_SMP_H #define _ASM_IA64_SMP_H

Copyright (C) 1991, 1992 Linus Torvalds * * ext2 directory handling functions

Copyright (C) 2001 Ralf Baechle */ #include <linux/stat.h> #include <linux/sched.h> #include

```

<linux/kernel.h>#include <linux/mm.h>#include <linux/smp.h>#include <linux/smp_lock.h>#include
<linux/
Copyright (C) 1999 David Mosberger-Tang <davidm@hpl.hp.com> * * 99/01/28      Added N_IRDA and
N_SMSBLOCK
Copyright))          printk("
Copyright (C) 1997 Paul Mackerras. */
Copyright (C) 2000 Peter J. Braam *
Copyright (c) 1997 Antonio Santos * * The original work is from the NetBSD CyberVision 64 framebuffer
driver * and support files (grf_cv.c, grf_cvreg.h, ite_cv.c): * Permission to use the source
Copyright (C) 1995, 1996, 1997 David S. Miller (davem@caip.rutgers.edu) * * Added vuid event generation
and /dev/kbd device for SunOS * compatibility - Miguel (miguel@nuclecu.unam.mx)
(C) Copyright 2000, S A McConnell (samconn@cotw.com)
Copyright      :      (c) Specialix International Ltd. 1998/*
                */*      Description      :      Prototypes, structures and definitions
                */*      describing the SX/SI/XIO board hardware      */
Copyright (C) 1998, 1999 Russell King, Phil Blundell */#include <linux/sched.h>#include
<linux/ioport.h>#include <linux/kernel.h>#include <linux/init.h>
(C) Copyright 1993, 1994 by Bjorn Ekwall *      The Author may be reached as bj0rn@blox.se * *
      Based on adapter information gathered from DE600.ASM by D-Link Inc., *      as included on disk C
in the v.2.11
Copyright (C) 1995-1999 Linus Torvalds */
(C) Copyright 1999, 2000 Linus Torvalds */#include <linux/init.h>#include <linux/pci.h>#include
<linux/sched.h>#include <linux/interrupt.h>#include <linux/delay.h>#include <linux/module.h>
Copyright (C) 1997, 1998, 1999, 2000 Ralf Baechle (ralf@gnu.org) */#include <linux/sched.h>#include
<linux/mm.h>
Copyright Theodore Ts */
Copyright (C) 2000 David Mosberger-Tang <davidm@hpl.hp.com> * * Generic IA-64 unwind info decoder.
Copyright (C) 2000 David S. Miller (davem@redhat.com) * * Based on older sparc32/sparc64 checksum.S,
which is: *
Copyright (C) 1994-1995 Bas Laarhoven.
Copyright (c) 1999 Pavel Machek <pavel@suse.cz>
(C) F6FBB 1998 * * Tue Aug 25 20:24:08 1998
Copyright (C) 1995-1998 Mark Lord */#include <linux/config.h>#include <linux/types.h>#include
<linux/kernel.h>#include <linux/sched.h>#include <linux/init.h>#include <linux/delay.h>#include <l
Copyright (C) 1993, 1994, 1995, 1999 Eric Youngdale * *      Linux scsi disk driver *      Initial
versions: Drew Eckhardt *      Subsequent revisions: Eric Youngdale
Copyright (C) Eicon Technology Corporation, 2000. * * Eicon File Revision : 1.2
Copyright (C) 1999, 2000 Ingo Molnar, Red Hat
Copyright (C) 1996,97,98 Ralph Metzler (rjkm@thp.uni-koeln.de)
Copyright 1993, 1994: Eric Youngdale (ericy@cais.com). */
Copyright (C) 1999 AbsoluteValue Systems, Inc. All Rights Reserved
Copyright (C) 1998 Alan Cox *
Copyright (C) 1999-2001 Hewlett-Packard Co *      David Mosberger <davidm@hpl.hp.com> * * This stub
allows us to make EFI calls in physical mode with interrupts * turned off. We need this because we c
Copyright (c) 2001-2002 Ben Fennema <bfennema@falcon.csc.calpoly.edu> * All rights reserved
Copyright (C) 2000 Anton Blanchard (anton@samba.org) */
(C) IBM Deutschland Entwicklung GmbH, 2000\n");      opt_char=opt_block=opt_3480=opt_3490="not
present";#ifdef CONFIG_S390_TAPE_CHAR      opt_char="built in";#endif#ifdef CONFIG_S390_TAPE_BLO
Copyright (C) 2000,2001 Qualcomm Inc",      VERSION);      BT_INFO("Written 2000,2001 by
Maxim Krasnyansky <maxk@qualcomm.com>");
Copyright (c) 1998 Bas Vermeulen <bvermeul@blackstar.xs4all.nl>
(c) Copyright 1999 Grant Grundler
Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) */#ifndef __SPARC_CPREFIX_H#define
__SPARC_CPREFIX_H
Copyright (C) 1996, 1998, 1999 Martin von L
Copyright (c) by Jaroslav Kysela <perex@suse.cz> *
Copyright (C) 1999 David A. Hinds. All Rights
Copyright (C) 1999 by Kaz Kojima * * Defitions for the address spaces of the SH CPUs.
Copyright (C) 1999,2001-2002 Silicon Graphics, Inc. All Rights Reserved

```

(C) Copyright 2000-2001 David Brownell <dbrownell@users.sourceforge.net> * * [Initialisation is based on Linus'] * [uhci code and gregs ohci fragments]
 Copyright (C) 1996-1998, Paul Gortmaker.
 Copyright (C) 1996,1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz) * * You can put anything here, but:
 Copyright (C) 1997 Michael AK Tesch * * with work by Jon Howell * Harry AC
 Eaton * Anthony Tong <atong@uiuc.edu>
 (C) Copyright 1998 Linus Torvalds * * These functions have a non-standard call interface * to make them
 more efficient, especially as they * return an error value in addition to the "real" * retu
 Copyright (c) 1999 Grant Erickson <grant@lcse.umn.edu> * * Module name: board.h
 (C) 2000 Nicolas Pitre <nico@cam.org> * * This code is GPL
 Copyright (c) 2001 Anton Altaparmakov (AIA) */#include <linux/nls.h>
 Copyright (c) 1998-1999 TiVo, Inc. * PowerPC 403GCX modifications.
 COPYRIGHT 0xe3 /
 Copyright (C) 2000 Russell King.
 Copyright (C) 1992, 1994, 1995, 2000 Free Software Foundation, Inc.
 Copyright 1999 Red Hat, Inc.
 Copyright (C) 2000 by Colin Ngam */#ifndef _ASM_SN_LAUNCH_H#define _ASM_SN_LAUNCH_H
 Copyright (C) 2000 by Colin Ngam */#ifndef __ASM_SN_XTALK_XWIDGET_H__define
 __ASM_SN_XTALK_XWIDGET_H__
 Copyright (C) 1994-1995 Bas Laarhoven,
 Copyright : (c) Specialix International Ltd. 1999
 Copyright (C) 1995 Linus Torvalds * * Pentium III FXSR, SSE support * Gareth Hughes
 <gareth@valinux.com>, May 2000
 (C) 1999 University of Helsinki.\n");
 Copyright (C) 2000 Mountainview Data, Inc. */
 Copyright (c) 1994 John Aycock
 Copyright (C) 1992,1993,1994,1995,1996,1997,1999
 Copyright (C) 2000, 2001 Axis Communications AB * * Authors: Mikael Starvik (starvik@axis.com)
 Copyright (C) 1999 Alpha Processor, Inc., * (David Daniel, Stig Telfer, Soohoon Lee) */
 Copyright (C) 2000 Toshiba Corporation */#ifndef __ASM_TXX927_H #define __ASM_TXX927_H
 Copyright (C) 1998 Gleb Raiko */#include <linux/kernel.h>#include <asm/system.h>#include
 <asm/ptrace.h>#include <asm/addrspace.h>
 Copyright (C) 1998-2000 Russell King
 Copyright (C) 1996 Jay A Estabrook
 Copyright (C) 2001 Arjan van de Ven <arjanv@redhat.com> *
 (C) Copyright 1999 Andrea Arcangeli */
 Copyright (c) 1999 Martin Mares <mj@ucw.cz> * * The bridge optimization stuff has been removed. If you
 really * have a silly BIOS which is unable to set your host bridge right, * use the PowerT
 Copyright 2001 Red Hat, Inc.
 Copyright (c) 2000-2002 Ghazlane Toumi <gtoumi@laposte.net> * * Created 15 Jan 2000 by Ghazlane
 Toumi
 Copyright 1994-97 Roman Hodek <Roman.Hodek@informatik.uni-erlangen.de>
 (C) 1995 by Andreas Busse (andy@waldorf-gmbh.de) * * A driver for the onboard Sonic ethernet controller
 on Mips Jazz * systems (Acer Pica-61, Mips Magnum 4000, Olivetti M700 and * perhaps others,
 Copyright (C) 1999, 2000 Silicon Graphics, Inc. */#include <linux/config.h>#include
 <linux/sched.h>#include <linux/mm.h>#include <linux/smp.h>#include <linux/smp_lock.h>#include
 <linux/kernel.h>
 Copyright 1996-1997 David J. McKay
 Copyright (C) 1997 Andrew Main <zefram@fysh.org> * Integrated into 2.1.97+, Andrew G. Morgan
 <morgan@transmeta.com> */
 Copyright (C) 1994,1999 | W. Metzenthen, 22 Parker St, Ormond, Vic 3163, | |
 Australia. E-mail billm@melbpc.org.au | |
 Copyright (C) 2001 PPC 64 Team, IBM Corp
 copyright 1997 David Weis, weisd3458@uni.edu*/
 Copyright (1994, 1995) Eric Youngdale. * * Support for loading low-level scsi drivers using the linux kernel
 loadable * module interface.
 Copyright (C) 1993 Pascal Haible, Bruno Haible * * sysv/namei.c
 Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) * * Based upon work which is:
 Copyright (C) 1998 Randy Gobbel.

Copyright (C) 1992 W. Metzenthen, 22 Parker St, Ormond, Vic 3163, | Australia. E-mail
billm@vaxc.cc.monash.edu.au | |

Copyright (C) 2000, 2001 UTS Global LLC * * tubttyscl.c -- Linemode tty driver scroll-timing functions

Copyright (C) 2001 Peter Bergner.

Copyright 1999, 2000 Philipp Rumpf <prumpf@tux.org> * * 2000/10/26 Debacker Xavier
(debackex@esiee.fr) * Marteau Thomas (marteaut@esiee.fr) *

Djoudi Malek (djoudim@esiee.fr) * fixed leds con

Copyright (C) 1995 Linus Torvalds

Copyright (c) 1999 Dan Malek (dmalek@jlc.net)

Copyright (c) 1997-1998 Mark Lord

(C) 1998 Dave Boynton

Copyright 1994-2000 by Donald Becker.

Copyright (C) 1996 Paul Mackerras. * * Adapted to ADB changes and support for more devices by *
Benjamin Herrenschmidt. Adapted from code in MkLinux * and reworked.

Copyright (C) 1999-2001 Hewlett-Packard Co. * David Mosberger-Tang <davidm@hpl.hp.com> *
Stephane Eranian <eranian@hpl.hp.com> * * All EFI Runtime Services are not implemented yet as
EFI only * s

Copyright (C) 1996,1997,1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz)

Copyright (C) 2001 Bradley D. LaRonde <brad@lrc.com> * * 32 bit support, text color and panning fixes
for modes != 8 bit

Copyright (C) 1997, 1999, 2001 by Ralf Baechle

Copyright (C) 1995-1997 Jan "Yenya" Kasprzak <kas@fi.muni.cz>

Copyright (C) 1998 Gleb Raiko */#include <linux/init.h>#include <linux/kernel.h>#include
<linux/sched.h>#include <asm/irq.h>#include <asm/addrspace.h>#include <asm/reboot.h>

Copyright 2000 VA Linux Systems, Inc., Sunnyvale, California.

(C) Copyright 1999 Roman Weissgaerber, weissg@vienna.at

Copyright (C) 2001 Dan Malek (dmalek@jlc.net) * * linux/arch/arm/mm/consistent.c

(C) 1998 Jonas Munsin <jmunsin@iki.fi> * * GemTek hasn't released any specs on the card, so the protocol
had to * be reverse engineered with dosemu.

copyright; see LICENSE.FlashPoint for details. * * \$Workfile: blx30.h \$

Copyright (C) 1999 Silicon Graphics, Inc. */#include <linux/init.h>#include <asm/arc/types.h>#include
<asm/sgialib.h>

Copyright (C) 1993 Linus Torvalds * Support of BIGMEM added by Gerhard Wichert, Siemens AG, July
1999 * SMP-safe vmalloc/vfree/ioremap, Tigran Aivazian <tigran@veritas.com>, May 2000 */

(C) 1998 Ben Pfaff *

Copyright (C) 1993, 2000 Linus Torvalds * * Delay routines, using a pre-computed "loops_per_jiffy" value.

Copyright (C) 1995-1999 Madge Networks Ltd.

(C) 2001 by Wilfried Weissmann <wweissmann@gmx.at>

Copyright (C) 1997 Paul Mackerras. * * and indirectly from: *

Copyright (c) 1998, 1999 Jens Axboe <axboe@image.dk>

(C) 2001 Dave Engebretsen, IBM Corporation * * pSeries specific routines for PCI.

copyright to remain somewhere in the * code (for myself, I go with the GPL). * Nobody wants to take
responsibility for anything, except the fame. */

Copyright (c) 1994 - 1997, 1999, 2000 Ralf Baechle (ralf@gnu.org)

Copyright (C) 1995 Miguel de Icaza (miguel@nuclecu.unam.mx) * * Based upon preliminary work which is:
*

Copyright (C) 1999 SuSE GmbH, (Philipp Rumpf, prumpf@tux.org) * * 1994-07-02 Alan Modra *
fixed set_rtc_mmss, fixed time.year for >= 2000, new mktime * 1998-12-20 Updated NTP code ac

Copyright (C) 1998, 1999 Ralf Baechle (ralf@gnu.org) */#ifndef _ASM_POLL_H#define _ASM_POLL_H

Copyright (C) 2001, David Gibson, IBM <hermes@gibson.dropbear.id.au>

Copyright (C) 1997 Anton Blanchard (anton@progsoc.uts.edu.au)

Copyright (C) 1999-2000 Nicolas Pitre <nico@cam.org> */

Copyright (C) 1997 Sun Weenie (ko@ko.reno.nv.us)

Copyright (C) 1996, 1997 Olaf Kirch */

Copyright (C) 1994-96 Marc ZYNGIER <zyngier@ufr-info-p7.ibp.fr> or <maz@gloups.fdn.fr>

Copyright (C) 1999, 2000, 2001 * * Sun3x support added 2/4/2000 Sam Creasey (sammy@oh.verio.com)

Copyright (C) 1993 Hamish Macdonald

Copyright (c) 1993 Daniel Boulet

Copyright by Hannu Savolainen 1993-1997 * * Redistribution and use in source and binary forms, with or

without * modification, are permitted provided that the following conditions are * met: 1. Re
 Copyright (C) 2002 Maciej W. Rozycki */#ifndef _ASM_CHECKSUM_H#define _ASM_CHECKSUM_H
 Copyright (C) 1992,1993 Rick Sladkey <jrs@world.std.com>
 Copyright 1999,2000 Cytronics
 Copyright (C) 1995,1996 Olaf Kirch <okir@monad.swb.de> */
 Copyright (C) 1996-1999 Stallion Technologies (support@stallion.oz.au).
 Copyright (c) Hewlett Packard (Paul Bame <bame@puffin.external.hp.com>)
 Copyright (C) 2000 Mike Stephens <mike.stephens@intel.com> */
 Copyright 1993, Drew Eckhardt * Visionary Computing * (Unix and Linux consulting and custom
 programming) * drew@colorado.edu * +1 (303) 440-4894 * * ALPHA RELEASE 1.
 Copyright (C) 1993 by Nigel Gamble (added interrupt code)
 Copyright (C) 1998 Deborah Wallach.
 Copyright (C) 2000, 2001 Ralf Baechle (ralf@gnu.org)
 Copyright (c) 1996 by Manish Vachharajani
 Copyright (C) 2001 Jean Tourrilhes, HP Labs <jt@hpl.hp.com>
 Copyright 1998 Derrick J Brashear (shadow@andrew.cmu.edu) * * This is a dummy lowlevel driver.
 Consider it a distant cousin of */proc/audio; It pretends to be a piece of audio hardware, and write
 Copyright (C) 1998-2000, 2002 Tim Waugh <tim@cyberelk.net>
 Copyright (C) 1991, 1992 Linus Torvalds */
 Copyright (C) 1995-1996 Jean-loup Gailly and Mark Adler
 Copyright (C) by Hannu Savolainen 1993-1997 *
 Copyright 1996, Paul Mackerras.
 Copyright (C) 2000 Andrea Arcangeli <andrea@suse.de> SuSE * * 30042000 Jens Axboe
 <axboe@suse.de> : *
 Copyright (c) 2000 Vojtech Pavlik * * Based on the work of:
 copyright * 1986, 1989, 1990 by Abacus Research and Development, Inc. (ARDI) * It is used here by the
 permission of ARDI's president Cliff Matthews. * * If you discover bugs in this code please no
 Copyright (C) 2001 Utz-Uwe Haus <haus@uuhaus.de>
 Copyright (c) Marc A. Viredaz, 1998 * DEC Western Research Laboratory, Palo Alto, CA *
 Date January 1998 (April 1997) * System StrongARM SA-1100 * Language C
 or ARM Assembly * Purp
 Copyright (C) 2001 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Fritz Elfert
 (elfert@de.ibm.com, felfert@millenux.com) * Fixes by : Jochen Roehrig (roehrig@de.ibm.com) *
 Copyright (C) 1998 Eddie C. Dost (ecd@skynet.be) */
 Copyright 1994,95,96 by Fritz Elfert (fritz@isd4linux.de)
 (c) Copyright 2002 Rob Radez <rob@osinvestor.com> * * Based on wdt.c.
 (C) Copyright 1996 Linus Torvalds * * SuperH verison by Niibe Yutaka * (Currently no asm implementation
 but generic C code...)
 Copyright (C) 1996, 1997 Gadi Oxman <gadio@netvision.net.il> */
 Copyright (C) 1999, 2000 Ralf Baechle (ralf@gnu.org)
 Copyright (C) 2001 Dave Engebretsen
 Copyright 1999 Philipp Rumpf (prumpf@tux.org)
 Copyright (C) 2000 Geert Uytterhoeven <geert@sonycom.com> * Sony Software
 Development Center Europe (SDCE), Brussels *
 Copyright (C) 2000,2001 J.I. Lee <jung-ik.lee@intel.com> *ACPI 2.0 specification */
 Copyright (c) 1999,2000,2001 Crystal Semiconductor Corp.
 Copyright (C) 1998 Gleb Raiko */#include <linux/init.h>#include <linux/kernel.h>#include
 <linux/sched.h>#include <linux/mm.h>
 (C) 1991 Linus Torvalds - minix filesystem */
 Copyright (C) 1993 Hamish Macdonald
 (C) 2000 by Harald Welte <laforge@gnumonks.org> * based on RR's ip_conntrack_ftp.h * *
 ip_conntrack_irc.h,v 1.6 2000/11/07 18:26:42 laforge Exp
 Copyright (C) 1998 Chris Davis (cdavis@cois.on.ca) * * Now supports more sun4's
 Copyright (c) 1987-1999 Carnegie Mellon University
 Copyright (C) 1997 - 2001 Heinz Mauelshagen, Sistina Software * * February-November 1997 * April-
 May,July-August,November 1998 * January-March,May,July,September,October 1999 * January,February,
 Copyright (c) 2000,2001 Ghazlane Toumi <gtoumi@messel.emse.fr> * * Created 28 Aug 2001 by
 Ghazlane Toumi
 (C) 2000 Dave Gilbert

Copyright (C) 1995-1996 Russell King
 Copyright (C) 1996 Manish Vachharajani (mvachhar@noc.rutgers.edu) * */
 Copyright (C) 1998, 2001 by Ralf Baechle */#include <linux/mc146818rtc.h>#include <asm/io.h>
 Copyright (c) 1997 Russell King * * Modifications:
 Copyright (C) 1998-1999, 2001-2002 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>
 */
 Copyright (C) 1992 - 1997, 2000,2002 Silicon Graphics, Inc. All rights reserved
 Copyright (C) Hannu Savolainen 1993-1997"); if (!probe_uart401(&cfg_mpu, THIS_MODULE))
 return -ENODEV; }
 Copyright (C) 1995 - 2000 Ralf Baechle */#ifndef _ASM_FLOPPY_H#define _ASM_FLOPPY_H
 Copyright (C) 1997 Fabio Riccardi. * And from the frame buffer device for Open Firmware-initialized
 devices:
 Copyright (C) 2000 Harald Koerfgen */#include <linux/config.h>#include <linux/sched.h>#include
 <linux/interrupt.h>#include <linux/mc146818rtc.h>#include <linux/param.h>#include <linux/init.h>
 Copyright (C) 1996-1999 Jakub Jelinek (jakub@redhat.com)
 Copyright (c) 1998 Harald Koerfgen */#ifndef __ASM_MIPS_WBFLUSH_H#define
 __ASM_MIPS_WBFLUSH_H
 Copyright (C) 1992-1997, 2000-2002 Silicon Graphics, Inc. All rights reserved
 Copyright (C) 1999 Christoph Rohland *
 Copyright (C) by Ralf Baechle */#ifndef _MIPS_BYTEORDER_H#define _MIPS_BYTEORDER_H
 (C) 1997 Carnegie Mellon University
 Copyright (C) 1992 Drew Eckhardt * SCSI disk driver header file by * Drew Eckhardt * *
 <drew@colorado.edu>
 Copyright (C) 1995, 1996 Mike Jagdis (jaggy@purplet.demon.co.uk) *
 copyright (C) 1994, 1995 Troy De Jongh, and subsequently
 Copyright (C) 1994 by Ingo Wilken (Ingo.Wilken@informatik.uni-oldenburg.de)
 Copyright (C) 1999, 2000 Niibe Yutaka */
 Copyright (C) 1995 Oliver Raupach <raupach@nwfs1.rz.fh-hannover.de> based upon pre-works by
 Eberhard Moenkeberg <emoenke@gwdg.de>
 (C) IBM Corporation, IBM Deutschland Entwicklung GmbH, 2000 */
 (C) 1999 by Arjan van de Ven
 Copyright (c) 1998-1999 Ilario Nardinocchi (nardinoc@CS.UniBO.IT) * -----
 ----- * \$Id: pm2fb.h,v 1.21 1999/01/28 13:18:07 illo Exp \$
 Copyright (C) 1991, 1992, 1993, 1994 Linus Torvalds * * Dave Engebretsen <engebret@us.ibm.com> *
 Rework for PPC64 port.
 Copyright (C) 2000, 2001 Ralf Baechle <ralf@gnu.org> * swiped from i386, and cloned for MIPS by Geert,
 polished by Ralf. */#include <linux/config.h>#include <linux/types.h>#include <linux/mm.h>
 Copyright (c) 2000-2001 Vojtech Pavlik * * USB HID to Linux Input mapping module
 Copyright (c) 1997-2001 Jean Tourrilhes, All Rights Reserved
 Copyright (C) 1995--2000 Geert Uytterhoeven
 Copyright (C) 1997 Sigurdur Asgeirsson * With additional hacking by Jeffrey Kuskin
 (jsk@mojave.stanford.edu) * Modified by Danilo Beuche 1998 * Some register values added by Damien
 Doligez, INRI
 Copyright 1994 Fujitsu Laboratories Ltd. Special thanks to:
 (C) 1999 Chris Kemp and Tim Watterton
 Copyright (C) 1999 Silicon Graphics, Inc. */#ifndef _ASM_PGTABLE_H#define _ASM_PGTABLE_H
 Copyright (C) 1997, 1998 Krzysztof G. Baranowski * * This file contains code for allocating/freeing inodes
 and for read/writing * the superblock.
 Copyright (C) 1997, 1998 Richard Henderson * * This file has goodies to help simplify instantiation of
 machine vectors.
 Copyright (C) 1996 Digi International. For technical support please email digiLinux@dgii.com or call
 Digi tech support at (612) 912-3456
 Copyright (C) 1998 Eddie C. Dost (ecd@skynet.be) * * Based largely on code which is: *
 Copyright (C) 2000 Grant Grundler, Hewlett-Packard*/
 Copyright (C) 1998, 1999, 2000, 2001 Philip Blundell * * Arthur personality
 Copyright (C) 1999 Jakub Jelinek (jakub@redhat.com) */
 copyright); err = wanrouter_proc_init(); if (err){ printk(KERN_INFO
 "%s: can't create entry in proc filesystem!\n", modname);
 Copyright (C) 2000 Andre Hedrick <andre@linux-ide.org>

```

copyright(int port){      int      len = 0;      int      ret;
(C) 1986-1990 V6.0105/31/90", 5, 47, FD
Copyright (C) 1992 - 1997, 1999-2001 Silicon Graphics, Inc. * All rights reserved
Copyright 1999  by Armin Schindler (mac@melware.de)
Copyright (C) 1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
copyright does
COPYRIGHT);      DBG(("failed.\n"));      return FALSE;      }
Copyright (C) 1995-1998 Russell King
Copyright (c) 2001 Tacit Networks, Inc. */
Copyright (C) 2000 Bonin Franck <boninf@free.fr>
Copyright abandoned, 2000, Niels Kristian Bech Jensen <nkbj@image.dk>.
Copyright (C) 1996, 1999, 2000, 2001 by Ralf Baechle
Copyright (C) 1996 David S. Miller (dm@engr.sgi.com)
Copyright (C) 1992 - 1997 Silicon Graphics, Inc. */#ifndef __ASM_SN_INTR_PUBLIC_H#define
__ASM_SN_INTR_PUBLIC_H
Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Hartmut Penner
(hp@de.ibm.com) * * Derived from "arch/i386/mm/init.c"
Copyright (C) 2000      Andre Hedrick <andre@suse.com>
Copyright (C) 1999,2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin
Schwidefsky (schwidefsky@de.ibm.com), * Denis Joseph Barrow (djbarrrow@de.ibm.com,barrow
Copyright (C) 2000, David Gibson, Linuxcare Australia <hermes@gibson.dropbear.id.au> *
Copyright (C) 2000, 2001 Silicon Graphics, Inc. */#ifndef __ASM_SOCKET_H#define __ASM_SOCKET_H
Copyright (C) 2001 David A. Hinds -- dahinds@users.sourceforge.net
Copyright (C) 2002 Maciej W. Rozycki * * Some useful macros for MIPS assembler code
copyright Chris Mason 2000
Copyright (C) 1995 by Ralf Baechle */#ifndef __ASM_MIPS_FPREGDEF_H#define
__ASM_MIPS_FPREGDEF_H
Copyright (C) 1996,1997 Fredrik Noring, lars brinkhoff
Copyright (c) 2000-2001 Vojtech Pavlik <vojtech@suse.cz>
(C) 2000 IBM Corp. by Fritz Elfert (felfert@millenux.com)");
(C) 1998 Thomas Bogendoerfer (tsbogend@alpha.franken.de)
Copyright (C) 1999 Bradley D. LaRonde
Copyright (C) 2001      Sun Microsystems, Inc.
Copyright (c) 2001 LSI Logic Corporation. *
Copyright (C) 1993 Linus Torvalds
Copyright (C) 1999-2000 Russell King
Copyright (C) 1996 SpellCaster Telecommunications Inc.
(C) Copyright Andreas Gal 1999
Copyright (C) 1999 Andrew R. Baker (andrewb@uab.edu) - Indigo2 changes */
Copyright (C) 1996 Jakub Jelinek (jj@sunsite.mff.cuni.cz) * * You can put anything here, but:
(C) 2000 Aleph One Ltd (Tak-Shing Chan) * EtherM integration re-engineered by Russell King. * *
Changelog:
(C) 2000 by R.E.Wolff@BitWizard.nl * Copied snippets from zatm.c by Werner Almesberger, EPFL LRC/ICA
Copyright (C) 2000 James Goodwin, Filanet Corporation (www.filanet.com)
Copyright (c) 1999 Dan Malek (dmalek@jlc.net) * * The Internal Memory Map of the 8260. I don't know
how generic * this will be, as I don't have any knowledge of the subsequent * parts at this tim
Copyright(c) 2001-2002 Greg Kroah-Hartman <greg@kroah.com>
(C) 1999 Andrea Arcangeli, SuSE GmbH, andrea@suse.de * Gerhard Wichert, Siemens AG,
Gerhard.Wichert@pdb.siemens.de *
Copyright 2001 Benjamin Herrenschmidt (benh@kernel.crashing.org) * * Lots of code inherited from apm.c,
see appropriate notice in * arch/i386/kernel/apm.c
Copyright (C) 1999 by Ralf Baechle */#ifndef __ASM_FCNTL_H#define __ASM_FCNTL_H
Copyright 1999 Paul Mackerras/* And help from Jens Axboe */
Copyright (c) 1994-97 Martin Buck <martin-2.buck@student.uni-ulm.de> *
Copyright (C) 1998-2000 Anton Blanchard (anton@samba.org) */
copyright status * of the DEC code. */
Copyright (C) 1999 MIPS Technologies, Inc. */#include <linux/config.h>#include <linux/kernel.h>#include
<linux/sched.h>#include <linux/mm.h>#include <linux/errno.h>#include <linux/ptrace.h>#in
Copyright (C) Motorola, Inc. 1990]
All Rights Reserved

```

Copyright (C) Acculogic, Inc. \r\n2.8M Diskette Extension Bios ver 4.04.03 03/01/1993", 61, 82};#define
SIGNATURE_COUNT (sizeof(signatures) / sizeof(struct signature))#endif /* USE_BIOS */
Copyright (C) 2000 Manfred Spraul * further cleanups power management.
support for big endian descriptors
(C) 1996-2000 Thomas Sailer, HB9JNX/AE4WA\n"KERN_INFO "baycom_ser_hdx: version 0.10 compiled "
__TIME__ " " __DATE__ "\n";
Copyright 1999,2000 Jeff Garzik <jgarzik@mandrakesoft.com>");
Copyright (C) 1995, 1996 Olaf Kirch <okir@monad.swb.de> */
Copyright (C) 1996-1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
Copyright (c) 1994-1998, 2000, 2001 Justin T. Gibbs. * All rights reserved
Copyright (C) 1993 Bruno Haible * * This file contains code for allocating/freeing blocks.
Copyright 1994 Roman Hodek <Roman.Hodek@informatik.uni-erlangen.de> * * (Loosely based on the work
of Robert De Vries' team)
copyright copyright; struct dvd_disckey disckey; struct dvd_bca bca;
struct dvd_manufact manufact;} dvd_struct;
Copyright (C) 1997,1998,1999 Jakub Jelinek (jj@ultra.linux.cz)
Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Hartmut Penner
(hpenner@de.ibm.com) */
Copyright 2000 Silicon Graphics, Inc. */#ifndef _ASM_PARAM_H#define _ASM_PARAM_H
Copyright (c) 1998-2000 InnoSys Incorporated. All Rights Reserved
(C) Copyright 1999, 2000 University of Helsinki, * Department
of Computer Science * * This code is still under development / test.
Copyright (C) 1999,2000 Martin Lucina, Tom Zerucha * * \$Id: tgafb.h,v 1.4.2.3 2000/04/04 06:44:56
mato Exp \$
Copyright 2001 MontaVista Software Inc. * Author: MontaVista Software, Inc. *
ahennessy@mvista.com * * include/asm-mips/jmr3927/pci.h * Based on include/asm-
mips/ddb5xxx/pci.h
Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin Peschke
<mpeschke@de.ibm.com> */
Copyright (C) 1998 Eddie C. Dost (ecd@skynet.be) * Adaptation from sparc64 version to sparc by Pete
Zaitcev. */
Copyright (C) 1999,2001-2002 Silicon Graphics, Inc. All rights reserved
Copyright (C) 1996 by Ralf Baechle
Copyright 1998 by Fritz Elfert (fritz@isd4linux.de)
Copyright (C) 1996 Simon G. Vogl
Copyright 2000 Silicon Integrated Systems Corp, Inc., HsinChu, Taiwan.
Copyright (C) 1998-1999, Stephen Tweedie and Bill Hawes * * Manage the dynamic fd arrays in the
process files_struct.
Copyright (C) 2000, 2001, 2002 Maciej W. Rozycki */#include <linux/config.h>#include
<linux/sched.h>#include <linux/interrupt.h>#include <linux/mc146818rtc.h>#include
<linux/param.h>#include <
Copyright (C) 1999 Silicon Graphics, Inc. * * TLB debugging routines. These perform horribly slow but can
easily be * modified for debugging purposes.
(C) 1998-2001 Ben Fennema * * HISTORY
(C) 2002 David S. Miller\n"); return 0;}
Copyright (C) 2000 YAGASHI Takeshi * Hitachi HD64461 companion chip support */
Copyright (C) 1995 Eddie C. Dost (ecd@skynet.be)
Copyright (C) 1997 Wu Ching Chen
Copyright (C) 1998 Dan Jacobowitz
Copyright (C) 1997 by Volker Lendecke * * Please add a note about your changes to smbfs in the
ChangeLog file.
Copyright (c) 1998-2001 Vojtech Pavlik * * Sponsored by SuSE
Copyright (C) 1999 Silicon Graphics, Inc. */#ifndef _ASM_CURRENT_H#define _ASM_CURRENT_H
Copyright (c) 2000 by Silicon Graphics, Inc. */#ifndef _ASM_STRING_H#define _ASM_STRING_H
Copyright (C) 1998, 1999, 2000 Ingo Molnar
(C) 1998 Michael Tesch (tesch@cs.wisc.edu) *
(C) 1996-2000 Thomas Sailer, HB9JNX/AE4WA\n"KERN_INFO "soundmodem: version 0.12 compiled "
__TIME__ " " __DATE__ "\n";
Copyright 1994, Drew Eckhardt

Copyright (C) 1998 Andrea Arcangeli * * Rewritten. Old one was good in 2.2, but in 2.3 it was immoral. -- ANK (990903)

Copyright (C) 2001 Sven Luther, <luther@dpt-info.u-strasbg.fr>

Copyright (C) 1995 Andreas Busse */

Copyright (C) 1997 Miguel de Icaza (miguel@nuclecu.unam.mx) * * This implement a virtual console interface.

Copyright (C) by Hannu Savolainen 1993-1997 * * mad16.c

Copyright (C) 2000 Linuxcare, Inc. * * Based on the ia64, i386, and alpha versions.

(C) 2001 IBM Corp. by Fritz Elfert (felfert@millenux.com)");

Copyright (C) 1999,2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Hartmut Penner (hp@de.ibm.com), * Martin Schwidefsky (schwidefsky@de.ibm.com), *

Copyright (C) 1996, 1997 Claus-Justus Heine

(C) Copyright 1984 Western Digital Corp", xd_wd_init_controller, xd_wd_init_drive," Western Dig. 1002s-wx2"

Copyright (C) 1996, 1998, 1999, 2002 David S. Miller (davem@redhat.com) * * Changes :

Copyright 1995-1996 Jean-loup Gailly "/* If you use the zlib library in a product, an acknowledgment is welcome in the documentation of your product. If for some reason you cannot include such

Copyright(c) 2000 Inside Out Networks, All rights reserved

Copyright 1996 by Geert Uytterhoeven <geert@linux-m68k.org> *

Copyright(C) 1997 Jakub Jelinek * * derived from:

Copyright (C) 1996,97,98 Ralph Metzler (rjkm@thp.uni-koeln.de)

Copyright (C) 1996 Fujitsu Laboratories Limited

(C) 1999 Mihai Spatar

(C) 2001 NeilBrown <neilb@cse.unsw.edu.au> * * This driver for the Micro Memory PCI Memory Module with Battery Backup

Copyright (C) 1991, 1992 Linus Torvalds * * ext2 symlink handling code

Copyright (C) 2000 Silicon Graphics, Inc. * * Kevin D. Kissell, kevink@mips.com and Carsten Langgaard, carstenl@mips.com

Copyright (c) 1998-1999 Dag Brattli <dagb@cs.uit.no>, * All Rights Reserved

(C) Copyright 1995 - 1997 Marco van Wieringen - ELM Consultancy B.V. * * Plugged two leaks. 1) It didn't return acct_file into the free_filps if * the file happened to be read-only. 2) If the acc

Copyright (C) 1998, 1999 Richard Henderson * * Code for all boards that route the PCI interrupts through the SIO * PCI/ISA bridge. This includes Noname (AXPpci33), Multia (UDB), * Kenetics's Plat

Copyright (C) 2001 MIPS Technologies, Inc. */#ifndef _ASM_SOFTIRQ_H#define _ASM_SOFTIRQ_H

copyright; see LICENSE.FlashPoint for details. * * \$Workfile: target.h \$

Copyright (c) 2002 NEC Corporation * * All rights reserved

Copyright 1997 Linus Torvalds */#include <linux/config.h>#include <asm/uaccess.h>#include <asm/mmx.h>

(C) Steve Whitehouse 1999 derived from the * ipv4 netfilter header file which is * (C)1998 Rusty Russell -- This code is GPL. */

Copyright (C) 1992 obz under the linux copyright * * Dynamic diacritical handling - aeb@cw.nl - Dec 1993

* Dynamic keymap and string allocation - aeb@cw.nl - May 1994 * Restrict VT switching

Copyright (C) 1992 Eric Youngdale * Simulate a host adapter with 2 disks attached. Do a lot of checking * to make sure that we are not getting blocks mixed up, and PANIC if * anything out of t

Copyright (C) 1994, 1995 Waldorf Electronics * Written by Ralf Baechle and Andreas Busse

Copyright (C) 1994 David Carter * * with work by William Rucklidge (wjr@cs.cornell.edu) *

Geert Uytterhoeven * Jes Sorensen (jds@kom.auc.dk) *

Martin Apel * with work

Copyright (C) 1996 Universidade de Lisboa\n");

(c) Copyright 2000 Hewlett-Packard Company

Copyright (C) 1995, 1996, 1997 David S. Miller (davem@caip.rutgers.edu) */

Copyright (C) Fred Lewis (frederick.v.lewis@intel.com) *

Copyright Distributed Processing Technology, Corp. * 140 Candace Dr. * Maitland, Fl.

32751 USA * Phone: (407) 830-5522 Fax: (407) 260-5366 * All Rights Reserved

Copyright (C) 1999,2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin Schwidefsky (schwidefsky@de.ibm.com), * Denis Joseph Barrow * * Derived from "includ

Copyright (C) 1991, 1992, 1993, 1994 Linus Torvalds * * Modified by Cort Dougan and Paul Mackerras.

Copyright (C) 1995 Jean-loup Gailly. * For conditions of distribution and use, see copyright notice in zlib.h */

Copyright (C) 2001 Mike Corrigan IBM Corporation
 Copyright (C) 1993 Bruno Haible * * SystemV/Coherent regular file handling primitives
 Copyright (C) 1999 David Mosberger-Tang <davidm@hpl.hp.com> * * 99/01/28 Added new
 baudrates
 (C) Waldorf Electronics, Germany * Written by Andreas Busse * * NOTE: most of the structure definitions
 here are endian dependent. * If you want to use this driver on big endian machines, the data
 (C) 1999-2001 Torben Mathiasen
 (C) 1998 - 2000 R.E.Wolff@BitWizard.nl * * Simon Allen (simonallen@cix.compulink.co.uk) wrote a
 previous * version of this driver. Some fragments may have been copied. (none * yet :-)
 Copyright (C) 1994 David S. Miller (davem@caip.rutgers.edu) */
 Copyright (C) 2001 Paul Diefenbaugh <paul.s.diefenbaugh@intel.com>
 Copyright 2001 MontaVista Software Inc. * Author: MontaVista Software, Inc. * ppopov@mvista.com
 or source@mvista.com * * Derived almost entirely from drivers/char/serial.c: *
 Copyright (c) 2001 by James.Bottomley@HansenPartnership.com\n" "NCR
 D700:\n"); banner = 0; } printk(KERN_NOTICE "NCR
 D700: found in slot %d irq = %d I/O base = 0x%x\n", slot, irq, o
 Copyright (C) 1998 Harald Koerfgen */#include <linux/init.h>#include <linux/config.h>#include
 <asm/bootinfo.h>#include <asm/cpu.h>#include "prom.h"
 Copyright (C) 1999, 2000, 2001 David E. Nelson *
 Copyright (C) 1999 Silicon Graphics, Inc. */#ifndef _ASM_RESOURCE_H#define _ASM_RESOURCE_H
 Copyright (C) 1993, 1994, 1995, 1999 Eric Youngdale * * generic mid-level SCSI driver * Initial
 versions: Drew Eckhardt * Subsequent revisions: Eric Youngdale
 Copyright (C) 1999 Silicon Graphics, Inc. */#ifndef _ASM_CACHINGMODES_H#define
 _ASM_CACHINGMODES_H
 Copyright (C) 1999 David Mosberger-Tang <davidm@hpl.hp.com> */
 Copyright (C) 2000 YAGASHI Takeshi * * Typical I/O routines for HD64465 system.
 Copyright (C) 1995 Geert Uytterhoeven
 Copyright (C) 1995 by Volker Lendecke * Modified for sparc by J.F. Chadima * Modified for
 __constant_ntoh by Frank A. Vorstenbosch *
 Copyright (C) 1998, 1999 Richard Henderson * * Modified by Christopher C. Chimelis, 2001 to *
 add support for the addition of Shark to the * Tsunami family.
 Copyright (C) 2000-2001 Deep Blue Solutions Ltd
 Copyright (C) 1995, 1996 by Volker Lendecke * Modified 1997 Peter Waltenberg, Bill Hawes, David
 Woodhouse for 2.1 dcache * Modified 1998, 1999 Wolfram Pienkoss for NLS *
 Copyright (c) 1996 John Shifflett, GeoLog Consulting
 Copyright (C) 2000,2001 J.I. Lee <jung-ik.lee@intel.com> * ACPI based kernel configuration manager.
 * ACPI 2.0 & IA64 ext 0.71 */
 (c) Copyright 1995 Alan Cox <alan@lxorguk.ukuu.org.uk> *
 Copyright (c) 1995 Jukka Marin <jmarin@jmp.fi>. * All rights reserved
 Copyright (C) 1997 Derrick J. Brashear (shadow@dementia.org)
 Copyright (C) 1994 Waldorf GMBH
 Copyright (C) 1996 David S. Miller
 Copyright (C) 1997, 1998 Krzysztof G. Baranowski */
 Copyright (C) 1994 - 2001 Ralf Baechle * * Old rotten IRQ code. To be killed as soon as everybody had
 converted or * in 2.5.0, whatever comes first.
 Copyright (C) 1999 Benjamin Herrenschmidt (benh@kernel.crashing.org)
 Copyright (C) 1999-2000 David Mosberger-Tang <davidm@hpl.hp.com> */
 Copyright (C) 2000 Geert Uytterhoeven <geert@sonycom.com> * Albert Dorofeev
 <albert@sonycom.com> * Sony Software Development Center Europe (SDCE), Brussels *
 Copyright (C) 1996 Jesper Skov (jskov@cygnus.co.uk) */
 Copyright (C) 1996, 1998, 2000 by Ralf Baechle * * Multi-arch abstraction and asm macros for easier
 reading:
 Copyright (c) 1997 Carnegie-Mellon University * * Redone again for InterMezzo
 Copyright (C) 2001 Silicon Graphics, Inc. All rights reserved
 Copyright (C) Linus Torvalds
 Copyright (c) 1992 - 1997,2001 Silicon Graphics, Inc. All rights reserved
 Copyright 1996 (C) David S. Miller (davem@caip.rutgers.edu) */
 (C) 2000 TurboLinux, Inc.
 Copyright (C) 1996 Eddie C. Dost (ecd@skynet.be)
 copyright (c) 2001 Sun Microsystems *

Copyright (C) 1997,1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz) */#ifndef _SPARC_IO_UNIT_H#define
_SPARC_IO_UNIT_H
Copyright (C) 1998 Jakub Jelinek (jj@ultra.linux.cz) */
(C) 1998 Russell King
Copyright (C) 1998, Dag Brattli, * All Rights Reserved
Copyright (C) 1992 Ross Biro
Copyright (C) 1996 Linus Torvalds
Copyright (C) 2002 MontaVista Software Inc.
Copyright (C) 1998, 2001 by Ralf Baechle
Copyright (C) 1999-2002 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> * *
Derived from i386 and Alpha versions.
Copyright (C) 1996 Eddie C. Dost (ecd@skynet.be)
Copyright (C) 1999 Don Dugger <don.dugger@intel.com> * * 11/24/98 S.Eranian added
ia64_set_iva() * 12/03/99 D. Mosberger implement thread_saved_pc() via kernel unwind API *
06/16/00 A. Mallick add
Copyright (C) 1997, 1998, 1999, 2000 Ralf Baechle */#include <linux/kernel.h>#include
<linux/sched.h>#include <linux/pagemap.h>#include <linux/mm.h>#include <linux/mman.h>#include
<linux/slab.h
Copyright (C) 2001 Red Hat, Inc. * * \$Id: epxa10db-flash.c,v 1.2 2001/12/19 13:00:19 jskov Exp \$
Copyright (C) 2000-2001 Toshiba Corporation * * Based on arch/mips/au1000/common/puts.c
Copyright (C) 1996, 1997, Olaf Kirch <okir@monad.swb.de> * * Rewritten 6/3/2000 by Trond Myklebust
Copyright (C) 1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz) * * You can put anything here, but:
Copyright (C) 1998 Dan Jacobowitz <dan@debian.org> * * pmc-valkyrie.c -- Console support for
PowerMac "valkyrie" display adaptor.
Copyright 1997-1998 Transmeta Corporation - All Rights Reserved
Copyright 2000,2001 Jeff Garzik <jgarzik@mandrakesoft.com>
(C) 2000 by Harald Welte <laforge@gnumonks.org> * * distributed under the terms of GNU GPL
Copyright (C) 1999 Ingo Molnar * Discontiguous memory support, Kanoj Sarcas, SGI, Nov 1999 * * simple
boot-time physical memory area allocator and * free memory collector. It's used to deal wit
Copyright 2001 MontaVista Software Inc. * Author: Jun Sun, jsun@mvista.com or jsun@junsun.net * *
Modified to be mips generic, ppopov@mvista.com * arch/mips/kernl/pci.c * Common MIPS PCI rout
Copyright (C) 1996 Paul Mackerras. * * With various updates provided over the years by Michael Schmitz, *
Guido Koerber and others.
Copyright (C) 1999 by Ralf Baechle */#ifndef _ASM_SGI_SN_SN0_HUBIO_H#define
_ASM_SGI_SN_SN0_HUBIO_H
Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) * * Carsten Langgaard, carstenl@mips.com
Copyright (C) 1997 by Ralf Baechle. */#include <linux/string.h>#include <linux/spinlock.h>#include
<asm/addrspace.h>#include <asm/system.h>#include <asm/jazz.h>
Copyright (C) 1991, 1992, 1995, 1999, 2000 Linus Torvalds * * This file contains the PC-specific time
handling details:
Copyright (C) 1999 IBM Corporation
Copyright 1995 Digital Equipment Corporation.
Copyright 2000 Silicon Integrated System Corporation
(C) Copyright 1998 Linus Torvalds */
Copyright (C) 1994-1996 Dmitry Gorodchanin (pgmdsg@ibi.com) * * Specialix pays for the
development and support of this driver. * Please DO contact io8-linux@specialix.co.uk if you requir
Copyright (c) 1999-2000 Vojtech Pavlik
Copyright (C) 2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Gerhard Tonn
(ton@de.ibm.com) * * Heavily inspired by the 32-bit Sparc compat code which is
Copyright 2000,2001 MontaVista Software Inc. * Author: MontaVista Software, Inc. *
ppopov@mvista.com or source@mvista.com * * Part of this file was derived from Carsten
Langgaard's * ar
Copyright 2001 MontaVista Software Inc. * Author: ppopov@mvista.com * * Interrupt dispatcher for
Au1000 boards.
Copyright (c) 2000 Andreas Bach Aen <abach@stofanet.dk>
Copyright (C) 1994,1995 Troy De Jongh
Copyright (c) 1997 Dan Malek (dmalek@jlc.net) * * This file contains structures and information for the
communication * processor channels. Some CPM control and status is available * throught the
Copyright (C) 1999, 2000, 2001 Ralf Baechle

Copyright (C) 2000 Red Hat Inc. * * Extended attribute support
 Copyright 1997 Andi Kleen <ak@muc.de>
 copyright preserved * below. * Steve Whitehouse: Some bug fixes, cleaning up some
 code to make it * compatible with my routing layer. *
 Copyright (C) 1991, 1992 Linus Torvalds * * proc root directory handling functions
 Copyright (C) 1996, 1997, 1998, 2000, 2001 by Ralf Baechle */#include <linux/config.h>#include
 <linux/module.h>#include <linux/string.h>#include <linux/mm.h>#include <linux/interrupt.h>#include
 Copyright (C) 2000-2001 Anton Altaparmakov (AIA) */#include "ntfstypes.h"#include
 "ntfsendian.h"#include "struct.h"#include "inode.h"#include <linux/errno.h>#include "macros.h"#include
 "attr.h"
 Copyright 2000 by Carsten Paeth <calle@calle.de>
 (C) 1999 Ulf Carlsson (ulfc@thepuffingruop.com) * * This driver is based on sgicons.c and cons_newport.
 Copyright (C) 1995, 1996 David S. Miller (davem@caip.rutgers.edu) */
 Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin Peschke
 <mpeschke@de.ibm.com> *
 Copyright (C) 1991, 1992 Linus Torvalds * * coh/dir.c
 Copyright 1994-2001 Stephen Rothwell (sfr@canb.auug.org.au) * * Initial development of this driver was
 funded by NEC Australia P/L * and NEC Corporation
 copyright : (C) 2001 by Adaptec
 Copyright 1995-1996 Mark Adler "/* If you use the zlib library in a product, an acknowledgment is
 welcome in the documentation of your product. If for some reason you cannot include such an ac
 Copyright 2001 PPC64 Team, IBM Corp
 (C) Copyright 1996, 2000 Richard Henderson */
 Copyright (C) 1998 by Michael Schmitz * * This driver was written based on information obtained from the
 MacOS IDE * driver binary by Mikael Forselius
 (C) Copyright 1998 Linus Torvalds * * These functions have a non-standard call interface to make them
 more * efficient, especially as they return an error value in addition to * the "real" return
 Copyright (c) 1999 Jean Tourrilhes, All Rights Reserved
 Copyright (C) 1999-2000 Andre Hedrick <andre@linux-ide.org> */
 Copyright 1996, 1997, 1998 Hans Reiser, see reiserfs/README for licensing and copyright details */
 Copyright 2000 Alan Cox <alan@redhat.com>
 copyright of Keyspan, the * company. * * This serial adapter is basically an EzUSB chip and an RS-232
 line driver * in a little widget that has a DB-9 on one end and a USB plug on the other.
 Copyright 2000,2001 David A. Schleef <ds@schleef.org> * 2000,2001 Lineo, Inc. * * \$Id: sharp.c,v
 1.7 2002/02/13 15:49:07 dwmw2 Exp \$
 Copyright 2001 Jeff Garzik <jgarzik@mandrakesoft.com>
 Copyright (C) 1990 - 1992, 1999 Silicon Graphics, Inc. */#ifndef _ASM_FPREGDEF_H#define
 _ASM_FPREGDEF_H
 Copyright (c) 1996 Paul Mackerras <paulus@cs.anu.edu.au> * Changes to accomodate Power
 Macintoshes. * Cort Dougan <cort@cs.nmt.edu> * Rewrites. * Grant Erickson
 <grant@lcse.umn.edu>
 Copyright (C) 2000, 2001 Maciej W. Rozycki */#include <linux/config.h>#include <linux/errno.h>#include
 <linux/hdreg.h>#include <linux/init.h>#include <linux/ioport.h>#include <linux/sched.h>#
 Copyright (C) Eicon Technology Corporation, 2000. * * Eicon File Revision : 1.5
 (c) Copyright 2001 Red Hat Inc <alan@redhat.com> derived from
 Copyright (C) 1994 - 1999 by Ralf Baechle */#ifndef _ASM_A_OUT_H#define _ASM_A_OUT_H
 Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, * 1998, 1999 Theodore Ts'o *
 Copyright (C) 1999,2000 Tigran Aivazian <tigran@veritas.com>
 Copyright (C) 1997-1998 Mark Lord */
 Copyright (C) 2000 Geert Uytterhoeven <geert@sonycom.com> * Sony Software
 Development Center Europe (SDCE), Brussels */#include <linux/config.h>#include <linux/init.h>#include
 Copyright (c) 1998 Peter J. Braam
 (C) Copyright 1994 Linus Torvalds */
 Copyright (C) 1998, 1999, 2000, 2001 Axis Communications AB * * Delay routines, using a pre-computed
 "loops_per_second" value.
 Copyright (C) 1999, 2000 Axis Communications AB. * * Created by Finn Hakansson <finn@axis.com>.
 (C) 1999 Hugo Fiennes <hugo@empeg.com> *
 Copyright (C) 1998-2000 by Microgate Corporation
 Copyright (C) 2001, Jean Tourrilhes <jt@hpl.hp.com>

Copyright (C) 1998 Alan Cox <alan@redhat.com> */
 Copyright (c) 1996-1998 Russell King. * * Changelog:
 Copyright (C) 1999, 2000, 2001 Ingo Molnar, Red Hat *
 Copyright (C) 1996, 1997, 1998 Olaf Kirch <okir@monad.swb.de> */
 Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) */#ifndef _SPARC_PGTSUN4C_H#define
 _SPARC_PGTSUN4C_H
 Copyright (C) 1997, 1999 Ralf Baechle (ralf@gnu.org)
 Copyright (C) 1991, 1992 Linus Torvalds
 (C) 1996-2000 Thomas Sailer HB9JNX/AE4WA\n"); printk(KERN_INFO "hldcdrv: version 0.8 compiled "
 __TIME__ " " __DATE__ "\n"); return 0;}
 Copyright (C) 1999, 2000 Silicon Graphics, Inc. */#include <linux/types.h>#include <linux/sched.h>
 Copyright (C) 2001 Tim Waugh <tw@redhat.com>
 Copyright (C) 1996-1999 Russell King and Dave Gilbert
 (c) Copyright 1999-2002 Red Hat and others.
 Copyright (C) 1999, 2000 Ralf Baechle (ralf@gnu.org) */#ifndef _ASM_SGI_SN_AGENT_H#define
 _ASM_SGI_SN_AGENT_H
 Copyright (C) 1999, 2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Hartmut
 Penner (hpenner@de.ibm.com) * Martin Schwidefsky (schwidefsky@de.ibm.com) * * Deri
 Copyright (C) 2001-2002 Silicon Graphics, Inc. All rights reserved
 (c) Copyright 2001 Red Hat Inc. <alan@redhat.com> * * based on the old aacraid driver that is..
 Copyright (C) 1992,1993,1995,1997 | W. Metzenthen, 22 Parker St, Ormond, Vic 3163, |
 | Australia. E-mail billm@suburbia.net | |
 (C) Copyright 1995 1996 Linus Torvalds * * Hacked for ARM by Phil Blundell <philb@gnu.org> * Hacked to
 allow all architectures to build, and various cleanups * by Russell King
 Copyright (C) 1995, 1996 David S. Miller (davem@caip.rutgers.edu)
 Copyright (C) 199x the Anonymous
 Copyright (C) 2000 Linus Torvalds. * 2000 Transmeta Corp. * 2000-2001
 Christoph Rohland * 2000-2001 SAP AG * * This file is released under the GPL.
 Copyright (C) 1996-1998 Russell King
 Copyright 1996 Eddie C. Dost (ecd@skynet.be)
 Copyright (C) 1998 Gleb Raiko */#ifndef _ASM_VAC_H#define _ASM_VAC_H
 Copyright (C) 2002 Red Hat Inc, All Rights Reserved
 Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) * Kevin D. Kissell, kevink@mips.com and Carsten
 Langgaard, carstenl@mips.com
 Copyright (C) 1998-2000 Stephane Eranian <eranian@hpl.hp.com>
 Copyright (C) 1998-2002 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> *
 Stephane Eranian <eranian@hpl.hp.com>
 Copyright (C) 1991, 1992, 1996 Linus Torvalds * * Hacked a bit by DaveM to make it work with 32-bit
 SunOS * binaries on the sparc64 port.
 Copyright (C) 2000 Hewlett-Packard (John Marvin)
 Copyright (c) 1998-2000 Andre Hedrick <andre@linux-ide.org> *
 copyright * message below for the original source.
 Copyright (C) 2000 Geert Uytterhoeven <geert@sonycom.com> * Sony Software
 Development Center Europe (SDCE), Brussels * * This file is based on the following documentation: *
 Copyright (C) 2000 Rob Scott (rscott@mtrob.fdns.net) * Steve Hill (sjhill@cotw.com) * * This
 file contains the hardware definitions for the * LinkUp Systems L7200 SOC developme
 Copyright (C) 1999 Intel Corporation.
 Copyright (C) 2000 Netgem S.A. * * \$Id: nftlmount.c,v 1.25 2001/11/30 16:46:27 dwmw2 Exp \$
 Copyright 1993 by Hamish Macdonald
 Copyright (C) 2000, 2001 Silicon Graphics, Inc. */#include <linux/config.h>#include
 <linux/delay.h>#include <linux/init.h>#include <linux/interrupt.h>#include <linux/spinlock.h>#include
 <linux/
 Copyright string). This works with any SB and compatible. - Added the code to request_region at device
 init (should go in the main body of voxware). v0.4 (BETA) - Better configure.c pat
 Copyright (C) 1998 Philip Blundell <philb@gnu.org> * * HP300 Human Interface Loop driver. This handles
 the keyboard and mouse.
 Copyright (C) 2001 Simon Evans * * Licence: GPL
 Copyright (C) 1996, 1997, 1999 Jakub Jelinek (jj@ultra.linux.cz) */
 Copyright (C) 1999-2000 Andre Hedrick <andre@linux-ide.org> * * Inspired by an earlier effort

from David S. Miller <davem@redhat.com>
 Copyright (C) 2001 Tacitus Systems, Inc.
 Copyright (C) 1992 Doug Evans * * coh/inode.c
 Copyright (c) 1994 Pauline Middelink * * The pieces which added masquerading functionality are totally *
 my responsibility and have nothing to do with the original authors
 Copyright (C) 1995, 1996 by Volker Lendecke * Modified for big endian by J.F. Chadima and David S. Miller
 * Modified 1997 Peter Waltenberg, Bill Hawes, David Woodhouse for 2.1 dcache * Modified
 Copyright (c) 1999 Grant Erickson <grant@lcse.umn.edu> *
 Copyright (C) 1997-1998 Mark Lord <mlord@pobox.com>
 Copyright (C) 1996 Eddie C. Dost (ecd@skynet.be)
 (C) Copyright 1999 Bas Huisman <bhuism@cs.utwente.nl>
 Copyright (C) 1994 by PJD Weichmann
 (C) IBM Corporation, IBM Deutschland Entwicklung GmbH, 1999,2000 * fixed partition handling and
 HDIO_GETGEO */
 Copyright (c) 1999-2000 Vojtech Pavlik * * Based on the work of:
 Copyright (C) 1994-1995 Bas Laarhoven. * * Modified for zftape 1996, 1997 Claus Heine.
 Copyright (C) 1995, 1996, 1999, 2001 Ralf Baechle
 Copyright (c) 2000 Steve Hill (sjhill@cotw.com) * * Changelog * 03-21-2000 SJH Created * 04-26-
 2000 SJH Fixed functions * 05-03-2000 SJH Removed usage of obsolete 'iomd.h' * 05-31-2000 S
 Copyright (C) 2001 Deep Blue Solutions Ltd. * * \$Id: cpu.c,v 1.2 2001/09/22 12:11:17 rmk Exp \$
 (C) 1999-2001 Ben Fennema * * HISTORY
 (C) Copyright 1996 Linus Torvalds * * SuperH version by Niibe Yutaka
 Copyright (c) 2000, 2001 Axis Communications AB *
 Copyright (C) 2000 Vinh Truong (vinh.truong@eng.sun.com) * VT - Add all ioctl commands and
 environment status definitions * VT - Add application note */#ifndef _SPARC64_ENVCTRL_H#define
 _SPAR
 Copyright (C) 1998, 1999 Jesper Skov * * Basically what is needed to replace functionality found in *
 arch/m68k allowing Amiga drivers to work under APUS. * Bits of code and/or ideas from arch
 COPYRIGHT: return dvd_read_copyright(cdi, s);
 Copyright (C) 1999 Jakub Jelinek (jakub@redhat.com) */
 Copyright 1997 by Michael Schmitz
 Copyright (C) 2001 Troy D. Armstrong IBM Corporation * * This module exists as an interface between a
 Linux secondary partition * running on an iSeries and the primary partition's Virtual Serv
 Copyright (C) 1994-1996 Dmitry Gorodchanin (pgmdsg@ibi.com) *
 Copyright (C) 1998 Jakub Jelinek <jj@ultra.linux.cz>
 Copyright (C) 1999 Niibe Yutaka
 (C) IBM Corporation, IBM Deutschland Entwicklung GmbH, 2000a * History of changes * 11/14/00 redesign
 by Martin Schwidefsky
 Copyright (C) 1996 Paul Mackerras. */
 Copyright (C) 1998, 1999 Phil Blundell */
 Copyright (C) 1995,1996 by Paul M. Antoine, some code and definitions * are by courtesy of Chris Fraser.
 Copyright 2001 MontaVista Software Inc. * Author: MontaVista Software, Inc. *
 ahennessy@mvista.com * * Based on arch/mips/tsdb/kernel/int-handler.S
 Copyright (C) 1996 Thomas K. Dyas (tdyas@noc.rutgers.edu) */
 Copyright (C) 2001 Shirish H. Phatak, Tacit Networks, Inc. */
 Copyright (C) 2001 Stefan Eletzhofer <stefan.eletzhofer@eletztrick.de> * * \$Id: system3.h,v 1.2.4.2
 2001/12/04 14:58:50 seletz Exp \$
 (C) 1992 Eric Youngdale Modified for ISO 9660 filesystem. *
 Copyright 2001 MontaVista Software Inc.
 Copyright (C) 1999 Andrew Henroid
 Copyright (C) 1995 by Paal-Kr. Engstad and Volker Lendecke
 Copyright 2001 MontaVista Software Inc. * Author: jsun@mvista.com or jsun@junsun.net * *
 arch/mips/ddb5xxx/common/prom.c * prom.c file.
 Copyright (c) 1999-2001 Vojtech Pavlik * * Event char devices, giving access to raw input device events.
 (C) 1993 Matthias Ulrichs -- collected common code and tables. *
 Copyright (C) 1999, 2000 Silicon Graphics, Inc. */#ifndef _ASM_SERIAL_H#define _ASM_SERIAL_H
 Copyright (C) 2000 by Ralf Baechle
 Copyright (C) 2001 Jan-Benedict Glaw <jbglaw@lug-owl.de> *
 Copyright (C) 1995, 1999 by Ralf Baechle */#ifndef _ASM_STATFS_H#define _ASM_STATFS_H

Copyright (C) 1994 Roman Hodek *
 Copyright (C) 1999 Pete Zaitcev */
 Copyright (C) 2000, 2001 David S. Miller (davem@redhat.com)
 Copyright (C) 1999 kaz Kojima */
 Copyright (C) Vijay Chander (vijay@engr.sgi.com)
 (C) 1999 by Thomas Sailer, <sailer@ife.ee.ethz.ch>\n");
 Copyright (C) 1992 Doug Evans * * coh/alloc.c
 Copyright (c) 1999-2000 Grant Erickson <grant@lcse.umn.edu> * * Module name: oaknet.c
 Copyright (C) 1996, 1997, 2000 David S. Miller (davem@redhat.com) */
 Copyright (c) 2001 Anton Altaparmakov */#include <linux/ntfs_fs_i.h>#include <linux/fs.h>#include
 <asm/page.h>
 (C) 1996 Peter Braam */
 (C) 1998-2000 Thomas Sailer, HB9JNX/AE4WA\n"KERN_INFO "baycom_epp: version 0.7 compiled "
 __TIME__ " " __DATE__ "\n";
 Copyright (c) 1999 The Puffin Group
 Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org) * * Largely rewritten by Cort Dougan
 (cort@cs.nmt.edu) * and Paul Mackerras.
 Copyright (C) 2001 Michael Ashley <m.ashley@unsw.edu.au> *
 Copyright; regid appId; timestamp recordingDateAndTime; regid
 impIdent; uint8_t impUse[64]; uint32_t predecessorVolDescSeqLocation;
 uint16_t flags; uint8_t reserved[22];} __attribute__
 Copyright (C) 1996-2000 Russell King - Converted to ARM.
 Copyright (C) 1998 Philip Blundell <philb@gnu.org> * * This file contains the HP300-specific time handling
 code.
 Copyright (C) 2001 MIPS Technologies, Inc. */#ifndef __ASM_SGIDEFS_H#define __ASM_SGIDEFS_H
 Copyright (c) 1999-2000 Andre Hedrick <andre@linux-ide.org>
 Copyright (c) 2000 PocketPenguins Inc and
 Copyright Distributed Processing Technology, Corp. * 140 Candace Dr. * Maitland, FL 32751 USA
 * Phone: (407) 830-5522 Fax: (407) 260-5366 * All Rights Reserved
 copyright (C) 1996 okir@monad.swb.de).\n");#ifdef MODULE nfsd_linkage =
 &nfsd_linkage_s;#endif nfsd_stat_init(); /* Statistics */ nfsd_cache_init(); /* RPC reply cache
 / nfsd_export_init(); /
 (c) Copyright 1995 Alan Cox <alan@lxorguk.ukuu.org.uk> */
 Copyright (c) 1994 Ugen J.S.Antsilevich * * Redistribution and use in source forms, with and without
 modification, * are permitted provided that this entire comment appears intact.
 Copyright by Stephan von Krawczynski <skraw@ithnet.com>
 Copyright (c) 1994-1997 Claus-Justus Heine
 Copyright (C) 1998 Corey Minyard *
 Copyright (C) 1999 by Silicon Graphics, Inc.
 Copyright (C) Vijay Chander(vijay@engr.sgi.com) * * 02/01/04 J. Hall Aligned MCA stack to 16
 bytes, added platform vs. CPU * error flag, set SAL default return values, changed *
 error record s
 Copyright (C) 1998 Nicolas Pitre <nico@cam.org> * * This file contains the hardware definitions for SA1100
 architecture
 Copyright (C) 1997 Jes Sorensen * * This file is based on the CyberVision64 frame buffer device and * the
 generic Cirrus Logic driver.
 Copyright (C) 2001 Ian da Silva, Jeremy Siegel * Based largely on io_se.c. * * I/O routine for Hitachi 7751
 SolutionEngine.
 Copyright (C) 05/1998 Peter Maydell <pmaydell@chiark.greenend.org.uk> * Based on the Sun Lance driver
 and the NetBSD HP Lance driver */
 Copyright (C) 1994 Normunds Saumanis (normunds@rx.tech.swh.lv)
 Copyright 1996 The Board of Trustees of The Leland Stanford * Junior University. All Rights Reserved
 (C) SK" ;#endif
 Copyright (C) 1999 Silicon Graphics, Inc. */#include <linux/config.h>#include <linux/init.h>#include
 <asm/asm.h>#include <asm/regdef.h>#include <asm/processor.h>#include <asm/mipsregs.h>#inclu
 Copyright (C) 1998 * Daniel Pirkel <daniel.pirkel@emai.cz> * Charles University, Faculty of Mathematics and
 Physics * * from
 Copyright 2001 MontaVista Software Inc. * Author: jsun@mvista.com or jsun@junsun.net * *
 arch/mips/vr4181/osprey/prom.c * prom code for osprey.

Copyright (C) 1995 Oliver Raupach <raupach@nwfs1.rz.fh-hannover.de> * Eberhard
Moenkeberg <emoenke@gwdg.de> * * Published under the GPL.
Copyright (C) 1998-2000 Andre Hedrick <andre@linux-ide.org>
Copyright (C) 2001 Russell King
copyright (1999) The Puffin Group * mostly rewritten by Philipp Rumpf <prumpf@tux.org>,
Copyright (C) 1993 Ray Burr
Copyright (C) 1999 Eric A. Thomas
Copyright (C) 1999-2001 Toshiba Corporation
Copyright (c) 2000,2001 Anton Altaparmakov.
Copyright (C) 1999 Silicon Graphics, Inc. */#ifndef _ASM_PROCESSOR_H#define _ASM_PROCESSOR_H
Copyright (C) 1991, 1992 Linus Torvalds * 1997-11-28 Modified for POSIX.1b signals by Richard
Henderson * * * Ideas also taken from arch/arm.
Copyright (C) 2000,2001 Qualcomm Inc", VERSION); BT_INFO("Written 2000,2001 by
Maxim Krasnyansky <maxk@qualcomm.com>");
Copyright: Copyright (c) 1996 John Shifflett, GeoLog Consulting * Modified by Russell King for 8MHz
WD33C93A */static struct sync_xfer_tbl { unsigned int period_ns; unsigned char reg_value;
Copyright (C) 1997, 1998 Francois-Rene Rideau <fare@tunes.org>
copyright message in any source redistribution in whole or part. * * Updated copies of this and other files
can be found at * ftp://ftp.algor.co.uk/pub/bonito/
(C) set */ volatile s32 *cmd; int pipe = channel; int
td = dbri->pipes[pipe].desc;
Copyright (C) 2000-2002 J.I. Lee <jung-ik.lee@intel.com>
Copyright (C) 1999-2001 Hewlett-Packard Co * David Mosberger <davidm@hpl.hp.com> * Stephane
Eranian <eranian@hpl.hp.com> * * 05/22/2000 eranian Added support for stacked register calls *
05/24/20
(c) Copyright 2001 Charles Howes <chowes@vsol.net> * * Based on advantechwdt.c which is based on
acquirewdt.c which * is based on wdt.c.
Copyright (C) 1997, 1999 Jakub Jelinek (jj@ultra.linux.cz) */
Copyright (C) 1997,1999,2000 Jakub Jelinek (jakub@redhat.com) */
Copyright (C) 2000 YAEHASHI Takeshi */
Copyright (C) 1997 by Paul M. Antoine. * reworked 1998 by Harald Koerfgen.
copyright & legal stuff :
copyright date. * * Revision 3.86 2001/01/23 23:53:46 eokerson * Fixes to G.729 compatibility.
Copyright (C) 2000-2001 Deep Blue Solutions Ltd.
Copyright (C) 2000-2001 Russell King
Copyright (C) 1996, 1997, 1998, 1999, 2000 by Ralf Baechle
Copyright (C) 1999 Jakub Jelinek (jakub@redhat.com)
Copyright (c) 2000-2001 Adaptec Inc. * All rights reserved
Copyright (C) 1996 Thomas K. Dyas (tdyas@eden.rutgers.edu) * * This is a little driver that lets a user-
level program access * the PPC clocks chip. It is no use unless you * use the modified clock
Copyright (C) 2000 Philipp Rumpf <prumpf@tux.org> * * based on linux/drivers/video/skeletonfb.c, which
was * Created 28 Dec 1997 by Geert Uytterhoeven
Copyright (C) 1999 Stephane Eranian <eranian@hpl.hp.com> * * Most of the code has been imported from
Linux/Alpha
Copyright (c) 1996-2001 Jonathan A. Buzzard (jonathan@buzzard.org.uk) * * Valuable assistance and
patches from:
Copyright (C) 1999 Paul */#include <linux/module.h>#include <linux/netfilter_ipv6/ip6_tables.h>
Copyright (C) 1995, 96, 98, 2000 by Ralf Baechle */#ifndef _ASM_RESOURCE_H#define
_ASM_RESOURCE_H
Copyright (C) 1995-1996 Linus Torvalds */
Copyright (C) 1999, 2000 Silicon Graphics, Inc. */#ifndef _ASM_SPINLOCK_H#define _ASM_SPINLOCK_H
copyright below. * * This code supports version 2.00 of WaveLAN/PCMCIA cards (2.4GHz), and * can work
on Linux 2.0.36 with support of David Hinds' PCMCIA Card Services
Copyright (C) 1995, 1996, 1998, 1999 by Ralf Baechle
Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Denis Joseph
Barrow (djbarrow@de.ibm.com,barrow_dj@yahoo.com) */
Copyright (C) 1997, 1998, 1999, 2000 Ingo Molnar */
Copyright (C) 2000-2001 Hewlett-Packard Co * Stephane Eranian <eranian@hpl.hp.com> * *
05/26/2000 S.Eranian initial release * 08/21/2000 S.Eranian updated to July 2000
PAL specs * 02/05/2001 S.

Copyright (C) 1998 Eddie C. Dost (ecd@skynet.be)
 Copyright (C) 1998-2001 David Mosberger-Tang <davidm@hpl.hp.com> * * For the HP simulator, this file gets include in boot/bootloader.c. * For SoftSDV, this file gets included in sys_softsdv.c.
 Copyright (C) 1999,2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Ingo Adlung (adlung@de.ibm.com) */
 Copyright (C) 1992 Krishna Balasubramanian
 Copyright (C) 1996 David S. Miller (davem@caipfs.rutgers.edu)
 Copyright (C) 1999,2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Holger Smolinski (Holger.Smolinski@de.ibm.com), * Martin Schwidefsky (schwidefsky@de.ibm.com)
 (C)Copyright 1998-2000 SysKonnnect GmbH.
 Copyright 1994 Comtrol Corporation. All Rights Reserved
 Copyright (C) 1992 Tommy Thorn
 Copyright (C) 1995-1998 Jean-loup Gailly. * For conditions of distribution and use, see copyright notice in zlib.h */
 Copyright 2001 MontaVista Software Inc. * Author: Jun Sun, jsun@mvista.com or jsun@junsun.net * * arch/mips/gt64120/momenco_ocelot/pci.c * Board-specific PCI routines for gt64120 controller.
 Copyright abandoned, 1998, Michael Elizabeth Chastain <mailto:mec@shout.net>.
 (c) Copyright 1999 Alan Cox <alan.cox@linux.org> * * Based heavily on SonicVibes.c:
 Copyright (c) 2001 Adaptec Inc. * All rights reserved
 Copyright (C) 1995 - 2000 by Ralf Baechle */#include <linux/config.h>#include <linux/signal.h>#include <linux/sched.h>#include <linux/interrupt.h>#include <linux/kernel.h>#include <linux/errno.
 Copyright (C) 1995-1997 Olaf Kirch <okir@monad.swb.de> */
 Copyright (C) 2001 Ralf Baechle (ralf@gnu.org) */
 Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) */#ifndef _SGISEEQ_H#define _SGISEEQ_H
 Copyright (C) 1999 Paul */#include <linux/module.h>#include <linux/netfilter_ipv4/ip_tables.h>
 Copyright (C) 1995-96, 2000 Simon G. Vogl
 Copyright (C) 1999-2001 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin Schwidefsky (schwidefsky@de.ibm.com), * * 'math.c' emulates IEEE instructions on a S390 processor *
 Copyright (C) 1997 Olaf Kirch <okir@monad.swb.de> */
 (C) Copyright Gregory P. Smith 1999
 Copyright (C) 1995-1997 Martin von L
 Copyright (C) 1999 - 2002
 Copyright (C) 1999 Stephane Eranian <eranian@hpl.hp.com> * * 01/04/18 Jun Nakajima <jun.nakajima@intel.com> * Clean up and optimize and the software pipeline, loading two * back-to-back 8-byte w
 Copyright (C) 1999, 2001 Hewlett-Packard Co
 Copyright 1994 Comtrol Corporation.
 Copyright (C) 1998 David Mosberger (davidm@hpl.hp.com) * * You can put anything here, but:
 (C) 1996-1997 Claus Heine.
 Copyright 1995 (C) David S. Miller (davem@caip.rutgers.edu) */
 Copyright (C) 1997, 1999, 2000, 2001 Ralf Baechle
 Copyright (C) 1996 Stoned Elipot
 Copyright(C) 1996 Eddie C. Dost
 Copyright by Ton van Rosmalen
 Copyright (C) 1999 David S. Miller (davem@redhat.com) *
 Copyright (C) 2000 Deep Blue Solutions Ltd
 Copyright (c) 1999-2002 " MODULEAUTHOR#endif
 Copyright 1995-2001 Russell King
 Copyright (C) 1999 by Silicon Graphics, Inc. */#include <linux/kernel.h>#include <linux/mm.h>#include <linux/sched.h>#include <linux/string.h>
 Copyright (C) 1999, 2000 Silcon Graphics, Inc. */#include <linux/config.h>#include <linux/init.h>#include <linux/kernel.h>#include <linux/spinlock.h>#include <linux/sched.h>#include <linux/smp.
 COPYRIGHT 0x00000004 /
 copyright string in the executable of your product. */struct internal_state;
 Copyright (C) 2000 Krzysztof Halasa <khc@pm.waw.pl>
 Copyright (C) 2000 Stuart Menefy <stuart.menefy@st.com>
 Copyright 2000 MontaVista Software Inc. * Author: MontaVista Software, Inc. * ppopov@mvista.com or source@mvista.com * * This file was derived from Carsten Langgaard's * arch/mips/mips-copyright since none * of the original contents of this file are specific *

to DoC devices. David can whack me with a baseball * bat later if I did
something naughty. * 10-11-2000 SJH
Copyright (c) 1996, 1997 David A. van Leeuwen.
Copyright (C) 1998 Jirka Hanika (geo@ff.cuni.cz) */
Copyright (C) 1998 Gleb Raiko */#ifndef _MIPS_BAGET_H#define _MIPS_BAGET_H
Copyright (C) 2000-2001 Toshiba Corporation
Copyright (C) 2001 by James.Bottomley@HansenPartnership.com**-----

(C) 1993 Ray Burr - Amiga FFS filesystem. * * Please send bug reports to: hjw@zvw.de
Copyright (C) 1996 Gertjan van Wingerde (gertjan@cs.vu.nl) * Minix V2 fs support. * * Modified for
680x0 by Andreas Schwab
Copyright (C) 1996-1998 Russell King.
Copyright (C) 1999,2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin
Schwidefsky (schwidefsky@de.ibm.com), * * Updated:
Copyright (C) 1997 Russell King <rmk@arm.linux.org.uk>
Copyright (C) 1996, 1997, 1998, 2000 by Ralf Baechle */#include <asm/ptrace.h>#include
<linux/config.h>#include <linux/hdreg.h>#include <linux/ioport.h>#include <linux/sched.h>#include
<linux/i
Copyright 1994 David C. Davies. This software may be used and distributed
Copyright (c) 1999-2001 Vojtech Pavlik * * Sponsored by SuSE
(C) SK" ;#define LINT_USE(x)#else#define LINT_USE(x) (x)=(x)#endif#define MS2BCLK(x)
((x)*12500L)
Copyright (C) 1999 Don Dugger <don.dugger@intel.com>
Copyright (c) 1997 Dan Malek <dmalek@jlc.net> * PowerPC 8xx modifications.
Copyright (c) 2000,2001 Wolfgang Denk (wd@denx.de) */
Copyright (C) 1999 Cort Dougan <cort@cs.nmt.edu>
Copyright (C) 2000 Geert Uytterhoeven <geert@sonycom.com> * Sony Software
Development Center Europe (SDCE), Brussels */#include <asm/asm.h>#include
<asm/mipsregs.h>#include <a
Copyright 1997, 1998 by Phase5, Germany.
Copyright (C) 2002 Intel
Copyright (C) 2000 Stelias Computing, Inc.
Copyright (C) 1999, 2000 by Ralf Baechle */#ifndef _ASM_SN_KLDIR_H#define _ASM_SN_KLDIR_H
Copyright (c) 1996,1997,1998 Russell King. * * Changelog:
Copyright (C) 1996, 1997, 1998, 1999, 2000, * Ingo Molnar, Matti Aarnio, Jakub Jelinek, Richard
Henderson. * * Dispatch optimized RAID-5 checksumming functions.
Copyright (C) Cort Dougan 1999.
Copyright */
Copyright (c) 2001 Eric Brower (ebrower@usa.net) *
(C) 2000 by Harald Welte <laforge@gnumonks.org>
Copyright 1995 Apple Computer, Inc. All rights reserved
Copyright (C) 1995 1996 Heiko Schlittermann <heiko@lotte.sax.de>
Copyright (C) 2000 Harald Koerfgen */#include <linux/mc146818rtc.h>#include <asm/ip32/mace.h>
Copyright 1993, Drew Eckhardt * Visionary Computing * (Unix and Linux consulting and custom
programming) * drew@colorado.edu * +1 (303) 666-5836 * * DISTRIBUTION RELEASE 6.
Copyright (C) 2000 Niibe Yutaka * * CqREEK IDE/ISA Bridge Support.
Copyright (C) 1992, 1994 by Theodore Ts
Copyright (C) 2000 Geert Uytterhoeven <geert@sonycom.com> * Sony Software
Development Center Europe (SDCE), Brussels */#include <linux/kernel.h>#include <linux/types.h>
Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, * 1998, 1999 Theodore Ts'o * *
Extensively rewritten by Theodore Ts'o, 8/16/92 -- 9/14/92. Now * much more extensible to support other
seria
Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) *
Copyright (C) 1999-2001 ARM Limited
Copyright 2000,2001
Copyright (c) 1998, Thomas Davis, <ratbert@radiks.net>,
Copyright (C) 1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
Copyright 1999 Silicon Graphics, Inc. All rights reserved
Copyright 2001 MontaVista Software Inc. * Author: MontaVista Software, Inc. *

ppopov@mvista.com or source@mvista.com * * Some of the routines are right out of init/main.c,
whose * copyrights a
(C) Copyright 1995 1996 Linus Torvalds
(C) 2000 Nicolas Pitre <nico@cam.org> * * This code is GPL
Copyright (C) by Hannu Savolainen, Rob Hooft 1993-1996\n");
Copyright (c) 1998 Harald Koerfgen */#include <linux/tty.h>#include <linux/major.h>#include
<linux/ptrace.h>#include <linux/init.h>#include <linux/console.h>#include <linux/fs.h>
Copyright (C) 1997 David S. Miller (davem@caip.rutgers.edu) * * To put things into perspective, consider
sparc64 with a few PCI controllers. * Each type would have an own structure, with instances
Copyright (c) 1999-2000 Vojtech Pavlik * * Sponsored by SuSE
Copyright (C) 1998-1999 Russell King * * Extra MM routines for the FTV/PCI architecture
Copyright (c) Marc A. Viredaz, 1998 * DEC Western Research Laboratory, Palo Alto, CA *
Date April 1998 (April 1997) * System Advanced RISC Machine (ARM) * Language C
or ARM Assembly
Copyright (c) 1997--1999 Martin Mares <mj@ucw.cz> */
(c) Copyright 1999,2000 Grant Grundler
Copyright (C) 2001-2002 Hewlett-Packard Co * Stephane Eranian <eranian@hpl.hp.com> */
Copyright (C) 1999 VMware, Inc. (Regis "HPReg" Duchesne) * Made nbd_end_request() use the
io_request_lock
Copyright (C) 1999 Jeff Hartmann
(C) 2000 James Morris, this code is GPL. */#ifndef _IP_QUEUE_H#define _IP_QUEUE_H
Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin
Schwidefsky (schwidefsky@de.ibm.com), * * Derived from "include/asm-i386/system.h"
Copyright (C) 1999-2000 Moxa Technologies (support@moxa.com.tw). * * This code is loosely based on
the Linux serial driver, written by * Linus Torvalds, Theodore T'so and others.
Copyright (C) 2001 Sysgo Real-Time Solutions GmbH
Copyright (C) 1991, 1992 Linus Torvalds * * ext3 directory handling functions
Copyright (C) 1998-2001 Paul Mackerras
Copyright 1997--2000 Martin Mares <mj@ucw.cz> * * For more information, please consult the following
manuals (look at * <http://www.pcisig.com/> for how to get them): *
Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) * * Receive DMA code by Takashi Oe
<toe@unlserve.unl.edu>.
Copyright (C) 1996 Jesper Skov (jskov@cygnus.co.uk) * * The CyberStorm SCSI driver is based on David
S. Miller's ESP driver * for the Sparc computers.
Copyright 1996 by Carsten Paeth <calle@calle.de>
Copyright (C) 1991, 1992 Linus Torvalds * * Enhanced CPU detection and feature setting code by Mike
Jagdis * and Martin Mares, November 1997.
Copyright (C) 1997 David S. Miller (davem@caip.rutgers.edu)
Copyright (C) 1998 Andrew Veliath\n");
Copyright (C) 1998, 1999, 2002 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>
*/
Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) */#ifdef __KERNEL__#ifndef
_PPC_KGDB_H#define _PPC_KGDB_H
Copyright (C) 1997, 1998 Krzysztof G. Baranowski * * This file contains code for read/parsing the
superblock.
Copyright (C) 1997 Miguel de Icaza (miguel@nuclecu.unam.mx) */#include <linux/init.h>#include
<linux/kernel.h>#include <linux/errno.h>#include <linux/tty.h>#include <linux/kd.h>#include <linux/
(C) IBM Corporation, IBM Deutschland Entwicklung GmbH, 1999,2000
Copyright (C) 1994, 1995, 1996, 1997, 2000 Ralf Baechle */#include <linux/errno.h>#include
<linux/init.h>#include <linux/kernel_stat.h>#include <linux/signal.h>#include <linux/sched.h>#include
Copyright (C) 2001 MIPS Technologies, Inc. */#include <linux/config.h>#include <asm/asm.h>#include
<linux/errno.h>#include <asm/current.h>#include <asm/mipsregs.h>#include <asm/regdef.h>#inclu
Copyright by Klaus-Peter Nischke, ITK AG
Copyright (C) 1991, 1992, 1993, 1994 Linus Torvalds */
Copyright (C) 1998, 1999 Stephane Eranian <eranian@hpl.hp.com> * * 01/07/99 S.Eranian modified to
pass command line arguments to kernel
Copyright (C) 2001 MIPS Technologies, Inc. */#ifndef _ASM_HARDIRQ_H#define _ASM_HARDIRQ_H
Copyright (C) 2001 Arcom Control System Ltd
Copyright (c) 1999-2001 Vojtech Pavlik * * USB HIDBP Keyboard support

Copyright (C) 1997-1998 Russell King
 Copyright 1994,1995 by Donald Becker.
 Copyright 1993-1998 NVIDIA, Corporation. All rights reserved
 Copyright (C) 1992 by Linus Torvalds * based on ideas by Darren Senn * * This used to be the part of
 array.c. See the rest of history and credits * there. I took this into a separate file and
 Copyright (C) 1991, 1992, 1993, 1994 Linus Torvalds * Swap reorganised 29.12.95, Stephen Tweedie *
 Copyright (C) 20yy <Allan H Trautman> <IBM Corp>
 Copyright (C) 1999 - 2001
 Copyright (C) 1998 Phil Blundell * * DMA functions specific to EBSA-285/CATS architectures
 Copyright (C) 1998,1999 Jakub Jelinek (jj@ultra.linux.cz) */
 Copyright (C) 2001, 2002 Maciej W. Rozycki */
 Copyright (C) 1995 Hamish Macdonald * * 68060 fixes by Jesper Skov
 Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org) * * Derived from "arch/i386/kernel/signal.c"
 Copyright (C) 1996 Universidade de Lisboa * * Written by Pedro Roque Marques (roque@di.fc.ul.pt)
 Copyright 1999 Ben Pfaff <ppf@ben@debian.org> and Petr Vandrovec <VANDROVE@vc.cvut.cz> * Based
 on VGA info at <http://www.goodnet.com/~tinara/FreeVGA/home.htm>
 Copyright (C) 1997-2000 Klaus Kudielka * * S5SCC/DMA support by Janko Koleznik S52HI
 Copyright (C) 1999 SuSE GmbH (Author: Philipp Rumpf, prumpf@tux.org)
 Copyright (C) 2001 by Ralf Baechle */#ifndef _ASM_IA64_SN_KLCLOCK_H#define
 _ASM_IA64_SN_KLCLOCK_H
 Copyright (C) 1999 Stephane Eranian <eranian@hpl.hp.com> * * Most of the code coming from
 arch/alpha/lib/checksum.c
 (C) Copyright 1999-2000 Peter Pregler <Peter_Pregler@email.com>
 Copyright (c) 1999-2000, Dag Brattli <dagb@cs.uit.no>
 Copyright (C) 1997 Martin Mares <mj@atrey.karlin.mff.cuni.cz> * * Ultra/AX specific hacks are: *
 Copyright (C) 1997 Ralf Baechle */#include <linux/sched.h>#include <linux/mm.h>#include
 <asm/io.h>#include <asm/pgtable.h>#include <asm/processor.h>#include <asm/reboot.h>#include
 <asm/system.
 copyright not found\n");#endif /* Validate checksum */ for (i = s = 0; i < EEPROM_CHECKSUM; i++)
 s += e[i]; s &= 0xFF; if (s != e[EEPROM_CHECKSUM]) {
 printk(KERN_ERR DEV_LABEL "(itf %d): EEPR
 Copyright 2001 MontaVista Software Inc. * Author: Jun Sun, jsun@mvista.com or jsun@junsun.net * *
 arch/mips/ddb5xxx/ddb5477/irq_5477.c * This file defines the irq handler for Vrc5477.
 Copyright (C) 2000 ConnectTech Inc (<http://www.connecttech.com/>)
 (C) Copyright 1999 Linus Torvalds * * cramfs interfaces to the uncompression library. There's really just *
 three entrypoints: *
 Copyright (C) 1991-1998 Linus Torvalds * * Thanks to Branko Lankester, lankeste@fwi.uva.nl, who found
 a bug * in the early extended-partition checks and added DM partitions
 Copyright 1993, Drew Eckhardt * Visionary Computing * (Unix and Linux consulting and custom
 programming) * drew@colorado.edu * +1 (303) 666-5836 * * DISTRIBUTION RELEASE 6.
 Copyright (C) 1997 Richard Hirst * * based on amiints.c -- Amiga Linux interrupt handling code
 Copyright (C) 1996,1997,1998 Russell King.
 Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin Peschke
 <mmpeschke@de.ibm.com> * * Thanks to Martin Schwidewsky.
 Copyright : (c) Specialix International Ltd. 1998/*
 / Description : Prototypes, structures and definitions
 / describing the SX/SI/XIO cards shared */*
 memory window structure:
 Copyright (C) 1993 Bruno Haible * * SystemV/Coherent directory handling functions
 Copyright 1994 Comtrol Corporation. *
 Copyright (c) 2001, 2002 by D-Link Corporation
 Copyright (C) 1996-1998 Erik Andersen <andersee@debian.org>
 Copyright (C) 2001 MIPS Technologies, Inc. */#ifndef _ASM_REBOOT_H#define _ASM_REBOOT_H
 Copyright (c) Altera Corporation 2000. * All rights reserved
 Copyright (C) 1995 Miguel de Icaza (miguel@nuclecu.unam.mx)
 Copyright (C) 2001 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Fritz Elfert
 <felfert@millenux.com> <elfert@de.ibm.com> *
 copyright etc. Add this string into the table below. The parameters in the table are, in order:
 Copyright (C) 1994, 1995 Waldorf GmbH

Copyright (C) 1998 Jon Howell */
 Copyright (C) 1999, 2000 Ingo Molnar, Red Hat *
 Copyright (C) Eicon Technology Corporation, 2000. * * Eicon File Revision : 1.8
 Copyright (C) 1996 by Ralf Baechle * * This file is here to satisfy GCC's expectations.
 Copyright (C) 1996, 1997 Claus-Justus Heine.
 (C) IBM Corporation, IBM Deutschland Entwicklung GmbH, 2000, 2001 * * History of changes:
 Copyright 2001 Sun Microsystems (thockin@sun.com)
 Copyright 1999 by Carsten Paeth (calle@calle.in-berlin.de)
 Copyright (C) 1998-99 Anton Blanchard (anton@progsoc.uts.edu.au) */
 Copyright (C) 1995 Volker Lendecke *
 Copyright (C) Barak A. Pearlmutter. * Released under the GPL version 2 or later. * * Chopped about by
 Alan Cox 22/3/96 to make it fit the AF_UNIX socket problem. * If it doesn't work blame me, it
 Copyright 2000 Massachusetts Institute of Technology * * Permission to use, copy, modify, distribute, and
 sell this software and its * documentation for any purpose is hereby granted without fee,
 Copyright 1993, Drew Eckhardt * Visionary Computing * (Unix and Linux consulting and custom
 programming) * drew@colorado.edu * +1 (303) 666-5836 * * (Based on T128 -
 DISTRIBUTION RELEASE
 Copyright (C) 1998, 1999 Richard Henderson * * Code supporting the MIKASA (AlphaServer 1000).
 Copyright (C) 1995 Waldorf Electronics
 Copyright (C) 2000 Philipp Rumpf
 Copyright (C) 2001 Dave Engebretsen
 Copyright (C) 1996, Olaf Kirch <okir@monad.swb.de> */
 Copyright (C) 2001 Ralf Baechle (ralf@gnu.org) */#ifndef _ASM_SGIALIB_H#define _ASM_SGIALIB_H
 Copyright (C) 1991, 1992 Linus Torvalds * Revised and optimized for i486/pentium *
 1994/03/15 by Alberto Vignani/Davide Parodi @crf.it * * Split into 2 CPU specific files by Alan
 Cox to keep #if
 Copyright (c) 1998, 1999 Gleb Raiko
 Copyright (c) 2001,2002 by D-Link Corporation
 Copyright (C) 1996,1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
 Copyright (C) 1999 G. Allen Morris III <gam3@acm.org> * Extensive rewrite by Neil Brown
 <neilb@cse.unsw.edu.au> Southern-Spring 1999 */
 Copyright (c) 2000 ATecoM GmbH * * The author may be reached at ecd@atecom.com.
 Copyright (C) 2000 Geert Uytterhoeven <geert@sonycom.com> * Sony Software
 Development Center Europe (SDCE), Brussels */#include <linux/init.h>#include <linux/mm.h>#include <li
 Copyright (C) 2000, 2001, 2002 Axis Communications AB * * Authors: Bjorn Wesen Initial
 version
 (C) Copyright 1987 Seagate", 15, 37, SEAGATE
 (C) 1996 Gordon Chaffee * * Joliet: Microsoft's Unicode extensions to iso9660
 Copyright (C) 2000 YAEHASHI Takeshi * and setup_cqreek.c which bore message:
 Copyright (C) 1998 Eddie C. Dost (ecd@skynet.be) * * ppc64 changes: *
 Copyright (C) 1999, 2000 Silicon Graphics, Inc. */#include <linux/init.h>#include <linux/kernel.h>#include
 <linux/sched.h>#include <linux/interrupt.h>#include <linux/kernel_stat.h>#include <lin
 Copyright (C) 1999-2001 Keyspan, A division of InnoSys Incorporated ("Keyspan"), as an unpublished
 work. This notice does not imply unrestricted or public access to the source code from which t
 Copyright 1993, Drew Eckhardt * Visionary Computing * (Unix and Linux consulting and custom
 programming) * drew@colorado.edu * +1 (303) 666-5836 * * The AM53C974_nobios_det
 Copyright (C) 1993 Bjoern Brauel * Roman Hodek * * with work by
 Guenther Kelleter * Martin Schaller * Andreas Schwab
 Copyright (C) 1995, 1996, 1997, 1998 David S. Miller (davem@redhat.com)
 Copyright (C) 1999 Ulf Carlsson (ulfc@bun.falkenberg.se) * * This isn't complete yet, please don't expect
 any video until I've written * some more code.
 Copyright (C) 2000 Philipp Rumpf <prumpf@tux.org> *
 copyright 1989 Regents of the University of California.\n");#endif#endif CONFIG_SLIP_SMART
 printk(KERN_INFO "SLIP linefill/keepalive option.\n");#endif
 Copyright (C) 1999, 2000 Silicon Graphics, Inc. */#ifndef _ASM_PGALLOC_H#define _ASM_PGALLOC_H
 Copyright 1996,1997 Jan-Pascal van Best and Andreas Mohr.
 Copyright (C) 1999, 2000 Krzysztof Halasa <khc@pm.waw.pl>
 (c) Copyright 2002 Justin Cormack <justin@street-vision.com> * * Release 0.02
 Copyright (c) 2001 Cristian M. Craciunescu<cristi@dnt.ro>

Copyright by BeWan Systems
 Copyright (C) Jenna Hall (jenna.s.hall@intel.com) *
 (C) Copyright 1999, 2000 University of Helsinki, * Department
 of Computer Science * * This code is still under development / test.
 COPYRIGHT && i
 Copyright (C) 1999,2000,2001 by
 copyright (C) 1999/2000 by Henning Zabel <henning@uni-paderborn.de>
 Copyright (C) 1995 */#ifndef __ASM_PPC64_FLOPPY_H#define __ASM_PPC64_FLOPPY_H
 Copyright 1999 by Alfred Arnold (alfred@ccac.rwth-aachen.de, aarnold@elsa.de)
 Copyright (C) 2001
 Copyright (C) 2002
 Copyright (C) 1999 Tetsuya Okada */
 (C) Copyright 1999 Red Hat Software * * Written by Alan Cox, Building Number Three Ltd
 Copyright (C) 1992, 1993 Rick Sladkey * * Modified 1995, 1996 by Volker Lendecke to be usable for ncp *
 Modified 1997 Peter Waltenberg, Bill Hawes, David Woodhouse for 2.1 dcache
 Copyright (C) 1996 Paul Gortmaker * * This driver allows use of the real time clock (built into *
 nearly all computers) from user space. It exports the /dev/rtc * interface supporting various
 ioct
 Copyright (c) 2000-2001 LSI Logic Corporation. All rights reserved
 Copyright (c) 1997, 1998 Justin T. Gibbs. * All rights reserved
 Copyright (C) 1992 by Theodore Ts
 Copyright (C) 1998, 1999 Richard Henderson * * Code supporting the EB64+ and EB66.
 Copyright (C) 1998 Gleb Raiko *
 copyright; see LICENSE.FlashPoint for details. * * \$Workfile: automate.c \$
 Copyright (C) 1998 Thomas Bogendoerfer * * This code is based on arch/mips/sgi/kernel/system.c, which
 is
 Copyright (C) 1992 Theodore Ts * * May be freely distributed as part of Linux.
 Copyright (C) 1996,1998 David S. Miller (davem@redhat.com)
 copyright; see LICENSE.FlashPoint for details. * * \$Workfile: scsi2.h \$
 Copyright (C) 2000
 Copyright (C) 1999-2000 Thomas Sailer (sailer@ife.ee.ethz.ch)
 Copyright (C) 1996-1998, Olaf Kirch <okir@monad.swb.de> */
 Copyright (c) 2000 Clifford Wolf <clifford@clifford.at>
 Copyright (C) 1999 Silicon Graphics, Inc. */#ifndef _ASM_TYPES_H#define _ASM_TYPES_H
 Copyright (C) 1992 Linus Torvalds * * Fixed a disable_bh()/enable_bh() race (was causing a console
 lockup)
 Copyright (C) 1994 Linus Torvalds * * Pentium III FXSR, SSE support * General FPU state handling
 cleanups * Gareth Hughes <gareth@valinux.com>, May 2000
 Copyright (C) Paul Mackerras 1997.
 Copyright (c) 2000 David Woodhouse <dwmw2@mvhi.com> * Steven J. Hill
 <sjhill@cotw.com> * * \$Id: nand.h,v 1.8 2000/10/30 17:16:17 sjhill Exp \$
 Copyright (c) 2001 Vojtech Pavlik * * HID char devices, giving access to raw HID device events.
 Copyright (C) 2000, 2002 Maciej W. Rozycki * * These are addresses which have to be known early in the
 boot process. * For other addresses refer to tc.h, ioasic_addrs.h and friends.
 Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) * 1999 Andrew R. Baker
 (andrewb@uab.edu) * - Support for 2nd SCSI controller on Indigo2 * 2001
 Florian Lohoff (flo@rfc822.org) *
 Copyright (c) 2000-2001 Enver Haase <ehaase@inf.fu-berlin.de>
 (C) 1992 Eric Youngdale Modified for ISO9660 filesystem. *
 Copyright (c) 2000, 2001, 2002 Axis Communications AB * * Authors: Bjorn Wesen (initial version) *
 Mikael Starvik (pio setup stuff)
 Copyright (C) 1999 Stephane Eranian <eranian@hpl.hp.com> * * Based on skeleton from the
 drivers/char/rtc.c driver by P. Gortmaker
 Copyright (c) 2001 Greg Banks <gnb@alphalink.com.au> * * You can put anything here, but:
 Copyright (C) by Hannu Solvainen, "Paul Barton-Davis 1993-1998.\n");
 Copyright (C) 2000, 2001 R. Byron Moore
 (C) 1998 Thomas Bogendoerfer * * This driver is based on tgafb.c
 Copyright (C) 1996 Linus Torvalds, Igor Abramov, and Mark Lord */
 (C) 1999 Dave Airlie, University of Limerick, Ireland <airlied@linux.ie> */

Copyright (C) 1999 Nexus Electronics Ltd. * * This file contains the hardware definitions of the * CL7500 evaluation board.

Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) */#ifndef _SPARC_KGDB_H#define _SPARC_KGDB_H

(C) Copyright 1996 Linus Torvalds */

(C) Copyright 2000 Philipp Rumpf <prumpf@tux.org> *

Copyright (C) 1994 by Waldorf Electronic,

Copyright (C) 1998, 1999 Philip Blundell *

Copyright (C) 2000 MIPS Technologies, Inc. */#ifndef _ASM_SEMAPHORE_HELPER_H#define _ASM_SEMAPHORE_HELPER_H

Copyright (C) 1996, 1997 by Andrew Bose * * Linux kernel version history:

Copyright (C) 1995-1996 Miguel de Icaza (miguel@nuclecu.unam.mx)

(c) Copyright 2000 Philipp Rumpf <prumpf@tux.org>

Copyright (C) 1999, 2000 Axis Communications, Inc. * * Created by Finn Hakansson <finn@axis.com>.

Copyright (C) 1995,1996,1997,1998 Russell King.

(C) Copyright 2001 Brad Hards (bhards@bigpond.net.au) *

Copyright (C) 1997, 1998, 1999, 2000 Ralf Baechle

Copyright (C) 1998-2000 Christian T. Steigies * * Initialization additions : *

Copyright (C) 1994-98 Werner Zimmermann(Werner.Zimmermann@fht-esslingen.de)

Copyright (C) 2001 MIPS Technologies, Inc. */#include <linux/kernel.h>#include <linux/types.h>#include <linux/reboot.h>#include <asm/reboot.h>

Copyright status#define AC97_SC_PRE 0x0008 /* Preemphasis status */#define AC97_SC_CC_MASK 0x07f0 /* Category Code mask */#define AC97_SC_L 0x080

copyright * conflicts with Linux. * * This file makes liberal use of the standard linux utility * routines to reduce the size of the binary. We assume we can * trust some parts of Linux inside t

Copyright (C) Peter Maydell 05/1998 <pmaydell@chiark.greenend.org.uk> * * The board IDs are from the NetBSD kernel, which for once provided * helpful comments...

Copyright 2001 Kai Germaschewski <kai@tp1.ruhr-uni-bochum.de>

Copyright 1997 Wout Klaren <W.Klaren@inter.nl.net>

Copyright (C) 1999 Deti Fliegl (deti@fliegl.de)

(C) Copyright 1996 Linus Torvalds

Copyright (C) 1993 Linus Torvalds * * Delay routines calling functions in arch/s390/lib/delay.c

Copyright (C) 1999 Paul * * Extended to all five netfilter hooks by Brad Chapman & Harald Welte

Copyright (C) 1995 Andreas Busse */#ifndef __ASM_MIPS_GDB_STUB_H#define __ASM_MIPS_GDB_STUB_H

Copyright (C) 1999, 2000 Jeff Wiedemeier * * Code supporting TITAN systems (EV6+TITAN), currently:

Copyright (C) 1998, 1999, 2001 Hewlett-Packard Co * Stephane Eranian <eranian@hpl.hp.com> */

Copyright 1999 by Mitchell Blank Jr <mitch@sfgoth.com>

Copyright 1992-1996, 1998 Rickard E. Faith (faith@acm.org)

Copyright 2001 MontaVista Software Inc. * Author: Jun Sun, jsun@mvista.com or jsun@junsun.net

Copyright (C) 1996, 1997, 1998, 2000 by Ralf Baechle */#ifndef _ASM_POSIX_TYPES_H#define _ASM_POSIX_TYPES_H

Copyright (C) 2000 RidgeRun, Inc. * glonnon@ridgerun.com, skranz@ridgerun.com, stevej@ridgerun.com *

Copyright (c) 2002 Eric Brower (ebrower@usa.net) */

(c) Copyright 2002 Zwane Mwaikambo <zwane@commfireservices.com> ,

Copyright (C) 1997,1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz) * Heavily based on arch/sparc/kernel/irq.c. */

Copyright (c) 1998-2001 Axis Communications AB. * * The outline of this driver comes from skeleton.c.

Copyright (C) 1995 Eric Schenk, Bruno Haible * * IMPLEMENTATION NOTES ON CODE REWRITE (Eric Schenk, January 1995):

Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) */#include <linux/init.h>#include <linux/kernel.h>

Copyright (c) 1995-1998 Mark Lord *

Copyright (c) 2000,2001 S * All rights reserved

(C) 1994, 1995, 1996,1997 Russell King

Copyright (C) 1998 Gleb Raiko */#include <asm/asm.h>#include <asm/mipsregs.h>#include <asm/regdef.h>#include <asm/stackframe.h>#include <asm/addrspace.h>

Copyright (C) 2001 MIPS Technologies, Inc. */#include <linux/config.h>#include <linux/errno.h>#include <asm/asm.h>#include <asm/current.h>#include <asm/mipsregs.h>#include <asm/regdef.h>#inclu

Copyright (C) 1992,1993,1994,1997 | W. Metzenthien, 22 Parker St, Ormond, Vic 3163, |
| Australia. E-mail billm@suburbia.net | |
Copyright (c) 2000 Tacitus Systems, Inc.
Copyright (C) 2002 Shane Nay (shane@minirl.com) * * Well..., what did you expect?, it's not really there :)
Copyright (C) 1999 Stephane Eranian <eranian@hpl.hp.com>
Copyright (C) 1999 Richard Zidlicky * * originally based on: *
Copyright 1997,1998,1999 Derrick J. Brashear (shadow@dementia.org)
Copyright 1993 United States Government as represented by the * Director, National Security Agency. *
* Thanks to Erik De Cock, Adrian Bridgett and Frank Fiene for their * assistance and p
Copyright (C) 1999 Precision Insight, Inc.
(C) 1999 Thomas Bogendoerfer (tsbogend@alpha.franken.de) */
Copyright (C) 2001 Kanoj Sarcar */#ifndef _ASM_IRQ_H#define _ASM_IRQ_H
Copyright (C) 1993, 1994 by Hamish Macdonald * * 68040 fixes by Michael Rausch * 68040 fixes by
Martin Apel * 68040 fixes and writeback by Richard Zidlicky * 68060 fixes by Roman Hodek * 68
Copyright (C) 1997 Rudolf Koenig (rfkoenig@immd4.informatik.uni-erlangen.de)
Copyright (C) 1999, 2000 Silicon Graphics, Inc. */#include <linux/config.h>#include
<linux/kernel.h>#include <linux/sched.h>#include <linux/timer.h>#include <linux/smp.h>#include
<linux/mmzone.h>
Copyright 1997 by Henner Eisen <eis@baty.hanse.de>
Copyright (C) People who wrote linux/arch/i386/kernel/sys_i386.c
Copyright 1998-2002 by Jes Sorensen, <jes@trained-monkey.org>. * * Thanks to Alteon and 3Com for
providing hardware and documentation * enabling me to write this driver.
Copyright (C) 1998, 1999 Richard Henderson * * Code supporting the RX164 (PCA56+POLARIS).
(c) Copyright 1999 The Puffin Group Inc. * by Alex deVries <adevries@thepuffingroup.com>
Copyright (C) 1999 Silicon Graphics, Inc. */#ifndef _ASM_SIGCONTEXT_H#define _ASM_SIGCONTEXT_H
Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin
Schwidefsky <schwidefsky@de.ibm.com> */
Copyright (C) 2001 by Ralf Baechle */#include <linux/kernel.h>#include <linux/types.h>#include
<linux/spinlock.h>#include <linux/init.h>#include <linux/pci.h>#include <linux/errno.h>#include <
Copyright (C) 2000-2001 Toshiba Corporation * * Cleaned up various non portable stuff (save_and_cli etc)
and made it * build on x86 platforms -- Alan Cox <alan@redhat.com> 20020302
(C) Copyright Alan Cox. Released under the GPL version 2. * * Alan Cox: Updated for new
modular code. Removed snd_* irq handling. Now * uses native linux resources *
Christoph Hellwig: Adapted
Copyright (C) 1997 by
Copyright 1995,96 Thinking Objects Software GmbH Wuerzburg
Copyright (C) 1997 Jakub Jelinek (jakub@redhat.com) */
Copyright (C) 1993,1995,1997 | W. Metzenthien, 22 Parker St, Ormond, Vic 3163, | |
Australia. E-mail billm@suburbia.net | |
Copyright (C) 1996 * Adrian Rodriguez (adrian@franklins-tower.rutgers.edu) * Laboratory for Computer
Science Research Computing Facility * Rutgers, The State University of New Jersey * * \$Id: ufs
Copyright (C) 1998 Jakub Jelinek (jj@ultra.linux.cz) */
Copyright (C) 1995 Linus Torvalds
Copyright 1999 Jeff Garzik <jgarzik@mandrakesoft.com> *
(C) 2000 Red Hat. GPL \$Id: jedec_probe.c,v 1.3 2001/10/02 15:05:12 dwmw2 Exp \$*/
Copyright (C) 1999, 2000 Silicon Graphics, Inc. */#ifndef _ASM_UNALIGNED_H#define
_ASM_UNALIGNED_H
Copyright (C) 2001 IBM Entwicklung GmbH, IBM Corporation */
copyright by their * authors. Thanks to Matt Dharm for giving us permission! * * This driver implements a
SCSI host controller driver and a USB * device driver. To avoid confusion, all the USB rel
Copyright (c) 1999 ITConsult-Pro Co. <info@itc.hu>
Copyright (C) 1991, 1992 Linus Torvalds * * and parts of the affs filesystem additionally
Copyright (C) 2001 MIPS Technologies, Inc. */#include <asm/asm.h>#include <asm/regdef.h>#include
<asm/mipsregs.h>#include <asm/stackframe.h>
Copyright 2001 Compaq Computer Corporation
Copyright 1999-2000 Jaroslav Kysela <perex@suse.cz>
(C) 1999 Nicolas Pitre <nico@cam.org> * * All this is intended to be used with a 16550-like UART on the
SA1100's * PCMCIA bus. It has nothing to do with the SA1100's internal serial ports. * Thi
(c) Copyright 1998 Red Hat Software Inc *Written by Alan Cox. * Further debugging by Carl Drougge. *
Modified by Richard Procter (rnp@netlink.co.nz) * *Based on skeleton.c written 1993-94

Copyright (c) 1997, 1999 Dag Brattli <dagb@cs.uit.no>, * All Rights Reserved
 Copyright 2000 by Hans Reiser, licensing governed by reiserfs/README * * Trivial changes by Alan Cox to remove EHASHCOLLISION for compatibility
 (C) 1998 Alan Cox * * Debugging Andreas Ehliar, Michael Schmitz
 Copyright (C) 2000, 2001, 2002 Axis Communications AB * * Authors: Bjorn Wesen (bjornw@axis.com)
 Copyright (C) 1994-98 Werner Zimmermann * * based on Mitsumi CDROM driver by Martin Harriss
 Copyright (C) 1999 Harald Koerfgen
 Copyright (C) 1994, 1995, 1996, 1998, 1999 by Ralf Baechle
 Copyright 1999-2000 Jeff Garzik * * Contributors: *
 Copyright (C) 2001 Sistina Software *
 Copyright (C) 1999 ITConsult-Pro Co. <info@itc.hu>
 Copyright (C) 1999,2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Denis Joseph Barrow (djbarrow@de.ibm.com,barrow_dj@yahoo.com), * * Based on PowerPC version
 Copyright (C) 1996 Thomas Sailer (sailer@ife.ee.ethz.ch)
 Copyright (C) 1996 Miguel de Icaza (miguel@nuclecu.unam.mx) */
 Copyright (C) 1998-2000 Russell King, Dave Gilbert.
 Copyright 2001 MontaVista Software Inc. * Author: MontaVista Software, Inc. *
 ahennessy@mvista.com * * Based on arch/mips/ddb5xxx/ddb5477/setup.c
 Copyright (C) 1995 Linus Torvalds * * Enhanced CPU type detection by Mike Jagdis, Patrick St. Jean * and Martin Mares, November 1997.
 (C)Copyright 1998-2001 SysKonnnect,
 Copyright (C) 1995-2000 Simon G. Vogl
 Copyright (C) 2000 YAEHASHI Takeshi * Typical I/O routines for HD64461 system. */
 Copyright (C) 1993-1995 Bas Laarhoven,
 Copyright (C) 1998 Jakub Jelinek (jj@ultra.linux.cz) */
 Copyright by Brent Baccala <baccala@FreeSoft.org>
 Copyright (C) 1999 Alpha Processor, Inc., * (David Daniel, Stig Telfer, Soohoon Lee) * *
 Code supporting NAUTILUS systems.
 Copyright (C) 1994 - 1999, 2000 by Ralf Baechle
 Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) * * SunOS compatibility based upon preliminary work which is: *
 Copyright (C) 1997 Richard G * * binfmt_misc detects binaries via a magic or filename extension and invokes * a specified wrapper. This should obsolete binfmt_java, binfmt_em86 and * binfmt_mz.
 (C) Carnegie Mellon University
 Copyright Linus Torvalds and others.
 Copyright (C) 1991, 1992 Linus Torvalds * * GK 2/5/95 - Changed to support mounting root fs via NFS *
 Added initrd & change_root: Werner Almesberger & Hans Lermen, Feb '96 * Moan early if gc
 Copyright (C) 1994 by Alan Cox (Modularised it) * LPCAREFUL, LPABORT, LPGETSTATUS added by Chris Metcalf, metcalf@lcs.mit.edu * Statistics and support for slow printers by Rob Janssen, rob@knoware.n
 Copyright (C) 1996-1999 Jakub Jelinek (jj@ultra.linux.cz)
 Copyright 2000 MontaVista Software Inc.
 Copyright (C) 1996 Jesper Skov (jskov@cygnus.co.uk) * * Hacked to work with the NCR MCA stuff by Tym Twillman (tymm@computer.org) * 1998
 Copyright: (c) 1995-2001 Sangoma Technologies Inc.
 (C) 2001, 2001 Red Hat, Inc. * GPL'd * \$Id: gen_probe.h,v 1.1 2001/09/02 18:50:13 dwmw2 Exp \$ */
 Copyright (C) 1994 by Hamish Macdonald
 aufs5-linux v2.6.12 github:sfjro/aufs5-linux:v2.6.12
 Copyright abandoned, Michael Chastain, <mailto:mec@shout.net>. * This is a C version of syncdep.pl by Werner Almesberger. * * This program takes autoconf.h as input and outputs a directory full *
 Copyright 1995-97 Simon G. Vogl * 1998-99 Hans Berglund * * With some changes from Kyösti Mälkki <kmalkki@cc.hut.fi> * and even Frodo Looijgaard <frodol@dds.nl>
 copyright Linus Torvalds and others. * Heavily rewritten. */
 Copyright 1995-1996 Digi International Inc.
 Copyright 1999 SuSE GmbH Nuernberg (Philipp Rumpf, prumpf@tux.org)
 Copyright (C) 1999 Asit Mallick <asit.k.mallick@intel.com>
 Copyright (C) Joerg Reuter DL1BKE (jreuter@yaina.de)
 Copyright (C) 2000,2002 IBM Deutschland Entwicklung GmbH, IBM Corporation * Authors(s): Martin Schwidefsky (schwidefsky@de.ibm.com) * * These functions have standard call interface
 Copyright (C) 1999, 2000 Silicon Graphics, Inc. */#ifndef _ASM_POSIX_TYPES_H#define

_ASM_POSIX_TYPES_H

Copyright (C) 1999-2000 David Mosberger-Tang <davidm@hpl.hp.com> * * 64-bit integer division.

Copyright (C) 2001 Paul Bame <bame at parisc-linux.org>

Copyright (C) 2003 YOSHII Takashi <yoshii-takashi@hitachi-ul.co.jp> * Based on arch/sh/boards/se/7300/io.c * * I/O routine for SH-Mobile3 73180 SolutionEngine.

Copyright (C) 1991, 1992 Linus Torvalds * * Goal-directed block allocation by Stephen Tweedie *

(sct@redhat.com), 1993, 1998 * Big-endian to little-endian byte-swapping/bitmaps by * Da

Copyright (C) 1999-2001 Moxa Technologies (support@moxa.com.tw). * * This code is loosely based on the Linux serial driver, written by * Linus Torvalds, Theodore T'so and others.

Copyright (c) 2003,2004 Freescale Semiconductor, Inc.

Copyright (C) 2004 IBM Corporation * * Author(s): Thomas Spatzier <tspat@de.ibm.com>

Copyright (c) 2001, 2002 Daniel Engstrom <5116@telia.com> *

Copyright (C) 2003 Takeo Takahashi <takahashi.takeo@renesas.com>

Copyright: MontaVista Software Inc. * * Code specific to PXA27x aka Bulverde.

Copyright (C) 1998-2000 Andrzej Krzysztofowicz, Maintainer

(C) Copyright 2001, 2002 Ralf Baechle */#include <linux/module.h>#include <asm/addrspace.h>#include <asm/byteorder.h>

copyright); printk(VLAN_INF "All bugs added by vlan_buggyright);

Copyright (C) 1999,2000 ARM Limited

Copyright (c) 1999-2002 Vojtech Pavlik

Copyright (c) 1998-1999 Ilario Nardinocchi (nardinoc@CS.UniBO.IT) * -----

----- * \$Id: cvisionppc.h,v 1.8 1999/01/28 13:18:07 illo Exp

Copyright 2002, 2003 Motorola Inc. * * Ported to 2.6, Matt Porter <mporter@kernel.crashing.org>

Copyright (C) 2004, 2005 Paul Mundt

Copyright (C) 2003, Randy Dunlap <rddunlap@osdl.org>

Copyright (c) 1997-1999 Doug Ledford * * These changes are released under the same licensing terms as the FreeBSD * driver written by Justin Gibbs. Please see his Copyright notice above * for the

Copyright (C) 1998 Eddie C. Dost (ecd@skynet.be) * * This driver supports the following ATI graphics chips:

Copyright (C) 2002 ARM Limited, All Rights Reserved

Copyright (C) 2002 Toshinobu Sugioka *

Copyright (c) 2001, 2002 Hiroyuki Kondo, Hirokazu Takata,

Copyright (C) 1996 Thomas K. Dyas (tdyas@eden.rutgers.edu) * * Chris Davis (cdavis@cois.on.ca)

03/27/1998 * Added support for the intersil on the sun4/4200

Copyright (C) 1999, 2000 by Ralf Baechle

Copyright (C) 2002 Stefan Eletzhofer <stefan.eletzhofer@eletztrick.de> * * This file contains all HackKit tweaks. Based on original work from * Nicolas Pitre's assabet fixes

Copyright (C) 1998 Patrik Rak (prak3264@ss1000.ms.mff.cuni.cz) * * Streams & timod emulation based on code

Copyright (c) 1994-2001 Justin T. Gibbs.

(C) Copyright 1999 Roman Weissgaerber <weissg@vienna.at>

Copyright (C) 2004 Richard Curnow

Copyright (C) 2001, Alcatel

Copyright (C) 1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz) */

Copyright (C) 1997 Geert Uytterhoeven.

Copyright (C) 2001 Randolph Chung <tausq@debian.org> * * This code is derived, with permission, from HP/UX sources.

Copyright (C) 1998 Ingo Molnar

Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)

Copyright 1993, 1994 Drew Eckhardt * Visionary Computing * (Unix and Linux consulting and custom programming) * drew@Colorado.EDU * +1 (303) 786-7975 * * For more informatio

Copyright (C) 1999, 2000 Kaz Kojima * * Original x86 implementation:

Copyright (C) 1996, 2000 by Ralf Baechle */#ifndef _ASM_INST_H#define _ASM_INST_H

Copyright (c) 2003-2005 Simtec Electronics * Ben Dooks <ben@simtec.co.uk> * *

<http://www.simtec.co.uk/products/EB2410ITX/>

Copyright (C) 1996 Paul Mackerras (paulus@cs.anu.edu.au)

Copyright (c) 2004-2005 Simtec Electronics * Ben Dooks <ben@simtec.co.uk> * * Header file for s3c2440 cpu support

Copyright (C) 2003 Takashi Kusuda <kusuda-takashi@hitachi-ul.co.jp> * Based on arch/sh/setup_shmse.c

* * Modified for 73180 SolutionEngine * by YOSHII Takashi <yoshii-takashi@hitachi-ul.
 Copyright 1998-2001 by Jes Sorensen, <jes@trained-monkey.org>.
 Copyright (C) 1997 Claus-Justus Heine
 Copyright (C) 1999, 2000, 01, 02, 03 by Ralf Baechle
 Copyright (C) 2001 Allan Trautman, IBM Corporation * * iSeries specific routines for PCI.
 (C) 1992 V8.00.004/02/92", 5, 44, FD {"IBM F1 BIOS V1.1004/30/92", 5, 25, FD}, {"FUTURE DOMAIN
 TMC-950", 5, 21, FD}, /* Added for 2.2.16 by Matthias_Heidbrink@b.maus.de */ {"IBM F1
 V1.2009/22/93",
 Copyright (c) 1995 Michael Teske * * History: *
 Copyright 2003, 04 PMC-Sierra Inc. * Author: Manish Lachwani (lachwani@pmc-sierra.com
 Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin
 Schwidefsky (schwidefsky@de.ibm.com) * * Derived from "include/asm-i386/current.h"
 Copyright (C) 1996 - 1999 Gadi Oxman <gadio@netvision.net.il>
 (C) Copyright 2000-2002 David Brownell <dbrownell@users.sourceforge.net> * * [Initialisation is based
 on Linus'] * [uhci code and gregs ohci fragments]
 Copyright Digital Equipment Corporation 1996.
 Copyright (C) by Hannu Savolainen 1993-1996
 Copyright (C) 2004 Andi Kleen, SuSE Labs * * Extended attribute support for tmpfs:
 Copyright (C) 2001 Sistina Software * * This file is released under the GPL.
 Copyright (C) 2003 Coastal Environmental Systems
 Copyright (c) 1998 Dan Malek (dmalek@jlc.net) */#ifndef __KERNEL__#ifndef __ASM_FADS_H__#define
 __ASM_FADS_H__
 Copyright (C) 1997-2000 Richard Gooch
 Copyright (C) 1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz) */#ifndef _SPARC_TURBOSPARC_H#define
 _SPARC_TURBOSPARC_H
 Copyright (C) 2002 * * Derived from the taskqueue/keventd code by: *
 Copyright (C) 1998, 1999, 2000 Richard Henderson * * Code supporting the MIATA (EV56+PYXIS).
 Copyright (C) 2000 Rob Scott (rscott@mtrob.fdns.net) * Steve Hill (sjhill@cotw.com) * *
 Changelog:
 Copyright (c) Gisle S
 Copyright (c) 2000 Michael Leslie <mleslie@lineo.com>
 (C) Copyright IBM Corp. 2002, 2004 * * Author(s): Martin Peschke <mpeschke@de.ibm.com> *
 Raimund Schroeder <raimund.schroeder@de.ibm.com> * Aron Zeh * Wolfgang
 (c) Copyright 2000 kernel concepts <nils@kernelconcepts.de> *
 developed for * Jentro AG, Haar/Munich (Germany) * * TCO timer driver for
 i8xx chipsets * based on so
 Copyright (C) 1996 Paul Mackerras. * * platinumfb.c: Console support for PowerMac "platinum" display
 adaptor.
 Copyright (C) 2001 Takashi Oe * * Mmap code by Michel Lanners <mlan@cpu.lu>
 Copyright unasserted) * AN = 0 (Audio data) * P = 0 (Consumer) */
 snd_emu10k1_ptr_write(emu, SPCS0, 0, emu->spdif_bits[0] =
 SPCS_CLKACCY_1000PPM |
 Copyright (c) 2004 Red Hat Inc.\n"); first = 0; }
 Copyright (C) 2003, 2004 Red Hat, Inc. All Rights Reserved
 Copyright (C) 2004 Silicon Graphics, Inc. * * Portions derived from Patrick Mochel's sysfs code.
 Copyright (c) 2001, 2002 Hitoshi Yamamoto, and H. Kondo * * Some code taken from i386 version.
 Copyright (C) 1994-1996 Linus Torvalds
 (C) Chad Page, Theodore Ts * * This RAM disk is designed to have filesystems created on it and mounted *
 just like a regular floppy disk.
 Copyright (C) 1999-2000, 2002 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>
 */
 Copyright (c) 2002 International Business Machines, Corp. * * This file is part of the SCTP kernel reference
 Implementation
 Copyright (C) 1997 Roman Hodek <Roman.Hodek@informatik.uni-erlangen.de> * idea by and with help
 from Richard Jelinek <rj@suse.de>
 COPYRIGHT (1<<2) /#define IEC958_AES0_CON_EMPHASIS (7<<3) /* mask - emphasis
 /#define IEC958_AES0_CON_EMPHASIS_NONE (0<<3) / none emphasis */#define
 IEC958_AES0_CON_EMPHASIS_5015 (1<<3) /* 50/15u
 (C) 2003 Robert Schwebel <r.schwebel@pengutronix.de> * * This file contains the board specific defines

for various devices
 Copyright (C) 2001,2002 Andi Kleen, SuSE Labs. */
 Copyright (c) 1999 Intel Corporation";
 Copyright (C) 1996 Stoned Elipot
 Copyright (C) 2002 Hirokazu Takata */
 (C) 1986-1990 V7.009/18/90", 5, 46, FD
 Copyright (C) 1992, 1993 Drew Eckhardt * low level scsi driver for ST01/ST02, Future Domain TMC-885,
 * TMC-950 by Drew Eckhardt <drew@colorado.edu> * * Note : TMC-880 boards don't w
 Copyright (C) 2003 by Ralf Baechle */#ifndef __ASM_MACH_GENERIC_PARAM_H#define
 __ASM_MACH_GENERIC_PARAM_H
 Copyright (C) 1998 Eddie C. Dost (ecd@skynet.be)
 Copyright (C) 1991, 1992 Linus Torvalds * * coh/namei.c
 Copyright (c) 2004 Takashi Iwai <tiwai@suse.de>
 Copyright (C) 2004 by Daniel Ritz
 copyright information. */#ifndef __FLEXCOP_COMMON_H__#define __FLEXCOP_COMMON_H__
 Copyright (C) 2000-2001 Deep Blue Solutions
 Copyright (C) 1992 Rick Sladkey * * nfs directory handling functions
 Copyright (C) 1995-1997 Claus-Justus Heine.
 Copyright (c) 2003 Michal Sojka, for high-speed iso transfers
 Copyright (c) 2000 The Regents of the University of Michigan * * \$Id\$
 Copyright 2000,2001 MontaVista Software Inc. * Author: MontaVista Software, Inc. *
 ppopov@mvista.com or source@mvista.com * * This file was derived from Carsten Langgaard's *
 arch/mips/m
 Copyright (C) 2001, 2002, 2003 Maciej W. Rozycki */#include <linux/interrupt.h>#include
 <linux/linkage.h>
 Copyright 1999 Jaroslav Kysela <perex@suse.cz>
 Copyright (C) 1999 Jakub Jelinek (jj@ultra.linux.cz)
 Copyright (c) 1999-2003 Vojtech Pavlik <vojtech@suse.cz>
 (C) Copyright 1991-2000 Linus Torvalds * * We have a per-user structure to keep track of how many *
 processes, files etc the user has claimed, in order to be * able to have per-user limits for sys
 Copyright (C) 1999 IBM Corporation * * Linux driver for IBM PCI tokenring cards based on the
 LanStreamer MPC * chipset.
 Copyright (C) 2001 Russell King.
 Copyright (C) 2004 Benjamin Herrenschmidt <benh@kernel.crashing.org>, IBM Corp.
 Copyright (C) 1997 David S. Miller (davem@caip.rutgers.edu)
 Copyright 2001 Manfred Spraul
 (c) Copyright 2001 Red Hat Inc <alan@redhat.com>
 Copyright (C) 2000 Lineo, Inc. (www.lineo.com) * - linux/arch/m68k/mm/init.c
 Copyright (C) 1997, 1998 Russell King
 Copyright (c) Randolph Chung 2001 <tausq@debian.org> * * IO accessing functions which shouldn't be
 inlined because they're too big
 Copyright 2003,2004 Ryan Bradetich <rbrad@parisc-linux.org>
 Copyright (C) 1998 Anton Blanchard (anton@progsoc.uts.edu.au)
 Copyright (C) 2005 James Chapman <jchapman@katalix.com> * * based on
 linux/drivers/acron/char/pcf8583.c
 Copyright (C) Jonathan Naylor G4KLX (g4klx@g4klx.demon.co.uk) */#include <linux/config.h>#include
 <linux/errno.h>#include <linux/types.h>#include <linux/socket.h>#include <linux/in.h>#include <
 Copyright 2001 H. Peter Anvin - All Rights Reserved
 Copyright (C) 2003 Ian Molton (ARM26)
 Copyright (c) 2001 Jeff Sutherland <jeffs@accelent.com> * * Original (leds-footbridge.c) by Russell King
 Copyright (C) 2000-2001 Hewlett-Packard Co * Stephane Eranian <eranian@hpl.hp.com> * David
 Mosberger-Tang <davidm@hpl.hp.com> */#include <asm/asmmacro.h>
 (C) 2003 Venkatesh Pallipadi <venkatesh.pallipadi@intel.com>. * Jun Nakajima
 <jun.nakajima@intel.com>
 Copyright 2000,2002 IBM Corporation * Author(s): Utz Bacher <utz.bacher@de.ibm.com> * 2.6 cio
 integration by Cornelia Huck <cohuck@de.ibm.com> * * Restriction: only 63 iqdio subchannel
 (C)Copyright 1998-2001 SysKonnect GmbH.
 Copyright (C) 2000 Steven J. Hill (sjhill@realitydiluted.com) * * \$Id: rtc_from4.c,v 1.7 2004/11/04
 12:53:10 gleixner Exp \$

copyright as above. * * Modified for Sun3 OBIO i82586 by Sam Creasey (sammy@sammy.net)
 Copyright (c) 1998 Harald Koerfgen */#include <asm/asm.h>#include <asm/errno.h>#include
 <asm/fpregdef.h>#include <asm/mipsregs.h>#include <asm/offset.h>#include <asm/regdef.h>
 Copyright (C) 2003 David Glance <davidgsf@sourceforge.net>
 Copyright (C) 2000 - 2005, R. Byron Moore * All rights reserved
 Copyright (c) 2000 Axis Communications AB * * Authors: Bjorn Wesen
 Copyright (c) 2005 Vojtech Pavlik <vojtech@suse.cz> */
 (C) 2000 Red Hat. GPLv2. * * \$Id: flashchip.h,v 1.15 2004/11/05 22:41:06 nico Exp \$
 Copyright (C) 1995 Linus Torvalds * * 1997-11-02 Modified for POSIX.1b signals by Richard Henderson
 Copyright (c) 2001 Matrox Graphics Inc. * * Version: 1.64 2002/06/10
 Copyright (C) 2003 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> */
 Copyright (c) 2003-2005 Simtec Electronics * Ben Dooks <ben@simtec.co.uk> *
 Copyright (C) 2004-2005 David Brownell * * Periodic scheduling is based on Roman's OHCI code
 Copyright (C) 2000 Philipp Rumpf <prumpf@tux.org> * * based on linux/drivers/char/pc_keyb.c, which had
 the following comments: *
 Copyright (C) 2002 MontaVista Software Inc. * Author: Yoichi Yuasa <yyuasa@mvista.com, or
 source@mvista.com>
 Copyright (C) 2000 Jim Pick <jim@jimpick.com>
 Copyright 2000 MontaVista Software Inc. * Author: MontaVista Software, Inc. * ppopov@mvista.com
 or source@mvista.com * * Carsten Langgaard, carstenl@mips.com
 Copyright (C) 1995 Leo Spiekman (spiekman@dutette.et.tudelft.nl)
 Copyright (c) 2001 "Crazy" James Simmons * * Compaq touchscreen protocol driver. The protocol
 emulated by this driver * is obsolete; for new programs use the tslib library which can read directly
 Copyright 2002 Momentum Computer Inc. * Author: Matthew Dharm <mdharm@momenco.com> * * Louis
 Hamilton, Red Hat, Inc. * hamilton@redhat.com [MIPS64 modifications]
 Copyright (c) 2004 Simtec Electronics * Ben Dooks <ben@simtec.co.uk> * * S3C2410 Power Manager
 (Suspend-To-RAM) support
 Copyright 1997-2000 Philip Blundell <philb@gnu.org> * * Module parameters: *
 Copyright 1998-2000 Jonathan Teh Soon Yew if(temp<169) return double(temp)*0.427-
 32.08; else if(temp>=169 && temp<=202) return double(temp)*0.582-58.16;
 Copyright (C) 1995, 1996 by Volker Lendecke *
 Copyright (C) 1999 Arun Sharma <arun.sharma@intel.com>
 Copyright (C) 2000 Hewlett-Packard Co, Linuxcare Inc.
 Copyright (C) 1999 by Ralf Baechle */#ifndef _ASM_SN_SN0_IP27_H#define _ASM_SN_SN0_IP27_H
 Copyright (C) 2002 IBM Deutschland Entwicklung GmbH, * IBM Corporation *
 Author(s): Martin Schwidefsky (schwidefsky@de.ibm.com) * Cornelia Huck (cohuck@de.ibm.com)
 */#include
 Copyright (C) 2004 Nokia Corporation * Partial timer rewrite and additional VST timer support by * Tony
 Lindgen <tony@atomide.com> and * Tuukka Tikkanen <tuukka.tikkanen@elektrobit.com> * * MPU t
 Copyright (C) 2001 Matthieu Delahaye <delahaym at esiee.fr>
 (C)Copyright 2002-2003 Marvell.
 Copyright (c) 1999 Michael Gee <michael@linuxspecific.com>
 Copyright 1994-1999 by Fritz Elfert (fritz@isd4linux.de)
 Copyright 1993, 1994, 1995 Drew Eckhardt * Visionary Computing * (Unix and Linux consulting and
 custom programming) * drew@PoohSticks.ORG * +1 (303) 786-7975 * * TolerANT and SCS
 Copyright (c) 2004 Simtec Electronics * Ben Dooks <ben@simtec.co.uk> * *
 http://www.simtec.co.uk/products/EB2410ITX/
 (C) 2000-2004 by Harald Welte <laforge@netfilter.org> * * 2000/09/22 ulog-cprange feature added *
 2001/01/04 in-kernel queue as proposed by Sebastian Zander *
 <zander@fokus.gmd.de> * 2001/
 Copyright 2002, 2003 (C) Paul Mundt */#ifndef __ASM_SH_CACHE_H#define __ASM_SH_CACHE_H#endif
 __KERNEL__
 Copyright (C) 2000 RidgeRun, Inc. * Author: RidgeRun, Inc. * glonnon@ridgerun.com,
 skranz@ridgerun.com, stevej@ridgerun.com *
 Copyright (C) 1999, 2000 Philipp Rumpf <prumpf@tux.org>
 Copyright (C) 2004 Thomas Gleixner (tglx@linutronix.de) * * Reed Solomon code lifted from reed solomon
 library written by Phil Karn
 Copyright (C) 1991, 1992, 1993, 1994 Linus Torvalds * * Swap reorganised 29.12.95, * Asynchronous
 swapping added 30.12.95. Stephen Tweedie * Removed race in async swapping. 14.4.1996. Bruno H

copyright: Copyright 1993 United States Government as represented by the Director, National Security Agency.

Copyright (C) 1998-2001 Gerard Roudier <groudier@free.fr>

Copyright (C) 2003 Christoph Hellwig.

Copyright (c) 2004 NVIDIA Corporation

Copyright (C) 1999, 2000 by Silicon Graphics, Inc. * * PROM library functions for acquiring/using memory descriptors given to us * from the ARCS firmware. This is only used when CONFIG_ARC_MEMORY

Copyright (C) 1999,2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Hartmut Penner (hp@de.ibm.com), * Martin Schwidefsky (schwidefsky@de.ibm.com) * * Derived f

Copyright (C) 2001 Will Dyson (will_dyson at pobox.com) * * With help from the ntfs-tng driver by Anton Altparmakov

Copyright (C) 2002 Russell King.

Copyright (C) 1994 Florian La Roche * * Jun 7 1999, cache symlink lookups in the page cache. -DaveM

Copyright (C) 1995-04 ICP vortex GmbH, Achim Leubner

Copyright (C) 2001 Ridgerun, Inc (glonnon@ridgerun.com)

Copyright (C) 2001 Junichi Morita <jun1m@mars.dti.ne.jp> *

Copyright (C) 1999-2001 Keyspan, A division of InnoSys Incorporated ("Keyspan") as an unpublished work. This notice does not imply unrestricted or public access to the source code from which th

(C) Copyright 2000 Grant Grundler <grundler@puffin.external.hp.com> *

Copyright (C) 2001 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Fritz Elfert (elfert@de.ibm.com, felfert@millenux.com) * * Driverfs integration and all bugs therein by Cornelia Hu

Copyright (c) 2003 IBM Corp. * * All rights reserved

Copyright (C) 1992-1997,2000-2004 Silicon Graphics, Inc. All Rights Reserved

Copyright (C) 2004 Roelf Diedericks <roelfd@inet.co.za>

Copyright 2001 by Kai Germaschewski <kai.germaschewski@gmx.de> * 2001 by Karsten Keil <keil@isdn4linux.de> * * based upon Karsten Keil's original isac.c driver

Copyright 1994, Tom Zerucha. tz@execpc.com Additional Code, and much appreciated help by Michael A. Griffith grif@cs.ucr.edu

Copyright 2000,2004 (c) Grant Grundler <grundler()nahspam.parisc-linux.org> */

Copyright (C) 2004 Intel Corporation.

Copyright (C) 1992 Thomas Wuensche * closely related to the aha1542 driver from Tommy Thorn * (as close as different hardware allows on a lowlevel-driver :-)) * * Revised (and renamed) by John

Copyright (C) 1992 - 1997, 1999 Silicon Graphics, Inc.

Copyright (c) 2003 Hitoshi Yamamoto * * Taken from i386 version.

Copyright (C) 2004 Nokia corporation

Copyright (C) 1997,1998 Russell King */

Copyright (C) 1999 Ulf Karlsson <ulfc@bun.falkenberg.se>

Copyright (C) 1998 Vladimir Roganov and Gleb Raiko * * This driver is partly based on the Frame buffer device for ATI Mach64 * and partially on VESA-related code.

Copyright (C) 2004 by Ralf Baechle (ralf@linux-mips.org) * * Based on arch/mips/ddb5xxx/ddb5477/pci_ops.c

Copyright (C) 2000 Crossnet Co. <info@crossnet.co.jp> * * This code is GPL

Copyright: Copyright (c) 1996 John Shifflett, GeoLog Consulting */staticunsigned char calc_sync_xfer(unsigned int period, unsigned int offset)

Copyright (C) 2002 Broadcom Corporation

Copyright (C) 2004-2005 Yoichi Yuasa <yuasa@hh.iij4u.or.jp> * * Based on drivers/serial/8250.c, by Russell King.

Copyright (C) 1998 Daniel Jacobowitz <dan@debian.org>

Copyright (C) 1998-2003 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> * * 02/06/02 find_next_bit() and find_first_bit() added from Erich Focht's ia64 O(1) * scheduler patch

Copyright (C) 1995, 96, 97, 98, 99, 2001 by Ralf Baechle

Copyright (c) 2003 Gerd Knorr

Copyright (C) 2001 Silicon Graphics, Inc. (Trust Technology Group)

Copyright (c) 2001 - 2003 Hiroyuki Kondo, Hirokazu Takata,

Copyright (C) 2001 by Ralf Baechle

Copyright (C) 1998 */

Copyright (C) 2001 Ralf Baechle * * This file define the irq handler for MIPS CPU interrupts.

Copyright (C) 1999, 2000 Brian Warner <warner@lothar.com>

Copyright (c) 1999 Silicon Graphics, Inc. */#include <asm/asm.h>#include <asm/offset.h>#include
<asm/regdef.h>
Copyright (C) 1996 Peter J. Braam <braam@maths.ox.ac.uk> and * Michael Callahan
<callahan@maths.ox.ac.uk> * * Rewritten for Linux 2.1. Peter Braam <braam@cs.cmu.edu>
Copyright (C) 2003 by Ralf Baechle */#ifndef __ASM_MACH_GENERIC_IRQ_H#define
__ASM_MACH_GENERIC_IRQ_H
(C) 2000-2002 by Harald Welte <laforge@gnumonks.org> * based on RR's ip_conntrack_ftp.c * *
ip_conntrack_irc.c,v 1.21 2002/02/05 14:49:26 laforge Exp
(C) 1996 Miguel de Icaza * * This file is not meant to be included by user level applications * but the solaris
syscall emulator
Copyright (C) 2003 IBM Deutschland GmbH, IBM Corporation * Author(s): Thomas Spatzier
(tspat@de.ibm.com) * * Derived from "crypto/sha1.c"
(C) Copyright IBM Corp. 1994, 2002. All Rights Reserved
Copyright 2002,2003 Yoichi Yuasa <yuasa@hh.ij4u.or.jp>
Copyright (c) 1998-2000 Dag Brattli, All Rights Reserved
Copyright (C) 1998, 1999, 2002 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>
(C) Nicolas Pitre <nico@cam.org> * Rewritten: big cleanup, much simpler, better HZ accuracy. *
Copyright (C) 2003 Nokia Corporation * Author: Juha Yrjölä <juha.yrjola@nokia.com> * DMA channel
linking for 1610 by Samuel Ortiz <samuel.ortiz@nokia.com> * Graphics DMA and LCD DMA graphics tranfo
Copyright (C) 1992 Rick Sladkey * * nfs inode and superblock handling functions
(C) Marvell.";#endif /* DEBUG || !LINT || !SK_SLIM */
Copyright (C) Greg Lonnon 2001
Copyright (C) Andrew Tridgell 1997-1998.
(C) 1999-2001 James Morris <jmorros@intercode.com.au>
copyright* information as follows:
Copyright 2000,2001,2002,2003
Copyright (C) 2003 Andrew de Quincey <adq@lidskialf.net>
Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin
Schwidefsky (schwidefsky@de.ibm.com), * * Derived from "arch/i386/lib/delay.c"
Copyright (c) by Jaroslav Kysela <perex@suse.cz> * Creative Labs, Inc. * Routines for IRQ
control of EMU10K1 chips * * BUGS: * --
copyright 1999 The Puffin Group Inc.
Copyright (c) 2004 James Courtier-Dutton <James@superbug.demon.co.uk> * Driver CA0106 chips. e.g.
Sound Blaster Audigy LS and Live 24bit * Version: 0.0.16 * * FEATURES currently supported:
Copyright (C) 2001 FarSite Communications Ltd.
Copyright (C) 2003 Sistina Software Limited. * * This file is released under the GPL.
(C) Copyright 2000-2003, Greg Ungerer (gerg@snapgear.com)
Copyright (c) International Business Machines Corp., 2002 * Author(s): Steve French
(sfrench@us.ibm.com) * * Error mapping routines from Samba libsmb/errormap.c
(C) Copyright 2000 Brian Warner <warner@lothar.com>
Copyright (C) 1995, 1996, 1997, 1998 David S. Miller (davem@redhat.com)
Copyright (c) 2003 Hitoshi Yamamoto */
Copyright 2000 by Hans Reiser, licensing governed by reiserfs/README */
Copyright (C) 2000 Holger Waechtler <holger@convergence.de>
Copyright (C) 1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz) * * Based on sun4m's smp.c, which is:
Copyright (C) 1998 Dave Perks <dperks@ibm.net> * * Slight changes for video timing and attachment
output by * Wolfgang Scherr <scherr@net4you.net>
Copyright (C) 2001 Thomas Bogendoerfer <tsbogend at parisc-linux.org>
Copyright (C) 2000 MIPS Technologies, Inc.
(C) Copyright 2004 Alan Stern, stern@rowland.harvard.edu */
Copyright (C) 1994 - 1999, 2000 by Ralf Baechle and others.
Copyright (C) 1996 SpellCaster Telecommunications Inc.\n");
Copyright (C) 1997 Martin Mares <mj@atrey.karlin.mff.cuni.cz> * * The __delay function must _NOT_ be
inlined as its execution time * depends wildly on alignment on many x86 processors.
(C) 2001-2003 Red Hat, Inc.\n");
Copyright (C) 1993 Linus Torvalds * * Delay routines, using a pre-computed "loops_per_jiffy" value.
Copyright (C) 2000 Grant Grundler <grundler at parisc-linux.org>
Copyright (C) 1996 * Adrian Rodriguez (adrian@franklins-tower.rutgers.edu) * Laboratory for Computer
Science Research Computing Facility * Rutgers, The State University of New Jersey * * NeXTstep

Copyright (C) 2000-2004 Neil Brown * * RAID-10 support for md.
 Copyright 1998-2001 by Leonard N. Zubkoff " "<lnz@dandelion.com>\n", Controller);}
 Copyright (C) 1999 Tigran Aivazian <tigran@veritas.com> */#ifndef _FS_BFS_BFS_H#define
 _FS_BFS_BFS_H
 Copyright (C) 2004 Daniel Mack <daniel@qanu.de> and * Holger Waechtler
 <holger@qanu.de> * * Protocol Spec published on http://qanu.de/specs/terratec_cinergyT2.pdf
 Copyright (C) 2004 ARM Limited.
 Copyright (C) 1997 Miguel de Icaza
 Copyright (C) 2000 William Greathouse (wgreathouse@smva.com)
 Copyright (C) 2001-2004 FarSite Communications Ltd.
 Copyright (C) 1999 Matthew Wilcox <willy@bofh.ai>
 Copyright (C) 1989, 1992, 1993, 1994, 1995 Free Software Foundation, Inc.
 Copyright (C) 1995 Jean-loup Gailly and Mark Adler
 Copyright (c) 2002 Marko Friedemann <mfr@bmx-chemnitz.de> *
 (C) Copyright 2000 Alex deVries <alex@onefishtwo.ca>
 Copyright (C) 1999-2002, Greg Ungerer (gerg@snapgear.com)
 Copyright 1998, Michael Schmitz <mschmitz@lbl.gov> * * derived in part from: */
 Copyright 2003 (c) Laurent Canet
 Copyright (C) 2001-2002 Wolfgang Denk (wd@denx.de) */
 (C) Copyright 2000, Lineo (www.lineo.com)
 Copyright (c) 2004 Justin Thiessen <jthiessen@penguincomputing.com>
 Copyright (C) 1996, 97, 98, 99, 2000, 01, 03, 04, 05 by Ralf Baechle
 Copyright (c) 2001-2002 Silicon Graphics, Inc. All Rights Reserved
 Copyright (C) 1995,2002 Pete Zaitcev (zaitcev@yahoo.com)
 Copyright (C) Ashok Raj<ashok.raj@intel.com>, Intel Corporation 2004 * * 4/14/2004: Added code to
 handle cpu migration and do safe irq * migration without lossing interrupts for iosapic
 * arch
 Copyright (c) 1998 - 2001 Frodo Looijaard <frodol@dds.nl>,
 Copyright (C) 1991, 1992, 1995 Linus Torvalds * * This file contains the PC-specific time handling details:
 Copyright (C) 2004 by Carlos Eduardo Medaglia Dyonisio * <medaglia@undl.org.br>
 * * http://cadu.homelinux.com:8080/
 Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org) * * Rewritten by Cort Dougan
 (cort@cs.nmt.edu) for PReP
 Copyright (C) 2003-2004 QLogic Corporation (www.qlogic.com) * * Released under GPL v2.
 Copyright (C) 2003 Georges Menie * * This driver assumes an already configured controller (e.g. from
 config.c) * Keep the code clean of board specific initialization.
 Copyright (C) 2003-2004 MontaVista Software, Inc. * * Maintainer: Deepak Saxena <dsaxena@plexity.net>
 Copyright 2001 MontaVista Software Inc. * Author: Jun Sun, jsun@mvista.com or jsun@junsun.net * *
 drivers/sound/nec_vrc5477.c * AC97 sound dirver for NEC Vrc5477 chip (an integrated, * m
 Copyright (C) 2000 by Andreas Gruenbacher <a.gruenbacher@computer.org>
 Copyright (C) 2000 Takashi Iwai <tiwai@suse.de> * * Proc interface for Emu8k/Emu10k1 WaveTable synth
 Copyright (C) 2000, 2001 Silicon Graphics, Inc. */#ifndef _ASM_TERMIOS_H#define _ASM_TERMIOS_H
 (C) 2003-2004 Dave Jones <davej@redhat.com>
 copyright 1994-1999 by Donald Becker.
 Copyright (C) 2000 Ken Aaker (kdaaker@rchland.vnet.ibm.com)
 Copyright (C) 1996 Paul Mackerras. */#include "nonstd.h"#include "privinst.h"
 Copyright (C) 2002, 2003, 2004, 2005 Paul Mundt
 Copyright (C) 1996 | W. Metzenthen, 22 Parker St, Ormond, Vic 3163, Australia | |
 E-mail billm@jacobi.maths.monash.edu.au | |
 Copyright (c) 2004 Simtec Electronics * Ben Dooks <ben@simtec.co.uk> * * Samsung S3C2410 NAND
 driver
 copyright(void){ printk(KERN_INFO
 Copyright (C) 2001 A * * Enable the CF configuration.
 Copyright (C) 2000 David Huggins-Daines <dhd@debian.org>
 (c) Copyright 1995 Alan Cox <alan@redhat.com> * * 14-Dec-2001 Matt Domsch
 <Matt_Domsch@dell.com> * Added nowayout module option to override
 CONFIG_WATCHDOG_NOWAYOUT * A
 Copyright (C) 2002 Rory Bolt
 Copyright (C) 2002 Maas Digital LLC

Copyright (C) 1996, Linus Torvalds */
 Copyright 2000-2002 Jeff Garzik
 Copyright (C) 1999 Convergence Integrated Media GmbH <ralph@convergence.de>
 Copyright 2003 DENX Software Engineering (wd@denx.de)
 Copyright (C) 2003 YOSHII Takashi <yoshii-takashi@hitachi-ul.co.jp> * Based on
 arch/sh/kernel/io_shmse.c * I/O routine for SH-Mobile3 73180 SolutionEngine.
 Copyright (C) 2000 Dave Kennedy
 Copyright (C) 1992,1993,1994,1995,1997 | W. Metzenthen, 22 Parker St, Ormond, Vic
 3163, | | Australia. E-mail billm@suburbia.net | |
 Copyright (C) 1994 - 1999, 2000, 03, 04 Ralf Baechle
 Copyright (C) 2000 John G Dorsey <john * * This file contains definitions for the SA-1111 Companion Chip.
 * (Structure and naming borrowed from SA-1101.h, by Peter Danielsson.)
 Copyright (C) 2003, 2004 Paul Mundt * * User space memory access functions
 Copyright (C) 1999
 Copyright 1994 by Donald Becker.
 Copyright (c) 1999-2004 Vojtech Pavlik */
 Copyright (C) 1999 Axis Communications AB */
 Copyright (C) 1996 Russell King
 Copyright (C) 1999, 2000 Tim Waugh <tim@cyberelk.demon.co.uk>
 Copyright (C) Chuck Fleckenstein (cfleck@co.intel.com) *
 Copyright (c) by Jaroslav Kysela <perex@suse.cz>, * Isaku Yamahata
 <yamahata@private.email.ne.jp>, * George Hansper <ghansper@apana.org.au>, *
 Hannu Savolainen *
 Copyright (C) 1998 Richard Guenther * <richard.guenther@student.uni-tuebingen.de> * * with changes by
 * Alan Cox <Alan.Cox@linux.org>
 Copyright (c) 2000-2004 Axis Communications AB * * Authors: Bjorn Wesen (initial version) *
 Mikael Starvik (pio setup stuff, Linux 2.6 port)
 Copyright (c) Raimar Falke <rf13@inf.tu-dresden.de>
 Copyright (C) 1999, 2000 Silicon Graphics, Inc.
 (C) Copyright 1999-2000, Moreton Bay (www.moreton.com.au)
 Copyright (C) 2001 Dave Engebretsen, IBM Corporation
 Copyright (C) 2003 Miles Bader <miles@gnu.org>
 Copyright (c) 2001 Patrick Mochel <mochel@osdl.org> */
 Copyright (C) 2003 Vojtech Pavlik <vojtech@suse.cz>
 Copyright (c) 1998-1999 Dag Brattli, All Rights Reserved
 Copyright (C) 1996,1998 Jakub Jelinek (jj@ultra.linux.cz)
 (c) Copyright Matthew Wilcox <willy@debian.org> 2001-2002
 Copyright 1999 Derrick J Brashear (shadow@dementia.org) */
 Copyright (C) 2002 David S. Miller (davem@redhat.com) *
 Copyright (C) 2000 Hewlett-Packard Co
 Copyright (C) 2002 Anton Blanchard, IBM Corp.
 Copyright 2001, Rik van Riel <riel@conectiva.com.br>
 Copyright (C) 1995, 1996, 1997, 1998 Jakub Jelinek (jj@ultra.linux.cz) */
 (C) 1993, Hamish Macdonald, see a2091.c for more info *
 Copyright (C) 2000 MIPS Technologies, Inc. All rights reserved
 Copyright (C) 2002 Brian Waite * * This driver allows use of the CPU state bits * It exports
 the /dev/sky_cpustate and also * /proc/sky_cpustate pseudo-file for status information.
 Copyright (C) 2000 Don Dugger <n0ano@valinux.com>
 Copyright (C) 1999 Cort Dougan <cort@cs.nmt.edu> */#ifdef __KERNEL__#ifndef
 __PPC_HW_IRQ_H#define __PPC_HW_IRQ_H
 Copyright (c) 2001 SHIMIZU Takuya, All Rights Reserved
 (C) Copyright 1999 Silicon Graphics, Inc. */#ifndef __ASM_CACHEOPS_H#define
 __ASM_CACHEOPS_H
 (C) Copyright 2002-2004, Greg Ungerer <gerg@snapgear.com> * * This ends up looking complicated,
 because of the number of * address variations for ram and rom/flash layouts. The real * work of the
 Copyright Roman Zippel, 1997. All rights reserved
 (C) Copyright 1998, 1999 Axis Communications AB, LUND, SWEDEN*!
 Copyright (c) 1999-2000 Takashi Iwai <tiwai@suse.de>
 Copyright (C) 1992,1993,1994,1997,1999 | W. Metzenthen, 22 Parker St, Ormond, Vic 3163,

Australia | | E-mail billm@melbpc.org.au | |
 Copyright (c) by Jaroslav Kysela <perex@suse.cz> */
 Copyright (C) 1997, 2004 David S. Miller (davem@redhat.com)
 COPYRIGHT (1<<2) /*define SND_PCM_AES0_CON_EMPHASIS (7<<3) /* mask - emphasis
 /*#define SND_PCM_AES0_CON_EMPHASIS_NONE (0<<3) /* none emphasis /*#define
 SND_PCM_AES0_CON_EMPHASIS_5015 (1<<3) /* 50/
 (C) 1999 David A. Hinds */
 Copyright (C) 2003 Maciej W. Rozycki /*#ifndef _ASM_MIPSREGS_H#define _ASM_MIPSREGS_H
 Copyright (C) 1991, 1992 Linus Torvalds */
 Copyright (C) 1991, 1992, 1993, 1994 Linus Torvalds * * Swap reorganised 29.12.95, Stephen Tweedie. *
 kswapd added: 7.1.96 sct * Removed kswapd_ctl limits, and swap out as many pages as needed
 Copyright (C) 1995 Andreas Busse
 Copyright (C) 1995 - 1999 Gadi Oxman <gadio@netvision.net.il> * * \$Header\$
 (C) 2001 Johannes Erdfelt <jerdfelt@valinux.com>
 Copyright (C) 2002 Richard Hirst (rhirst with parisc-linux.org)
 Copyright (c) 2002-3 Patrick Mochel * 2002-3 Open Source Development Lab * * This file is
 released under the GPLv2
 Copyright (C) 2000 Lineo, David McCullough <davidm@uclinux.org>
 Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) * Sun3/3x models added by David Monro
 (davidm@psrg.cs.usyd.edu.au) /*#ifndef _SPARC_MACHINES_H#define _SPARC_MACHINES_H
 Copyright (C) 2004 IBM Corporation * * Additional Author(s):
 Copyright (C) 2004 IBM Corporation, IBM Deutschland Entwicklung GmbH. * * Author: Gerald Schaefer
 <geraldsc@de.ibm.com>
 Copyright (c) 1997 Perceptive Solutions, Inc.
 Copyright (C) 1998 * Daniel Pirkel <daniel.pirkel@email.cz> * Charles University, Faculty of Mathematics and
 Physics * * ext2 - inode (block) bitmap caching inspired
 (C) 2000 Red Hat. GPL * \$Id: map_ram.c,v 1.22 2005/01/05 18:05:12 dwmw2 Exp \$ */
 (C) 2003 Simtec Electronics * * Modifications:
 Copyright (C) 2003 Deep Blue Solutions Ltd, All Rights Reserved
 Copyright (C) ARM Limited
 Copyright (c) 2001 Johann Deneux <deneux@ifrance.com> * * USB/RS232 I-Force joysticks and wheels.
 Copyright (C) 1992 Lawrence FoardVersion 2 and 3 extensions to driver:
 Copyright (C) 1999 SuSE GmbH Nuernberg
 Copyright (c) 1999 The Puffin Group
 Copyright (c) 2001-2002 Denis Oliver Kropp <dok@directfb.org> *
 Copyright (C) 2003 Silicon Graphics, Inc. All rights reserved
 (C) 2001 Martin Josefsson <gandalf@wlug.westbo.se>
 Copyright 2002 Momentum Computer Inc. * Author: Matthew Dharm <mdharm@momenco.com> * * Louis
 Hamilton, Red Hat, Inc. * hamilton@redhat.com [MIPS64 modifications]
 Copyright (c) 2003-2004 Christoph Hellwig
 Copyright (C) 2004 MontaVista Software Inc. * Author: Manish Lachwani, mlachwani@mvista.com *
 (C) Copyright 2000, 2001
 Copyright (C) 1995 Hamish Macdonald * * JAN/1999 -- hacked to support ColdFire (gerg@snapgear.com)
 * DEC/2000 -- linux 2.4 support <davidm@snapgear.com>
 Copyright (c) 2000-2003 Jean Tourrilhes, All Rights Reserved
 Copyright 1992--1999 Drew Eckhardt, Frederic Potter, * David Mosberger-Tang, Martin Mares */
 Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin
 Schwidefsky (schwidefsky@de.ibm.com), * Hartmut Penner (hp@de.ibm.com), * Den
 Copyright (C) 2004 ARM Limited
 Copyright (c) 2004 Silicon Graphics, Inc * Russ Anderson <rja@sgi.com> * Jesse Barnes
 <jbarnes@sgi.com> * Jack Steiner <steiner@sgi.com> */
 Copyright (C) 2001 RidgeRun, Inc (glonnon@ridgerun.com)
 Copyright (C) 2000 Philipp Rumpf */
 Copyright (c) 1998 - 2001 Frodo Looijaard <frodo@dds.nl> and
 Copyright 2002 OProfile authors */
 Copyright (C) 2002 by James.Bottomley@HansenPartnership.com * * Implements the generic device dma
 API via the existing pci_ one * for unconverted architectures
 Copyright (C) 1995-1999 Simon G. Vogl
 (C) 2003 Ardis Technologies <roman@ardistech.com> * * Search routines for btrees

Copyright (c) by Jaroslav Kysela <perex@suse.cz> * Uros Bizjak <uros@kss-loka.si> * *
 Lowlevel routines for control of Sound Blaster cards
 Copyright (C) 1992 Lawrence Foard * Version 2 and 3 extensions to driver:
 Copyright (C) 1998 Eddie C. Dost (ecd@skynet.be) * * These routines maintain argument size conversion
 between 32bit and 64bit * ioctl's.
 Copyright (C) 2000 Inside Out Networks, Inc.
 Copyright (c) 2000 Steve Hill (sjhill@cotw.com)
 Copyright (c) 2004 Coraid, Inc. See COPYING for GPL terms./* * aoemmain.c * Module initialization routines,
 discover timer
 Copyright (C) 1999, 2000 Silicon Graphics, Inc. * * Changed system calls macros _syscall5 - _syscall7 to
 push args 5 to 7 onto
 Copyright 2000,2001 David A. Schleef <ds@schleef.org> * 2000,2001 Lineo, Inc. * * \$Id: sharp.c,v
 1.14 2004/08/09 13:19:43 dwmw2 Exp \$
 Copyright(c) by Benny Sjostrand (benny@hostmobility.com)
 Copyright 1999 Silicon Graphics, Inc. */#ifndef _ASM_ARC_TYPES_H#define _ASM_ARC_TYPES_H
 Copyright (c) 2002 Jean-Francois Dive <jef@linuxbe.org>
 Copyright (C) 2002 2003 by MontaVista Software. * * 2004-06-01 Fix CLOCK_REALTIME clock/timer
 TIMER_ABSTIME bug.
 Copyright 2004 Simon Kelley.
 Copyright (C) 2001,2002 Richard Russon <ldm@flatcap.org>
 Copyright (C) 2000-2002 Axis Communications AB * * Authors: Bjorn Wesen (bjornw@axis.com) *
 Mikael Starvik (starvik@axis.com)
 Copyright (C) 2000 Netgem S.A. * * \$Id: inftlmount.c,v 1.16 2004/11/22 13:50:53 kalev Exp \$
 (C) Copyright 1999 Randy Dunlap.
 Copyright (c) 1998, 1999 Frodo Looijaard <frodol@dds.nl> and
 Copyright (C) 2002 Anton Blanchard, IBM Corp. */#ifndef _ASM_MMZONE_H#define _ASM_MMZONE_H
 Copyright (C) 2003 Ralf Baechle */#ifndef __ASM_MACH_IP27_CPU_FEATURE_OVERRIDES_H#define
 __ASM_MACH_IP27_CPU_FEATURE_OVERRIDES_H
 Copyright (C) 1993, 1994, 1995, 1998, 1999 Eric Youngdale * generic SCSI package header file by *
 Initial versions: Drew Eckhardt * Subsequent revisions: Eric Youngdale * * <drew@colo
 Copyright (c) Christoph Hellwig, 2001-2002
 Copyright (c) 1998 David Huggins-Daines.
 Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin
 Schwidofsky <schwidofsky@de.ibm.com> * Martin Peschke <peschke@fh-brandenburg.de> */
 Copyright 2002 Tungsten Graphics, Inc., Cedar Park, Texas.
 Copyright (C) 2002 David McCullough <davidm@snapgear.com>
 (C) 1986-1990 1800-V2.07/28/89", 5, 50, 2, 0, 0
 (C) Copyright IBM Corp. 2001, 2004 * * This file is part of the SCTP kernel reference Implementation
 Copyright (c) 2003 Stephen Hemminger <shemminger@osdl.org>
 (C) Copyright IBM Corp. 2004 * tape_class.c (\$Revision: 1.8 \$) * * Tape class device support
 (C) 2000 Red Hat. GPL \$Id: cfi_probe.c,v 1.83 2004/11/16 18:19:02 nico Exp \$*/
 (C) 2004 Rusty Russell <rusty@rustcorp.com.au> IBM Corporation * based on a copy of RR's ip_nat_ftp.c *
 * ip_nat_irc.c,v 1.16 2001/12/06 07:42:10 laforge Exp
 Copyright (C) Martin Schlemmer <azarah@nosferatu.za.org># Released under the terms of the GNU GPL
 Copyright (C) 1995 Linus Torvalds * Adapted from 'alpha' version by Gary Thomas * Modified by Cort
 Dougan (cort@cs.nmt.edu) * Modified for MBX using prep/chrp/pmac functions by Dan (dmalek@jlc.
 Copyright 2000 H. Peter Anvin - All Rights Reserved
 Copyright (C) 1998, 99, 2000, 01, 2002 Ralf Baechle (ralf@gnu.org)
 Copyright (C) 1999-2002 Maxim Krasnyansky <maxk@qualcomm.com>
 Copyright (C) 2004 Red Hat, Inc. All rights reserved
 Copyright (C) 1994 - 2002 by Ralf Baechle
 Copyright (C) 1997 Russell King */
 Copyright (C) 2000 Uros Bizjak <uros@kss-loka.si>
 (C) Copyright 2000 STMicroelectronics
 Copyright (C) 1998-2000 InnoSys Incorporated. All Rights Reserved
 Copyright (C) 1995,2001 Compaq Computer Corporation
 Copyright (C) 1999-2000 Takashi Iwai <tiwai@suse.de> * * Routines for control of EMU8000 chip
 Copyright (c) 2001 Greg Kroah-Hartman <greg@kroah.com>
 Copyright (C) 1996 * Adrian Rodriguez (adrian@franklins-tower.rutgers.edu) * Laboratory for Computer

Science Research Computing Facility * Rutgers, The State University of New Jersey * * swab sup
 Copyright (C) 1996 Miguel de Icaza (miguel@nuclecu.unam.mx)
 Copyright (C) 2000 LASAT Networks A/S. * * Brian Murphy <brian@murphy.dk>
 Copyright (C) 1999 D. Jeff Dionne
 Copyright 2004 IBM Corporation * * Author(s): Frank Pavlic <pavlic@de.ibm.com>
 Copyright (C) 1999, 2000 Niibe Yutaka *
 Copyright (C) 1990, 1999, 2000 Silicon Graphics, Inc. */#ifndef __ASM_MACH_JA_SPACES_H#define
 __ASM_MACH_JA_SPACES_H
 Copyright (C) 1998 Dan Malek (dmalek@jlc.net) * * Software floating emulation for the MPC8xx processor.
 I did this mostly * because it was easier than trying to get the libraries compiled for * so
 Copyright (C) 1995 */#ifdef __KERNEL__#ifndef __ASM_PPC_FLOPPY_H#define __ASM_PPC_FLOPPY_H
 (c) Copyright 2000 Red Hat Software
 Copyright (c) 2001 Dave Engebretsen
 Copyright 2003 Leif Delgass.
 Copyright (C) 1996, 1999 Jay A Estabrook
 Copyright (C) 1992 Darren Senn */
 Copyright 1998-2004 H. Peter Anvin -- All Rights Reserved
 Copyright (C) 2002,2003 Broadcom Corporation
 Copyright (C) 1999-2004 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> * *
 Derived from i386 and Alpha versions.
 Copyright (C) Jonathan Naylor G4KLX (g4klx@g4klx.demon.co.uk) */#include <linux/config.h>#include
 <linux/module.h>#include <linux/proc_fs.h>#include <linux/kernel.h>#include <linux/sched.h>#inc
 Copyright (C) 2000, Goutham Rao <goutham.rao@intel.com> */
 Copyright (C) 1995-1998 Linus Torvalds */
 Copyright (C) 1996 David S. Miller (davem@caipfs.rutgers.edu) */
 Copyright (C) 1998,1999 D. Jeff Dionne <jeff@lineo.ca> * Copyleft () 2000 James D. Schettine
 {james@telos-systems.com}
 Copyright (C) 1995, 96, 98, 99, 2000 by Ralf Baechle
 Copyright (C) 2001-2004 Silicon Graphics, Inc. All rights reserved
 Copyright (C) 1991, 1992 Linus Torvalds * * 1997-11-28 Modified for POSIX.1b signals by Richard
 Henderson
 Copyright (C) 2000 Philipp Rumpf <prumpf@tux.org>
 Copyright (C) 1994-2003 Dario Ballabio (ballabio_dario@emc.com) * * Alternate email:
 dario.ballabio@inwind.it, dario.ballabio@tiscalinet.it
 Copyright (C) 2001,02,03 Miles Bader <miles@gnu.org>
 Copyright status#define AC97_SC_PRE 0x0008 /* Preemphasis status */#define
 AC97_SC_CC_MASK 0x07f0 /* Category Code mask */#define AC97_SC_CC_SHIFT
 4#define AC97_SC_L 0x0800 /* Generation Level
 Copyright (C) 2004 Markus Lidel <Markus.Lidel@shadowconnect.com>
 Copyright (C) 1992, 1998 Linus Torvalds, Ingo Molnar */
 (C) Copyright 2001-2002, SnapGear Inc., (www.snapgear.com) */
 copyright message in any source redistribution in whole or part. *
 Copyright (C) 1999-2002 Richard Gooch
 Copyright (C) 1995, 1996, 2003 by Ralf Baechle
 Copyright (C) 1994-96 Marc ZYNGIER
 Copyright 1998--1999 Red Hat corp --- All Rights Reserved
 Copyright (c) 1995 * Ted Lemon (hereinafter referred to as the author) * * Redistribution and use in
 source and binary forms, with or without * modification, are permitted provided that the follow
 Copyright (C) 1999 Paul
 COPYRIGHT; ucontrol->value.iec958.status
 IEC958_AES1_CON_ORIGINAL; return 0;}
 copyright (c) 2001,2002 Sun Microsystems (thockin@sun.com) * * This driver allows you to access the
 contents of the non-volatile memory in * the mc146818rtc.h real-time clock. This chip is built in
 Copyright (C) 2001-2004 Stelian Pop <stelian@popies.net> *
 Copyright (C) 2005 Broadcom Corporation. * * Firmware is:
 Copyright (c) 1999-2000 Grant Erickson <grant@lce.umn.edu> * * Module name: oak_setup.h
 (C) IBM Corporation, IBM Deutschland Entwicklung GmbH, 1999-2001 * * Device mapping and dasd=
 parameter parsing functions. All devmap * functions may not be called from interrupt context. In partic
 Copyright (C) 1995 Richard Hirst * * Based on: *

Copyright:\n"));

(C) 2001-2002 Bj * * Developed with the assistance of:

Copyright (C) 2003 Paul Mundt <lethal@linux-sh.org> * * The SecureEdge5410 can have one of 2 real time clocks, the SH * built in version or the preferred external DS1302. Here we work out * each

(C) Copyright 2000 Oliver Neukum <Oliver.Neukum@lrz.uni-muenchen.de> *

Copyright 1999-2000 by Mitchell Blank Jr/* Based on clip.c; 1995-1999 by Werner Almesberger, EPFL LRC/ICA */

Copyright (C) 1994 - 1999, 2000, 01 Ralf Baechle

Copyright (C) 1999, 2000, 2001, 2003 Ralf Baechle

(C) Copyright 2002 Red Hat Inc <alan@redhat.com>

Copyright (C) 2001 Ralph Metzler for convergence integrated media GmbH

Copyright (c) 1997, 1999 Dag Brattli, All Rights Reserved

(C) 1999 Trond Myklebust <trond.myklebust@fys.uio.no> */

(C) 2000-2001 Marc Boucher <marc@mbsi.ca>

Copyright (C) 1992 Linus Torvalds.

Copyright (c) 1997, 1998-1999 Dag Brattli <dagb@cs.uit.no>, * All Rights Reserved

Copyright (C) 2001 Lennert Buytenhek (buytenh@gnu.org)

(C) 2003 Thomas Gleixner <tglx@linutronix.de> *

Copyright (C) 1994-1996 Linus Torvalds */

(C) Copyright David Gibson, IBM Corp. 2001-2003.

Copyright (C) 1995-2003 Russell King

(C) Copyright 2000, Lineo, David McCullough <davidm@uclinux.org>

Copyright 2003 Andi Kleen, SuSE Labs.

Copyright 1993, Drew Eckhardt * Visionary Computing * (Unix and Linux consulting and custom programming) * drew@colorado.edu * +1 (303) 440-4894 * * DISTRIBUTION RELEASE 3.

Copyright (C) 2005 Kirk Lapray <kirk_lapray@bigfoot.com>

Copyright (C) 2005 Sylvain Munaut <tnt@246tNt.com>

Copyright 1994 - 2000, 2002 Ralf Baechle (ralf@gnu.org)

(C) Copyright 1995 by Geert Uytterhoeven, * Peter De Schrijver * * lance.c: An AMD LANCE ethernet driver for linux. * Written 1993-94 by Donald Becker.

Copyright (C) 2004 David Gibson <dwg@au.ibm.com>, IBM * Based on earlier code writteh by:

Copyright (C) 2004 by Christoph Hellwig * * On SGI IP27 the ARC memory configuration data is completly bogus but * alternate easier to use mechanisms are available.

(C) 2001 Red Hat, Inc. * * Author: Arjan Van De Ven <arjanv@redhat.com> * Loosly based on i82365.c from the pcmcia-cs package

Copyright (C) 1999-2001 Naval Research Laboratory

Copyright 2001 MontaVista Software Inc. * Author: jsun@mvista.com or jsun@junsun.net *

(C) 1999-2004 Max Krasnyansky <maxk@qualcomm.com>"

(C) 1986-1990 1800-V2.07/28/89", 72, 50, 2, 0, 2

Copyright (c) 1995 Michael Teske

Copyright (C) 2001 Russell King, * and on early_printk.c by Andi Kleen. * * This is for use before the serial driver has initialized, in * particular, before the UARTs have been discovered and nam

Copyright (C) 2002,2005 by SOMA Networks, Inc. * * All rights reserved

Copyright (C) 2001 MIPS Technologies, Inc. */#include <linux/config.h>#include <linux/delay.h>#include <linux/kernel.h>#include <linux/sched.h>#include <linux/seq_file.h>#include <asm/bootinfo

Copyright (C) 2004 Steven J. Hill

Copyright (C) 1999 Hewlett-Packard Co

Copyright (C) 1999, 2000 Niibe Yutaka * * Simple interrupt handling using IMASK of SR register.

Copyright (c) 2000 Jungjun Kim *

Copyright (c) 2003 by Clemens Ladisch <clemens@ladisch.de> * All rights reserved

Copyright (c) 1998 Thomas Davis, <ratbert@radiks.net>,

Copyright (C) 1999 Niibe Yutaka */

Copyright (C) 1998, 2001, 03 by Ralf Baechle * * RTC routines for Jazz style attached Dallas chip.

(C) 2004 Alexander Clouter <alex-kernel@digriz.org.uk>

Copyright (C) 2002 Paul Mundt * * Released under the terms of the GNU GPL v2.0.

Copyright 1995, 1996, 1998, 1999, 2000, 2003 Free Software Foundation, Inc.

Copyright (c) 1999-2004 Mark McClelland <mark@alpha.dyndns.org> * http://alpha.dyndns.org/ov511/ * * OV7620 fixes by Charl P. Botha <cpbotha@ieee.org>

Copyright (C) 1999, 2000 by Silicon Graphics

(C) 1999,2000 Nortel Networks.\n"
 Copyright (C) 2001 Matthew Wilcox <willy at parisc-linux.org> * Code was mostly borrowed from kernel/signal.c. * See kernel/signal.c for additional Copyrights. *
 Copyright (C) 2001, 2002 Hiroyuki Kondo, Hirokazu Takata, * and Hitoshi Yamamoto *
 Copyright (C) 2002 David Howells (dhowells@redhat.com)
 (c) Copyright 1999 Red Hat Software Inc.
 Copyright (C) 1998, 1999 Frodo Looijaard <frodo@dds.nl> * and Philip Edelbrock <phil@netroedge.com>
 * * Ported to Linux 2.6 by Tiago Sousa <mirage@kaotik.org>
 Copyright 2002 SOMA Networks, Inc.
 Copyright (C) 2003 SUGIOKA Toshinobu */
 Copyright (C) 2004 The Free Software Initiative of Japan * * Written by Niibe Yutaka
 Copyright (C) 1999, 2003-2004 Hewlett-Packard Co * Stephane Eranian <eranian@hpl.hp.com> * *
 Most of the code has been imported from Linux/Alpha
 Copyright (C) 1993, 1994 by Hamish Macdonald * * 68040 fixes by Michael Rausch * 68040 fixes by Martin Apel * 68060 fixes by Roman Hodek * 68060 fixes by Jesper Skov
 Copyright (C) 2001 by Liam Davies (ldavies@agile.tv) */#include <linux/sched.h>#include <linux/mm.h>#include <asm/cacheflush.h>#include <asm/io.h>#include <asm/processor.h>#include <asm/reboot.
 Copyright (C) 2000, 2002 Axis Communications AB */#include <linux/config.h>#include <linux/time.h> /* struct timeval */#include <linux/timex.h>
 Copyright (c) 1993, 2000 Joerg Reuter DL1BKE
 Copyright 1994 Digital Equipment Corporation.
 Copyright (C) 1996-2000 Russell King.
 Copyright (C) 1995-1998 Jean-loup Gailly. * For conditions of distribution and use, see copyright notice in zlib.h */
 Copyright (c) 2000,2001 Axis Communications AB * * Authors: Bjorn Wesen (bjornw@axis.com)
 Copyright (C) 2004 Maciej W. Rozycki * * Based on bits extracted from drivers/tc/zs.h for which * the following copyrights apply: *
 Copyright (C) 2000 Al Borchers (alborchers@steinerpoint.com)
 Copyright (C) 1999, 2001 Ralf Baechle
 Copyright 2001 MontaVista Software Inc. * Author: jsun@mvista.com or jsun@junsun.net * * First-level interrupt dispatcher for Ocelot-CS board.
 Copyright (c) 2003, 2004 Zultys Technologies. * Eugene Surovegin <eugene.surovegin@zultys.com> or <ebs@ebshome.net> * * Based on original work by * Ian DaSilva <idasilva@mvista.com> * Arm
 Copyright (C) 20yy <Robert L Holtorf> <IBM Corp>
 copyright); exec_idle = calibrate_delay(EXEC_DELAY);#ifdef WANDEBUG printk(KERN_DEBUG "%s: exec_idle = %d\n", modname, exec_idle);#endif
 Copyright 2004 Pete Popov, Embedded Alley Solutions, Inc. * Updated the driver to 2.6. Followed the sa11xx API and largely * copied many of the hardware independent functions. *
 Copyright (C) 1998-1999 Pauline Middelink (middelin@polyware.nl)
 Copyright: MontaVista Software Inc.
 Copyright (C) 2003 Tresys Technology, LLC
 Copyright (C) 1999, 2000 Silicon Graphics, Inc. */#ifndef _ASM_PTRACE_H#define _ASM_PTRACE_H
 Copyright (C) 2002 Ralf Baechle DO1GRB (ralf@gnu.org) */#include <linux/config.h>#include <linux/errno.h>#include <linux/types.h>#include <linux/socket.h>#include <linux/in.h>#include <linux/ke
 Copyright (c) 2003 by Karsten Wiese <annabellesgarden@yahoo.de>
 (C) 2001 Ben Collins <bcollins@debian.org> * * Mainly based on work by Emanuel Pirker and Andreas E. Bombe
 Copyright (C) 2000,2003 Grant Grundler (grundler at parisc-linux.org)
 Copyright (C) 1999 Tigran Aivazian <tigran@veritas.com> */
 Copyright (C) 20yy Allan H Trautman, IBM Corporation
 Copyright (C) 2003 by Ralf Baechle */#include <linux/init.h>#include <linux/mm.h>#include <asm/pgtable.h>
 Copyright (C) 1994 David S. Miller (davem@caip.rutgers.edu). */
 Copyright (C) 1997-2001 Geert Uytterhoeven
 Copyright (C) 2000 Hewlett Packard Co. * * Heavily inspired from various other efforts to do the same thing * (ia64,sparc64/mips64)
 Copyright (C) 2000 IBM Corporation * Author(s):Alan Altmark (Alan_Altmark@us.ibm.com) *

Xenia Tkatschow (xenia@us.ibm.com) *

Copyright (C) 2003-2004 Yoichi Yuasa <yuasa@hh.iij4u.or.jp>

Copyright (c) 1999 Nexus Electronics Ltd. */#ifndef __ASM_ARCH_SYSTEM_H#define
__ASM_ARCH_SYSTEM_H

Copyright 2002 Phil Karn, KA9Q * * \$Id: rslib.c,v 1.5 2004/10/22 15:41:47 gleixner Exp \$

Copyright (C) 2000 Jeff Wiedemeier (Compaq Computer Corporation) * * Contains declarations and macros to support Alpha error handling * implementations.

Copyright (C) 1995-1998 Jean-loup Gailly and Mark Adler

Copyright 1994 by Bj

copyright (C) 1991, 1992 Linus Torvalds. It was * extensively rewritten by Theodore Ts'o, 8/16/92 -- 9/14/92, * and then fixed as suggested by Michael K. Johnson 12/12/92. * * This version does

Copyright (C) 2001-2002 IBM Corp. * * All rights reserved

Copyright (C) 2004 Paul Mackerras <paulus@au.ibm.com>, IBM

Copyright (c) Herbert Valerio Riedel <hvr@hvrllab.org>

copyright; see LICENSE.FlashPoint for details. * * \$Workfile: scsi.c \$

Copyright (c) 2002 Laurent Canet <canetl@esiee.fr>

Copyright (c) 2003-2004 Greg Kroah-Hartman <greg@kroah.com>

Copyright (C) 2003 IBM Deutschland GmbH, IBM Corporation * Author(s): Thomas Spatzier (tspat@de.ibm.com) * * Derived from "crypto/des.c"

Copyright (C) 2005 Craig Shelley (craig@microtron.org.uk)

Copyright (c) 2004-2005 Richard Purdie * * Based on Sharp's 2.4 kernel patches and pxa2xx_mainstone.c

Copyright (c) 2001 Dan Malek <dan@embeddededge.com> */#ifdef __KERNEL__#ifndef
__ASM_PLATFORMS_RPX8260_H__#define __ASM_PLATFORMS_RPX8260_H__

(c) Copyright 1995 Alan Cox <alan@lxorguk.ukuu.org.uk> * * Software only watchdog driver. Unlike its big brother the WDT501P * driver this won't always recover a failed machine.

Copyright (C)2003,2004 USAGI/WIDE Project

Copyright: (C) 2003 Intel Corp.

Copyright (c) 2002 Thomas Gleixner <tgxl@linutronix.de>

Copyright (C) 2001 MIPS Technologies, Inc. All rights reserved

Copyright (C) 2001 Christoph Hellwig <hch@infradead.org> */

Copyright (C) 2004 Hirokazu Takata * * void *memcpy(void *dst, const void *src, int n);

Copyright (C) 2000 David Howells

(C) 1999 by Joshua M. Thompson (funaho@jurai.org) * Based on via-cuda.c by Paul Mackerras. * * 1999-07-01 (jmt) - First implementation for new driver architecture.

Copyright (C) 2001 Jan-Benedict Glaw <jbglaw@lug-owl.de>

Copyright 1993 United States Government as represented by the Director, National Security Agency.
The author may be reached as becker@scyld.com, or C/O
Scyld Computing Corporation 410 Severn

Copyright (c) 2001 Intel Corp. * * This file is part of the SCTP kernel reference Implementation

Copyright (c) 2001-2002 Johann Deneux <deneux@ifrance.com> * * USB/RS232 I-Force joysticks and wheels.

Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin Schwidefsky (schwidefsky@de.ibm.com) * * Derived from "include/asm-i386/io.h"

Copyright (C) 2004 Arcom Control Systems Ltd <linux@arcom.com> * * 2_by_8 routines added by Simon Munton

Copyright (C) 2004 Intel Corp.

Copyright (C) 1998-2000 Harald Koerfgen

Copyright (C) 1996 Paul Mackerras

Copyright (C) 1999 Goutham Rao <goutham.rao@intel.com> */

Copyright (C) 1999 Cort Dougan <cort@cs.nmt.edu> * * PowerPC-64 Support added by Dave Engebretsen, Peter Bergner, and * Mike Corrigan {engebret|bergner|mikec}@us.ibm.com

Copyright (C) Carnegie Mellon University */

Copyright (C) 2001, 2002 Sistina Software

Copyright (C) 1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz) * * Ultra/PCI support added: Sep 1997 Eddie C. Dost (ecd@skynet.be)

Copyright (C) 2000 Eric Youngdale,
copyright follows. See wavelan.p.h for details. * * This file contains the declarations for the WaveLAN hardware. Note that * the WaveLAN ISA includes a i82586 controller (see definitions in * fil

Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation */

Copyright (C) 2003 Dave Engebretsen <engebret@us.ibm.com>
 Copyright (C) 2004 Nokia Corporation by Tony Lindgren <tony@atomide.com>
 Copyright (C) 2001 Lineo Japan, Inc.
 Copyright (C) 2004 Taylor Jacob <rtjacob@earthlink.net>
 (C) 1986-1990 V6.0209/18/90
 Copyright (C) 2000 Goutham Rao <goutham.rao@intel.com>
 Copyright (C) 2003 Bernardo Innocenti <bernie@develer.com> * * Based on former do_div()
 implementation from asm-parisc/div64.h:
 Copyright (C) 2000 - 2003 Jeff Dike (jdike@addtoit.com)
 Copyright (C) 2002 Maciej W. Rozycki */#ifndef _ASM_PGTABLE_BITS_H#define _ASM_PGTABLE_BITS_H
 Copyright (C) 2003 IBM Corp.
 (C) Copyright 1999 Gregory P. Smith * * PCI Bus Glue
 Copyright (C) 2001 IBM Entwicklung GmbH, IBM Corporation * * SCLP Control-Program Identification.
 Copyright (c) 2001 Intel Corp. * * This file is part of the SCTP kernel reference Implementation
 Copyright (c) 2004 Jouni Malinen <jkmaline@cc.hut.fi>
 Copyright (C) 2002 Wolfgang M
 Copyright (C) 2005 David S. Miller <davem@davemloft.net> */
 Copyright 2002 Phil Karn, KA9Q * * \$Id: rslib.h,v 1.3 2004/10/05 22:08:22 gleixner Exp \$
 Copyright (C) 2001,03 Miles Bader <miles@gnu.org>
 Copyright (C) 2004 Len Brown <len.brown@intel.com>
 (C) by the respective authors, and licensed under the GPL
 Copyright (C) 2004 Sascha Hauer <sascha@saschahauer.de> *
 Copyright (C) 2001 convergence integrated media GmbH
 Copyright (C) 1999 Vijay Chander <vijay@engr.sgi.com> */#include <linux/config.h>#include
 <linux/console.h>#include <linux/init.h>#include <linux/kdev_t.h>#include <linux/kernel.h>#include <lin
 Copyright 1998 by Werner Cornelius (werner@isd4linux.de)
 (C) 2002 Oliver Neukum * * Original author: The Zapman <zapman@interlan.net> * Inspired by, and
 much credit goes to Michael Rothwell * <rothwell@interlan.net> for the test equipment, h
 Copyright (C) 2000 Silicon Graphics, Inc. * Written by Ulf Carlsson (ulfc@engr.sgi.com)
 Copyright 2004,2005 Pavel Machek <pavel@suse.cz>, Andi Kleen <ak@suse.de>, Rafael J. Wysocki
 <rjw@sisk.pl> * * Distribute under GPLv2.
 Copyright 2001-2003 Ian Kent <raven@themaw.net>
 Copyright (C) 2000-2001 Marcus Metzler
 Copyright (C) 2003 Paul Mundt * * sh-5 architecture timex specifications
 Copyright (C) 2002 Randolph Chung <tausq with parisc-linux.org>
 Copyright 1994 Roman Hodek <Roman.Hodek@informatik.uni-erlangen.de> * * Some parts are based on
 hd.c by Linus Torvalds
 Copyright (C) 1996-2001 Linus Torvalds */
 Copyright (C) 1999, 2000, 2001 Axis Communications AB * * 1994-07-02 Alan Modra * fixed
 set_rtc_mmss, fixed time.year for >= 2000, new mktime * 1995-03-26 Markus Kuhn * fixed 500 ms
 bu
 (C) Copyright 2000, Lineo (www.lineo.com) */
 Copyright (C) 1996, 1997, 1998, 2001 by Ralf Baechle
 (C) 2000 ChyGwyn Limited - http://www.chygwyn.com/ * This code may be copied under the GPL
 v.2 or at your option * any later version. * * Author: Steven Whitehouse
 Copyright (c) 2003 Unisys Corporation. All Rights Reserved
 Copyright (C) 1995 Hamish Macdonald */
 (C) Copyright 2005 Andi Kleen * * These functions have a non-standard call interface * to make them more
 efficient, especially as they * return an error value in addition to the "real" * return v
 Copyright (C) 1996, 1997, 1998 Ingo Molnar, Miguel de Icaza, Gadi Oxman * * RAID-1 management
 functions.
 (c) Copyright 2000 Ryan Bradetich
 Copyright (C) 1998-2000 Ken Tyler * * Parts of the Initialization code are based on Cyberfb.c by Allan Bair,
 * and on the NetBSD CyberVision64 frame buffer driver by Michael Teske who gave * permi
 Copyright (C) 1991, 1992, 1996 Linus Torvalds */
 Copyright (c) 2002 Joe Burks (jburks@wavicle.org), * Christopher L Cheney
 (ccheney@cheney.cx), * Pavel Machek (pavel@suse.cz), * John Tyner
 Copyright (C) 1992 Rick Sladkey *
 Copyright 2002,2003 by Andi Kleen, SuSE Labs/* 2.5 Version loosely based on the NUMAQ Code by Pat

Gaughen. */#ifndef _ASM_X86_64_MMZONE_H#define _ASM_X86_64_MMZONE_H 1
 Copyright (c) 2000-2002 Vojtech Pavlik <vojtech@ucw.cz>
 Copyright (C) 2003 Peter Milne, D-TACQ Solutions Ltd
 Copyright (c) 2000 MontaVista Software, Inc. Dan Malek (dmalek@jlc.net) * * This version of the driver is
 a combination of the 8xx fec and * 8260 SCC Ethernet drivers. This version has some addi
 Copyright (C) 1999 Silicon Graphics, Inc. */#include <linux/config.h>#include <linux/init.h>#include
 <linux/kernel.h>
 Copyright (C) 2004 Ladislav Michl */
 Copyright (c) 2001 Frederic Lepied <flepie@mandrakesoft.com>
 Copyright (C) 1994, 1995, 1996, 1997, 1998 Ralf Baechle
 Copyright (C) 2000, Charles Loep / Corel Corp.
 Copyright (C) 1994, 1995, 1996, 1999 by Ralf Baechle */#ifndef _ASM_USER_H#define _ASM_USER_H
 Copyright (C) 2002 Denis Oliver Kropp <dok@directfb.org>
 Copyright (C) 2002, 2003, 2004 Paul Mundt */
 Copyright (C) 1998, 1999 Hewlett-Packard Co
 Copyright (C) 2002 Anton Blanchard <anton@au.ibm.com>, IBM *
 Copyright (C) 2004 Markus Schulz <msc@antzsystem.de>
 Copyright (C) 1999-2001 Gerard Roudier <groudier@free.fr>
 Copyright 2004-2005 MontaVista Software, Inc.
 Copyright (C) 1999,2001-2005 Silicon Graphics, Inc. All rights reserved
 Copyright (C) 2000-2003, 2005 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>
 Copyright (C) Hans-Joachim Hetscher DD8NE (dd8ne@bnv-bamberg.de) * * Most of this code is based on
 the SDL diagrams published in the 7th ARRL * Computer Networking Conference papers. The diagrams h
 Copyright (C) 2004 Utilitek Systems, Inc.
 Copyright 2000,2003 IBM Corporation * * Author(s): Original Code written by *
 Utz Bacher (utz.bacher@de.ibm.com) * Rewritten by * Frank Pavlic
 (pavlic@de.ibm.com) and * Thomas
 Copyright (c) 2000 by Takashi Iwai <tiwai@suse.de>
 Copyright (C) 1999 Ralf Baechle (ralf@gnu.org) */#ifndef _ASM_XTALK_XTALK_H#define
 _ASM_XTALK_XTALK_H
 Copyright (C) 2001,2002 Andi Kleen <ak@suse.de> * * \$Id: head.S,v 1.49 2002/03/19 17:39:25 ak Exp \$
 Copyright (C) 2003 ATI Inc. <hyu@ati.com>
 Copyright (c) 2000 Markus Demleitner <msdemlei@cl.uni-heidelberg.de>
 Copyright 2000 MontaVista Software Inc.
 Copyright (c) 2001 Thomas Gleixner (gleixner@autronix.de) * * \$Id: edb7312.c,v 1.11 2004/11/04
 12:53:10 gleixner Exp \$
 Copyright (c) 2003, 2004 Hitoshi Yamamoto
 Copyright (C) 1996, 2001 David S. Miller (davem@caip.rutgers.edu) */
 Copyright (C) 2000, 2002 Maciej W. Rozycki */#include <linux/config.h>#include <linux/init.h>#include
 <linux/kernel.h>#include <linux/mm.h>#include <linux/bootmem.h>#include <linux/types.h>
 Copyright 2000 (c) Linuxcare Canada, Alex deVries <alex@onefishtwo.ca>
 Copyright (c) 2000-2002 Jean Tourrilhes <jt@hpl.hp.com>
 Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) */
 Copyright (C) 2003-2004 Venkatesh Pallipadi <venkatesh.pallipadi@intel.com>.
 Copyright (C) 1997 Geert Uytterhoeven * * This file is based on the following documentation: *
 Copyright (c) 2001 "Crazy" James Simmons jsimmons@transvirtual.com * * Sponsored by Transvirtual
 Technology.
 Copyright 2005 Freescale Semiconductor, Inc
 Copyright (C) 2002 Maciej W. Rozycki */#include <linux/init.h>#include <linux/kernel.h>#include
 <linux/sched.h>#include <asm/traps.h>#include <asm/uaccess.h>#include <asm/addrspace.h>#include
 Copyright (C) 2003 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Thomas Spatzier
 (tspat@de.ibm.com) *
 Copyright (C) 2000 Greg Banks
 Copyright 2001 MontaVista Software Inc. * Author: MontaVista Software, Inc. * ppopov@mvista.com
 or source@mvista.com
 Copyright (C) Atom Create Engineering Co., Ltd.
 Copyright (c) 2002 Silicon Graphics, Inc. All Rights Reserved
 Copyright (C) 2000 Kazumoto Kojima * * Hitachi SystemH Support.
 Copyright (C) 2000 Qlogic Corporation

Copyright (C) 2001-2003 Stelian Pop <stelian@popies.net> *
 (C) 2003 by Sampsa Ranta <sampsa@netsonic.fi>
 Copyright (C) 2001-2002 Jungjun Kim */
 (C) Copyright 1987 Seagate", 15, 40, SEAGATE
 Copyright (C) 2003 Red Hat, Inc. All Rights Reserved
 (C) 1991 1800-V2.0.", 72, 39, 2, 0, 4
 Copyright (C) 2000 Oleg Drokin <green@crimea.edu>
 Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) */#include <linux/types.h>#include
 <linux/kernel.h>#include <linux/sched.h>
 Copyright (C) 2004 Sean Young <sean@mess.org>
 Copyright (C) 1999 MIPS Technologies, Inc.
 Copyright 1995, Russell King * * ALPHA RELEASE 1.
 Copyright (c) 2004 Hewlett-Packard Development Company, L.P. * Contributed by David Mosberger-Tang
 <davidm@hpl.hp.com> * * This is a pseudo I/O MMU which dispatches to the hardware I/O MMU * whe
 Copyright 1995 Roman Hodek <Roman.Hodek@informatik.uni-erlangen.de>
 Copyright (C) 2002 Trond Myklebust * * structure passed from user-space to kernel-space during an nfsv4
 mount
 Copyright (c) 1999 Cisco, Inc.
 (C) 2003 Pete Popov <ppopov@embeddedalley.com> *
 copyright 2000 by Hans Reiser, and the * licensing of what follows is governed by reiserfs/README */
 (C) IBM Corporation, IBM Deutschland Entwicklung GmbH, 1999-2002 * * /proc interface for the dasd
 driver.
 COPYRIGHT * This file is distributed under the terms of the GNU General Public
 Copyright (c) 1998-1999 Rebel.com
 Copyright 2001 by Micro Solutions, Inc., DeKalb IL. USA\n"); if(verbose)
 printk(KERN_DEBUG "bpck6: verbose debug enabled.\n"); return pi_register(&bpck6) - 1; }
 Copyright (C) 2001 MontaVista Software, ppopov@mvista.com * Copied and modified Carsten Langgaard's
 time.c * * Carsten Langgaard, carstenl@mips.com
 Copyright (C) 2002 Simon Evans * * Licence: GPL
 Copyright (C) 2001,2002 Andi Kleen, SuSE Labs
 Copyright (c) 2002 Vojtech Pavlik
 Copyright (c) 1999-2001 Motorola, Inc.
 Copyright (c) 2004 James Courtier-Dutton <James@superbug.demon.co.uk> * Driver CA0106 chips. e.g.
 Sound Blaster Audigy LS and Live 24bit * Version: 0.0.20 * * FEATURES currently supported:
 Copyright 2002 Alchemy Semiconductor * Author: Alchemy Semiconductor * * Based on:
 Copyright (C) 1995-2003 Geert Uytterhoeven * * with work by Roman Zippel
 Copyright (C) 1998-2003 Geert Uytterhoeven * * Heavily based on the procfs interface for the PCI bus,
 which is
 Copyright (c) by Paul Barton-Davis <pbd@op.net>
 (C) 1999 David Airlie, airlie@linux.ie * [07-SEP-99] Bugfixes * * [06-Jan-2002] Russell King
 <rmk@arm.linux.org.uk> * Converted to new serial core
 Copyright (C) 2002 NetChip Technology, Inc. (http://www.netchip.com)
 Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) */#ifndef _ASM_CPU_H#define _ASM_CPU_H
 Copyright (C) 2000, 2001 Paolo Alberelli * * linux/ioctl.h for Linux by H.H. Bergman.
 Copyright (c) 2004-2005 Richard Purdie * * Based on xtkbd.c/locomkbd.c
 Copyright (C) 1999 - 2003 Krzysztof Halasa <khc@pm.waw.pl>
 Copyright (C) 2000 Mark Douglas Corner <mcorner@umich.edu> * * USB Bluetooth TTY driver, based on
 the Bluetooth Spec version 1.0B
 Copyright (C) 2004 by Ralf Baechle (ralf@linux-mips.org) * * This doesn't really fly - but I don't have a
 GT64240 system for testing.
 Copyright (C) 2002-2003 Marcel Holtmann <marcel@holtmann.org>
 Copyright (c) 2001 Daniel Engstrom <5116@telia.com> * * There are two distinct EISA adapters.
 Mongoose is found in machines * before the 712; then the Wax ASIC is used. To complicate matters, the
 Copyright (C) 1999 Niibe Yutaka
 Copyright (C) 1995, 96, 97, 98, 99, 2003 by Ralf Baechle
 (C) 1999 R.E.Wolff@BitWizard.nl * * Specialix pays for the development and support of this driver. * Please
 DO contact support@specialix.co.uk if you require * support. But please read the documen
 Copyright (C) 2003, 2004 Ralf Baechle */#ifndef __ASM_MACH_GENERIC_MANGLE_PORT_H#define
 __ASM_MACH_GENERIC_MANGLE_PORT_H

Copyright (C) 1994-2002 Russell King
 Copyright (C) 2004, David Woodhouse
 Copyright (C) 1997-1999 Jakub Jelinek (jj@ultra.linux.cz)
 Copyright (c) 2005 Rick Koch <n1gp@hotmail.com>
 (C) 2000 In-System Design, Inc. (support@in-system.com) * * The ISD200 ASIC does not natively support
 ATA devices. The chip * does implement an interface, the ATA Command Block (ATACB) which provi
 Copyright (C) 2000 Kazumoto Kojima * * Hitachi SolutionEngine Support.
 Copyright (C) 2000 John Dorsey <john * * Original (leds-footbridge.c) by Russell King
 Copyright (C) 19yy <name of author>
 Copyright (C) 2003 IBM Deutschland Entwicklung GmbH, IBM Corporation */
 Copyright (C) 2002 Dave Engebretsen <engebret@us.ibm.com>, IBM
 Copyright (C) 1996, 1997, 1998, 2001 by Ralf Baechle */#ifndef _ASM_BRANCH_H#define
 _ASM_BRANCH_H
 Copyright (C) 2004 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin
 Schwidefsky (schwidefsky@de.ibm.com), * * This file contains interrupt related functions.
 Copyright 2002, Phil Karn, KA9Q
 Copyright (C) 1997, 1998, 1999 David S. Miller (davem@redhat.com) */
 Copyright SysKonnct 1998,1999.
 Copyright (C) xxxx the Anonymous
 Copyright (C) Riccardo Facchetti 1995-98\n"); if (io == -1 || dma == -1 || irq == -1) {
 printk(KERN_INFO "aeds16: I/O, IRQ and DMA are mandatory\n"); return -EINVAL; }
 Copyright (c) 1998 - 2002 Frodo Looijaard <frodol@dds.nl>,
 Copyright (C) Andrew Tridgell 2001 *
 Copyright (C) 1999 David S. Miller (davem@redhat.com) */
 Copyright (c) 2001 IBM Corp. * * All rights reserved
 Copyright (C) 1999 David A. Hinds -- dahinds@users.sourceforge.net
 Copyright 1994-1996 Donald Becker
 (C) Copyright 1999 Linus Torvalds * * Modified for ARM by Russell King
 Copyright (C) 2004-2005 ARM Ltd.
 Copyright (c) by Uros Bizjak <uros@kss-loka.si> * * Midi synth routines for OPL2/OPL3/OPL4 FM
 Copyright (C) ARM Limited 1998. All rights reserved
 Copyright (c) 2002 Pete Zaitcev (zaitcev@yahoo.com) * * We used to warn all over the code: DO NOT USE
 prom_printf(), * and yet people do. Anton's banking code was outputting banks * with prom_prin
 Copyright (C) 2004 Ralf Baechle <ralf@linux-mips.org>
 Copyright (C) 2000 David S. Miller (davem@redhat.com) * * Almost entirely stolen from tdfx_context.c, see
 there * for authors.
 Copyright (C) 2002 by Concurrent Computer Corporation
 Copyright 2001 MontaVista Software Inc. * Author: Jun Sun, jsun@mvista.com or jsun@junsun.net * *
 arch/mips/ddb5xxx/ddb5477/irq.c * The irq setup and misc routines for DDB5476.
 (C) 1998 Krzysztof G. Baranowski
 Copyright (C) 2000-2003 Russell King.
 Copyright (C) 1994 Cronyx Ltd. * Author: Serge Vakulenko, <vak@zebug.msk.su> * * This software is
 distributed with NO WARRANTIES, not even the implied * warranties for MERCHANTABILITY or FITNESS F
 Copyright (C) 2001-2002 Convergence Integrated Media GmbH <ralph@convergence.de>,
 <holger@convergence.de>, <js@convergence.de>
 Copyright (C) 2004 Jochen Friedrich * * Loosely based on drivers/pci/pci-driver.c and drivers/zorro/zorro-
 driver.c
 Copyright (c) 1995,1996 Bradford W. Johnson <johns393@maroon.tc.umn.edu>
 Copyright (C)2002 USAGI/WIDE Project
 Copyright (C) 2003 Ladislav Michl (ladis@linux-mips.org) */
 Copyright 1996-2000 Hans Reiser, see reiserfs/README for licensing
 Copyright 2000 by Hypercope GmbH
 (C) 2003 Robert Schwebel <r.schwebel@pengutronix.de> * * This file contains the hardware definitions of
 the h720x processors
 (C) Copyright 1996, 97, 99, 2002, 03 Ralf Baechle
 Copyright (C) 2003 Red Hat <alan@redhat.com> */
 Copyright (c) 2000-2001 Jean Tourrilhes <jt@hpl.hp.com>
 Copyright (C) 1996-1999 Russell King

Copyright (C) 2003 Red Hat <alan@redhat.com> *
 Copyright (c) Cisco 1999,2000
 Copyright (C) 1999 Nexus Electronics Ltd
 (C) 2004 Sascha Hauer <s.hauer@pengutronix.de> * * This file contains the hardware definitions of the h720x processors
 Copyright (C) 2003 Paul Mundt * * Defitions of the locations of registers in the physical address space.
 Copyright (c) 2000-2002 Vojtech Pavlik
 Copyright (c) 2001 Benjamin Herrenschmidt <benh@kernel.crashing.org>
 Copyright 1995, Erik H. Moe
 Copyright (C) 1994 by Waldorf Electronics
 Copyright (c) 2001 Paul Stewart
 (C) IBM Corporation, IBM Deutschland Entwicklung GmbH, 1999,2000 * * \$Revision: 1.42 \$
 Copyright (C) 2000-2005 Silicon Graphics, Inc. All rights reserved
 Copyright (c) 2003 Texas Instruments * * Derived from drivers/mtd/autcpu12.c
 Copyright (C) 1997, 1998, 1999, 2000 Ralf Baechle ralf@gnu.org * Carsten Langgaard, carstenl@mips.com
 Copyright (C) 1998, 2001, 03 by Ralf Baechle * * RTC routines for PC style attached Dallas chip.
 Copyright (C) 1999 Ingo Molnar <mingo@redhat.com> */#ifndef _ASM_HIGHMEM_H#define _ASM_HIGHMEM_H
 Copyright (C) 1991, 1992, 1995 Linus Torvalds * * This file contains the m68k-specific time handling details. * Most of the stuff is located in the machine specific files.
 (c) Copyright 1999 Alex deVries for The Puffin Group
 Copyright 2002 John Levon <levon@movementarian.org> */
 Copyright (C) 1996 Hans-Joachim Widmaier
 Copyright (C) 2001 MontaVista Software, Inc.
 Copyright (C) 1996 Paul Mackerras. */#ifndef _MAC53C94_H#define _MAC53C94_H
 Copyright (c) 1999 by Oliver Aldulea (oli at bv dot ro) * * This code is based on the RISCom/8 multiport serial driver written * by Dmitry Gorodchanin (pgmdsg@ibi.com), based on the Linux serial *
 Copyright (c) 2001, 2002 Hiroyuki Kondo, Hirokazu Takata, * Hitoshi Yamamoto *
 Taken from sh version.
 Copyright (c) 2003, Intel Corporation * * Full lazy switching support, optimizations and more, by Nicolas Pitre
 (C) 1997 M. Kirkwood * Converted to new API by Alan Cox <Alan.Cox@linux.org> * Various bugfixes and enhancements by Russell Kroll <rkroll@exploits.org> * * TODO: Allow for more than one of t
 Copyright (C) 1995, 1996, 1997, 2002, 2003 by Ralf Baechle
 Copyright (C) 2000 Kazumoto Kojima * * Hitachi SolutionEngine support
 (C) Copyright 2000-2001, Lineo Inc. (www.lineo.com)
 copyright; see LICENSE.FlashPoint for details. * * \$Workfile: sccb_dat.c \$
 Copyright (C) 1996 Jesper Skov (jskov@cygnus.co.uk) * * Hacked to work with the NCR MCA stuff by Tymmm Twillman (tyymm@computer.org)
 Copyright (C) 1999 Machine Vision Holdings, Inc.
 Copyright (C) 2004 Hirokazu Takata <takata at linux-m32r.org> * * This file contains M32R architecture specific macro definitions.
 (C) 2003 Jozsef Kadlecsik <kadlec@blackhole.kfki.hu>
 Copyright 2003-2004 Simon Kelley.
 Copyright (C) 2004 Takashi Iwai <tiwai@suse.de>
 Copyright (c) 2000 PocketPenguins Inc * * Derived from setup_hd64461.c which bore the message:
 (C) Copyright 2004 Alan Stern, stern@rowland.harvard.edu * * Intel documents this fairly well, and as far as I know there * are no royalties or anything like that, but even so there are * people w
 Copyright 2004 Zwane Mwaikambo <zwane@arm.linux.org.uk>
 Copyright (c) 1997, 1998 Kenneth D. Merry. * All rights reserved
 Copyright (C) 2000 Arcom Control System Ltd
 Copyright (c) 2003 Patrick Mochel
 Copyright (C) 2001 Lineo
 Copyright (C) 2004 Paul Mundt * * SuperH SH4-202 MicroDev board support.
 Copyright (C) 1991, 1992 Linus Torvalds * * xenix/inode.c
 Copyright (C) 1999-2000 Hewlett-Packard Co
 Copyright (c) 2004-2005 Simtec Electronics * Ben Dooks <ben@simtec.co.uk> * * S3C2410 GPIO support
 Copyright (C) 1998 Frederic Rible F1OAT (frible@teaser.fr)
 Copyright (C) 2001 Mike Corrigan

Copyright (C) 2003 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> */#include
<linux/init.h>#include <linux/string.h>

Copyright (C) 2001 by Ladislav Michl

Copyright (C) 1999, 2000 Silicon Graphics, Inc. */#include <linux/init.h>#include <linux/kernel.h>#include
<linux/pci.h>#include <asm/sn/arch.h>#include <asm/pci/bridge.h>#include <asm/paccess.

Copyright (C) 2001 Russell King * * Perform "ISA" memory and IO accesses. The EBSA110 has some
"peculiarities" * in the way it handles accesses to odd IO ports on 16-bit devices. These * devices

Copyright (C) 2000, 2001 Paolo Alberelli

Copyright 2000 IBM Corporation");MODULE_AUTHOR("Gerhard Tonn <ton@de.ibm.com>");

Copyright (C) 1997-2002 Inside Out Networks, Inc.

Copyright 2001 MontaVista Software Inc.

Copyright (C) 2002 Paul Mundt (lethal@chaoticdreams.org)

Copyright (C) 1998-2002 Russell King

Copyright (C) 2003 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin
Schwefsky (schwefsky@de.ibm.com), */

Copyright (C) 1999 Alpha Processor, Inc., * (David Daniel, Stig Telfer, Soohoon Lee) * *

Code common to all IRONGATE core logic chips.

Copyright (c) 2002 Paul Mundt <lethal@chaoticdreams.org> * * Released under the terms of the GNU GPL
v2.0.

(C) 2003 Ardis Technologies <roman@ardistech.com> * * Export hfs data via xattr

Copyright 2000-2002 Andi Kleen, SuSE Labs. */

(C) 2003 Texas Instruments. *

Copyright (C) Christoph Hellwig, 2002

Copyright (C) 1997, 2001, 2003, 2004 Ralf Baechle (ralf@linux-mips.org) */

(c) Copyright 2001, Red Hat Inc.\n"); if((sv11_unit=sv11_init(io,irq))==NULL) return -
ENODEV; return 0;}

Copyright (C) 2003-2004 Intel

Copyright 2002 Randolph CHung <tausq@debian.org> * * Based on: include/asm-ppc/rtc.h and the genrtc
driver in the * 2.4 parisc linux tree

Copyright (C) 1997 Jes Sorensen * * History:

(C) Copyright 2004, Greg Ungerer (gerg@snapgear.com) */

Copyright (C) 1994-1996 Greg Ungerer. * * This code is loosely based on the Linux serial driver,
written by * Linus Torvalds, Theodore T'so and others.

Copyright (c) 1997 University of Troms * * Revision History: *

Copyright (c) 2000-2001 Vojtech Pavlik */

(C) 1998 - 2004 R.E.Wolff@BitWizard.nl * * Simon Allen (simonallen@cix.compulink.co.uk) wrote a
previous * version of this driver. Some fragments may have been copied. (none * yet :-)

Copyright (C) 1995 */#ifndef __ASM_SH_FLOPPY_H#define __ASM_SH_FLOPPY_H

Copyright (C) 2004 MontaVista Software Inc. * Author: Manish Lachwani, mlachwani@mvista.com *

Copyright (C) 2003 Takashi Kusuda <kusuda-takashi@hitachi-ul.co.jp> * * SH-Mobile SolutionEngine
73180 support

Copyright (c) 1997, 1998-2000 Dag Brattli <dagb@cs.uit.no>

Copyright (C) 1995-1998 Mark Adler * For conditions of distribution and use, see copyright notice in zlib.h
*/

Copyright (C) 1998, 1999, 2002, 2003 Hewlett-Packard Co * David Mosberger-Tang
<davidm@hpl.hp.com> */

Copyright (c) 2001 WireX Communications, Inc <chris@wirex.com>

Copyright (C) 1996 David S. Miller (dm@sgi.com) */#ifndef _ASM_SGI_SGI_H#define _ASM_SGI_SGI_H

(C) 2003 Thomas Gleixner <tglx@linutronix.de>

Copyright (C) 1996 Jakub Jelinek (jj@sunsite.mff.cuni.cz)

Copyright (C) 2000, 2001 Keith M Wesolowski

Copyright (c) 2001 Arndt Schoenewald

(C) 1999 David A. Hinds */

Copyright (C) 1996-2003 Russell King.

Copyright (c) 2000-2001 Lineo Canada Corp. <www.lineo.ca>

Copyright (C) 1999-2002, Greg Ungerer (gerg@snapgear.com) * * Based on: *

Copyright 1999-2001 by Donald Becker. Written 1997-2001 by Donald Becker.

[8139too.c]

Copyright ♦ ARM Limited 1998. All rights reserved

(c) Copyright 1999-2001 Quicknet Technologies, Inc.
 Copyright (C) 2004 Coastal Environmental Systems
 Copyright (C) 2001, 2002 Hirokazu Takata, Hiroyuki Kondo, * Hitoshi Yamamoto */
 Copyright (C) 2002 Richard Henderson.
 Copyright (C) 2001-2005 Hiroyuki Kondo, Hirokazu Takata *
 Copyright (C) 2003 Paul Mundt
 Copyright (C) 2004 MIPS Technologies, Inc. All rights reserved
 Copyright (C) 2000 Grant Grundler <grundler with parisc-linux.org>
 Copyright (C) 2002 David Howells (dhowells@redhat.com) * - Incorporating suggestions made by Linus Torvalds and Dave Miller
 Copyright (C) 2000 MIPS Technologies, Inc.
 Copyright 2004, Matt Porter <mporter@kernel.crashing.org>
 Copyright (C) Andreas Gruenbacher, 2001
 Copyright (c) 1999-2004 Mark McClelland
 Copyright (C) 1998 TSHG
 Copyright(C) 1996,1998 Jakub Jelinek * * derived from:
 (C) 2003 Luis R. Rodriguez <mcgrof@ruslug.rutgers.edu>
 Copyright (C) 2001 Mark Langsdorf (mark.langsdorf@amd.com) * based on sc520cdp.c by Sysgo Real-Time Solutions GmbH * * \$Id: net520.c,v 1.13 2004/11/28 09:40:40 dwmw2 Exp \$
 Copyright (C) 1998,1999 Jakub Jelinek (jj@ultra.linux.cz) *
 Copyright (c) 2000,2003 Silicon Graphics, Inc. All rights reserved
 (C) Copyright 2002-2004 Greg Kroah-Hartman <greg@kroah.com>
 Copyright (C) 1994 - 1999, 2000, 03, 04, 05 Ralf Baechle (ralf@linux-mips.org)
 Copyright (C) 2005 Thibaut VARENE <varenet@parisc-linux.org>
 (C) 1999-2000 Kurt Garloff * * Oliver Neukum <oliver@neukum.name> * Ali Akcaagac <aliakc@web.de>
 * Jamie Lenehan <lenehan@twibble.org>
 Copyright (C) 2003 Anton Blanchard <anton@au.ibm.com>, IBM
 Copyright by Karsten Keil <keil@isdn4linux.de>
 Copyright (c) by Jaroslav Kysela <perex@suse.cz> * Abramo Bagnara <abramo@alsa-project.org> *
 Copyright (C) 2003 Richard Curnow
 Copyright (C) 2000 Lineo, Inc. (www.lineo.com) * * Based on: *
 Copyright (C) 2001-2002 Benjamin Herrenschmidt * * THIS DRIVER IS BECOMING A TOTAL MESS ! * - Cleanup atomically disabling reply to PMU events after * a sleep or a freq. switch * - Move slee
 Copyright (c) 2000 Frodo Looijaard <frodol@dds.nl>,
 Copyright (c) 1996-2000 Jonathan A. Buzzard (jonathan@buzzard.org.uk) * * Thanks to Juergen Heinzl <juergen@monocerus.demon.co.uk> for the pointers * on making sure the structure is aligned and pa
 Copyright (C) 2004 Paul Mundt * * Shamelessly cloned from arch/arm/mach-omap/bus.c, which was written * by: *
 Copyright (C) 2004 Alex Kern <alex.kern@gmx.de>
 Copyright 1999, 2000 Creative Labs, Inc. *
 Copyright by Petr Novak <petr.novak@i.cz>
 Copyright (C) 1998 Kenneth Albanowski <kjahds@kjahds.com>
 Copyright (c) 2003 Open Source Development Lab
 Copyright (C) 2000 - 2004 Jeff Dike (jdike@karaya.com)
 Copyright (C) 1999-2002 Hewlett-Packard Co. * David Mosberger-Tang <davidm@hpl.hp.com> *
 Stephane Eranian <eranian@hpl.hp.com> * * All EFI Runtime Services are not implemented yet as
 EFI only * s
 copyright (C) 1991, 1992 Linus Torvalds. It was * extensively rewritten by Theodore Ts'o, 8/16/92 -- 9/14/92, * and then fixed as suggested by Michael K. Johnson 12/12/92. * * This version suppo
 Copyright (C) 1996 Paul Mackerras. */#include <stdarg.h>#include <linux/config.h>#include <linux/kernel.h>#include <linux/string.h>#include <linux/init.h>#include <linux/version.h>#include <li
 Copyright (C) 2000 Hewlett-Packard Co.
 Copyright (C) 1999 Srinivasa Prasad Thirumalachar <sprasad@sprasad.engr.sgi.com> * * 99/10/01 davidm Make sure we pass zero for reserved parameters. * 00/03/07 davidm Updated
 pal_cache_flush() to b
 Copyright (C) 1999 Lars Brinkhoff.
 Copyright (C) 2005 Ralf Baechle (ralf@linux-mips.org) */#ifndef __ASM_MACH_IP32_CPU_FEATURE_OVERRIDES_H#define

__ASM_MACH_IP32_CPU_FEATURE_OVERRIDES_H
(c) Copyright IBM Corp. 2003-2004 * * Maintained by: Benjamin Herrenschmidt *
<benh@kernel.crashing.org>
Copyright (C) 2002 Maciej W. Rozycki */#ifndef _ASM_MC146818RTC_H#define _ASM_MC146818RTC_H
Copyright (C) 1996 Eddie C. Dost (ecd@skynet.be) */
Copyright (C) 2003 Asit Mallick <asit.k.mallick@intel.com> * * Based on asm-i386/rwsem.h and other
architecture implementation.
(C) Copyright 2002, Greg Ungerer (gerg@snapgear.com) * * Based heavily on the nftlcore.c code which is:
Copyright Richard Zidlicky * implementation details for genrtc/q40rtc driver * * And the old
drivers/macintosh/rtc.c which was heavily based on:
Copyright (c) by Jaroslav Kysela <perex@suse.cz>, *
(C) Copyright 1999 Randy Dunlap * * 5/24/00 Removed optional (and unnecessary) locking of the driver
while * the device remains plugged in. Corrected race conditions in ibmcam_open * and ibmcam_pr
Copyright (c) 2000-2001 Lineo Inc. <www.lineo.com>
Copyright (C) 2000 Rob Scott (rscott@mtrob.fdns.net) * Steve Hill (sjhill@cotw.com) * * This
file contains the hardware definitions for the * LinkUp Systems L7200 SOC developmen
Copyright (C) 2004 by FS Forth-Systeme GmbH * All rights reserved
(C) 1999-2004 Nemosoft Univ.
Copyright (C) 2005 Ralf Baechle (ralf@linux-mips.org) *
Copyright (C) 1996 Paul Mackerras. * * The so far unpublished platinumfb.c
Copyright (c) 2003, 2004 Maciej W. Rozycki * * Common time service routines for MIPS machines. See *
Documentation/mips/time.README.
Copyright (C) 2004 FUJITSU LIMITED *
copyright remain somewhere in the * code (for myself, I go with the GPL). * Nobody want to take
responsibility for anything, except the fame... */
Copyright (C) 1999, 2000 Kaz Kojima *
(C) 2003,2004 Aurelien Alleaume <slts@free.fr>
Copyright message. * 0.0.17 * Add iec958 file in proc file system to show status of SPDIF in. * * This
code was initially based on code from ALSA's emu10k1x.c which is:
Copyright (C) 2000-2001, 2003-2004 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>
*/
Copyright (C) 2003 Maxim Krasnyansky <maxk@qualcomm.com>
Copyright (c) ??? Jochen Sch
Copyright (C) 2003 IBM Deutschland Entwicklung GmbH, IBM Corporation
(C) Copyright 1999 Gregory P. Smith
Copyright (C) 2001,02 NEC Corporation
Copyright (C) 1997 David S. Miller (davem@caip.rutgers.edu)
copyright; see LICENSE.FlashPoint for details. * * \$Workfile: sccb.c \$
Copyright 1995 Linus Torvalds */#include <linux/mm.h>#include <linux/fs.h>#include
<linux/list.h>#include <linux/highmem.h>#include <linux/compiler.h>#include <asm/uaccess.h>#include
<linux/gf
(c) Copyright 2002 Hewlett-Packard Company
Copyright (c) 1995 David van Leeuwen*/
Copyright (C) 1999,2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Denis Joseph
Barrow (djbarrow@de.ibm.com,barrow_dj@yahoo.com) */
Copyright (C) 2004-2005 Trusted Computer Solutions, Inc. */
Copyright (C) 1999 Cort Dougan <cort@ppc.kernel.org>
Copyright (C) 2001 WireX Communications, Inc <chris@wirex.com>
Copyright (C) 2002 Maciej W. Rozycki */#ifndef _ASM_CHECKSUM_H#define _ASM_CHECKSUM_H
Copyright (C) 1998 Ulf Carlsson
Copyright (C) 2000 Anton Blanchard (anton@linuxcare.com.au) * * Additions by Keith M Wesolowski
(wesolows@foobazco.org) based
Copyright (C) 1991, 1992 Linus Torvalds * * Goal-directed block allocation by Stephen Tweedie
(sct@dcs.ed.ac.uk), 1993 * Big-endian to little-endian byte-swapping/bitmaps by * David S. M
Copyright (C) 1991, 1992, 1995 Linus Torvalds
Copyright (c) 1994-1997 Justin Gibbs. * All rights reserved
Copyright 2001-2003 MontaVista Software Inc. * Author: MontaVista Software, Inc. *
ppopov@embeddedalley.com or source@mvista.com *
(C) 2000-2002 by Harald Welte <laforge@gnumonks.org> * * Distributed under the terms of GNU GPL */

Copyright (C) 2004 Mikko Lahtenmaki, Nordic ID
 Copyright (c) 2004 Red Hat, Inc., James Morris <jmorris@redhat.com> * * This file is released under the GPL.
 Copyright (C) 2004 Andrew de Quincey <adq_dvb@lidskialf.net>
 Copyright (c) 2004 Red Hat, Inc., James Morris <jmorris@redhat.com> */#include <linux/fs.h>#include <linux/slab.h>#include <linux/smp_lock.h>#include <linux/file.h>#include <linux/xattr.h>#incl
 (C) Copyright 1996 Linus Torvalds
 (C) Copyright 2002-2004 IBM Corp.
 Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org) * Rewritten by Cort Dougan (cort@fslabs.com) for PReP
 Copyright (C) 1991, 1992 Linus Torvalds * * setup.s is responsible for getting the system data from the BIOS, * and putting them into the appropriate places in system memory. * both setup.s and sy
 Copyright (c) 2003 Patrick McHardy, <kaber@trash.net>
 Copyright (c) 2004 Cisco Systems, Inc.
 Copyright (C) 2004 Andrew de Quincey (tuning thread cleanup)
 Copyright 2002 John Levon <levon@movementarian.org> * * Persistent cookie-path mappings. These are used by * profilers to convert a per-task EIP value into something * non-transitory that can be p
 Copyright (C) 2000 Jungjun Kim
 Copyright 2004 MontaVista Software, Inc.
 Copyright (C) 1999, 2003 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> */
 Copyright 2002 MontaVista Software Inc.
 Copyright (C) 1999-2003 Russell King
 Copyright: (c) 2000-2001 Cyclades Corp.
 Copyright (C) 1997 Cobalt Microserver
 Copyright (C) 2003 Geert Uytterhoeven <geert@linux-m68k.org> * * Serial_console ascii image can be any size, * but should contain %s to display the version
 (C) Copyright 2001, SnapGear (www.snapgear.com) * * 19990409 David W. Miller Converted from m5206ne.h for 5307 eval board
 Copyright (C) 1996 David S. Miller (davem@caip.rutgers.edu) */
 Copyright (C) 1998,1999,2000 R.E.Wolff@BitWizard.nl
 Copyright 2001 MontaVista Software Inc. * Author: MontaVista Software, Inc. * ahennessy@mvista.com * * Based on arch/mips/ddb5xxx/ddb5477/setup.c
 Copyright (C) 1991, 1992 Linus Torvalds * * coh/file.c
 Copyright (C) 2002 STMicroelectronics
 (C) 1986-1990 V6.0105/31/90
 Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * * Derived from "include/asm-i386/timex.h"
 Copyright (c) 2000-2004 Anton Altaparmakov
 Copyright 2004 Pete Popov, updated the driver to 2.6. * Followed the sa11xx API and largely copied many of the hardware * independent functions. *
 Copyright (C) 2000 David Huggins-Daines <dhd@debian.org> */
 Copyright (c) 2001, 2002 M. R. Brown <mrbrown@0xd6.org> * * This file is part of the LinuxDC project (www.linuxdc.org) * Released under the terms of the GNU GPL v2.0
 (C) 2002 Thomas Gleixner (gleixner@autronix.de) * * \$Id: autcpu12-nvram.c,v 1.8 2004/11/04 13:24:14 gleixner Exp \$
 Copyright (C) 2000 John Marvin
 Copyright Motorola 1984 (
 Copyright 1995, 1996 by Chris Beauregard (cpbeaure@undergrad.math.uwaterloo.ca)
 Copyright (c) 1999-2001 Dag Brattli
 Copyright (C) 1998-2002 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> */
 Copyright (C) 2004 by Ralf Baechle */#include <linux/errno.h>#include <linux/init.h>#include <linux/profile.h>#include <linux/smp.h>#include <asm/cpu-info.h>
 Copyright (C) 2003 Ralf Baechle (ralf@linux-mips.org) * * (In all truth, Jed Schimmel wrote all this code.)
 Copyright (C) 1997, 1998, 1999, 2000 Ingo Molnar, Hajnalka Szabo * * Many thanks to Stig Venaas for trying out countless experimental * patches and reporting/debugging problems patiently!
 Copyright (C) 2002 Jenna Hall <jenna.s.hall@intel.com> */#ifndef _ASM_IA64_MCA_ASM_H#define _ASM_IA64_MCA_ASM_H
 Copyright (C) 1991, 1992, 1993, 1994 Linus Torvalds * * Modified by Fred N. van Kempen, 01/29/93, to add line disciplines * which can be dynamically activated and de-activated by the line * disci

Copyright 2003 PathScale Inc
 Copyright (C) 2000 Philipp Rumpf <prumpf@tux.org>. */
 Copyright (C) 1998-2000 Andrzej Krzysztofowicz
 Copyright 1993 Harm Hanemaayer
 Copyright (C) 1999 Ralf Baechle (ralf@gnu.org)
 Copyright (c) Cryptoapi developers.
 (C) Copyright Johannes Erdfelt 1999-2001
 Copyright Jonathan Naylor G4KLX (g4klx@g4klx.demon.co.uk) */#include <linux/errno.h>#include
 <linux/types.h>#include <linux/socket.h>#include <linux/in.h>#include <linux/kernel.h>#include <linu
 (C) 1996 Philip Blundell * * 10-04-96 RMK Various cleanups & reduced register usage. * 08-04-98
 RMK Shifts re-ordered
 Copyright (C) 2001-2002 Inventel Systemes Written 2001-2002 by David Libault
 <david.libault@inventel.fr>
 Copyright (C) 1993 - 1994 Eric Youngdale <ericy@cais.com>
 COPYRIGHT + EEPROM_COPYRIGHT_LEN DPRINTK("eeprom: copyright = \"%s\\n",
 (char *) &e[EEPROM_COPYRIGHT]); else
 Copyright (C) 1994, 1995, 1996 Normunds Saumanis (normunds@fi.ibm.com) * * LILO command line
 usage: ncr53c406a=<PORTBASE>[,<IRQ>[,<FASTPIO>]] * Specify IRQ = 0 for non-interrupt driven
 mode. *
 (C) Copyright 1999-2004, Greg Ungerer (gerg@snapgear.com). */
 Copyright (c) 2004 Patrick McHardy <kaber@trash.net>
 Copyright (C) 1994-96 Marc ZYNGIER <zyngier@ufr-info-p7.ibp.fr> or
 <maz@gloups.fdn.fr>
 (C) 2004 Luc Saillard (luc@saillard.org)
 Copyright (C) 1998 Eddie C. Dost <ecd@skynet.be>
 (C) Copyright 2002 Christoph Hellwig */
 Copyright (C) 1999 Asit Mallick <Asit.K.Mallick@intel.com>
 Copyright (c) 2001 The Regents of the University of Michigan. * All rights reserved
 Copyright (C) 1997 Claus-Justus Heine.
 Copyright (C) 2000-2004 Steven J. Hill (sjhill@realitydiluted.com) * Toshiba America
 Electronics Components, Inc. * * \$Id: nand_ecc.c,v 1.14 2004/06/16 15:34:37 gleixner Exp
 Copyright (C) 2001 Lineo, Inc. <www.lineo.com> * * 68VZ328 Fixes/support Evan Stawnyczy
 <e@lineo.ca>
 Copyright (C) 1999, 2000 by Ralf Baechle */#ifndef _ASM_SN_KLCONFIG_H#define
 _ASM_SN_KLCONFIG_H
 Copyright (C) 2001-2003 Red Hat, Inc.
 Copyright (C) 2003,2004 Krzysztof Benedyczak (golbi@mat.uni.torun.pl) * Michal
 Wronski (wrona@mat.uni.torun.pl) * * Spinlocks: Mohamed Abbas
 (C) 1986-1989 V5.0C2/14/89", 5, 46, FD
 Copyright (C) 1997, 1998 Jay Estabrook
 Copyright (C) 1999-2003, Greg Ungerer (gerg@snapgear.com)
 Copyright (C) 1995 Andreas Busse */#include <linux/config.h>#include <linux/sys.h>
 Copyright (C) 2002 IBM Deutschland Entwicklung GmbH, * IBM Corporation *
 Author(s): Cornelia Huck (cohuck@de.ibm.com) * Martin Schwidefsky
 (schwidefsky@de.ibm.com) * * Path Group ID functi
 (c) Copyright 2002, 2005 Hewlett-Packard Development Company, L.P. * David Mosberger-Tang
 <davidm@hpl.hp.com> * Bjorn Helgaas <bjorn.helgaas@hp.com>
 Copyright (C) 1999 Ralf Baechle (ralf@gnu.org) */#ifndef _ASM_XTALK_XWIDGET_H#define
 _ASM_XTALK_XWIDGET_H
 Copyright (C) 2000 Tilmann Bitterberg * (tilmann@bitterberg.de) * * RTAS (Runtime Abstraction
 Services) stuff * Intention is to provide a clean user interface * to use the RTAS.
 Copyright (C) 2001 RidgeRun, Inc. * Author: Greg Lonnon <glonnon@ridgerun.com> *
 Copyright (C) 2001 by Hiroyuki Kondo * * Definitions for the address spaces of the M32R CPUs.
 Copyright (C) 1994 - 1999, 2003 by Ralf Baechle */#ifndef _ASM_A_OUT_H#define _ASM_A_OUT_H
 Copyright (C) 2000, 2001, 2002 Broadcom Corporation
 Copyright (C) 2001,2002 Andi Kleen, SuSE Labs * * These routines maintain argument size conversion
 between 32bit and 64bit * ioctls.
 Copyright (C) 2003, 2004 Intel Corp.
 Copyright (C) 1997 Paul Mackerras. * * BenH: Changed to match those of heathrow (but not all of them).

Please * check if I didn't break anything (especially the media bay).
 Copyright (C) 2002 by Andreas Mohr <hw7oshyuv3001@sneakemail.com> * * Framework borrowed from
 Massimo Piccioni's card-als100.c.
 Copyright 2002 by Kai Germaschewski <kai@germaschewski.name>
 (C) 1993 by Hamish Macdonald *
 copyright information. */#ifndef __FLEXCOP_REG_H__#define __FLEXCOP_REG_H__
 Copyright (C) 2000,2002-2005 Silicon Graphics, Inc. All rights reserved
 Copyright (C) 1994, 1995 Waldorf Electronics GmbH
 Copyright (C) 1999 Jochen Scharrlach <Jochen.Scharrlach@schwaben.de>
 Copyright (C) 1995, 1999, 2002 by Ralf Baechle */#ifndef _ASM_MMIO_H#define _ASM_MMIO_H
 Copyright (C) 2001-2003 Andreas Gruenbacher, <agruen@suse.de> * * Fix by Harrison Xing
 <harrison@mountainviewdata.com>. * Ext3 code with a lot of help from Eric Jarman <ejarman@acm.org>.
 * Extende
 Copyright (C) 1994 Bjoern Brauel * * 5/2/94 Roman Hodek:
 Copyright (C) 1999, 2000 Creative Labs, Inc. *
 (C) 1991 Linus Torvalds - minix filesystem * * Steve Beynon : Missing last directory
 entries fixed * (stephen@askone.demon.co.uk) : 21st June 1996
 (C) Copyright: put under GNU GPL in 10/96 * (see
 Documentation/scsi/tmscsim.txt) *
 ***** * \$Id:
 tmscsim.c,v 2.60.2.30 2000/12/2
 Copyright (c) 1998 Harald Koerfgen */#include <linux/tty.h>#include <linux/init.h>#include
 <linux/console.h>
 Copyright (c) 2001 Axis Communications AB * * This file is under GPL.
 Copyright (C) 2000-2001 Qualcomm Incorporated
 Copyright (C) 2004 David S. Miller <davem@redhat.com> */
 Copyright (C) 1997, Olaf Kirch */
 Copyright (C) 2003,2004 Hewlett-Packard Company *
 Copyright 2004 NVIDIA Corp. All rights reserved
 Copyright (c) 2001 Matrox Graphics Inc. * * Version: 1.65 2002/08/14
 Copyright (C) 1999-2004 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>
 Copyright (C) 2003 Greg Kroah-Hartman (greg@kroah.com)
 Copyright (C) 2001-2004 by Thomas Winischhofer, Vienna, Austria
 Copyright (C) 1996 Cort Dougan <cort@fslabs.com> * Adapted for Power Macintosh by Paul Mackerras. *
 Low-level exception handlers and MMU support * rewritten by Paul Mackerras.
 Copyright by Werner Cornelius <werner@isd4linux.de>
 Copyright (C) 1998, 1999 Richard Henderson
 Copyright 1999 by Cytronics
 Copyright 2004 (c) MontaVista, Software, Inc.
 Copyright (C) 2000, 2002 Maciej W. Rozycki
 copyright is claimed. * This code is in the public domain; do with it what you wish. * * Equivalent code is
 available from RSA Data Security, Inc. * This code has been tested against that, and is
 Copyright (C) 2001 Thiemo Seufer.
 Copyright (C) 2000, 2001 Axis Communications AB * * Authors: Bjorn Wesen (bjornw@axis.com)
 Copyright (C) 2004 Nokia Corporation by Tony Lindgren <tony@atomide.com> * * H2 specific changes and
 cleanup
 Copyright (C) 1999-2003 Helge Deller <deller@gmx.de> * * Very basic HP Human Interface Loop (HIL)
 driver. * This driver handles the keyboard on HP300 (m68k) and on some * HP700 (parisc) series
 (C) 2002 Padraig Brady. <padraig@antefacto.com>
 Copyright 2003 Ben. Herrenschmidt <benh@kernel.crashing.org>
 Copyright 1995,96 by Thinking Objects Software GmbH Wuerzburg
 Copyright (c) by Jaroslav Kysela <perex@suse.cz>,
 Copyright (C) 1999 Geert Uytterhoeven * * Written for 2.0.x by Steffen A. Mork * Ported to 2.1.x by Geert
 Uytterhoeven * Ported to new api by James Simmons
 Copyright (C) 2001 Steven J. Hill (sjhill@realitydiluted.com)
 Copyright (C) 2003, 2004 SuperH, Inc.
 Copyright (C) 1996, Paul Gortmaker.
 Copyright 2001 Anton Blanchard (anton@samba.org) */
 Copyright (C) 1996 David S. Miller (davem@caip.rutgers.edu)

Copyright (c) 2000-2005 Silicon Graphics, Inc. All Rights Reserved
 Copyright (C) 2000 - 2001 by Silicon Graphics, Inc.
 Copyright (C) 2002 Benjamin Herrenschmidt (benh@kernel.crashing.org)
 Copyright (c) 1998 Actisys Corp., www.actisys.com
 Copyright 2001, Blue Mug Inc. All rights reserved
 Copyright (C) 1996-1998 Russell King */
 Copyright 2000,2001 Dell Inc.
 Copyright (C) 2003-2004 MontaVista Software, Inc. *
 Copyright (C) 1997 Cullen Jennings
 Copyright (C) 1994 Linus Torvalds * * 29 dec 2001 - Fixed oopses caused by unchecked access to the
 vm86 * stack - Manfred Spraul <manfreds@colorfullife.com>
 Copyright (C) 1997-1999 Russell King * from: *
 Copyright (C) 2001 Wolfgang Scherr <scherr@net4you.at> * * \$Id: zr36016.h,v 1.1.2.3 2003/01/14
 21:18:07 rbultje Exp \$
 Copyright (C) 2001-2002 Thomas Bogendoerfer <tsbogend@alpha.franken.de> * * TODO:
 copyright details. */
 Copyright (C) 2004 Hirokazu Takata <takata at linux-m32r.org> */
 Copyright (C) 2001 Blue Mug, Inc. All Rights Reserved
 Copyright message. * * This code was initially based on code from ALSA's emu10k1x.c which is:
 Copyright (c) 1995-1997 Claus-Justus Heine
 Copyright (C) 2000 Silicon Graphics, Inc. */#include <linux/kernel.h>#include <linux/sched.h>#include
 <linux/mm.h>#include <linux/errno.h>#include <linux/smp.h>#include <linux/smp_lock.h>#incl
 Copyright (C) 1994-2000 Algorithmics Ltd. * http://www.algor.co.uk * * Kevin D. Kissell, kevink@mips.com
 and Carsten Langgaard, carstenl@mips.com
 Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org)
 Copyright (c) 2002-2003 Patrick Mochel
 Copyright (C) 2001-2003 IBM Corp. * * All rights reserved
 Copyright (C) 2000 Abramo Bagnara <abramo@alsa-project.org>
 Copyright (C) 1996 Thomas K. Dyas (tdyas@noc.rutgers.edu)
 Copyright: (C) 2001 Emness Technology
 Copyright (c) 2004 Fetron GmbH
 Copyright (c) Jean-Francois Dive <jef@linuxbe.org>
 (C) 1997 Claus-Justus Heine.
 Copyright (c) 1998 Harald Koerfgen */
 COPYRIGHT);MODULE_LICENSE("GPL");MODULE_VERSION(DRV_VERSION);
 Copyright (c) 2002 Paul Davis
 Copyright (c) 2002 Pavel Machek <pavel@suse.cz>
 Copyright (C) 1995 Linus Torvalds * Adapted from 'alpha' version by Gary Thomas * Modified by Cort
 Dougan (cort@cs.nmt.edu) */
 Copyright (C) 2000, 2004 Ralf Baechle
 Copyright(C) 1996 David S. Miller */
 COPYRIGHT)) bits if ((diga->status[0] & IEC958_AES0_CON_EMPHASIS)
 == IEC958_AES0_CON_EMPHASIS_NONE) bits |= 0x40; if (!(diga-
 >status[1] & IEC958_AES1_CON_ORIGINAL)) bits |= 0x80; if ((d
 Copyright (C) 2003, 2004 PMC-Sierra Inc. * Author: Manish Lachwani (lachwani@pmc-sierra.com)
 (C) Copyright 2000-2002, Greg Ungerer <gerg@snapgear.com> */
 Copyright (C) 2003, 2004 Ralf Baechle * * SNI RM200 C apparently was only shipped with R4600 V2.0 and
 R5000 processors.
 Copyright (c) 2000, 2001, 2002 Axis Communications AB * * Authors: Bjorn Wesen
 (C) The elitist m68k Users(TM) * * based on the existing parport_amiga and lp_mfc
 Copyright (C) 2004 Ben Collins
 Copyright (C) XLR8, Inc. 1994-2000
 Copyright (C) 1991, 1992 Linus Torvalds, * consider these trivial functions to be PD. */
 Copyright (C) 1998 D. Jeff Dionne <jeff@lineo.ca>, Kenneth Albanowski <kjahds@kjahds.com>,
 Copyright (C) 2001, 2002, 2003
 Copyright (C) 1997, 1999 David S. Miller (davem@redhat.com) */
 Copyright (c) 1998-2000 Ilario Nardinocchi (nardinoc@CS.UniBO.IT) * -----
 ----- * \$Id: pm2fb.h,v 1.26 2000/09/19 00:11:53 illo Exp \$
 Copyright (C) 1996 Cort Dougan <cort@cs.nmt.edu> * Low-level exception handlers and MMU support *

rewritten by Paul Mackerras.
 Copyright (c) by Jaroslav Kysela <perex@suse.cz> * GUS's memory allocation routines / bottom layer *
 Copyright (C) 1996 Paul Mackerras (Paul.Mackerras@cs.anu.edu.au)
 Copyright (c) 2002 Brian Bonlander, Bill Soudan
 Copyright (C) 1996,1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz) */#ifndef _ASM_UACCESS_H#define
 _ASM_UACCESS_H
 Copyright (C) 1998-2001, 2003, 2005 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>
 * Stephane Eranian <eranian@hpl.hp.com>
 Copyright (C) 2004 Fujitsu Siemens Computers GmbH
 Copyright (c) 2002 Intel Corp. * * This file is part of the SCTP kernel reference Implementation
 Copyright (C) 2003 Silicon Graphics, Inc.
 Copyright 2000,2003 IBM Corporation * * Author(s): Thomas Spatzier <tspat@de.ibm.com>
 Copyright (C) 2000 Steven J. Hill (sjhill@realitydiluted.com) * * \$Id: nand_ecc.h,v 1.4 2004/06/17
 02:35:02 dbrown Exp \$
 Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) */
 Copyright (C) 1999,2000 Greg Ungerer (gerg@snapgear.com)
 Copyright 1997,1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz) */
 Copyright (C) 1999 Pavel Semerad (semerad@ss1000.ms.mff.cuni.cz) */
 Copyright (Computer Programs) Regulations 1992 (S.I. 1992 No.3233). *
 (C) Copyright 1999-2001 Johannes Erdfelt */
 Copyright (C) 1999-2001 IBM Deutschland Entwicklung GmbH, * IBM Corporation
 * Author(s): Original Code written by * DJ Barrow
 (djbarrow@de.ibm.com,barrow_dj@yahoo.com) * Rewritten
 Copyright 1993--1999 Drew Eckhardt, Frederic Potter, * David Mosberger-Tang, Martin Mares */
 Copyright (C) 1995 Linus Torvalds
 Copyright (C) 1999-2000, 2002-2003, 2005 Hewlett-Packard Co * David Mosberger-Tang
 <davidm@hpl.hp.com> */#include <linux/config.h>#include <linux/errno.h>#include
 <linux/fs.h>#include <linux/mm.h>
 Copyright (c) 1999-2003 Jean Tourrilhes <jt@hpl.hp.com>
 Copyright (C) 1998, 1999 David Mosberger-Tang <davidm@hpl.hp.com> * * Register stack engine related
 helper functions. This file may be * used in applications, so be careful about the name-space an
 Copyright (C) 2002 Stuart Menefy */
 Copyright (c) 1997-2000 LAN Media Corporation (LMC) * All rights reserved
 Copyright 2001-2003 Pavel Machek <pavel@suse.cz> * Based on code
 Copyright (C) 1991, 1992 Linus Torvalds * * minix regular file handling primitives
 Copyright (C) Tomi Manninen OH2BNS (oh2bns@sral.fi) */#include <linux/config.h>#include
 <linux/module.h>#include <linux/moduleparam.h>#include <linux/init.h>#include
 <linux/errno.h>#include <li
 (C) Copyright 2002,2004 IBM Corp. * * All of the sysfs file attributes for usb devices and interfaces.
 Copyright 2002 Momentum Computer * Author: mdharm@momenco.com * *
 arch/mips/momentum/ocelot_c/uart-irq.c * Interrupt routines for UARTs. Interrupt numbers are
 assigned from * 80 to 81 (2
 Copyright (c) by Jaroslav Kysela <perex@suse.cz> * * GUS have similar timers as AdLib (OPL2/OPL3
 chips).
 Copyright (C) 1995,2002 Pete Zaitcev (zaitcev@yahoo.com)
 Copyright (c) 2004 Simtec Electronics <linux@simtec.co.uk>
 Copyright (C) 2000-2002 Andre Hedrick <andre@linux-ide.org>
 Copyright (c) 2004 Anton Altaparmakov
 Copyright (C) 1996-2000 Russell King
 Copyright (C) 2002 Roman Zippel <zippel@linux-m68k.org>.\n\n" "Bug reports and feature
 request can also be entered at <http://bugzilla.kernel.org/\n>;
 Copyright (c) 2003 Embedded Edge, LLC
 Copyright (c) 1999-2001 Vojtech Pavlik */
 Copyright (C) 2000-2003 Deep Blue Solutions Ltd.
 (C) 1998-2004 Ben Fennema * * HISTORY
 Copyright (C) 2003 Richard Curnow * * Original TMU/RTC code taken from sh version.
 Copyright (c) 2002 Kimio Suganuma <k-suganuma@da.jp.nec.com> */#ifndef
 _ASM_IA64_MMZONE_H#define _ASM_IA64_MMZONE_H
 Copyright (C) 2003 Krzysztof Benedyczak

Copyright 2004 Zwane Mwaikambo <zwane@linuxpower.ca> */
 Copyright (C) 1999 Hewlett-Packard (Frank Rowand)
 Copyright (C) 1998-2003 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> *
 Stephane Eranian <eranian@hpl.hp.com> * * 01/07/99 S.Eranian modified to pass command line arguments to kern
 Copyright (C) 1995-1997 Simon G. Vogl
 Copyright (C) IBM Corporation, 2002, 2004 * * 2002-Oct Created by Vamsi Krishna S
 <vamsi_krishna@in.ibm.com> Kernel * Probes initial implementation (includes contributions from * Rusty Russell)
 copyright(struct cm_state
 Copyright (C) 1997,1998,1999 Jakub Jelinek (jj@sunsite.mff.cuni.cz) *
 Copyright (C) 1998,1999 Jakub Jelinek (jj@ultra.linux.cz) * * Sources:
 Copyright (C) 1993 Ning and David Mosberger. * Original:
 Copyright (C) 2002 Yoshinori Sato <ysato@sourceforge.jp> * * Delay routines, using a pre-computed "loops_per_second" value.
 Copyright (C) 2001 Axis Communications AB * * Authors: Mikael Starvik (starvik@axis.com)
 (C) 2001 Red Hat, Inc. * * GPL'd
 Copyright (c) 1995 Markus Kuhn
 Copyright 2004 Andi Kleen, SuSE Labs. * * Reads the ACPI SRAT table to figure out what memory belongs to which CPUs.
 Copyright (C) 2002 Laurent Pinchart <laurent.pinchart@skynet.be> * * \$Id: zr36060.c,v 1.1.2.22 2003/05/06 09:35:36 rbultje Exp \$
 Copyright (C) 1996 David S. Miller (davem@caip.rutgers.edu) * * Refactoring for unified NCR/PCIO support
 2002 Eric Brower (ebrower@usa.net)
 Copyright (c) 2000 James E. Blair <corvus@gnu.org>
 Copyright Tomi Manninen OH2BNS (oh2bns@sral.fi) */#include <linux/errno.h>#include <linux/types.h>#include <linux/socket.h>#include <linux/in.h>#include <linux/kernel.h>#include <linux/sched.h>
 Copyright 2003 Paul Mundt <lethal@linux-sh.org>
 copyright: * * This is originally based on an m68k software stub written by Glenn * Engel at HP, but has changed quite a bit. * * Modifications for the SH by Ben Lee and Steve Chamberlain
 Copyright (C) 1999, 2000 by Ralf Baechle */#ifndef _ASM_SN_ADDRS_H#define _ASM_SN_ADDRS_H
 copyright as the source file * from which it was derived. */
 (C) 1998,1999 Kenneth Albanowski, D. Jeff Dionne\n"); printk(KERN_INFO "H8/300 series support by Yoshinori Sato <ysato@users.sourceforge.jp>\n");
 Copyright (C) 1995, 1996, 1997, 2003 by Ralf Baechle
 Copyright (C) 1991, 1992 Linus Torvalds * * This is the low-level hd interrupt support. It traverses the * request-list, using interrupts to jump between functions. As * all the functions are cal
 Copyright (C) 1996 Paul Mackerras (paulus@cs.anu.edu.au) * Amiga/APUS changes by Jesper Skov (jskov@cygnus.co.uk). * * This file contains the code used by various IRQ handling routines:
 Copyright (C) 1995-2000 Russell King
 Copyright (C) 2000 David Mosberger-Tang <davidm@hpl.hp.com> * * 32-bit integer division.
 Copyright (C) 2004 Sun Microsystems Inc. */
 Copyright 1999 D. Jeff Dionne <jeff@rt-control.com> */
 Copyright 1992, Linus Torvalds. */
 Copyright (c) 1994 Alan Modra
 (C) 1999-2000 Yon Uriarte <yon@astaro.de>
 Copyright 1992, Linus Torvalds. * * M32R version:
 Copyright (C) 1999 Niibe Yutaka * But consider these trivial functions to be public domain. */
 Copyright message. * 0.0.19 * Added I2C and SPI registers. Filled in interrupt enable. * 0.0.20 * Added GPIO info for SB Live 24bit. *
 (C) 1994-2001 Russell King
 Copyright (c) 2004 Red Hat, Inc., James Morris <jmorris@redhat.com>
 Copyright 2002-2003 MontaVista Software Inc.
 (C) Copyright 2004 Jon Smirl <jonsmirl@yahoo.com>
 Copyright (C) 1999,2000 Anton Blanchard (anton@samba.org) */
 Copyright (c) 2002-2004 Ping Cheng <pingc@wacom.com> * * ChangeLog:
 Copyright 2002 OProfile authors * @remark Read the file COPYING * * @author Graydon Hoare
 Copyright (C) 1999-2000 by Massimo Piccioni <dafastidio@libero.it>

Copyright (C) 2003 Ben. Herrenschmidt (benh@kernel.crashing.org) * * Derived from
drivers/macintosh/macserial.c by Paul Mackerras * and drivers/serial/sunzillog.c by David S. Miller

Copyright (c) 2000 Eric Brower <ebrower@usa.net> *

Copyright (C) 1999 Michael Klar

Copyright (C) 1992 David B. Gentzel * Low-level SCSI driver for UltraStor 14F, 24F, and 34F * by
David B. Gentzel, Whitfield Software Services, Carnegie, PA * (gentzel@nova.enet.dec.com) * sc

Copyright (C) 1999, 2000, 2001 by

Copyright (C) 2002 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin
Schwidefsky (schwidefsky@de.ibm.com) */

Copyright (C) 2004 Sun Microsystems Inc.

Copyright unasserted) ** AN = 0 (Digital audio) ** P = 0 (Consumer)
*/

Copyright 1996 by Carsten Paeth (calle@calle.in-berlin.de)

Copyright (c) 2000-2001 Thomas Marteau <marteaut@esiee.fr> * * HP GSC PS/2 port driver, found in
PA/RISC Workstations

Copyright (c) 2001-2003 Hiroyuki Kondo, Hirokazu Takata, * Hitoshi Yamamoto,
Takeo Takahashi

Copyright (C) 1993, 1994, 1995 * Remy Card (card@masi.ibp.fr) * Laboratoire MASI - Institut Blaise Pascal
* Universite Pierre et Marie Curie (Paris VI) */

Copyright Red Hat 2003

Copyright 2002 Hewlett-Packard Company * * Use consistent with the GNU GPL is permitted, * provided
that this copyright notice is * preserved in its entirety in all copies and derived works.

Copyright 2001 MontaVista Software Inc. * Author: jsun@mvista.com or jsun@junsun.net *

(C) 1998 Red Hat Software <alan@redhat.com>

Copyright (C) 1995, 1996, 1997, 1998 by Ralf Baechle

Copyright 1997 Comtrol Corporation. *

Copyright (c) 2004 Michal Ludvig <michal@logix.cz>

Copyright (c) 2002, Dr Brian Gladman <brg@gladman.me.uk>, Worcester, UK.

Copyright (C) 1995, Linus Torvalds */

Copyright 2000 - 2001 Silicon Graphics, Inc.

Copyright (C) 1995-2000 Linus Torvalds */

(C) Copyright 1999, Moreton Bay Ventures Pty Ltd. * * Modified by David W. Miller for the MCF5307
Eval Board.

Copyright (c) 2002-2003 Open Source Development Labs * * This file is released under the GPLv2.

(C) 1991 David B. Gentzel * Low-level scsi driver for UltraStor 14F * by David B. Gentzel, Whitfield
Software Services, Carnegie, PA * (gentzel@nova.enet.dec.com) * scatter/gather added by Sc

Copyright (C) 2001, 2002 Andreas Dilger <adilger@clusterfs.com> * * This could probably be made into a
module, because it is not often in use.

(C) Copyright 1999-2002 Red Hat * * Written by Alan Cox, Building Number Three Ltd

Copyright (C) 1999 Nathan Laredo (laredo@gnu.org)

Copyright (C) 1999 Srinivasa Prasad Thirumalachar <sprasad@sprasad.engr.sgi.com> * * 02/01/04 J. Hall
Updated Error Record Structures to conform to July 2001 * revision of the SAL spec. * 01/

(C) 1996,1998 by Thomas Bogendoerfer (tsbogend@alpha.franken.de) * * This driver is based on work
from Andreas Busse, but most of * the code is rewritten.

Copyright (C) 2003 Paul Mundt * * Hitachi SystemH Support.

Copyright (C) 2002, 2003, 2004 Dell, Inc. * by Matt Domsch <Matt_Domsch@dell.com> October 2002 *
conformant to T13 Committee www.t13.org * projects 1572D, 1484D, 1386D, 1226DT * disk signature r

Copyright 2003 Andi Kleen, SuSE Labs. * * Thanks to hpa@transmeta.com for some useful hint. * Special
thanks to Ingo Molnar for his early experience with * a different vsyscall implementation f

Copyright 2001 MontaVista Software Inc. * Author: jsun@mvista.com or jsun@junsun.net * *
arch/mips/ddb5xxx/common/rtc_ds1386.c * low-level RTC hookups for s for Dallas 1396 chip.

Copyright (c) 2000 Vojtech Pavlik <vojtech@suse.cz>

Copyright (c) 2003 International Business Machines, Corp. * * This file is part of the SCTP kernel reference
Implementation

Copyright (c) Phil Blundell <pb@nexus.co.uk>, 1998 * * based on

Copyright (C) 1999,2000,2002 Niibe Yutaka

Copyright (C) 1994, 95, 96, 99, 2001 Ralf Baechle

Copyright (C) 1999 Martin Mares <mj@ucw.cz> * * Arbitrary resource management.

Copyright (C) 2000 Philipp Rumpf

Copyright (C) 2000 Niibe Yutaka
 Copyright (c) 1998 - 2003 Frodo Looijaard <frodo@dds.nl>,
 Copyright (C) 1995 Jean-loup Gailly. * For conditions of distribution and use, see copyright notice in zlib.h
 */
 Copyright (C) 1992 Linus Torvalds
 Copyright 1993-2003 NVIDIA, Corporation. All rights reserved
 Copyright 2000 by Carsten Paeth <calle@calle.de> * * Heavily based on devpts filesystem from H. Peter
 Anvin
 Copyright 2004 Embedded Edge, LLC * * Ported to 2.6, Matt Porter <mporter@kernel.crashing.org>
 copyright of original i386 version is: *
 Copyright (C) 1999,2000 Walt Drummond <drummond@valinux.com> * * 00/04/19 D. Mosberger
 Rewritten to mirror more closely the x86 I/O APIC code. * In
 particular, we now have separate handlers for
 Copyright (C) 2003 Jeremy Fitzhardinge <jeremy@goop.org> * * WARNING WARNING WARNING
 Copyright (c) 1997 Paul Mackerras <paulus@cs.anu.edu.au> * Initial Power Macintosh COFF version.
 Copyright (C) 1996, 1998, 1999, 2002, 2003 David S. Miller (davem@redhat.com) * * Changes :
 Copyright 2001 Bradley D. LaRonde <brad@lrc.com>
 Copyright (C) 1999, 2000, 2002 Niibe Yutaka
 (C) 1986-1989 V6.0A7/28/89", 5, 46, FD
 Copyright (C) 2004 Li Shaohua <shaohua.li@intel.com> */
 Copyright (C) 2001 Thomas Bogendoerfer <tsbogend@alpha.franken.de> * * Based on:
 Copyright 2002,2003 Andi Kleen, SuSE Labs.
 Copyright (C) 1998 Richard Henderson
 Copyright (C) 2000 Kazumoto Kojima * * SMSC 37C93x Super IO Chip support
 Copyright (C) 2002 IBM Deutschland Entwicklung GmbH, * IBM Corporation *
 Author(s): Cornelia Huck<cohuck@de.ibm.com> * Martin Schwidefsky
 (schwidefsky@de.ibm.com) */
 Copyright (C) 2002 * * Author: James.Bottomley@HansenPartnership.com
 Copyright 2002 MontaVista Software Inc.
 Copyright (C) 1997 Eddie C. Dost (drivers/sbus/char/flash.c)
 Copyright (C) 1996, 1999, 2000, 2001, 2003 by Ralf Baechle
 (c) Copyright 2001-2003, 2005 Hewlett-Packard Development Company, L.P. * David Mosberger-
 Tang <davidm@hpl.hp.com> * Bjorn Helgaas <bjorn.helgaas@hp.com> */#ifndef
 _ASM_IA64_SMP_H#define _ASM_IA64
 Copyright (c) 1997 Dan Malek (dmalek@jlc.net) * * In addition to the individual control of the
 communication * channels, there are a few functions that globally affect the * communication process
 Copyright 2003 Thiemo Seufer <seufer@csv.ica.uni-stuttgart.de>
 Copyright(c) 2004 Intel Corporation. All rights reserved
 Copyright (C) 2000-2001 Toshiba Corporation */#ifndef __ASM_TX4927_TX4927_PCI_H #define
 __ASM_TX4927_TX4927_PCI_H
 Copyright (c) 2003, 2004 Zultys Technologies
 Copyright (C) 2004 IBM Corporation. All rights reserved
 (C) 2003 Ardis Technologies <roman@ardistech.com> * * Handler routines for unicode strings
 Copyright (C) 1999 Nathan Laredo <laredo@gnu.org>
 Copyright (C) 2001 Will Dyson <will_dyson@pobox.com> * * Based on portions of file.c by Makoto Kato
 <m_kato@ga2.so-net.ne.jp>
 Copyright 2003 Andi Kleen, SuSE Labs. */
 Copyright (c) 2004 Freescale Semiconductor, Inc
 Copyright (C) 2001 Rusty Russell.
 (C) (((C) << 11)
 Copyright (C) 2002-2003 Hewlett-Packard Co * Stephane Eranian <eranian@hpl.hp.com> * * This
 file implements the default sampling buffer format * for Linux/ia64 perfmon subsystem.
 Copyright (C) 1999, 2000 Ingo Molnar
 Copyright (C) 2005 Nathan Lynch
 Copyright (C) 2004-2005 Trusted Computer Solutions, Inc.
 Copyright (C) 1992,1993 by Michael K. Johnson * - Thanks much to Gunter Windau for pointing out to me
 where the error * checking ought to be.
 Copyright (C) 1999,2000 Tigran Aivazian <tigran@veritas.com> */
 Copyright (C) 2001,2002 Networks Associates Technology, Inc.

Copyright (c) 2001 Stefani Seibold
 Copyright (c) 2000 Peter Denison <peterd@pnd-pc.demon.co.uk> * * Heavily based on PCI quirks handling which is
 (C) 1999, 2000 Silicon Graphics, Inc. */#include <linux/bcd.h>#include <linux/init.h>#include <linux/kernel.h>#include <linux/sched.h>#include <linux/interrupt.h>#include <linux/kernel_stat.h>
 Copyright (c) 2001-2004 Jean Tourrilhes, All Rights Reserved
 Copyright (C) 2001-2004 Aurelien Jarno <aurelien@aurel32.net>
 Copyright (C) 2002 Greg Kroah-Hartman <greg@kroah.com> * * Prevents any programs running with egid == 0 if a specific USB device * is not present in the system. Yes, it can be gotten around, but i
 COPYRIGHT | IEC958_AES0_CON_EMPHASIS;
 ucontrol->value.iec958.status[1] = IEC958_AES1_CON_ORIGINAL |
 IEC958_AES1_CON_CATEGORY; ucontrol->value.iec958.status[3] =
 IEC958_AES3_C
 Copyright (C) 2000 Don Dugger <n0ano@valinux.com>
 Copyright (C) 1995, 1998 David S. Miller (davem@caip.rutgers.edu) * * Most DMA dependencies put in driver specific files by * Jesper Skov (jskov@cygnus.co.uk)
 Copyright (C) 1999,2000 Tigran Aivazian <tigran@veritas.com> */
 (C) 2001-2002 IBM Deutschland Entwicklung GmbH");
 Copyright (C) 2001 MIPS Technologies, Inc. */#include <linux/kernel.h>#include <linux/module.h>#include <linux/types.h>#include <linux/reboot.h>#include <asm/reboot.h>
 Copyright (c) 2002 David S. Miller (davem@redhat.com) * * Portions derived from Cryptoapi, by Alexander Kjeldaas <astor@fast.no> * and Nettle, by Niels Møller.
 Copyright 1999 by Cytronics
 Copyright (C) 1997 Eddie C. Dost (ecd@skynet.be) */
 Copyright (C) 2002 IBM Deutschland Entwicklung GmbH, * IBM Corporation *
 Author(s): Arnd Bergmann (arndb@de.ibm.com) * Cornelia Huck (cohuck@de.ibm.com) *
 Martin Schwidefsky (schwidefsky
 Copyright (C) 2004 2N Telekomunikace, Ladislav Michl <michl@2n.cz> * * Hardware definitions for OMAP5910 based NetStar board.
 Copyright (C) 1999-2002, Greg Ungerer (gerg@snapgear.com) */
 Copyright (c) 1996 Paul Mackerras <paulus@cs.anu.edu.au>
 Copyright (c) 2001 Cliff Brake <cbrake@accelent.com> * * Modified for the PXA250 by Nicolas Pitre:
 Copyright (C) 1999, 2000 Niibe Yutaka * * In turn started from i386 version:
 Copyright (C) 2001-2004 by Thomas Winischhofer, Vienna, Austria * * Author: Thomas Winischhofer <thomas@winischhofer.net>:
 Copyright 2003 IBM Corporation\n");
 Copyright (C) 1998-2001 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> *
 Stephane Eranian <eranian@hpl.hp.com>
 Copyright (C) 2000 Geert Uytterhoeven <geert@sonycom.com> * Sony Software
 Development Center Europe (SDCE), Brussels * * Re-write the whole thing to use new irq.c file.
 Copyright (C) 1998 D. Jeff Dionne <jeff@ryeham.ee.ryerson.ca>, * Kenneth Albanowski
 <kjahds@kjahds.com>, * The Silver Hammer Group, Ltd. *
 Copyright (C) 2002-2003 Andreas Oberitter <obi@linuxtv.org>
 Copyright (C) 1998-2000 IBM Corporation
 Copyright 2003 (c) MontaVista, Software, Inc.
 Copyright (C) 1993 Greg Harp * Atari Support by Bjoern Brauel, Roman Hodek * Archimedes Support by Dave Gilbert (linux@treblig.org) * * Big cleanup Sep 11..14 1994 Roman Hodek:
 Copyright (C) 2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Gerhard Tonn (ton@de.ibm.com) *
 Copyright (C) 2004 Andriy Skulysh */
 Copyright 2002 OProfile authors * @remark Read the file COPYING * * @author John Levon * @author Philippe Elie * @author Graydon Hoare
 Copyright (c) 2001 Axis Communications AB * * Author: Mikael Starvik
 Copyright (C) 2000 Russell King * * Consistent memory allocators. Used for DMA devices that want to * share uncached memory with the processor core. The function return * is the virtual address
 Copyright (C) 2000, Roman Weissgaerber <weissg@vienna.at>
 Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org) * * Modifications by Paul Mackerras (PowerMac) (paulus@cs.anu.edu.au) * and Cort Dougan (PReP) (cort@cs.nmt.edu)
 Copyright (C) 1998 Alan Cox */

Copyright Richard.Curnow@superh.com 2003
 Copyright (C) 2004 Gordon Jin <gordon.jin@intel.com> * * These routines maintain argument size conversion between 32bit and 64bit * environment.
 Copyright (C) 2001 Fred Lewis <frederick.v.lewis@intel.com>
 Copyright (C) 2000 Marc Boucher <marc@mbsi.ca>
 (C) David Brownell */
 Copyright (C) 1998 Phil Blundell * * CATS has a real-time clock, though the evaluation board doesn't.
 copyright 1999 SuSE GmbH (Philipp Rumpf)
 Copyright 2003-2004 (c) MontaVista, Software, Inc.
 Copyright (C) 1991, 1992 Linus Torvalds * * proc base directory handling functions
 Copyright (C) 2002 Maciej W. Rozycki */#include <linux/init.h>#include <linux/kernel.h>#include <linux/sched.h>#include <linux/mm.h>
 Copyright (C) 1999 Andrew R. Baker (andrewb@uab.edu) - Indigo2 changes
 Copyright (C) 1992 by Jim Weigand and Linus Torvalds
 Copyright (C) 2004 by Ralf Baechle (ralf@linux-mips.org) */
 Copyright (C) 1995-1996 Jean-loup Gailly * For conditions of distribution and use, see copyright notice in zlib.h */
 Copyright (C) 2002, 2003 H. Peter Anvin * * RAID-6 management functions. This code is derived from raid5.c. * Last merge from raid5.c bkcv5 version 1.79 (kernel 2.6.1).
 Copyright (C) 1998 Kenneth Albanowski <kjahds@kjahds.com> * The Silver Hammer Group, Ltd. * * This file provides the definitions and structures needed to * support u copyright; see LICENSE.FlashPoint for details. * * \$Workfile: globals.h \$
 Copyright (C) 1999-2000 Takashi Iwai
 Copyright 2001 Mike Corrigan, IBM Corp
 Copyright (C) 2003, 2004 Paul Mundt * * benedict.gaster@superh.com: 2nd May 2002 * Modified to use the empty_zero_page to pass command line arguments.
 Copyright (c) 1995 Picture Elements * Stephen Williams (steve@icarus.com) * Gus Baldauf (gbaldauf@ix.netcom.com) * * Linux/SPARC port by Peter Zaitcev. * Integration into SPARC tree by Copyright by Werner Cornelius (werner@titro.de)
 Copyright (C) 1996, Cygnus Software Technologies Ltd.
 Copyright 2003-2004 Jeff Garzik
 Copyright (C) 2001 MontaVista Software Inc.
 Copyright (c) 2004, 2005, Voltaire, Inc. All rights reserved
 Copyright (C) 2002-2003 Hewlett Packard Co * Stephane Eranian <eranian@hpl.hp.com> */
 Copyright (C) 2004 by Ralf Baechle (ralf@linux-mips.org) */#include <linux/init.h>#include <linux/kernel.h>#include <linux/types.h>#include <linux/pci.h>#include <asm/titan_dep.h>
 Copyright (C) 2004 Mark M. Hoffman <mhoffman@lightlink.com>
 Copyright (C) 1998, 1999, 2001-2004 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> */
 Copyright 2004 Antonino A. Daplas <adaplas@pol.net> * * Based on riva-fb-i2c.c
 Copyright (C) 1998 Carnegie Mellon University *
 Copyright (C) 1997 David S. Miller (davem@caip.rutgers.edu)
 Copyright (C) 2003 David S. Miller (davem@redhat.com)
 Copyright (C) 1999, 2000, 2003 Ralf Baechle
 Copyright (C) 2000, 2001 Ralf Baechle <ralf@gnu.org>
 Copyright (C) 1997-1999 Russell King * * Modifications:
 Copyright (C) 2001, Urban Widmark */
 Copyright (C) 2003 Ralf Baechle */#ifndef _ASM_ASMMACRO_H#define _ASM_ASMMACRO_H
 COPYRIGHT __SIOW(#define SNDCTL_SPDIF_LOOP __SIOW('S', 1, int) // set/reset S/PDIF loop#define SNDCTL_SPDIF_MONITOR __SIOW('S', 2, int) // set S/PDIF monitor#define SNDCTL_SPDIF_LEVEL __S
 Copyright (c) 2004 Red Hat, Inc. * * Based on SA1100 version:
 (C) Adam Belay.
 Copyright (C) 2003 Paul Andreassen <paul@andreassen.com.au>
 Copyright (C) 2002-2003 Nigel Cunningham <ncunningham@clear.net.nz> * * This file is released under the GPLv2.
 Copyright (C) 2001 Felix Domke <tmbinc@elitedvb.net>
 Copyright (C) 1998-99, Frank A. Vorstenbosch * * ncpfs symlink handling code
 Copyright (C) 2004 MontaVista Software -" " IPMI Powerdown via sys_reboot version "

IPMI_POWEROFF_VERSION ".\n");
 Copyright (C) 1992 David L. Brown, Jr.
 Copyright (C) 1999 Wittawat Yamwong
 (c) Copyright 1996 Alan Cox <alan@redhat.com>, All Rights Reserved
 Copyright 1993 assigned to the United States Government as represented
 Copyright (c) 1996 Cort Dougan <cort@cs.nmt.edu> * Rewritten for PReP
 Copyright (c) 2004, 2005 Voltaire, Inc. All rights reserved
 Copyright 2003 SuSE Linux AG. *
 Copyright 1999 The Puffin Group, (Alex deVries, David Kennedy)
 Copyright (C) 2000 Deep Blue Solutions Ltd.
 Copyright (C) 2003-2004 Marcel Holtmann <marcel@holtmann.org>
 Copyright (C) 1991, 1992 Linus Torvalds * changes by Thomas Schoebel-Theuer */
 Copyright (c) 2002 Intel Corp.
 Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) */#include <linux/config.h>#include
 <linux/init.h>#include <linux/kernel.h>#include <linux/types.h>#include <linux/string.h>
 Copyright (C) 2004 Anton Blanchard <anton@au.ibm.com>, IBM * * Based on alpha version.
 Copyright 2001 MontaVista Software Inc. * Author: MontaVista Software, Inc. * ppopov@mvista.com
 or source@mvista.com *
 Copyright (C) 1996 Paul Mackerras. * * Adapted for 64bit PowerPC by Dave Engebretsen and Peter
 Bergner. * {engebret|bergner}@us.ibm.com
 Copyright (c) 2000 Uros Bizjak <uros@kss-loka.si>
 Copyright (c) by Jaroslav Kysela <perex@suse.cz> * Routines for control of 16-bit SoundBlaster cards and
 clones * Note: This is very ugly hardware which uses one 8-bit DMA channel and * se
 Copyright (c) 2003,2004 Simtec Electronics * Ben Dooks <ben@simtec.co.uk> * *
 http://www.handhelds.org/projects/rx3715.html
 Copyright (C) 1996 Paul Mackerras. */#include <linux/kernel.h>#include <linux/delay.h>#include
 <linux/types.h>#include <linux/string.h>#include <linux/slab.h>#include <linux/blkdev.h>#include
 Copyright (C) 1996 Dave Redman (djhr@tadpole.co.uk) */
 Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin
 Schwidefsky (schwidefsky@de.ibm.com) * * Derived from "include/asm-i386/bugs.h"
 Copyright (c) 1998-1999, Dag Brattli <dagb@cs.uit.no>
 (C) 2002-2004 Netfilter Core Team <coreteam@netfilter.org>
 (C) INESC 1998 *
 Copyright (C) 2004 Thomas Gleixner (tglx@linutronix.de) * * \$Id: nand_bbt.c,v 1.28 2004/11/13 10:19:09
 gleixner Exp \$
 Copyright (c) 1999 Ulf Carlsson <ulfc@bun.falkenberg.se>
 Copyright (C) 2001 Peter Bergner
 Copyright (C) 2003 Thomas Gleixner <tglx@linutronix.de>
 Copyright (C) 1991, 1992 Linus Torvalds * * Modified to make sys_syslog() more flexible: added
 commands to * return the last 4k of kernel messages, regardless of whether * they've been read or no
 Copyright (C) 2000 Chen-Yuan Wu <gwu@esoft.com>
 (C) Copyright Linus Torvalds 1999
 Copyright (c) 2001,2002 Patrick Mochel
 Copyright (C) 2004 Trond Myklebust * * NFS file delegation management
 Copyright (C) 2001, 2002, 2003 Jeff Garzik (jgarzik@pobox.com)
 Copyright (C) 1999-2000 Andre Hedrick <andre@linux-ide.org>
 Copyright (C) 2004 Montavista Software Inc. * Author: Manish Lachwani (mlachwani@mvista.com) * *
 Looking at the schematics for the Ocelot-3 board, there are * two PCI busses and each bus has two P
 Copyright (C) 1998-1999 Pauline Middelink <middelink@polyware.nl>
 Copyright (C) 2003 by Ralf Baechle
 Copyright (C) 2002 David Howells (dhowells@redhat.com) * - Incorporating suggestions made by Linus
 Torvalds and Dave Miller */
 copyright; see LICENSE.FlashPoint for details. * * \$Workfile: scam.c \$
 Copyright (C) 2002 Ken Chen <kenneth.w.chen@intel.com> */#include <linux/config.h>#include
 <asm/asmmacro.h>#include <asm/page.h>
 Copyright (c) 1999-2004 LSI Logic Corporation * Originally By: Steven J. Ralston *
 (mailto:sjralston1@netscape.net) * (mailto:mpt_linux_developer@lsil.com) * * \$Id: mptbase.c,v 1.126
 2002/12/
 Copyright (C) 2001,02,03,04 Miles Bader <miles@gnu.org>

Copyright (C) 2004 Andrew de Quincey (wol support)
 Copyright (c) by Jaroslav Kysela <perex@suse.cz> * Definitions for Yamaha YMF724/740/744/754 chips *
 Copyright (C) Jonathan Naylor G4KLX (g4klx@g4klx.demon.co.uk) */#include <linux/errno.h>#include
 <linux/types.h>#include <linux/socket.h>#include <linux/in.h>#include <linux/kernel.h>#include <
 Copyright (c) 1997 Dan Malek (dmalek@jlc.net). */#define BD_SC_EMPTY ((ushort)0x8000) /*
 Recieve is empty */#define BD_SC_READY ((ushort)0x8000) /* Transmit is ready */#defin
 Copyright (C) 1992,1993 Brad McLean * brad@saturn.gaylord.com or brad@bradpc.gaylord.com. * *
 Modifications to makecode and queuecommand * for proper handling of multiple devices courteously
 Copyright(C) 1995 Linus Torvalds
 Copyright (c) 2003 Mark M. Hoffman <mhoffman@lightlink.com>
 Copyright (C) Paul Ashton 1998-2000
 Copyright (C) 2003 Francois Retief <fgretief@sun.ac.za> * Steve Kinneberg
 <kinnebergsteve@acmsystems.com> * * Redistribution and use in source and binary forms, with or without
 Copyright (C) 1999, 2000 Johannes Erdfelt <johannes@erdfelt.com>
 Copyright (C) 1992 Tommy Thorn and * Modified by Eric Youngdale * * This file is aha1740.c, written and
 Copyright (C) 2000 Silicon Graphics, Inc. */#ifndef _ASM_STAT_H#define _ASM_STAT_H
 Copyright (C) 1999-2000, 2002-2003 Hewlett-Packard Co * Stephane Eranian <eranian@hpl.hp.com> *
 David Mosberger-Tang <davidm@hpl.hp.com> * * 02/04/00 D. Mosberger Merged in serial.c
 bug fixes in r
 Copyright (C) 2001 Ben. Herrenschmidt (benh@kernel.crashing.org)
 (C) Copyright 1996 Linus Torvalds * accelerated versions (and 21264 assembly versions) contributed by *
 Rick Gorton <rick.gorton@alpha-processor.com> * * Don't look at this too closely - you'll
 Copyright (C) 2000 2001, 2002 Maciej W. Rozycki */#include <linux/config.h>#include
 <linux/errno.h>#include <linux/init.h>#include <linux/ioport.h>#include <linux/sched.h>#include
 <linux/kerne
 Copyright (C) 1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz) */
 Copyright (c) 1998, 2001 Axis Communications AB * * Authors: Bjorn Wesen
 Copyright 1999 Precision Insight, Inc., Cedar Park, Texas.
 Copyright (c) 2003 Andi Kleen * RTC support code taken from arch/i386/kernel/timers/time_hpet.c */
 Copyright 2000,2001 MontaVista Software Inc.
 Copyright (C) 1999, 2000 Michael Klar *
 Copyright (C) 1992,1993,1994,1996,1997 | W. Metzenthen, 22 Parker St, Ormond, Vic 3163,
 Australia | | E-mail billm@suburbia.net | |
 (C) Copyright 2003 Matthew Wilcox
 Copyright (C) 1998,1999 D. Jeff Dionne <jeff@lineo.ca>
 Copyright (C) 2000-2002 Netfilter core team <coreteam@netfilter.org>
 Copyright (c) 2002-2004 by Karsten Wiese * * based on
 Copyright (C) 2003 Richard Curnow (Richard.Curnow@superh.com)
 Copyright (C) yyyy name of author
 Copyright (C) 2001 Greg Kroah-Hartman (greg@kroah.com) * * All rights reserved
 Copyright (C) 2005 Simtec Electronics * * Moved from linux/arch/arm/kernel/debug.S by Ben Dooks
 Copyright (c) 2000 D. Jeff Dionne <jeff@uclinux.org>,
 Copyright (C) 2001 MontaVista Software, Inc.
 Copyright (C) 2004-2005 Richard Purdie * * Rewritten for 2.6 by Richard Purdie <rpurdie@rpsys.net>
 Copyright (C) 2003 Krzysztof Halasa <khc@pm.waw.pl> \n"
 Copyright (C) 2002, 2003 David S. Miller (davem@redhat.com) */
 Copyright (C) 1997, 1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz) */
 Copyright (c) 2001, 2002 Hirokazu Takata, Hitoshi Yamamoto, H. Kondo
 Copyright (C) 2003 Intel Co * Suresh Siddha <suresh.b.siddha@intel.com> * Fenghua Yu
 <fenghua.yu@intel.com> * Arun Sharma <arun.sharma@intel.com> * * 12/07/98 S. Eranian
 added pt_regs & switch_st
 (C) Copyright 1995 1996 Linus Torvalds * * Re-map IO memory to kernel address space so that we can
 access it. * This is needed for high PCI addresses that aren't mapped in the * 640k-1MB IO memory
 Copyright (C) 1997-2000 Pavel Machek <pavel@ucw.cz> (drivers/block/nbd.c)
 (C) Copyright 2002, Greg Ungerer (gerg@snapgear.com) * * \$Id: uclinux.c,v 1.10 2005/01/05
 18:05:13 dwmw2 Exp \$
 COPYRIGHT + EEPROM_COPYRIGHT_LEN); i if (e[i] < 0x20 || e[i] > 0x7E)
 break;
 Copyright (c) 2000-2001 Vojtech Pavlik * * Based on the work of:

Copyright (C) 1999 - 2001 Kanoj Sarcar */#include <linux/config.h>#include <linux/init.h>#include
<linux/irq.h>#include <linux/errno.h>#include <linux/signal.h>#include <linux/sched.h>#include
Copyright (C) 2000, 2001 Blue Mug, Inc. All Rights Reserved
Copyright (c) 1997 by Procom Technology, Inc.
Copyright (C) 1997, 1998, 1999 David S. Miller (davem@caipfs.rutgers.edu)
Copyright (C) Russell King. * * 2001-08-03: Cliff Brake <cbrake@acclent.com> * - ported SA1100
code to PXA
Copyright (C) 2000 Sam Creasey * * Contains common routines for sun3/sun3x DVMA management.
copyright; see LICENSE.FlashPoint for details. * * \$Workfile: diagnose.c \$
Copyright 2000 MontaVista Software Inc. * Author: MontaVista Software, Inc. * stevel@mvista.com
or source@mvista.com *
Copyright (C) 2003 Paul Mundt * * Interrupt Controller support for SH5 INTC. * Per-interrupt selective.
IRLM=0 (Fixed priority) is not * supported being useless without a cascaded interrupt * co
(C) Copyright 2001 Hirokazu Takata * * These functions have a non-standard call interface * to make them
more efficient, especially as they * return an error value in addition to the "real" * ret
Copyright (C) 2003-2005 PLX Technology, Inc.
Copyright (C) 2003 Richard Curnow
(C) Copyright 1996 Linus Torvalds * * based on * m68k version by Andreas Schwab
Copyright (c) 1997, 1999 by Ralf Baechle
Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) * * Pioneer work for sun4m: Paul Hatchman
(paul@sfe.com.au) * Joint edition for sun4c+sun4m: Pete A. Zaitcev <zaitcev@ipmce.su>
Copyright (C) 1995, 1996, 1997 Olaf Kirch <okir@monad.swb.de> * * 2003-08-09 Jamie Lokier: Use
htonl() for nanoseconds, not htons()!
Copyright (C) 2002-2004 MontaVista Software, Inc.
Copyright (C) 1995-1999 Madge Networks Ltd */
Copyright 2004 Antonino Daplas <adaplas@pol.net>
Copyright 1993 by Theodore Ts
Copyright (C) 2000, David Gibson, Linuxcare Australia.
Copyright (C) 2002,2005 SOMA Networks, Inc.
Copyright (C) 1995 */#ifndef __ASM_X86_64_FLOPPY_H#define __ASM_X86_64_FLOPPY_H
Copyright (c) 2002 Vojtech Pavlik
Copyright (C) 2002 Maciej W. Rozycki */#ifndef _ASM_WBFLUSH_H#define _ASM_WBFLUSH_H
Copyright (C) 1999, 2000, 2004 David S. Miller (davem@redhat.com) */
Copyright 1993, Drew Eckhardt * Visionary Computing * (Unix and Linux consulting and custom
programming) * drew@colorado.edu * +1 (303) 440-4894 * * DISTRIBUTION RELEASE 3.
Copyright (C) 1997 Andrew Main <zefram@fysh.org> * * Integrated into 2.1.97+, Andrew G. Morgan
<morgan@transmeta.com> * 30 May 2002: Cleanup, Robert M. Love <rml@tech9.net>
Copyright (C) 2000, 2001 Broadcom Corporation */#ifndef __ASM_SMP_H#define __ASM_SMP_H
(c) Copyright 2001 Red Hat Inc. <alan@redhat.com> * * based on the old aacraid driver that is.. *
Adaptec aacraid device driver for Linux.
Copyright (C) 05/1998 Peter Maydell <pmaydell@chiark.greenend.org.uk>
Copyright (C) 2001 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> * * 06/16/00 A.
Mallick initialize csd/ssd/tssd/cflg for ia32_load_state * 04/13/01 D. Mosberger dropped saving tss
Copyright (c) 2004 Mellanox Technologies Ltd. All rights reserved
Copyright (C) 1995 Linus Torvalds * * Updated and modified by Cort Dougan (cort@cs.nmt.edu) and *
Paul Mackerras (paulus@cs.anu.edu.au)
Copyright (C) 2002 Jens Axboe <axboe@suse.de> */#include <linux/kernel.h>#include
<linux/fs.h>#include <linux/blkdev.h>#include <linux/elevator.h>#include <linux/bio.h>#include
<linux/config.h>
(C) Copyright 1995-1999 Tekram Technology Co., Ltd. * * Kurt Garloff <garloff@suse.de>
Copyright (c) 2002-2004 Freescale Semiconductor, Inc.
Copyright (C) 2004 Jesse Barnes
Copyright (C) 1991, 1992 Linus Torvalds * * This file contains the interface functions for the various *
time related system calls: time, stime, gettimeofday, settimeofday, * adjtime
Copyright (C) 1999 by Michael Klar *
(C) 1991 Linus Torvalds - minix filesystem * 1992, 1993, 1994 Eric Youngdale Modified for ISO 9660
filesystem. * 1994 Eberhard Moenkeberg - multi session handling. * 1995 Mark Do
Copyright 2001 MontaVista Software Inc. * Author: jsun@mvista.com or jsun@junsun.net * *
arch/mips/ddb5xxx/common/nile4.c * misc low-level routines for vrc-5xxx controllers.

Copyright (C) 2002 Ken Chen <kenneth.w.chen@intel.com> */
 Copyright (c) 2003 Neil Brown <neilb@cse.unsw.edu.au>
 Copyright (C) 2001-2003 David Woodhouse <dwmw2@infradead.org>
 (C) 2001 Marc Boucher (marc@mbsi.ca). */
 (C) Copyright 2001 Hirokazu Takata * * These functions have a non-standard call interface * to make them more efficient.
 Copyright (C) 1999 Silicon Graphics, Inc. */
 Copyright (C) 1999,2001 Richard Zidlicky
 Copyright 1999 by Werner Cornelius (werner@titro.de)
 Copyright 2003 PMC-Sierra
 (c) Copyright 1999 The Puffin Group Inc.
 Copyright (C) 2000, 2004 Maciej W. Rozycki
 Copyright (c) 1999-2005 Petko Manolov (petkan@users.sourceforge.net)
 Copyright (C) 2002 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin Schwidefsky (schwidefsky@de.ibm.com) * * Based on asm-alpha/semaphore.h and asm-i386/rwsem.h
 Copyright 2001 MontaVista Software Inc. * Author: jsun@mvista.com or jsun@junsun.net */#include <linux/sched.h>#include <linux/mm.h>#include <asm/io.h>#include <asm/cache flush.h>#include <asm/p
 Copyright (C) 1993 Bas Laarhoven.
 Copyright (C) 1998-2003 Michael Hunold <michael@mihu.de>
 Copyright (c) 1989 Carnegie Mellon University. * All rights reserved
 (C) 1999 Nicolas Pitre <nico@cam.org> * * Reorganised to be machine independent.
 Copyright by Traverse Technologies Pty Ltd, www.travers.com.au
 Copyright (c) 1996 Paul Mackerras <paulus@cs.anu.edu.au> * Low-level exception handlers, MMU support, and rewrite.
 COPYRIGHT I B M CORPORATION 1997
 Copyright (C) 1999 Zach Brown (with obvious credit due Ingo) */
 Copyright (C) 2000 John Dorsey <john *
 Copyright (C) 2004 Macq Electronique SA. (www.macqel.com) * * Based on: *
 Copyright(c) 2000, Compaq Computer Corporation * Fibre Channel Host Bus Adapter 64-bit, 66MHz PCI * Originally developed and tested on:
 Copyright (C) 2002 Matthew Dharm <mdharm@momenco.com> * * Based on the 64360 driver from:
 (C) Jean Tourrilhes.
 Copyright (C)1999,2000 Sebastien Rougeaux <sebastien.rougeaux@anu.edu.au>
 Copyright (C) 2002,2003 Intel Corp. * Jun Nakajima <jun.nakajima@intel.com> * Suresh Siddha <suresh.b.siddha@intel.com> */
 Copyright (C) 2000, 2001 Paolo Alberelli * * Included from linux/fs/namei.c
 Copyright (C) 1999, 2000 Silicon Graphics, Inc. */#ifndef _ASM_PAGE_H#define _ASM_PAGE_H
 Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org) * * Largely rewritten by Cort Dougan (cort@cs.nmt.edu) * and Paul Mackerras. * Adapted for iSeries by Mike Corrigan (mikejc@us.ibm.com) * PP
 Copyright (C) 2004 Ferenc Havasi <havasi@inf.u-szeged.hu>, * University of Szeged, Hungary
 * * For licensing information, see the file 'LICENCE' in this directory.
 Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org) * * Derived from "arch/m68k/kernel/ptrace.c"
 Copyright (C) 1997 Eddie C. Dost (ecd@skynet.be) * * Port to new UART layer is: *
 Copyright 2004 Freescale Semiconductor, Inc * * This file contains the routines for initializing the MMU * on the 4xx series of chips. * -- paulus
 Copyright (C) 1998, 1999, 2000 Richard Henderson * * Code supporting the Cabriolet (AlphaPC64), EB66+, and EB164, * PC164 and LX164.
 Copyright (C) 2003 Paul Mundt
 Copyright (C) 1994, 1995 by Waldorf Electronics, written by Ralf Baechle.
 Copyright (C) 1997,1998Jakub Jelinek (jj@sunsite.mff.cuni.cz)
 Copyright (C) 2002 Pavel Machek <pavel@ucw.cz>
 Copyright (C) 2004 Thomas Gleixner (tglx@linutronix.de) * * RS code lifted from reed solomon library written by Phil Karn
 Copyright (C) 1996 Martin Apel * Geert Uytterhoeven * * Zorro II additions : *
 COPYRIGHT I B M CORPORATION 1999
 Copyright (c) 1999 Alexander Larsson <alex@cendio.se> * * This code is GPL
 Copyright (C) 2003 Rolf Eike Beer <eike-kernel@sf-tec.de> * * Based on ideas and code from: copyright details. * * This file contains functions for downloading the firmware to the device.

Copyright (c) 2001-2003 Hiroyuki Kondo, Hirokazu Takata, * Hitoshi Yamamoto, Mamoru Sakugawa */

Copyright (C) 2004 Fujitsu Siemens Computers GmbH * Author: Bodo Stroesser (bodo.stroesser@fujitsu-siemens.com) */#include <elf.h>#include <stddef.h>#include "init.h"#include "elf_user.h"

Copyright (c) 1997, 1999 Dag Brattli <dagb@cs.uit.no>,
Copyright 2001-2002 Pavel Machek <pavel@suse.cz> * Based on code
Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) */#ifndef _SPARC_KDEBUG_H#define _SPARC_KDEBUG_H

Copyright (c) 1998-2000 Dag Brattli <dag@brattli.net>,
Copyright (C) 2000-2001, Lineo Inc. (www.lineo.com) */
Copyright (C) 2001 Saito.K * * This file contains Interface MPC-1211 specific LED code.
Copyright 1995-1998 by Leonard N. Zubkoff " "<lnz@dandelion.com>\n", HostAdapter);} }
Copyright (C) 1995-1997,1999,2001-2005 Silicon Graphics, Inc. All rights reserved
Copyright (c) 2004 James Morris <jmorris@redhat.com>, * Red Hat Inc. * ea-in-inode support by Alex Tomas <alex@clusterfs.com> aka bzzz * and Andreas Gruenbacher <agruen@suse.de>. */
Copyright (C) 1996,97,98 Ralph Metzler (rjkm@thp.uni-koeln.de) * & Marcus Metzler (mocm@thp.uni-koeln.de) *

Copyright (c) 2003 Margit Schubert-While <margitsw@t-online.de>
Copyright (c) 2000-2003 Silicon Graphics, Inc. All Rights Reserved
Copyright (C) Luke Kenneth Casson Leighton 1996-2000 Modified by Jeremy Allison 1995.
Copyright (c) 2002 Greg Ungerer <gerg@snapgear.com> */
Copyright (C) 1999 Richard Zidlicky * * based on Paul Gortmaker's rtc.c device and * Sam Creasey Generic rtc driver

Copyright 2003 H. Peter Anvin - All Rights Reserved
(C) 1990 - 2000 Specialix International Ltd., Byfleet, Surrey, UK. *
(C) Copyright 1999 Georg Acher, acher@in.tum.de
Copyright (C) 2002-2004 Andreas Oberritter <obi@linuxtv.org>
Copyright (c) 2002 Daniele Peri * All Rights Reserved
Copyright (C) 1999 Silicon Graphics, Inc. */#ifndef __ASM_BREAK_H#define __ASM_BREAK_H
Copyright (C) 2001-2002 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> */
Copyright (C) 1998 Kenneth Albanowski <kjahds@kjahds.com>, * The Silver Hammer Group, Ltd. * * M68VZ328 fixes by Evan Stawnczyz <evan@lineo.com> * vz multiport fixes by Michae
Copyright (C) 1999, 2000 Silicon Graphics, Inc. * * Protected memory access. Used for everything that might take revenge * by sending a DBE error like accessing possibly non-existent memory or *

Copyright 2002 H. Peter Anvin - All Rights Reserved
Copyright (C) 1998 Eddie C. Dost (ecd@skynet.be)
Copyright (C) 1995, 1996, Olaf Kirch <okir@monad.swb.de> */
Copyright (C) 1999, 2001, 2003 David Mosberger-Tang <davidm@hpl.hp.com> * * Lots of stuff stolen from arch/alpha/kernel/smp.c
Copyright (C) 2001, 2002, 2003, 2004 David S. Miller (davem@redhat.com)
Copyright (C) 2004 Nokia Corporation * * Note: NS means "NAND Simulator". * Note: Input means input TO flash chip, output means output FROM chip.
Copyright (c) 2000, 2002-2003 Silicon Graphics, Inc. All Rights Reserved
Copyright (C) 1997,1998,1999 Jakub Jelinek (jj@ultra.linux.cz)
Copyright (C) 1997-2000 by Russell King <rmk@arm.linux.org.uk>
Copyright (C) 1994 David Carter * * with work by William Rucklidge (wjr@cs.cornell.edu) * Geert Uytterhoeven * Jes Sorensen (jds@kom.auc.dk)
Copyright (C) 1996 - 1999 Gadi Oxman <gadio@netvision.net.il> */
Copyright (C) 2000 YAEHASHI Takeshi * Hitachi HD64461 companion chip support */#include <linux/config.h>
Copyright 2002 OProfile authors * @remark Read the file COPYING * * @author John Levon
copyright 1999-2001 by Donald Becker.
Copyright (C) 2002, 2003 Maciej W. Rozycki */#ifndef __ASM_MIPS_DEC_KN01_H#define __ASM_MIPS_DEC_KN01_H
Copyright (C) by Paul Barton-Davis 1998
Copyright (c) 2003-2004, MontaVista Software, Inc.
Copyright (c) 1998 by Frank van de Pol <fvdpol@coil.demon.nl> *
Copyright 2005 Matthew Wilcox <matthew@wil.cx> */
(C) 1997 Carnegie Mellon University * * Carnegie Mellon University encourages users of this software to *

contribute improvements to the Coda project.
 Copyright: (c) 2000 Sangoma Technologies Inc.
 Copyright (c) 1997 C. Scott Ananian <cananian@alumni.priceton.edu>
 Copyright (C) 1993 Pascal Haible, Bruno Haible * * sysv/inode.c
 Copyright (C) 1999, 2000, 2001 Nexus Electronics Ltd */
 Copyright (C) 1998-2001, 2003 Thomas Sailer (t.sailer@alumni.ethz.ch)
 Copyright (C) 1995,1996 David S. Miller (davem@caip.rutgers.edu)
 Copyright (C) 2000 Andrea Arcangeli <andrea@suse.de> SuSE * * \$Id: head64.c,v 1.22 2001/07/06 14:28:20 ak Exp \$
 Copyright (C) 2002 Dominik Brodowski <devel@brodo.de> *
 Copyright (C) 2004 MontaVista Software Inc.
 (C) 1992,1993 Brad McLean. See aha1740.c * for more info *
 Copyright (C) 2003 Broadcom Corporation
 (C) 2003, 2004 Pete Popov <ppopov@embeddedalley.com> *
 Copyright (C) 1997-2002 Russell King
 Copyright (C) 2003 Paul Mundt <lethal@linux-sh.org> * * This file is part of the LinuxDC project (www.linuxdc.org)
 Copyright 2001, 2002, 2003 SuSE Labs / Andi Kleen. * See setup.c for older changelog. * \$Id: setup64.c,v 1.12 2002/03/21 10:09:17 ak Exp \$ */ #include <linux/config.h>#include <linux/init.h>#inc
 (c) Copyright 1999 SuSE GmbH
 Copyright (C) 2003 Jozsef Kadlecsek <kadlec@blackhole.kfki.hu> */#include <linux/module.h>#include <linux/netfilter_ipv4/ip_tables.h>
 Copyright 2003 Benjamin Herrenschmidt
 Copyright (C) 2004-5 Patrick Boettcher (patrick.boettcher@desy.de) *
 Copyright (C) 1999 by Harald Koerfgen */#include <linux/kernel.h>#include <linux/mm.h>#include <linux/sched.h>#include <linux/string.h>
 Copyright (C) 2004 Interface Co.,Ltd. Saito.K *
 Copyright (C) 1992 - 1997 Silicon Graphics, Inc. */#ifndef __ASM_SN_NMI_H#define __ASM_SN_NMI_H
 Copyright (C) 1996 David Redman (djhr@tadpole.co.uk) */
 Copyright (c) 2000-2004 by David Brownell
 Copyright (C) 2000-2001 Hewlett Packard Company
 Copyright (c) 2003-2004 MontaVista Software Inc.
 Copyright (C) 2005 Patrick Boettcher <patrick.boettcher@desy.de> *
 Copyright (C) 1991, 1992 Linus Torvalds * * adfs regular file handling primitives
 Copyright (C) 2002 IBM, John Stultz (johnstul@us.ibm.com) */
 Copyright (C) 2001 Hiroyuki Kondo, and Hirokazu Takata
 Copyright (C) 2000, 2001, 2002 Andi Kleen SuSE Labs * * 1997-11-28 Modified for POSIX.1b signals by Richard Henderson * 2000-06-20 Pentium III FXSR, SSE support by Gareth Hughes * 2000-2002
 (C) Copyright 1999 Thomas Sailer, sailer@ife.ee.ethz.ch
 Copyright (C) 1991, 1992, 1996 Linus Torvalds * Hacked together by Andi Kleen */
 Copyright 1994, 1995, 1999, 2000, 2001, 2002, 2003 Free Software Foundation, Inc. Written by Ian Lance Taylor, Cygnus Support
 Copyright (c) 1995, 1996 Dean W. Gehmert
 Copyright (C) 2002 rabeeh@galileo.co.il *
 (C) Copyright 1997 Alain Malek * (Alain.Malek@cryogen.com) *
 Copyright (C) 1991, 1992 Linus Torvalds *
 Copyright (C) 1994-2000 Ralf Baechle
 Copyright (C) 2002, 2004 Paul Mundt * * Based on linux/arch/i386/mm/init.c:
 copyright (C) 1996 okir@monad.swb.de).\n");
 Copyright (C) 2003 Samuel Rydh (samuel@ibrium.se) *
 Copyright (C) 1998, 1999 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>
 Copyright (c) 2002 Takeo Takahashi
 (C) Copyright 2000-2002 David Brownell <dbrownell@users.sourceforge.net> * * This file is licenced under the GPL.
 Copyright (C) 1996 by Ralf Baechle * * Multi-arch abstraction and asm macros for easier reading:
 Copyright (C) 2003 by Ralf Baechle */#ifndef __ASM_MACH_JMR3927_ASM_DS1742_H#define __ASM_MACH_JMR3927_ASM_DS1742_H
 Copyright (C) 1997,1998,1999 Jakub Jelinek (jj@ultra.linux.cz) * * Driver layout based loosely on tga6b.c, see that file for credits.

Copyright (c) 2001 Jeff Sutherland, Accelent Systems Inc. */#include <linux/compiler.h>#include
<linux/init.h>
Copyright (C) 2002, 2003, 2004 Paul Mundt
(C) 2004 Embedded Edge, LLC, based on pb1550-flash.c:
Copyright (c) 2001-2003 Intel Corp. * * This file is part of the SCTP kernel reference Implementation
Copyright: (c) 1995-1999 Sangoma Technologies Inc.
Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) */#include <asm/asm.h>#include
<asm/fpregdef.h>#include <asm/mipsregs.h>#include <asm/offset.h>#include <asm/regdef.h>
Copyright (C) 2002 Roman Zippel <zippel@linux-m68k.org> * Released under the terms of the GNU GPL
v2.0. */
Copyright (C) 2000, Dag Brattli <dag@brattli.net>
Copyright: (c) 1999-2000 Sangoma Technologies Inc.
(c) Copyright 1995 CymruNET Ltd * Innovation Centre *
Singleton Park * Swansea *
Wales * UK * SA2 8PP * *
<http://www.cymru.net>
Copyright (C) 1999 Silicon Graphics, Inc. */#include <asm/asm.h>#include <asm/regdef.h>
Copyright (c) 2002, Trond Myklebust <trond.myklebust@fys.uio.no> *
Copyright (C) 1998-2002 Linux ATA Development * Andre Hedrick
<andre@linux-ide.org>
(C) Copyright D-Link SYSTEM Inc. 1991, 1992 * Copyright, 1988, Russell Nelson, Crynwr
Software * * Adapted to the sample network driver core for linux, * written by: Donald Becker
<becker@super.o
Copyright (c) 1987-1999 Carnegie Mellon University All Rights Reserved
Copyright (c) by Jaroslav Kysela <perex@suse.cz> * Definitions for Cirrus Logic CS461x chips *
Copyright (C) 2001-2004 Paul Mackerras <paulus@au.ibm.com>, IBM
Copyright 2002 Andi Kleen <ak@suse.de> */#include <asm/uaccess.h>
Copyright (C) 1998, 1999, 2000 Richard Henderson * * Code supporting the RUFFIAN.
Copyright (C) 2001 Patton Electronics Company
Copyright (C) 1993 Pascal Haible, Bruno Haible * * sysv/alloca.c
Copyright (C) 2000 Sugioka Toshinobu
Copyright (C) International Business Machines Corp., 2004, 2005
Copyright (C) Russ Anderson (rja@sgi.com) */
Copyright (c) 2001 Nokia, Inc.
Copyright 1994-1999 by Fritz Elfert (fritz@isd4linux.de)
Copyright (C) 2000 Takaya Kinjo <t-kinjo@tc4.so-net.ne.jp> *
Copyright ♦ 1999 Hannu Mallat * All rights reserved
(C) Copyright 2000 Linuxcare, Inc.
copyright does not cover user programs that use kernel services * by normal system calls. */
Copyright: Synertronixx GmbH * * Common code for i.MX machines
Copyright (C) 2001,03 Rusty Russell
Copyright (C) 2003 Ben Collins <bcollins@debian.org>
Copyright (c) 1998 Harald Koerfgen */#ifndef ASM_TC_H#define ASM_TC_H
Copyright (C) 1996 Paul Mackerras. */#include <linux/config.h>#include <linux/errno.h>#include
<linux/sched.h>#include <linux/kernel.h>#include <linux/param.h>#include <linux/string.h>#include
Copyright 2003 by Texas Instruments Incorporated * OMAP730 / Perseus2 support by Jean Pihet *
Copyright (C) 2001 Networks Associates Technology, Inc <ssmalley@nai.com>
Copyright 1999 by Ralf Spachmann (mel@melware.de)
copyright follows (also see the end of this file). * See wavelan.p.h for details. *
Copyright (C) 2000, 2001 Ralf Baechle (ralf@gnu.org) *
Copyright Information:
Copyright 1999,2000 Jeff Garzik <jgarzik@pobox.com>");
Copyright (c) 1998, 1999 Frodo Looijaard <frodol@dds.nl>, Ky♦sti M♦lkki
<kmalkki@cc.hut.fi>
Copyright (C) 2003-2004 Alexey Fisher <fishor@mail.ru> * Jean Delvare <khali@linux-
fr.org> * * Based on the lm90 driver. The MAX1619 is a sensor chip made by Maxim. * It re
(C) 1993, Hamish Macdonald, see mvme147.c for more info *
Copyright (C) 2004 Anil S Keshavamurthy <anil.s.keshavamurthy@intel.com> *
Added processor hotplug support *

Copyright (c) 2003 IBM Deutschland Entwicklung GmbH, IBM Corporation
 Copyright (C) 1998 Phil Blundell */#include <linux/init.h>#include <linux/interrupt.h>
 Copyright (C) 1998 Ingo Molnar * * Support of BIGMEM added by Gerhard Wichert, Siemens AG, July 1999
 Copyright (C) 2001 * * Author: J.E.J.Bottomley@HansenPartnership.com
 Copyright (C) 2003 Ladislav Michl (ladis@linux-mips.org) */#include <linux/module.h>
 Copyright (C) 1992 Remy Card (card@masi.ibp.fr) * * xenix/alloc.c
 copyright; see LICENSE.FlashPoint for details. * * \$Workfile: busmstr.c \$
 Copyright (c) 2000 Nokia Research Center
 Copyright (C) 1999 Tetsuya Okada * Some code taken from i386 version.
 Copyright (C) 2000 LASAT Networks A/S.
 Copyright (C) 2001,02,03 NEC Corporation
 Copyright (c) International Business Machines Corp., 2000-2002
 Copyright (C) 2001,2002 Hiroyuki Kondo, and Hirokazu Takata *
 Copyright (C) 2000 Russell King */
 Copyright (C) 2003 Hewlett-Packard Co * David Mosberger <davidm@hpl.hp.com>: updated for new
 timer-interpolation infrastructure */
 Copyright (C) 1994 - 2001, 2003 by Ralf Baechle
 Copyright (C) 1995-97 Simon G. Vogl
 (c) Copyright 2004 Hewlett-Packard Development Company, L.P.
 Copyright (C) 1999,2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin
 Schwidefsky (schwidefsky@de.ibm.com), * Christian Borntraeger (cborntra@de.ibm.com), *
 Copyright (C) 2000 Ulf Carlsson * * At this time Linux/MIPS64 only supports syscall tracing, even for 32-bit
 * binaries.
 Copyright (C) 2001-2003 Sistina Software (UK) Limited. * * This file is released under the GPL.
 (C) Copyright (C) 2000-2001
 Copyright (C) 2000, 2004, 2005 MIPS Technologies, Inc. * All rights reserved
 Copyright (C) 2001,2002 Paul Diefenbaugh <paul.s.diefenbaugh@intel.com> *
 Copyright (C) 1990, 1991 Free Software Foundation, Inc. FIXME: Can someone provide a transliteration of
 this name into ASCII? Using the following chars caused a compiler warning on HIUX (so I re
 copyright){ /* enable SPDIF-in Copyright
 Copyright (C) 2002 David S. Miller. */
 Copyright (C) 1992-1997,2000-2004 Silicon Graphics, Inc. All Rights Reserved
 Copyright (C) 1994 Linus Torvalds * * Cyrix stuff, June 1998 by:
 Copyright (C) 2001 Paul Mackerras <paulus@au.ibm.com>, IBM
 Copyright (c) International Business Machines Corp., 2000-2001
 Copyright 1993 United States Government as represented by the Director,
 Copyright (c) 2000,2002-2004 Silicon Graphics, Inc. All Rights Reserved
 Copyright (C) 2000 Anton Blanchard (anton@linuxcare.com) * * This file implements mcount(), which is
 used to collect profiling data. * This can also be tweaked for kernel stack overflow detection.
 Copyright (C) 2000 Grant Grundler <grundler a debian org >
 Copyright (C) 1999-2004 Matthew Wilcox <willy at parisc-linux.org>
 Copyright (C) 2003 Megasolution Inc. <matsu@megasolution.jp>
 Copyright 2001 MontaVista Software Inc. * Author: MontaVista Software, Inc. *
 ahennessy@mvista.com or source@mvista.com * * Based on
 arch/mips/ddb5xxx/ddb5477/kgdb_io.c
 Copyright (C) 1994-1996 Bas Laarhoven,
 Copyright (C) 2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Holger Smolinski
 (Holger.Smolinski@de.ibm.com) Denis Joseph Barrow (djbarrow@de.ibm.com,barrow_dj@yahoo.
 Copyright 2002 by Kai Gernaschewski <kai.gernaschewski@gmx.de>
 Copyright (C) 2000 Andrew Tridgell <tridge@valinux.com> * * Earlier work by Werner Almesberger, Paul
 'Rusty' Russell and Paul Mackerras.
 Copyright (C) 1995 Linus Torvalds (Linus.Torvalds@helsinki.fi)
 Copyright (C) 1998, 1999 Frodo Looijaard <frodo!@dds.nl> and * Kyosti Malkki <kmalkki@cc.hut.fi>
 Copyright 2000 Alan Cox <alan@redhat.com> * * The core of this code is taken from the ALSA project
 driver by * Jaroslav. Please send Jaroslav the credit for the driver and * report bugs in this
 Copyright (C) 2003-2004 David Brownell * All rights reserved
 Copyright (C) 2001 Lineo Inc., davidm@snapgear.com
 Copyright (C) 1996, 97, 98, 99, 2000 by Ralf Baechle
 Copyright (C) 1997, 1998, 1999 David S. Miller (davem@redhat.com)

Copyright (C) 1999 Jakub Jelinek (jj@ultra.linux.cz) */
 Copyright (C) 1999, 2000 Kaz Kojima * Some code taken from arm version:
 Copyright (C) 2001 Anton Altaparmakov <aia21@cantab.net>
 Copyright (C) 1999 Stephane Eranian <eranian@hpl.hp.com> */#ifndef _LINUX_RTC_H_#define
 _LINUX_RTC_H_
 Copyright (C) 1999 Wolfgang Scherr <scherr@net4you.net> * * Iomega Buz driver version 1.0
 Copyright (C) Russell King.
 COPYRIGHT); snd_emu10k1_ptr_write(emu, SPCS2, 0, emu->spdif_bits[2] =
 SPCS_CLKACCY_1000PPM | SPCS_SAMPLERATE_48 |
 SPCS_CHANNELNUM_LEFT | SPCS_SOURCENUM_UNSPEC |
 SPCS_GENERATIONSTATUS | 0x
 Copyright (c) 2003 Hewlett-Packard Co * Bjorn Helgaas <bjorn.helgaas@hp.com> * * 10/30/2001
 jbarnes@sgi.com copied much of Stephane's palinfo *
 code to create this file * Oct 23 2003 kaos@sg
 Copyright (C) 1999-2001 Ralph Metzler
 Copyright (C) 2001 Jakob Kemi <jakob.kemi@post.utfors.se>
 Copyright (C) 1997, 1998, 1999 Jakub Jelinek (jj@ultra.linux.cz) */
 Copyright (C) 2001 Inside Out Networks, All rights reserved
 Copyright (C) 2002 Jeff Dike <jdike@karaya.com>
 COPYRIGHT 0x01#define DVD_STRUCT_DISCKEY 0x02#define DVD_STRUCT_BCA
 0x03#define DVD_STRUCT_MANUFACT 0x04
 Copyright (C) 1997 Russell King
 Copyright (C) 2002-2003 SnapGear Inc * * \$Id: doc2000.h,v 1.24 2005/01/05 12:40:38 dwmw2 Exp \$
 Copyright (C) 1999 ARM Limited.
 Copyright 2000,2001 The Linux Kernel Team
 (C) 2000 Andrea Arcangeli <andrea@suse.de> SuSE * Queue request tables / lock, selectable elevator,
 Jens Axboe <axboe@suse.de> * kernel-doc documentation started by NeilBrown <neilb@cse.unsw.edu.au
 Copyright unasserted) * AN = 0 (Audio data) * P = 0 (Consumer) */
 snd_emu10k1x_ptr_write(chip, SPCS0, 0, chip->spdif_bits[0] =
 SPCS
 Copyright (C) 1994-1996 Dmitry Gorodchanin (pgmdsg@ibi.com) * * This code is loosely based on the
 Linux serial driver, written by * Linus Torvalds, Theodore T'so and others. The RISCom/8
 Copyright (C) 1995, 2003 by Ralf Baechle
 Copyright (C) 1997 Geert Uytterhoeven * Based on linux/driver/video/pm2fb.c:
 Copyright (C) 2001 NxtWave Communications, Inc. *
 Copyright (C) 1999 Nexus Electronics Ltd * * Extra MM routines for CL7500 architecture
 Copyright (C) 1998 Lieven Willems (lw_linux@hotmail.com) * * Changes :
 Copyright (C) 1992,1993,1994,1997,1999 | W. Metzenthien, 22 Parker St, Ormond, Vic
 3163, | | Australia. E-mail billm@melbpc.org.au | |
 Copyright (C) 1997 Andi Kleen
 Copyright (C) 2003 Jozsef Kadlecsek <kadlec@blackhole.kfki.hu> */#include <linux/module.h>#include
 <linux/netfilter_ipv6/ip6_tables.h>
 Copyright (C) 2002, Greg Ungerer (gerg@snapgear.com) */
 Copyright (c) 2001 PPC64 Team, IBM Corp
 Copyright (C) 1994-1996 Bas Laarhoven.
 Copyright (C) 2003-2005 MontaVista Software, Inc. * * Author: Deepak Saxena <dsaxena@plexity.net>
 (C) Copyright 2000, Lineo, David McCullough <davidm@lineo.com>
 Copyright (C) 1996 Thomas K. Dyas (tdyas@eden.rutgers.edu) */
 Copyright (C) benedict.gaster@superh.com 2002
 Copyright 1997 -- 2000 Martin Mares <mj@ucw.cz> */
 Copyright Theodore Ts * rights reserved. * * Redistribution and use in source and binary forms, with or
 without * modification, are permitted provided that the following conditions * are met: *
 Copyright (C) 2000 Alexander Larsson (alex@cendio.se), Cendio Systems AB *
 Copyright (C) 1999 Nexus Electronics Ltd. */
 Copyright (C) 2003 Deep Blue Solutions, Ltd, All Rights Reserved
 Copyright; regid appId; timestamp recordingDateAndTime; regid
 impId; uint8_t impUse[64]; __le32
 predecessorVolDescSeqLocation; __le16 flags; uint8_t reserved[22];}
 __attribute__((

(C) 1995 Linus Torvalds * * Alpha division..
 Copyright (C) 2001,02 Miles Bader <miles@gnu.org>
 Copyright (c) 1995,2001 Compaq Computer Corporation
 Copyright (C) Harald Koerfgen
 Copyright (C) 2000 Don Dugger <n0ano@valinux.com> * * Derived from i386 and Alpha versions.
 (c) Copyright 2002-2003 Grant Grundler
 Copyright (C) 2001 Convergence integrated media GmbH * Ralph Metzler
 <ralph@convergence.de>
 Copyright (C) 2004-2005 James Smart, Emulex Corporation * Rewrite for host, target, device, and
 remote port attributes, * statistics, and service functions... *
 Copyright (C) 1993 Bjoern Brauel * Roman Hodek
 Copyright (C) 1994, 95, 96, 97, 98, 99, 2000 by Ralf Baechle
 Copyright 2001 by Intel Corp. * * 2001 Sep 08:
 Copyright (C) 1999 Walt Drummond <drummond@valinux.com> * * 12/26/04 S.Siddha, G.Jin, R.Seth *
 Add multi-threading and multi-core detection * 11/12/01 D.Mosberger Convert
 get_cpuinfo() to seq_fi
 Copyright (C) 2000-2003 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Gerhard
 Tonn (ton@de.ibm.com) * Arnd Bergmann (arndb@de.ibm.com) * * Original implementation
 Copyright (C) Frederic Rible F1OAT (frible@teaser.fr)
 Copyright (C) 1998,1999 Russell King
 Copyright (c) 1999-2002 Wolfgang Denk (wd@denx.de) */
 Copyright (C) 1998-2000 by Massimo Piccioni <dafastidio@libero.it>
 Copyright (C) 1999 VA Linux Systems
 Copyright (C) 2000-2003 Broadcom Corporation. * * Permission is hereby granted for the
 distribution of this firmware * data in hexadecimal or equivalent format, provided this copyright *
 notice is
 Copyright (C) 2003 Paul Mundt (lethal@linux-sh.org)
 Copyright 2001 MontaVista Software Inc. * Author: MontaVista Software, Inc. *
 ahennessy@mvista.com *
 Copyright (C) 2003-2004 Luis R. Rodriguez <mcgrof@ruslug.rutgers.edu>_
 (c) Copyright 2001 Red Hat Inc. *
 Copyright (C) 2002 IBM Deutschland Entwicklung GmbH, * IBM Corporation *
 Author(s): Arnd Bergmann (arndb@de.ibm.com) * Cornelia Huck (cohuck@de.ibm.com)
 */#include <linux/module.h>#inclu
 Copyright 2002 Momentum Computer, Inc. * Author: Matthew Dharm <mdharm@momenco.com>
 Copyright 1999-2002 Paul Mackerras.
 Copyright (C) 1999 Eric A. Thomas * which in turn is
 Copyright (c) 2004 Kouichi ONO <co2b@ceres.dti.ne.jp>
 Copyright (C) 2004 Steven J. Hill <sjhill@realitydiluted.com> */#include <asm/asm.h>
 Copyright (C) 2004 2N Telekomunikace, Ladislav Michl <michl@2n.cz> * * Code for Netstar OMAP board.
 Copyright 1998-2001 by Carsten Paeth <calle@calle.in-berlin.de>
 Copyright (C) 2004 Motoyuki Ito (motoyuki@soft.fujitsu.com)
 Copyright (C) 1996 Frank Neumann * * History:
 Copyright (C) 1991-1998 Linus Torvalds * Re-organised Feb 1998 Russell King * * We now have
 independent partition support from the * block drivers, which allows all the partition code to * b
 Copyright (C) 1997-1999 Jakub Jelinek (jj@sunsite.mff.cuni.cz) */
 Copyright Matt Mackall <mpm@selenic.com>, 2003, 2004, 2005 *
 Copyright (C) Hidetoshi Seto (seto.hidetoshi@jp.fujitsu.com) */#include <linux/config.h>#include
 <linux/threads.h>
 Copyright (C) 1996 Paul Mackerras and Mark Abene
 Copyright 2001 (c) Matthieu Delahaye <delahaym@esiee.fr>
 Copyright (C) 2002 Ladislav Michl */
 Copyright (C) 1991,1992 Linus Torvalds
 Copyright (C) 2001 Alan Modra <amodra at parisc-linux.org>
 (C) 2003-2005 MontaVista Software, Inc.
 Copyright (C) 2003 Keith M Wesolowski
 Copyright (c) 2004 Herbert Xu <herbert@gondor.apana.org.au>
 Copyright (c) Andrew McDonald <andrew@mcdonald.org.uk>
 Copyright (c) 2002,2003 Alexander Malysh <amalysh@web.de>

Copyright (C) 2001 Axis Communications AB */
 (C) 2003-2004 Netfilter Core Team <coreteam@netfilter.org>
 Copyright (c) 2002 M. R. Brown <mrbrown@linux-sh.org> *
 Copyright 2002 GALILEO TECHNOLOGY, LTD.
 COPYRIGHT | IEC958_AES0_CON_EMPHASIS; ucontrol-
 >value.iec958.status[1] = IEC958_AES1_CON_ORIGINAL |
 IEC958_AES1_CON_CATEGORY; ucontrol->value.iec958.status[3] = IEC958_AES3_CON
 (C) Linus Torvalds
 Copyright (C) 2001 Chris Emerson (cemerson@chiark.greenend.org.uk)
 Copyright 1999,2000 Jeff Garzik * * Updated to support the VIA 8233/8235 audio subsystem
 Copyright 1995,96 by Michael Hipp (Michael.Hipp@student.uni-tuebingen.de)
 Copyright (C) 2001-2003 Patrick Mochel
 Copyright (C) 2001 Momchil Velikov
 Copyright (c) 1994-99 by Jaroslav Kysela <perex@suse.cz> *
 Copyright (C) 1997, 1998 Patrik Rak (prak3264@ss1000.ms.mff.cuni.cz)
 Copyright (C) 2002 MIPS Technologies, Inc. All rights reserved
 Copyright (C) 1999,2000 Andreas Bombe <andreas.bombe@munich.netsurf.de>,
 Copyright (C) 2000, 2001, 04 Keith M Wesolowski */#include <linux/kernel.h>#include
 <linux/init.h>#include <linux/interrupt.h>#include <linux/pci.h>#include <linux/types.h>#include
 <linux/inter
 Copyright (C) 1996 Paul H. Hargrove
 Copyright (C) 1995 */#ifndef __ASM_ALPHA_FLOPPY_H#define __ASM_ALPHA_FLOPPY_H
 Copyright (C) 2003, 2004 Richard Curnow * * Started from SH3/4 version:
 Copyright (C) 2004 Grant Grundler <grundler at parisc-linux.org> * * Inspired by an earlier
 effort from David S. Miller <davem@redhat.com>
 Copyright (C) 2001 ARM Limited, by David A Rusling
 Copyright (C) 2004 Richard Purdie * * \$Id: sharpsl.c,v 1.3 2005/01/03 14:53:50 rpurdie Exp \$
 Copyright (c) 1997 Justin T. Gibbs.
 Copyright 2000, Jayson C. Vantuyt <vantuyt@csc.smsu.edu> * and Bryon W. Roche
 <bryon@csc.smsu.edu> * * 64-bit addressing added by Kanoj Sarcar <kanoj@sgi.com> *
 and Leo Dagum
 (C) Copyright 1999 Deti Fliegl, deti@fliegl.de
 Copyright (c) ARM Limited 2003. All rights reserved
 Copyright (C) 2003 Krzysztof Halasa <khc@pm.waw.pl>
 Copyright 2000 Compaq Computer Corporation. * * Use consistent with the GNU GPL is permitted, *
 provided that this copyright notice is * preserved in its entirety in all copies and derived works.
 Copyright (c) 2002 Jean Tourrilhes *
 (C) 1997 Thomas Schoebel-Theuer, * with heavy changes by Linus Torvalds */
 Copyright (C) 2002 Linus Torvalds. */
 Copyright 1995 * Anthony D. Joseph * Massachusetts Institute of Technology * * Permission to use,
 copy, modify, and distribute this program * for any purpose and without fee is hereby gra
 Copyright (C) 2004 Randolph Chung <tausq@debian.org>
 Copyright (C) 1991, 1992 Linus Torvalds * * 1997-11-02 Modified for POSIX.1b signals by Richard
 Henderson
 Copyright (C) 2000 Ani Joshi <ajoshi@unixbox.com>
 Copyright (C) 1993 Linus Torvalds * * Delay routines calling functions in arch/i386/lib/delay.c
 Copyright (C) 1997 by Volker Lendecke *
 Copyright: (c) 1995-1997 Sangoma Technologies Inc.
 (c) Copyright 2000-2001 Marek Michalkiewicz <marekm@linux.org.pl> *
 Copyright (C) 2004 Olof Johansson <olof@austin.ibm.com>, IBM Corporation * * Dynamic DMA mapping
 support, pSeries-specific parts, both SMP and LPAR.
 Copyright (C) 1996,1997,1999 Jakub Jelinek (jakub@redhat.com) */
 Copyright (C) 2001,02 NEC Corporation
 Copyright (C) Michel D * * APUS PCI routines.
 copyright: * Flash memory access on SA11x0 based devices *
 Copyright (c) 1998-1999 by Frank van de Pol <fvdpol@coil.demon.nl>
 Copyright (C) 2001 Jeff Wiedemeier (Compaq Computer Corporation) *
 Copyright (C) 2004 David Brownell
 Copyright (c) 2001 Denis Oliver Kropp <dok@convergence.de>

(C) 2002 James Bottomley <James.Bottomley@HansenPartnership.com> *
 Copyright (C) 2003 Nokia Corporation * * Written by Tony Lindgren <tony.lindgren@nokia.com>
 Copyright (C) 2001,2002 Hiroyuki Kondo, and Hirokazu Takata
 Copyright (c) 2001-2004 by David Brownell
 Copyright 2003 Tungsten Graphics, Inc., Cedar Park, Texas. * All Rights Reserved
 Copyright (C) 1998 Geert Uytterhoeven
 Copyright (C) 2004 Keiichiro Tokunaga (tokunaga.keiich@jp.fujitsu.com)
 Copyright 2002, 2003 Motorola Inc.
 Copyright (C) 2000-2002, Romain Lievin <roms@lpg.ticalc.org>
 Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin Peschke
 <mpeschke@de.ibm.com> * Martin Schwidefsky <schwidefsky@de.ibm.com> */
 Copyright (C) 1991-1998 Linus Torvalds * Re-organised Feb 1998 Russell King */
 Copyright (C) 2001 Jean Tourrilhes <jt AT hpl.hp.com> * And is now maintained by:
 Copyright (C) 2001,2002,2003 Broadcom Corporation
 Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) */#ifndef _SGIWD93_H#define _SGIWD93_H
 Copyright (C) 2001,02,04 Miles Bader <miles@gnu.org>
 Copyright (C) 2000 Wolfgang Grandegger (wolfgang@ces.ch)
 Copyright (c) 2003 Hans-Frieder Vogt <hfvogt@arcor.de>, Based on SMBus 2.0 driver for AMD-8111
 IO-Hub
 Copyright (C) 2000 Silicon Graphics, Inc. * Modified for further R[236]000 support by Paul M. Antoine,
 1996. * Kevin D. Kissell, kevink@mips.com and Carsten Langgaard, carstenl@mips.com
 Copyright (c) 1994-98 by Jaroslav Kysela <perex@suse.cz>, * 4Front Technologies * *
 Direct FM control
 Copyright (C) 2002, 2003 Maciej W. Rozycki */#define INCLUDES#include "compat_ioctl.c"
 (C) Roman Zippel (assigned DJD, 1999) *
 Copyright (C) Pavel Machek, pavel@ucw.cz. This code is GPL.
 Copyright (c) 1995-2000 FORE Systems, Inc., as an unpublished work. This
 Copyright (c) 2001, 2002, 2003 Hiroyuki Kondo, Hirokazu Takata, * Hitoshi
 Yamamoto */
 Copyright (C) 2003, 2004 Richard Curnow *
 (C) 2002 Harald Welte <laforge@gnumonks.org>
 Copyright (c) 2003 Silicon Graphics, Inc. All rights reserved
 (C) 1986-1990 1800-V1.07/28/89", 5, 50, 2, 0, 0
 Copyright (C) 2001-2003 Pavel Machek <pavel@suse.cz> */
 Copyright (c) 2005 Matthew Wilcox
 Copyright (C) 2004 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author: Arnd Bergmann
 <arnd@arndb.de> */
 Copyright (C) 1993, 1994, 1995 Eberhard Moenkeberg <emoenke@gwdg.de>
 Copyright (C) 2004 Nokia Corporation * * Written by Tony Lindgren <tony.lindgren@nokia.com>
 Copyright 2000, 2001 Red Hat, Inc. */
 Copyright (C) 2002-2005 Yoichi Yuasa <yuasa@hh.iij4u.or.jp>
 Copyright (C) 1997,1998 Russell King
 Copyright (c) 1999 Dag Brattli, <dagb@cs.uit.no>,
 (C) 1999-2000 Stelias Computing Inc * * HISTORY
 Copyright 2001,2002 SuSE labs * * Written by Benjamin LaHaise.
 Copyright (c) 1995-1998 Mark Lord * * TODO: - Use pre-calculated (kauai) timing tables all the time and *
 get rid of the "rounded" tables used previously, so we have the * same table format for a
 Copyright (C) 2000 Jens Axboe <axboe@suse.de>
 Copyright (c) 1995-1997 Claus-Justus Heine
 Copyright (C) 1998-2002 Andre Hedrick <andre@linux-ide.org> * * Promise Ultra33 cards
 with BIOS v1.20 through 1.28 will need this * compiled into the kernel if you have more than one card
 instal
 Copyright 2001,2002 - Jani Monoses <jani@iv.ro> *
 Copyright (C) 1996, 1997 David S. Miller (davem@caip.rutgers.edu)
 Copyright (C) 2002, 2003, 2004 Paul Mundt * * based off of the old drivers/char/sh-sci.c by: *
 (C) 1993 by Hartmut Schirmer
 Copyright 2001 La Monte H.P. Yarroll * * This file is part of the SCTP kernel reference Implementation
 Copyright (c) 2004 Jon Smirl <jonsmirl@gmail.com>
 Copyright (C) 1999-2002 Ralph Metzler * & Marcus Metzler for convergence integrated

media GmbH * * 26feb2004 Support for FS Activy Card (Grundig tuner) by * Michael
 (C) Copyright 1998 Linus Torvalds * * These functions have a non-standard call interface to make * them
 more efficient, especially as they return an error * value in addition to the "real" return
 Copyright (C) 1991, 1992 Linus Torvalds * * affs symlink handling code
 Copyright (C) 2002 Ralph Metzler <rjkm@metzlerbros.de> * * ULE Decapsulation code:
 Copyright (C) 1996 Cort Dougan <cort@cs.nmt.edu> * Adapted for Power Macintosh by Paul Mackerras. *
 Low-level exception handlers and MMU support * rewritten by Paul Mackerras.
 Copyright (C) 1999, 2001 Axis Communications AB * * Code that sets up the DRAM registers, calls the *
 decompressor to unpack the piggybacked kernel, and jumps.
 Copyright (c) 2001-2002 by David Brownell
 Copyright (C) 1995, 1996 Gero Kuhlmann and me. * * BOOTP rewritten to construct and analyse packets
 itself instead * of misusing the IP layer. num_bugs_causing_wrong_arp_replies--; *
 --
 Copyright (C) 1994, 95, 96, 97, 98, 2000 Ralf Baechle
 Copyright 2003 MontaVista Software, Inc.
 Copyright (C) 1998,1999 Christian Theiss <mistert@rz.fh-augsburg.de>
 (C) 2003 Dave Jones.
 Copyright (C) 1996 Mike Shaver (shaver@zeroknowledge.com) */#include <linux/config.h>#include
 <linux/mm.h>#include <linux/sysctl.h>#include <linux/spinlock.h>#include <net/ax25.h>
 copyright below.
 Copyright (C) 1999 Ralf Baechle (ralf@gnu.org) */#ifndef _ASM_SN_SNO_SNO_FRU_H#define
 _ASM_SN_SNO_SNO_FRU_H
 Copyright (C) 2002, Linus Torvalds. * * Contains all the functions related to writing back and waiting * upon
 dirty inodes against superblocks, and writing back dirty * pages against inodes. ie:
 copyright/GPL on a Debian system and in the file COPYING in the Linux kernel source.*/
 Copyright (c) 1999 Greg Ungerer <gerg@snapgear.com>
 Copyright (c) 2004 Torrey Hoffman <thoffman@arnor.net>
 Copyright (C) 1995 Russell King
 Copyright (c) 2000 RP Internet (www.rpi.net.au).
 (C) 2002 Alan Stern <stern@rowland.org> * * Initial work:
 (C) 10#define AC97_GP_DRSS_78 0x0400 /* LR 7+8 */
 (C) 1995 by Andreas Busse (andy@waldorf-gmbh.de) * * A driver for the Mac onboard Sonic ethernet chip.
 Copyright (C) 2000, 2001 Paolo Alberelli * * Fast PTE->TLB refill path
 Copyright (C) 2002 David S. Miller (davem@redhat.com) */
 (C) 2002 Robert Kaiser <rkaizer@sysgo.de> * * This code is GPL
 Copyright 1995-2003 by Geert Uytterhoeven (geert@linux-m68k.org) * Peter De
 Schrijver (p2@mind.be) *
 Copyright 2001,2002,2003 MontaVista Software Inc. * Author: MontaVista Software, Inc. *
 ppopov@mvista.com or source@mvista.com * * Support for all devices (greater than 16) added by
 Davi
 Copyright (C) 1997, 2001 Ralf Baechle
 Copyright (C) 2003 Christoph Hellwig. * Released under GPL v2. */
 Copyright (C) 1998 R.E.Wolff@BitWizard.nl * * written for the SX serial driver. * Contains the code that
 should be shared over all the serial drivers.
 Copyright (C) Joerg Reuter DL1BKE (jreuter@yaina.de) */#include <linux/errno.h>#include
 <linux/types.h>#include <linux/socket.h>#include <linux/in.h>#include <linux/kernel.h>#include
 <linux/sch
 Copyright 1999 Paul Mackerras. * * Also touched by the grubby hands of Paul Fulghum
 paulkf@microgate.com
 Copyright (C) 2004 IBM Corporation, Rusty Russell. * * Creation is done via keventd, so that we get a clean
 environment * even if we're invoked from userspace (think modprobe, hotplug cpu, * etc.)
 Copyright 1992, Linus Torvalds.
 Copyright (C) 1998 Elmer.Joandi@ut.ee,
 (C) Copyright 2004 Red Hat, Inc. *
 Copyright (C) 2000 Paul Bame <bame@parisc-linux.org>
 Copyright asserted flag -- do not modify#define SPCS_NOTAUDIODATA 0x00000002 /* 0 =
 Digital audio, 1 = not audio */#define SPCS_PROFESSIONAL 0x00000001 /* 0 =
 Consumer (IEC-958), 1 = pro (AES3-1992
 Copyright (C) 2001 Dave Engebretsen IBM Corporation

(C) 1991 Linus Torvalds - minix filesystem * * affs regular file handling primitives
 Copyright (C) 2002 Paul Mundt
 Copyright (c) 2004 Intel Corporation. All rights reserved
 Copyright (C) 2001-2004 Jes Sorensen, Wild Open Source Inc.
 Copyright (C) 2004 Bruno Ducrot <ducrot@poupinou.org> *
 Copyright (C) 1998, 1999, 2000, 2001 Free Software Foundation, Inc.
 Copyright (c) by Christopher Butler <chrisb@sandy.force9.co.uk> * * I don't have documentation for this
 card, I based this driver on the * driver for OSS/Free included in the kernel source (drive
 Copyright 2002 Momentum Computer * Author: mdharm@momenco.com * *
 arch/mips/momentum/ocelot_c/cpci-irq.c * Interrupt routines for cpci. Interrupt numbers are assigned
 from * CPCI_IRQ_BAS
 Copyright (C) 2000 Takashi Iwai <tiwai@suse.de> * * Routines for control of EMU WaveTable chip
 Copyright (c) 2001 MIPS Technologies, Inc. */#ifndef _ASM_STRING_H#define _ASM_STRING_H
 Copyright (C) 2001 A
 Copyright (c) 2003 Zultys Technologies. * Eugene Surovegin <eugene.surovegin@zultys.com> or
 <ebs@ebshome.net> * * Based on original work by * Ian DaSilva <idasilva@mvista.com> *
 Armin Kus
 Copyright (c) 2003-2005 Simtec Electronics * Ben Dooks <ben@simtec.co.uk> * * Machine support for
 Thorcom VR1000 board. Designed for Thorcom by * Simtec Electronics, <http://www.simtec.co.uk/>
 (C) Copyright 2001 Linus Torvalds * * Atomic wait-for-completion handler data structures. * See
 kernel/sched.c for details.
 Copyright (C) 2003 Takashi Kusuda <kusuda-takashi@hitachi-ul.co.jp> * * Interrupt handling for IPR-based
 IRQ.
 Copyright (C) 2001 Jenna Hall <jenna.s.hall@intel.com>
 (C) 1986-1989 V5.0C2/14/89
 (c) Copyright 1999 Red Hat Software
 Copyright (C) by Hannu Savolainen 1993-1997 * * cs4232.c
 Copyright (c) 1999 Brian Gerst */
 Copyright (c) 2002 Daniel Engstrom <5116@telia.com> *
 Copyright 1992 - 2005 Kai Makisara email Kai.Makisara@kolumbus.fi
 Copyright (c) 2000 Guillaume Delvit based on Gerd Knorr source and
 Copyright (C) 2002, 2003 Maciej W. Rozycki */#ifndef __ASM_MIPS_DEC_KN02_H#define
 __ASM_MIPS_DEC_KN02_H
 Copyright (C) 1999-2002 Axis Communications AB *
 Copyright (C) 2003 Pavel Machek (pavel@suse.cz)
 Copyright (c) 1997 Dan Malek (dmalek@jlc.net) * * I copied the basic skeleton from the lance driver,
 because I did not * know how to write the Linux driver, but I did know how the LANCE worked.
 Copyright (C) 2001-2003 Saito.K * * from driver/video/chipsfb.c and,
 Copyright (C) 1999-2001, 2003 Hewlett-Packard Co * Stephane Eranian <eranian@hpl.hp.com>
 */#include <linux/config.h>#include <linux/kernel.h>#include <linux/sched.h>#include
 <linux/types.h>#inc
 Copyright (c) 2004 Nex Vision
 (c) Copyright 1998, Building Number Three Ltd.\n");#endif slvl_unit = slvl_init(io, irq, txdma, rxdma,
 slow);
 Copyright (c) 1995 Picture Elements * Stephen Williams * Gus Baldauf * * Linux/SPARC port by
 Peter Zaitcev. * Integration into SPARC tree by Tom Dyas.
 Copyright (c) 2000-2001 ConnectCom Solutions, Inc. * All Rights Reserved
 Copyright (C) 2002 - 2004 Dominik Brodowski <linux@brodo.de> *
 Copyright (C) 2004 by Ralf Baechle */#ifndef __ASM_MIPS_MV64240_H#define __ASM_MIPS_MV64240_H
 Copyright (C) 2004,2005 by Thiemo Seufer */
 (C) 2003 Ardis Technologies <roman@ardistech.com> * * Handle individual btree records
 (C) Copyright 2000, Moreton Bay (www.moreton.com.au) */
 Copyright (C) 1999-2000 Naval Research Laboratory
 Copyright (C) 1998-2003, 2005 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>
 Copyright (C) 2004 Greg Kroah-Hartman (greg@kroah.com)
 Copyright (C) 1999 Silicon Graphics * Kevin D. Kissell, kevink@mips.org and Carsten Langgaard,
 carstenl@mips.com
 Copyright (C) Tom Long Nguyen (tom.l.nguyen@intel.com) */
 Copyright (C) 1999-2003, Greg Ungerer (gerg@snapgear.com) */

Copyright (C) 2003,4 Red Hat, Inc. All Rights Reserved
 Copyright (C) 1996 Bob Jenkins (bob_jenkins@burtleburtle.net) * * http://burtleburtle.net/bob/hash/
 Copyright (C) 2002 Peter Hettkamp <peter.hettkamp@t-online.de>
 Copyright (C) 2002 Shane Nay (shane@minirl.com)
 Copyright (C) 2002 Momentum Computer, Inc. * Author: Matthew Dharm, mdharm@momenco.com * *
 Based on work by:
 Copyright (c) 2004 Rudolf Marek <r.marek@sh.cvut.cz>
 Copyright (C) 2003 by Ralf Baechle */#ifndef __ASM_MACH_JAZZ_TIMEX_H#define
 __ASM_MACH_JAZZ_TIMEX_H
 Copyright (C) 2004 Luis R. Rodriguez <mcgrof@ruslug.rutgers.edu>
 Copyright (C) 2002-2003 Matthew Wilcox <willy at parisc-linux.org>
 copyright */ for (i = EEPROM_COPYRIGHT;
 Copyright (C) 2004 Alex Song
 Copyright 2004 Antonino A. Daplas <adaplas @pol.net> * * Based on radeonfb-i2c.c
 Copyright (C) 2002-2003 Christoph Hellwig * * mid to lowlevel SCSI driver interface * Initial versions:
 Drew Eckhardt * Subsequent revisions: Eric Youngdale
 Copyright (C) 1995 (davem@caip.rutgers.edu) */#ifndef _SPARC64_USER_H#define _SPARC64_USER_H
 Copyright (C) 2000, 2001 by Nicolas Pitre
 Copyright (C) 1999-2001 Grant Grundler */#include <linux/config.h>#include <linux/eisa.h>#include
 <linux/init.h>#include <linux/module.h>#include <linux/kernel.h>#include <linux/pci.h>#include
 Copyright (C) 2002 Hewlett Packard Company.
 Copyright (c) 1999 Grant Erickson <grant@lcse.umn.edu> * PowerPC 403GCX/405GP modifications.
 Copyright (c) 2003, 2004 Renesas Technology Corp. */
 Copyright (C) 1992,1994,1995 | W. Metzenthen, 22 Parker St, Ormond, Vic 3163, | |
 Australia. E-mail billm@jacobi.maths.monash.edu.au | |
 Copyright (C) 2001, 2002 Niibe Yutaka *
 Copyright (C) 2002-2004 Silicon Graphics, Inc. All Rights Reserved
 (C) Linus Torvalds and Mats Anderson * * Rewritten to use GNU 'as' by Chris Noe <stiker@northlink.com>
 May 1999
 Copyright: (c) 2000-2001 Cyclades Corp.
 Copyright (C) 1999 David A. Hinds. All Rights Reserved
 Copyright (C) 1996 Andrew Tridgell (Andrew.Tridgell@anu.edu.au)
 Copyright (C) 1998-2003 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>
 */#include <linux/config.h>#include <linux/kernel.h>#include <linux/init.h>
 Copyright (C) 1993 Pascal Haible, Bruno Haible * * sysv/dir.c
 Copyright (C) 2003 Oliver Endriss
 Copyright (C) 2000 Geert Uytterhoeven <geert@sonycom.com> * Sony Software Development
 Center Europe (SDCE), Brussels * * include/asm-mips/ddb5xxx/ddb5xxx.h * Common header f
 Copyright (C) 2001 Mike Corrigan * * Rewrite, cleanup:
 Copyright (C) 1991, 1992 Linus Torvalds * * Extensively rewritten by Theodore Ts'o, 8/16/92 -- 9/14/92.
 Now * much more extensible to support other serial cards based on the * 16450/16550A UA
 (C) Copyright 2000 IBM Corporation * * This header file is used by the iSeries virtual I/O device * drivers.
 It defines the interfaces to the common functions * (implemented in drivers/char/viop
 (C) 2003 Red Hat, Inc.
 Copyright (C) 2001-2005 Greg Kroah-Hartman (greg@kroah.com)
 Copyright (C) 2000 Ralph Metzler
 Copyright (C) 2003, 2004 Paul Mundt
 Copyright (C) 1998 Thomas Bogendoerfer * * This code is based on arch/mips/sgi/kernel/system.c, which is
 (c) Copyright 1996-1997 Alan Cox <alan@redhat.com>, All Rights Reserved
 Copyright (C) 1999 Silicon Graphics, Inc. */#ifndef _ASM_STACKFRAME_H#define _ASM_STACKFRAME_H
 Copyright (c) 2000-2003 Jean Tourrilhes <jt@hpl.hp.com>
 Copyright (c) 2001,2002 Christer Weinigel <wingel@nano-system.com>
 Copyright 2003 OProfile authors * @remark Read the file COPYING * * @author Zwane Mwaikambo
 <zwane@linuxpower.ca>
 Copyright (c) 2002 Rodrigo Damazio. */
 Copyright (c) 1999 by Jaroslav Kysela <perex@suse.cz>, * Abramo Bagnara
 <abramo@alsa-project.org> *
 Copyright (C) 2000 YAGASHI Takeshi */#include <linux/config.h>#include <asm/io.h>#include
 <asm/irq.h>

Copyright (C) 1999 Jakub Jelinek (jj@ultra.linux.cz) */
 Copyright 2001, 2002, 2003 MontaVista Software Inc.
 Copyright (c) 2001, 2002 Axis Communications AB * * This file is under the GPL.
 Copyright 2002 Alchemy Semiconductor
 (C) W. Metzenthien.\n");#endif /* PRINT_MESSAGES */ /* Get a name string for error reporting */
 for (i=0; exception_names[i].type; i++) if ((exception_names[i].type & n) == except
 Copyright (C) 1997 Jim Paradis */
 Copyright (C) 1998 - 2003 Douglas Gilbert
 Copyright 2001 MontaVista Software Inc. * Author: jsun@mvista.com or jsun@junsun.net */#include
 <linux/sched.h>#include <linux/mm.h>#include <asm/io.h>#include <asm/pgtable.h>#include
 <asm/proc
 (C) Copyright 2003 Ian Molton (ARM26 mods) * * Modified for ARM by Russell King
 Copyright (C) 2003 by Ralf Baechle */#ifndef __ASM_MACH_GENERIC_TIMEX_H#define
 __ASM_MACH_GENERIC_TIMEX_H
 Copyright (C) Tomi Manninen OH2BNS (oh2bns@sral.fi)
 Copyright (c) 1997, 1998 Erik Andersen <andersee@debian.org>
 Copyright (C) 2001 Niibe Yutaka
 (c) Copyright IBM Corp. 2003 * * Maintained by: Benjamin Herrenschmidt *
 <benh@kernel.crashing.org>
 Copyright (C) 1998 Alan Cox <alan@redhat.com> * * Modified heavily by Joshua M. Thompson based
 on Dave Huang's NetBSD driver
 Copyright (C) 2000 Stuart Menefy * * Provide real functions which expand to whatever the header file
 defined. * Also definitions of machine independent IO functions.
 Copyright (C) 2002 Maciej W. Rozycki */
 Copyright (C) 1998 David S. Miller (davem@redhat.com) */
 Copyright (C) 2002, Erich Focht, NEC * * All rights reserved
 Copyright (C) 1997, 1998, 1999, 2000, 2001, 2002 Ralf Baechle (ralf@gnu.org)
 Copyright (C) 2000 by Massimo Piccioni <dafastidio@libero.it>
 Copyright (c) by Francisco Moraes <fmoraes@nc.rr.com> * Driver EMU10K1X chips * * Parts of this code
 were adapted from audigy.c driver which is
 (C) Copyright 1999, 2000, 2001 Axis Communications AB, LUND, SWEDEN*! \$Id: ds1302.c,v 1.14
 2004/08/24 06:48:43 starvik Exp \$
 Copyright (C) 1992-1997, 1999 Silicon Graphics, Inc.
 Copyright 1996, 1997 Michael A. Griffith <grif@acm.org>
 Copyright (C) 2000, 2001, 2004 MIPS Technologies, Inc.
 Copyright (C) 2002,2003 Andi Kleen <ak@suse.de> */
 Copyright (C) Frederic Rible F1OAT (frible@teaser.fr) */#include <linux/config.h>#include
 <linux/module.h>#include <linux/errno.h>#include <linux/types.h>#include <linux/socket.h>#include
 <linu
 Copyright (c) 1997, 1999-2000 Dag Brattli, All Rights Reserved
 Copyright (C) 2003, Duncan Sands, SolNegro, Josep Comas
 Copyright (C) 1997 Paul Mackerras. */#ifndef _PPC_MEDIABAY_H#define _PPC_MEDIABAY_H
 Copyright (c) 2002, 2003 The Regents of the University of Michigan. * All rights reserved
 Copyright (C) 2005 Kirk Lapray <kirk_lapray@bigfoot.com> * * Based on code from Jack Kelliher
 (kelliher@xmission.com)
 Copyright (c) 2000-2002 Axis Communications AB * * Authors: Bjorn Wesen (bjornw@axis.com)
 Copyright (C) 2002,03 NEC Electronics Corporation
 Copyright (c) 1999-2004 LSI Logic Corporation"#define MODULEAUTHOR "Steven J. Ralston, Noah
 Romer, Pamela Delaney"#include "mptbase.h"#include "mptctl.h"
 (C) Copyright 2002-2004 by David Brownell
 Copyright Torsten Duwe <duwe@informatik.uni-erlangen.de> 1993
 COPYRIGHT); } return pci_module_init()
 Copyright (C) 1997,1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz) */
 Copyright (C) 2004 Hollis Blanchard, IBM Corporation
 Copyright (C) 2002 David S. Miller (davem@redhat.com) */
 Copyright (c) 2003, Adam J. Richter <adam@yggdrasil.com> (conversion to * 2.5 API).
 Copyright 2002-2003 MontaVista Software Inc. * * Eugene Surovegin <eugene.surovegin@zultys.com> or
 <ebs@ebshome.net>
 Copyright (C) 2000 Philipp Rumpf <prumpf@tux.org> */

Copyright 1996 Linus Torvalds. *

(C) IBM Corporation 2002-2004 */

Copyright (C) 2004 by David Brownell * updates to merge with Linux 2.6, better match RNDIS spec */

Copyright (c) 2000 by Abramo Bagnara <abramo@alsa-project.org> *

Copyright 2001,2002 Jeff Garzik

Copyright (C) 2003 Wolfson Microelectronics PLC

Copyright (c) 2004 James Simmons <jsimmons@infradead.org>

(C) Copyright 2002, 2003 Red Hat Inc

Copyright (C) 2000 Andreas E. Bombe

Copyright 2001-2003 MontaVista Software Inc.

Copyright (c) 2000 by Jaroslav Kysela <perex@suse.cz> *

Copyright by Roland Klabunde <R.Klabunde@Berkom.de>

(C) Copyright IBM Corp. 2004 All Rights Reserved

Copyright (C) 1996-1999 Russell King. */#ifndef __ASM_ARCH_HARDWARE_H#define __ASM_ARCH_HARDWARE_H

Copyright (C) 1994 Wolfgang Stanglmeier**

(C) 1998-2004 Ben Fennema

Copyright (C) 2001-2004 Greg Kroah-Hartman (greg@kroah.com)

Copyright (c) 1994, 1995, 2000 Justin T. Gibbs. * All rights reserved

Copyright (C) 2003 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> * * Loosely based on patch by Rusty Russell.

Copyright (C) 2002-2003 Ralph Metzler <rjkm@metzlerbros.de>

Copyright (c) 2003 Eric Wong <eric@yhbt.net>

(C) Copyright 1999-2002 Johannes Erdfelt, johannes@erdfelt.com

Copyright (C) 2001 Massimo Dal Zotto <dz@debian.org>

Copyright (c) 1996-1999 Russell King. */#ifndef __ASM_ARCH_MEMORY_H#define __ASM_ARCH_MEMORY_H

Copyright (C) Original authors of ../asm-i386/checksum.h

Copyright 2003-2004 MontaVista Software, Inc.

Copyright (C) 1999 by Kaz Kojima * * Defitions for the address spaces of the SH-3 CPUs.

(C) 1998 Stephen Tweedie */#include <linux/module.h>#include <linux/mm.h>#include <linux/kernel_stat.h>#include <linux/swap.h>#include <linux/init.h>#include <linux/pagemap.h>#include <linux/b

Copyright (C) 2001 - 2002

Copyright (C) 2004 Thomas Gleixner <tglx@linutronix.de> * * Created by David Woodhouse <dwmw2@infradead.org> * Modified debugged and enhanced by Thomas Gleixner <tglx@linutronix.de>

Copyright 2004 (c) Stuart Brady <sdb Brady@ntlworld.com>

(C) 2000 Red Hat. GPL \$Id: jedec_probe.c,v 1.61 2004/11/19 20:52:16 thayne Exp \$ See JEDEC (<http://www.jedec.org/>) standard JESD21C (section 3.5) for the standard this probe goes back to.

Copyright (c) Matthew Wilcox 1999 <willy@bofh.ai>

Copyright (C) 2004 Embedded Edge, LLC <dan@embeddededge.com>

Copyright 2002 Momentum Computer * Author: mdharm@momenco.com * * arch/mips/momentum/ocelot_g/gt_irq.c * Interrupt routines for gt64240. Currently it only handles timer irq.

(C) 2001-2002 Magnus Boden <mb@ozaba.mine.nu>

Copyright (C) 2000, 2001, 2002, 2003 Maciej W. Rozycki * * Written by Ralf Baechle and Andreas Busse, modified for DECStation * support by Paul Antoine and Harald Koerfgen.

Copyright (c) 2003 Manuel Estrada Sainz <ranty@debian.org> * * Please see Documentation/firmware_class/ for more information.

Copyright (C) 1996-2001 Cort Dougan <cort@fslmlabs.com> */#ifndef __KERNEL__#ifndef _PPC_SMP_H#define _PPC_SMP_H

Copyright 2003 by Texas Instruments Incorporated * * There are 16 LEDs on the debug board (all green); four may be used * for logical 'green', 'amber', 'red', and 'blue' (after "claiming").

Copyright (C) 2001 Matthew Wilcox (willy at parisc-linux.org)

Copyright (C) 1999 Paul */

Copyright (c) 1998, 1999, 2000 Frodo Looijaard <frodol@dds.nl>, Philip Edelbrock <phil@netroedge.com>, Ralph Metzler <rjkm@thp.uni-koeln.de>, and Mark D. Studebaker <mdsxyz123@yahoo.com>

Copyright (C) 1998-2000 David Mosberger-Tang <davidm@hpl.hp.com> */

Copyright (C) Vijay Chander(vijay@engr.sgi.com) * 03/04/15 D. Mosberger Added INIT backtrace support. * 02/03/25 M. Domsch GUID cleanups

Copyright (c) 1999-2002 Transmeta Corporation

Copyright (C) 2003 Paul Mundt * ASID handling idea taken from MIPS implementation.

Copyright (C) 1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz) */

Copyright (C) 1992, 1998 Linus Torvalds, Ingo Molnar * This file contains the lowest level x86-specific interrupt * entry, irq-stacks and irq statistics code. All the remaining * irq logic is do

Copyright (C) 2001 Kaz Kojima

Copyright (c) 2004 Andras BALI <drewie@freemail.hu>

Copyright (C) 2004 IBM * Implements the generic device dma API for ppc64. Handles * the pci and vio busses

Copyright (C) 1998, 1999, 2000 Harald Koerfgen

Copyright (c) 1999-2000 Takashi Iwai <tiwai@suse.de> * Contains code based on awe_wave.c by Takashi Iwai

Copyright (C) 2004 Borislav Deianov

Copyright (C) 1999-2002 Vojtech Pavlik

Copyright (C) 2002-2003 Hewlett-Packard Co * Stephane Eranian <eranian@hpl.hp.com> * This file implements the default sampling buffer format * for the Linux/ia64 perfmon-2 subsyste

(C) 2001 Pete Popov <ppopov@mvista.com> * \$Id: pb1xxx-flash.c,v 1.14 2004/11/04 13:24:15 gleixner Exp \$

Copyright (C) 1998-2000 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> */

copyright messages: *

Copyright (C) 2000 David Gibson, Linuxcare Australia. * With some help from :

Copyright (C) 2001 MontaVista Software Inc. * Author: Jun Sun, jsun@mvista.com or jsun@junsun.net *

(C) Copyright IBM Corp. 2004 * Author: Martin Schwidefsky <schwidefsky@de.ibm.com>

Copyright (C) 2004 Silicon Graphics, Inc. */

(c) Copyright 1996 Alan Cox <alan@redhat.com>

Copyright 1994, University of Cambridge Computer Laboratory * All Rights Reserved

Copyright (c) 1998-1999 Dag Brattli <dagb@cs.uit.no>, All Rights Reserved

Copyright (C) 2004 IBM Inc.

Copyright (c) 1997, 1998 Martin Mares <mj@atrey.karlin.mff.cuni.cz>

(C) 2001-2003 Bart De Schuymer <bdschuym@pandora.be>

Copyright (C) 1999 Niibe Yutaka *

Copyright (C) 1999 Promise Technology, Inc.

Copyright (C) 2000, 2001 Paolo Alberelli *

Copyright (C) 1996, 1997, 1998 Ralf Baechle * This file contains the time handling details for PC-style clocks as * found in some MIPS systems.

Copyright (C) 2001-2004 by Thomas Winischofer, Vienna, Austria * and sis310_accel.h which is

Copyright (c) 1999-2004 Mark McClelland <mark@alpha.dyndns.org> * http://alpha.dyndns.org/ov511/ * Color fixes by Orion Sky Lawlor <olawlor@acm.org> (2/26/2000)

Copyright (c) 2004 Eugene Surovegin <ebs@ebshome.net>

Copyright (C) 1999 AbsoluteValue Systems, Inc. All Rights Reserved

Copyright (C) 2004 Antonino Daplas <adaplas@pol.net>

Copyright (C) 2003 Jerome Marchand, Bull S.A. * Cleaned up by David Mosberger-Tang <davidm@hpl.hp.com> * This file is released under the GPLv2, or at your option any later version.

(C) 2004 William Irwin, Oracle

Copyright (C) 2004 Richard Curnow *

Copyright 1995 Roger C. Pao

Copyright (c) 1997, 1999-2000 Dag Brattli <dagb@cs.uit.no>, * All Rights Reserved

Copyright (C) 1997,1998 Jakub Jelinek (jj@ultra.linux.cz) */

Copyright (c) 2002 Richard Zidlicky

Copyright (C) 2002, Rohit Seth <rohit.seth@intel.com> */

Copyright (c) 2000 Michael Leslie <mleslie@lineo.ca>

Copyright (C) 1995 by Ralf Baechle */#ifndef _ASM_SOCKIOS_H#define _ASM_SOCKIOS_H

Copyright (C) 2005 Jean Delvare <khali@linux-fr.org> * Based on the lm90 driver, with some ideas taken from the lm_sensors * lm92 driver as well.

Copyright 2002 Andi Kleen, SuSE Labs. * This hasn't been optimized for the hammer yet, but there are likely * no advantages to be gotten from x86-64 here anyways.

Copyright (C) 2001, 2002, 2003 Maciej W. Rozycki */

Copyright (C) 2000 Silicon Graphics, Inc. */#ifndef _ASM_SN_IO_H#define _ASM_SN_IO_H
 Copyright (C) 2001 Jun Nakajima <jun.nakajima@intel.com>
 Copyright 1995, Russell King. * * Based on the arm32 version by RMK (and others). Their copyrights apply
 to * Those parts. * Modified for arm26 by Ian Molton on 25/11/04
 (C) 2003-2004 by Harald Welte <laforge@netfilter.org> * based on ideas of Fabio Olive Leite
 <olive@unixforge.org> * * Development of this code funded by SuSE Linux AG, <http://www.suse.com/>
 Copyright (C) 2001 Niels Mvller.
 Copyright (C) 2003 Aurelien Alleaume <slts@free.fr>
 (C) Copyright 1995 by Geert Uytterhoeven <geert@linux-m68k.org> *
 Copyright (C) 1999, 2000, 2001, 2002, 2003 Axis Communications AB */
 Copyright (C) 2001 Alessandro Rubini and Jonathan Corbet
 Copyright 1995, Russell King. * Various bits and pieces copyrights include:
 Copyright (C) 1997, 1998 Ralf Baechle (ralf@gnu.org)
 Copyright (C) 1991, 1992 Linus Torvalds * * ext3 fs regular file handling primitives
 Copyright (C) 2003-2005 Benjamin Herrenschmidt. *
 copyright; see LICENSE.FlashPoint for details. * * \$Workfile: phase.c \$
 Copyright (c) 2000 Michael Leslie <mleslie@lineo.com> (mc68360) after:
 Copyright (C) 2003 Red Hat <alan@redhat.com> */
 Copyright (c) by Jaroslav Kysela <perex@suse.cz> * Routines for control of ESS ES1688/688/488 chip *
 (C) 1997 Carnegie Mellon University * * Carnegie Mellon encourages users of this code to contribute
 improvements * to the Coda project. Contact Peter Braam <coda@cs.cmu.edu>.
 Copyright 2002 Rusty Russell <rusty@rustcorp.com.au> IBM Corporation */#ifndef
 _LINUX_KALLSYMS_H#define _LINUX_KALLSYMS_H
 Copyright (C) 1999 Don Dugger <don.dugger@intel.com> */
 Copyright (C) 1996 David S. Miller (dm@sgi.com) * Compability with board caches, Ulf Carlsson */#include
 <linux/kernel.h>#include <asm/sgialib.h>#include <asm/bcache.h>
 (C) 1998 Tom Lees <tom@lpsg.demon.co.uk> * Minor reorganizations by David Hinds
 <dahinds@users.sourceforge.net>
 Copyright (C) 2001,2002 Simon Evans <spse@secret.org.uk>
 Copyright (C) 2000 Silicon Graphics, Inc. * Written by Ulf Carlsson (ulfc@engr.sgi.com) */
 (C) 1992, 1993, 1994 Eric Youngdale Modified for ISO 9660 filesystem. *
 Copyright (C) 1996-1999 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
 Copyright (C) 2004 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Jan Glauber
 <jan.glauber@de.ibm.com> */
 Copyright (C) 2004 convergence GmbH * * Written by Ralph Metzler * Overhauled by Holger Waechtler *
 Kernel I2C stuff by Michael Hunold <hunold@convergence.de>
 Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org) * Rewritten by Cort Dougan (cort@cs.nmt.edu)
 for PReP
 Copyright 1996,1997 David S. Miller (davem@caip.rutgers.edu)
 Copyright (C) 1992 Drew Eckhardt
 Copyright 2002 Intel Corp.
 Copyright 2001 by Frode Isaksen <fisaksen@bewan.com>
 Copyright (C) 2000 MIPS Technologies, Inc. * written by Carsten Langgaard, carstenl@mips.com
 */#include <linux/config.h>#include <asm/asm.h>#include <asm/cachectl.h>#include <asm/fpregdef.h>
 Copyright (C) 1998 Dave Perks <dperks@ibm.net> * * bttv - Bt848 frame grabber driver
 Copyright (C) 2003 David S. Miller (davem@redhat.com) */
 Copyright (c) 2002 by Jeff Mahoney, <jeffm@suse.com> *
 Copyright 1999 Hewlett Packard Co. *
 (C)Copyright 2002-2004 Marvell. * * Driver for Marvell Yukon/2 chipset and SysKonnect Gigabit
 Ethernet * Server Adapters.
 Copyright (c) 1997,1998 Werner Koch (dd9jn)
 Copyright (C) 1999 Vijay Chander <vijay@engr.sgi.com> */#include <linux/config.h>
 Copyright (C) 2004 Texas Instruments, Inc.
 Copyright (c) 2003 Will Schmidt IBM Corporation.
 Copyright (C) 2001 Cristian M. Craciunescu <cristi@dnt.ro>
 Copyright 1999-2000 Red Hat Software --- All Rights Reserved
 Copyright (C) 1998 Michael AK Tesch (tesch@cs.wisc.edu) * * Modifications to run under Linux
 Copyright (c) 1996, 1998, 1999, 2004 by Ralf Baechle
 Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org) * * Derived from "arch/i386/kernel/sys_i386.c"

* Adapted from the i386 version by Gary Thomas * Modified by Cort Dougan (cort@cs.nmt.edu) *
 Copyright (C) 1996 SpellCaster Telecommunications Inc. * * structures, macros and defines useful for
 sending * messages to the adapter
 Copyright (C) 2000 Thomas Sailer (sailer@ife.ee.ethz.ch)
 Copyright (C) 2000 Al Borchers <borchers@steinerpoint.com>
 Copyright (C) 2004 Paul Mackerras, IBM Corp.
 (c) Copyright 1999 Grant Grundler for Hewlett-Packard
 Copyright (C) 1992 - 1997, 2000-2004 Silicon Graphics, Inc. All rights reserved
 Copyright (C) 1999 by Kaz Kojima */
 Copyright 2001 VA Linux Systems, Inc., Sunnyvale, California.
 Copyright (C) 2002 Dennis Noermann <dennis.noermann@noernet.de>
 Copyright 2002 MontaVista Software Inc. * * the kernel patch "mmcdev-patch-245" by HP has the following
 * copyright notice:
 Copyright (C) 1995, 1996 by Volker Lendecke * Modified 1997 Peter Waltenberg, Bill Hawes, David
 Woodhouse for 2.1 dcache *
 Copyright (C) 1998 Dave Perks <dperks@ibm.net>
 (C) Copyright 1994 Linus Torvalds
 Copyright (C) 2001 Antonino Daplas<adaplas@pol.net>
 Copyright (C) 2000 Jungjun Kim, Hynix Semiconductor Inc.
 (C) 2000,2001 by Harald Welte <laforge@netfilter.org>
 Copyright (C) 1996, 97, 99, 2000, 03, 04 by Ralf Baechle */
 Copyright (C) 1991, 1992, 1993, 1994 Linus Torvalds
 Copyright 2000 MontaVista Software Inc. * Author: MontaVista Software, Inc. * ppopov@mvista.com
 or source@mvista.com * * This file was derived from Carsten Langgaard's * arch/mips/mips-b
 Copyright (C) 2001 Greg Banks <gnb@alphalink.com.au>
 Copyright (C) 2003 Red Hat Inc * * Thanks to HighPoint Technologies for their assistance, and
 hardware. * Special Thanks to Jon Burchmore in SanDiego for the deep pockets, his * donation of an AB
 Copyright (c) 1994-97 Martin Buck <martin-2.buck@student.uni-ulm.de> * Read COPYING for more
 information *
 copyright; see LICENSE.FlashPoint for details.
 Copyright (C) 2002, Greg Ungerer (gerg@snapgear.com) * * Based on older entry.S files, the following
 copyrights apply: *
 Copyright (C) 1992-2000 Don Kim (don.kim@esstech.com)
 (C) 2004 Zou Nan hai <nanhai.zou@intel.com>.
 Copyright (C) 2002, 2003, 2004 Dell Inc. * by Matt Domsch <Matt_Domsch@dell.com> * disk signature
 by Matt Domsch, Andrew Wilks, and Sandeep K. Shandilya * legacy CHS by Patrick J. LoPresti <patl
 Copyright (C) 1998 Ralf Baechle */
 Copyright (c) 1998 * Daniel PirkI <daniel.pirkI@email.cz> * Charles University, Faculty of Mathematics and
 Physics * * from
 Copyright (C) 2004 Michael Geng (linux@MichaelGeng.de)
 Copyright (C) 1999, Linus Torvalds *
 Copyright (C) 2005 Silicon Graphics, Inc. All Rights Reserved
 Copyright (C) 1998 Philip Blundell <philb@gnu.org> * * Do the dirty work of rebooting the machine.
 Basically we need to undo all the * good stuff that head.S did when we started up. The caches
 Copyright 2001 MontaVista Software Inc. * Author: Jun Sun, jsun@mvista.com or jsun@junsun.net * *
 arch/mips/ddb5xxx/ddb5476/pci_ops.c * Define the pci_ops for DB5477.
 Copyright (C) 1994-1998 Linus Torvalds */
 Copyright (c) 2000-2003 David McCullough <davidm@snapgear.com>
 Copyright (C) 2002 David Howells (dhowells@redhat.com) * - Incorporating suggestions made by Linus
 Torvalds */
 Copyright (C) 2003 Sean McGoogan (Sean.McGoogan@superh.com) * * IRQ functions for the SuperH SH4-
 202 MicroDev board.
 Copyright (c) 2004 Dmitry Torokhov */
 Copyright (C) 1999 Niibe Yutaka */
 (C) Copyright 2000 John Fremlin <vii@penguinpowered.com>
 Copyright (c) 2000-2002 Wolfgang Denk, DENX Software Engineering. * * Support for AMD AM79C874
 added. * Thomas Lange, thomas@corelatus.com
 Copyright (C) 1995, 1996, 1997, 1998, 1999, 2000, 2003 by Comtrol, Inc.
 Copyright 1996-1999 Thomas Bogendoerfer * * Derived from the lance driver written 1993,1994,1995

by Donald Becker.
 (C) Copyright 2004 John Lenz
 Copyright (C) 2004 Keith M Wesolowski *
 Copyright (c) 2002 Hewlett-Packard Co/CERN Sverre Jarpe <Sverre.Jarpe@cern.ch>
 Copyright (C) 1998, 1999 Richard Henderson * * Code supporting the RAWHIDE.
 Copyright (C) 2003 Ralf Baechle */#ifndef _ASM_MACH_IP22_CPU_FEATURE_OVERRIDES_H#define
 _ASM_MACH_IP22_CPU_FEATURE_OVERRIDES_H
 Copyright (C) 2004 MontaVista Software, Inc. */
 Copyright (C) 2004 Embedded Edge, LLC <dan@embeddededge.com> * * 2.6 port by Matt Porter
 <mporter@kernel.crashing.org>
 Copyright 1997-1998 Transmeta Corporation -- All Rights Reserved
 Copyright (c) 1994-2000 Justin T. Gibbs.
 Copyright (C) 2002 Greg Ungerer (gerg@snapgear.com)
 Copyright (C) 1997, 01, 05 Ralf Baechle
 Copyright (C) 2004 Ryan S Arnold, IBM Corporation * * PPC64 virtual I/O console server support.
 Copyright (C) 1996 The Australian National University.
 Copyright (c) by James Courtier-Dutton <James@superbug.demon.co.uk> * Driver p16v chips * Version:
 0.21 * * FEATURES currently supported:
 Copyright (c) 1996, 2003 VIA Networking Technologies, Inc.
 Copyright (C) 1999--2000 Geert Uytterhoeven * * Based on the PCI version: *
 Copyright (C) 2002, 2003 IBM Deutschland Entwicklung GmbH, * IBM Corporation
 * Author(s): Arnd Bergmann (arndb@de.ibm.com) * Martin Schwidefsky
 (schwidefsky@de.ibm.com) * * based on
 Copyright (C) 1995, 1996 Russell King.
 Copyright (c) 1999-2000 Philipp Rumpf <prumpf@tux.org>
 Copyright (C) 2000 James Simmons (jsimmons@linux-fbdev.org)
 Copyright (C) 1992-1997, 2000-2003 Silicon Graphics, Inc.
 Copyright (C) 1994 Hamish Macdonald * * Delay routines, using a pre-computed "loops_per_jiffy" value.
 Copyright (C) 2000 Netgem S.A. * * \$Id: docecc.c,v 1.5 2003/05/21 15:15:06 dwmw2 Exp \$
 Copyright (C) 2004 Nokia Corporation
 Copyright (C) 1999, 2000, 2001 Silicon Graphics, Inc. */#ifndef _ASM_PGTABLE_64_H#define
 _ASM_PGTABLE_64_H
 (c) Copyright 2000-2001 Marek Michalkiewicz <marekm@linux.org.pl> * * Based on acquirewdt.c which
 is based on wdt.c.
 Copyright (C) 1999 by Ralf Baechle */#ifndef _ASM_SN_SN0_HUBMD_H#define
 _ASM_SN_SN0_HUBMD_H
 Copyright 2002 Andi Kleen, SuSE Labs.
 Copyright (C) 1996 Paul Mackerras * Amiga/APUS changes by Jesper Skov (jskov@cygnus.co.uk). * *
 Derived from "arch/i386/mm/init.c"
 Copyright (C) 1998, 1999, 2001 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>
 * Stephane Eranian <eranian@hpl.hp.com> * * 01/19/99 S.Eranian heavily enhanced version (see
 details be
 Copyright (C) 2000 SiByte, Inc.
 Copyright (C) 2004 David Gibson <dwg@au.ibm.com>, IBM * * Based on earlier C version:
 Copyright (C) 1998 Phil Blundell * * Changelog:
 Copyright (C) 2000 Cesar Miquel (miquel@df.uba.ar)
 Copyright (C) 2000 Harald Koerfgen * * RTC routines for IP32 style attached Dallas chip.
 Copyright (C) 1992,1993,1994,1997 | W. Metzenthen, 22 Parker St, Ormond, Vic 3163,
 Australia | | E-mail billm@suburbia.net | |
 Copyright (C) 1998, 1999 by Ralf Baechle */#ifndef _ASM_UCONTEXT_H#define _ASM_UCONTEXT_H
 Copyright (C) 1999 David S. Miller (davem@redhat.com) */
 Copyright 2001,2002,2003 MontaVista Software Inc.
 Copyright (C) 1996 Russell King
 Copyright (C) 2004 Ralf Baechle (ralf@linux-mips.org) */#ifndef _ASM_R4KCACHE_H#define
 _ASM_R4KCACHE_H
 Copyright (c) 2003-2004 IBM Corp. * * This file is released under the GPLv2
 Copyright 2002 Ones and Zeros, Inc.
 Copyright (C) 1997 David S. Miller (davem@caip.rutgers.edu)
 copyright * 1986, 1989, 1990 by Abacus Research and Development, Inc. (ARDI) * It is used here by the

permission of ARDI's president Cliff Matthews. */
 Copyright (C) 2001-2003 Helge Deller <deller@gmx.de>
 Copyright (C) 1996 by Scott Laird
 Copyright (C) 1991, 1992, 1993, 1994 Linus Torvalds * Swap reorganised 29.12.95, Stephen Tweedie */
 Copyright (C) 1998 Harald Koerfgen
 Copyright (c) 2001, 2002 Adaptec Inc. * All rights reserved
 Copyright (C) 1997 Eric Youngdale * * SCSI error/timeout handling * Initial versions: Eric Youngdale.
 Based upon conversations with * Leonard Zubkoff and David Miller
 Copyright (C) 2005 Sean Young <sean@mess.org>
 Copyright (C) 2001-2003 Silicon Graphics, Inc. All rights reserved
 copyright information. */
 Copyright (C) 2000-2001, 2003 Hewlett-Packard Co * Stephane Eranian <eranian@hpl.hp.com>
 Copyright (C) 1991, 1992 Linus Torvalds * * table of configured filesystems
 Copyright (C) 1996 Olaf Kirch <okir@monad.swb.de> */
 Copyright (c) 2002 Thiemo Seufer */#include <linux/tty.h>#include <linux/major.h>#include
 <linux/init.h>#include <linux/console.h>#include <linux/fs.h>#include <asm/signalib.h>
 Copyright 2003-2004 Red Hat Inc
 Copyright (c) 2001-2002 Axis Communications AB */
 Copyright (C) 1998,99 Takashi Iwai <tiwai@suse.de>
 Copyright (C) by Paul Barton-Davis 1998 * Some portions of this file are derived from work that is: *
 Copyright (c) 2000 Leung, All Rights Reserved
 Copyright (C) 2002-2005 Roman Zippel <zippel@linux-m68k.org>
 Copyright (c) 1992 Dana L. How.
 Copyright (C) 2000, 2001 Paolo Alberelli * * benedict.gaster@superh.com: 3rd May 2002 * Added
 support for ramdisk, removing statically linked romfs at the same time. *
 Copyright (C) 1998-2003 Michael Hunold <michael@mihu.de>
 Copyright 2004 Freescale Semiconductor, Inc
 Copyright (c) 1999 Jakub Jelinek (jakub@redhat.com) * * and additional input from James Simmon's port of
 Hannu Mallat's tdfx * driver.
 Copyright (C) 1998-2001, 2003 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>
 */
 Copyright (C) 1998 Philip Blundell <philb@gnu.org> * * This file contains the HP300-specific kernel
 symbols. None yet. :-)
 Copyright (c) 2004, 2005 Jeroen Vreeken (pe1rxq@amsat.org)
 Copyright (C) 1999-2005 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> * *
 Derived from the x86 and Alpha versions.
 (C) Copyright 1996 Linus Torvalds * * H8/300 version by Yoshinori Sato
 Copyright (c) 1997-1999 Dag Brattli <dagb@cs.uit.no>,
 Copyright (C) 1994 David Carter * * with work by William Rucklidge (wjr@cs.cornell.edu) *
 Geert Uytterhoeven * Jes Sorensen (jds@kom.auc.dk) *
 Martin Apel
 Copyright 2002-2003 by Armin Schindler (mac@melware.de)
 Copyright (C) 1998-2002 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>
 */#include <linux/sched.h>#include <linux/kernel.h>#include <linux/mm.h>#include
 <linux/smp_lock.h>#include
 Copyright (C) 1998 Elmer Joandiu, elmer@ylenurme.ee
 Copyright (C) 2001-2003, SnapGear Inc. (www.snapgear.com) */
 Copyright (C) 2003 BULL SA.
 Copyright (C) 1997-1998 Inside Out Networks, Inc.
 Copyright (C) 2004 Lineo Solutions, Inc.
 Copyright (C) 1996 Larry Ewing (lewing@isc.tamu.edu)
 Copyright 1994-2000 retained by the original author, Donald Becker. The timer-based reset code was
 supplied in 1995 by Bill Carlson, wwc@super.org.
 Copyright (C) 1995, 1996 Stoned Elipot
 Copyright (C) by Paul Barton-Davis 1998 * * Some portions of this file are taken from work that is
 Copyright (C) 1998 Paul Mackerras * * This file is derived from the Powermac "chips" driver:
 Copyright (C) 2002 Hirokazu Takata, Takeo Takahashi
 Copyright (C) 2000 Lineo Inc. (www.lineo.com)
 Copyright (c) 2001 by Takashi Iwai <tiwai@suse.de>

Copyright (C) 1999,2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Hartmut Penner (hp@de.ibm.com) */

(C) 2004 Paul Serice - The new inode scheme requires switching * from iget() to iget5_locked() which means * the NFS export operations have to be h

Copyright (C) 1993, 1994, 1995, 1996, 1997 Free Software Foundation, Inc.

Copyright (C) 2003 David Brownell *

Copyright (C) 1999 by Ralf Baechle */#ifndef _ASM_SGI_SNO_HUBNI_H#define _ASM_SGI_SNO_HUBNI_H

Copyright 2001 MontaVista Software Inc. * Author: Jun Sun, jsun@mvista.com or jsun@junsun.net * * arch/mips/momentum/ocelot_g/pci.c * Board-specific PCI routines for mv64340 controller.

Copyright (C) 2001 by Hiroyuki Kondo */

Copyright (C) 2002 Paul Mundt */

Copyright (C) 2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Ingo Adlung (adlung@de.ibm.com) */

Copyright (C) 1995 Jay Estabrook

Copyright (C) 2001 PPC64 Team, IBM Corp

Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) */#ifndef _SPARC_AUXIO_H#define _SPARC_AUXIO_H

Copyright (C) 1999 Andrew R. Baker (andrewb@uab.edu) * - Indigo2 changes * - Interrupt handling fixes

(C) Copyright 2002 Hewlett-Packard Company * * Bus Glue for Sharp LH7A404

Copyright (C) 1999, 2000 Ralf Baechle

(C)Copyright 2002-2003 Marvell. * * Driver for Marvell Yukon chipset and SysKonnect Gigabit Ethernet * Server Adapters.

Copyright (C) 1998 Alan Bair

Copyright (c) 2000-2005 Silicon Graphics, Inc. All rights reserved

Copyright (c) 1999 Grant Erickson <grant@lcse.umn.edu> * * Module name: ppc403_pic.c

Copyright (C) 2001 Deep Blue Solutions Ltd

Copyright (C) 2004, 2005 MIPS Technologies, Inc. All rights reserved

Copyright 1995-1996 by Mylex Corporation. All Rights Reserved

Copyright (C) 1992,1994,1997 | W. Metzenthen, 22 Parker St, Ormond, Vic 3163, | | Australia. E-mail billm@suburbia.net | |

(c) Copyright 1999 Matthew Wilcox

Copyright (C) 2000 Silicon Graphics, Inc. * Written by Ulf Carlsson (ulfc@engr.sgi.com) * * Based on code written by Paul Gortmaker.

Copyright: MontaVista Software Inc. * * Code specific to PXA21x/25x/26x variants.

Copyright (c) 1998-2001 Axis Communications AB * * csum_partial(const unsigned char * buff, int len, unsigned int sum)

Copyright 2000, 2002 Hewlett-Packard Development Company, L.P.

Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) *

Copyright (C) 1995, 1996 by Paal-Kr. Engstad and Volker Lendecke

Copyright (C) 1996 Paul Mackerras. */#include <linux/config.h>#include <linux/string.h>#include <asm/machdep.h>#include <asm/io.h>#include <asm/page.h>#include <linux/adb.h>#include <linux/pmu

Copyright (C) 1996, 1997, 2001 Ralf Baechle

Copyright (C) 2001,03 NEC Electronics Corporation

Copyright (c) 2002 by Takashi Iwai <tiwai@suse.de> * * Many codes borrowed from audio.c by * Alan Cox (alan@lxorguk.ukuu.org.uk) * Thomas Sailer (sailer@ife.ee.ethz.ch)

(C) Copyright 1999 Linus Torvalds *

Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin Schwidefsky (schwidefsky@de.ibm.com), */

Copyright (C) 1997, 2001 Ralf Baechle (ralf@gnu.org), * derived from r4xx0.c by David S. Miller (dm@engr.sgi.com). */#include <linux/init.h>#include <linux/kernel.h>#include <linux/sched.h>#incl

Copyright (C) 2002 Stuart Menefy (stuart.menefy@st.com) */

Copyright 2000 MontaVista Software Inc. * Author: MontaVista Software, Inc. * stevel@mvista.com or source@mvista.com

Copyright 2002 MontaVista Software Inc. * Author: Michael Pruznick, michael_pruznick@mvista.com *

(C) IBM Corporation, IBM Deutschland Entwicklung GmbH, 2000, 2001 * * \$Revision: 1.36 \$

Copyright 1995 (C) David S. Miller (davem@caip.rutgers.edu) * * Hacked to fit Sun3x needs by Thomas Bogendoerfer

Copyright (C) 2002 Maciej W. Rozycki */#include <linux/init.h>#include <linux/kernel.h>#include
<linux/module.h>
Copyright (C) 1998-99 Frodo Looijaard <frodo@dds.nl>
Copyright (C) 2004 Red Hat, Inc., James Morris <jmorris@redhat.com>
(C) IBM Corporation, IBM Deutschland Entwicklung GmbH, 1999,2000 * * This file is the interface of the
DASD device driver, which is exported to user space * any future changes wrt the API will resu
Copyright (C) 1996 Paul Mackerras. */#include <linux/config.h>
Copyright (C) 1998, 1999, 2003 Ralf Baechle */#ifndef _ASM_ASMMACRO_32_H#define
_ASM_ASMMACRO_32_H
Copyright (C) 1994-2003 Dario Ballabio.\n"); printk ("%s config options ->
tm:%d, lc:%c, mq:%d, rs:%c, et:%c, " "ip:%c, ep:%c, pp:%c.\n", driver_name, tag_mode,
YESNO(linked_comm
Copyright (C) 1995-1996 Jean-loup Gailly. * For conditions of distribution and use, see copyright notice in
zlib.h */
Copyright (C) 1999, 2000 Silicon Graphics, Inc. */#ifndef _ASM_UACCESS_H#define _ASM_UACCESS_H
Copyright 1996, 1997 Linux International.
Copyright (C) 1996,1997,1998 Russell King */
Copyright (C) 19yy name of author
Copyright 1994 by Robert de Vries
Copyright 1999-2001 Creative Labs, Inc. *
Copyright (c) 1999 Rt-Control Inc. <jeff@uclinux.org> * * Changes:
(C) IBM Corporation, IBM Deutschland Entwicklung GmbH, 1999,2000 * * \$Revision: 1.71 \$
Copyright (C) 2001-2004 by Thomas Winischhofer, Vienna, Austria.
Copyright 2002 SYSGO Real-Time Solutions GmbH * * The format for the command line is as follows: *
Copyright (c) 2002, 2003 The Regents of the University of * Michigan. All rights reserved
Copyright 2003-2004 Red Hat, Inc. All rights reserved
Copyright (c) 2002 James Morris <jmorris@intercode.com.au>
(C) Erik Mouw (J.A.K.Mouw@its.tudelft.nl), April 21, 2000 * * LART uses the LED as follows:
Copyright (c) 2000-2004 Jaroslav Kysela <perex@suse.cz>,
Copyright (C) 2000 ARM Limited, Deep Blue Solutions Ltd.
(C) 1998-1999 Dave Boynton
Copyright (c) 1998-2002 Axis Communications AB. * * The outline of this driver comes from skeleton.c.
copyright I put the copyright notice from the * frle-0.22 device driver. * Some code is based
on the nicstar driver by M. Welsh. * * Author: Rui Prior (rprior@inescn.pt) * P
Copyright 2000 Red Hat corp --- All Rights Reserved
(C) Copyright Yggdrasil Computing, Inc. 2000 * (usb_device_id matching changes by Adam J. Richter)
Copyright (C) 1992,1993,1995,1997 | W. Metzenthen, 22 Parker St, Ormond, Vic 3163,
Australia | | E-mail billm@suburbia.net | |
Copyright (C) 1997,1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz) */
Copyright (C) 2002-2003 Hewlett Packard Co * Stephane Eranian <eranian@hpl.hp.com> */static
int pfm_mck_pmc_check(struct task_struct *task, pfm_context_t *ctx, unsigned int cnum, uns
Copyright (C) 2002-2003 Romain Lievin <roms@tilp.info> * Released under the terms of the GNU GPL v2.0.
*
Copyright (C) 1992 Rick Sladkey * * OS-specific nfs filesystem definitions and declarations
(C) Copyright 2002 Hewlett-Packard Company * * OMAP Bus Glue
(C)Copyright 1998,1999 SysKonnct, * a business unit of Schneider & Koch & Co. Datensysteme GmbH.
* * See the file "skfddi.c" for further information.
Copyright (C) 1998-2003 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>
Copyright (C) 1998-1999, Aage Kvalnes <aage@cs.uit.no>
Copyright 2003 mjander * mjander@users.sourceforge.org
*****/#ifndef
_AU88X0_WT_H#define _AU88X0_WT_H
(C) Copyright 2000-2002, Greg Ungerer <gerg@snapgear.com> */#include <linux/mm.h>
Copyright (C) 1994-1996 Linus Torvalds * * Copied from i386; many of the especially older MIPS or ISA-
based platforms * are basically identical. Using this file probably implies i8259 PIC * supp
Copyright (c) 2001 Wolfgang Denk (wd@denx.de) */
Copyright (c) David L. Mills 1993 * * * Permission to
use, copy, modify, and distribute this software and its * * docum
Copyright (c) 2003-2004 Silicon Graphics Inc. All Rights Reserved

Copyright (C) 2004 Alan Modra (amodra@au.ibm.com)), IBM Corp.
(c) Copyright 2000-2004 Grant Grundler <grundler@parisc-linux.org>
Copyright (C) 1996 Manish Vachharajani (mvachhar@noc.rutgers.edu) *
Copyright (c) 1999 Andreas Gal
Copyright (C) 1997,1998 Patrik Rak (prak3264@ss1000.ms.mff.cuni.cz) * * Streams & timod emulation
based on code
Copyright (c) 2001, 2002 Hiroyuki Kondo * * Taken from mips version.
(C) values. * (high-low) */#define RX_VALID 0x0080 /* R: set; tell adapter with
* RECEIVE.VALID interrupt. * C: reset
to zero.
Copyright (C) 2004 MontaVista Software Inc. * Manish Lachwani, mlachwani@mvista.com */
(C) Copyright 1999, Greg Ungerer (gerg@snapgear.com)
Copyright (C) 2003 Takashi Kusuda <kusuda-takashi@hitachi-ul.co.jp> * Based on
arch/sh/boards/se/7300/irq.c * * Modified for SH-Mobile SolutionEngine 73180 Support * by
YOSHII Takashi
Copyright (C) 2002 MontaVista Software, Inc. * * Separated FPGA interrupts from innovator1510.c and
cleaned up for 2.6
(C) 2001 MontaVista Software, Inc. (source@mvista.com)\n");}
Copyright (c) 1996, 1999 by Ralf Baechle */#include <linux/errno.h>#include <asm/asm.h>#include
<asm/offset.h>#include <asm/regdef.h>
Copyright 2001 by Kai Gernaschewski <kai.gernaschewski@gmx.de> * 2001 by Karsten Keil
<keil@isdn4linux.de> * * based upon Karsten Keil's original avm_pci.c driver
Copyright (C) 2004 Ian Campbell.
Copyright (C) 1994-2000 Algorithmics Ltd.
Copyright (c) 2004 Li Shaohua <shaohua.li@intel.com>
Copyright (c) 1997, 1998, 2000 Justin T. Gibbs.
Copyright (C) 2003-04 Adaptec Inc. * <achim_leubner@adaptec.com> * *
* * Additions/Fixe
Copyright (C) 1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz) * * Based upon preliminary work which is: *
Copyright (C) 2003 Sistina Software * * This file is released under the GPL.
Copyright (C) 1993 Greg Harp * Portions of this driver are based on code contributed by Brad Peppers * *
revised 28.5.95 by Joerg Dorchain * - now no bugs(?) any more for both HD & DD * - a
Copyright (C) 1994 - 2001, 2003 Ralf Baechle */#include <linux/init.h>#include
<linux/interrupt.h>#include <linux/kernel.h>#include <linux/spinlock.h>
Copyright (C) 1997 - 2000, 2003, 04 Ralf Baechle (ralf@linux-mips.org) */#include
<linux/kernel.h>#include <linux/init.h>#include <linux/pci.h>
Copyright (C) 2000 Gerhard Tonn (ton@de.ibm.com)
Copyright (C) 2002 NEC Corporation * * All rights reserved
(C) Copyright Deti Fliegl 1999 (new USB architecture)
Copyright(C) 1996,1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz) */
Copyright (c) 2000 Ericsson Radio Systems AB. * * Make use of MII for PHY control configurable. * Some
fixes.
Copyright (C) 2001-2002 Jan-Benedict Glaw <jbglaw@lug-owl.de> * * This driver is at all a modified
version of Erik Mouw's * Documentation/DocBook/procfs_example.c, so: thank * you, Erik! He can be
Copyright (C) 2001 NEC Corporation
(c) Copyright 2000, 2001 Red Hat Inc * * Development of this driver was funded by Equinet Ltd *
http://www.equinnet.com
Copyright (C) International Business Machines Corp., 2002,2004 * Author(s): Steve French
(sfrench@us.ibm.com) * * Common Internet FileSystem (CIFS) client
Copyright (C) 1998 Eddie C. Dost (ecd@skynet.be) */
Copyright (C) by Hannu Savolainen 1993-1996\n"); cfg.irq = irq; cfg.dma = dma;
cfg.io_base = io;
Copyright 2004 Embedded Edge, LLC * dan@embeddededge.com * * Mostly copied from the au1000.c
driver and some from the * PowerMac dbdma driver. * We assume the processor can do memory coherent
DMA
Copyright (C) Luke Kenneth Casson Leighton 1997-2001.
Copyright (C) 2003 Develer S.r.l. (http://www.develer.com/) * Author: Bernardo Innocenti
<bernie@codewiz.org> * * Based on linux/include/asm-i386/serial.h
Copyright (c) by Jaroslav Kysela <perex@suse.cz> * Creative Labs, Inc. * Routines for control
of EMU10K1 chips / PCM routines

Copyright (C) 1996 Peter J. Braam <braam@maths.ox.ac.uk>, * Michael Callahan
 <callahan@maths.ox.ac.uk> * * Redone for Linux 2.1
 Copyright (C) 1996 Universidade de Lisboa * * Written by Pedro Roque Marques (roque@di.fc.ul.pt)
 copyright 1994-2001 by Donald Becker.
 Copyright (C) 1999, Trond Myklebust <trond.myklebust@fys.uio.no> */
 (C) Copyright 1994 - 1997 Marco van Wieringen */
 Copyright (c) 1998 Alan Bair * * This file is based on the initial port to Linux of grf_cvreg.h: *
 Copyright (c) 2002, 2003 Axis Communications AB. */
 Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Ulrich Hild
 (first version) * Martin Schwidefsky (heavily optimized CKSM version) *
 Copyright (C) 2003, 2004 Ralf Baechle (ralf@linux-mips.org) */
 Copyright 2000,2001,2002 Red Hat. * * Written by Benjamin LaHaise <bcr1@kvack.org>
 Copyright (C) 1999 Philipp Rumpf <prumpf@tux.org>
 Copyright (c) 2003 Zinx Verituse <zinx@epicsol.org>
 Copyright (C) 1999, 2000 Silicon Graphics, Inc. */#ifndef _ASM_DELAY_H#define _ASM_DELAY_H
 Copyright 1999 by Ralf Spachmann (mel@melware.de)
 Copyright (C) 2003, 2004 Colin Leroy, Rasmus Rohde, Benjamin Herrenschmidt * * Documentation from *
 http://www.analog.com/UploadedFiles/Data_Sheets/115254175ADT7467_pra.pdf * http://www.analog.com
 Copyright (C) 1996 Paul Mackerras * Amiga/APUS changes by Jesper Skov (jskov@cygnus.co.uk). *
 PPC44x/36-bit changes by Matt Porter (mporter@mvista.com) * * Derived from "arch/i386/mm/init.c"
 Copyright (C) 2001 IBM.
 Copyright (c) 2004, 2005 Topspin Communications. All rights reserved
 Copyright: (C) 2000, 2001 MontaVista Software Inc.
 Copyright (C) 1997 Roman Hodek * * 10/01/99 cleaned up the code and changing to the same interface *
 used by other architectures /Roman Zippel
 Copyright 2002,2003 Andi Kleen, SuSE Labs. */#include <linux/kernel.h>#include <linux/init.h>#include
 <linux/string.h>#include <linux/module.h>#include <linux/nodemask.h>#include <asm/io.h>#in
 Copyright (C) 2001, 2003 Ladislav Michl */
 Copyright Alan Cox GW4PTS (alan@lxorguk.ukuu.org.uk)
 Copyright (C) 2000 Geert Uytterhoeven <geert@sonycom.com> * Sony Software
 Development Center Europe (SDCE), Brussels */#include <linux/init.h>#include <linux/irq.h>#include <l
 (C) 1993, Ralf Baechle, see gvp11.c for more info
 Copyright (C) 1996, 1999 Silicon Graphics, Inc.
 Copyright (c) 2002 Tomas Kasperek <tomas.kasperek@seznam.cz>
 Copyright (C) 2004 Intel
 Copyright (C) 2003 Christoph Hellwig (hch@lst.de)
 Copyright (c) 2001, 2002, 2003 Ladislav Michl <ladis@linux-mips.org>
 Copyright (C) 2001 Hewlett-Packard <bame@debian.org> */
 Copyright 1998 Red Hat corp --- All Rights Reserved
 Copyright (c) 2000-2001 Vojtech Pavlik
 Copyright (c) 2004 Silicon Graphics, Inc. * * 2003-10-10 Written by Simon Derr <simon.derr@bull.net> *
 2003-10-22 Updates by Stephen Hemminger. * 2004 May-July Rework by Paul Jackson <pj@sgi.co
 Copyright (C) 1996-2001 Paul Mackerras (paulus@cs.anu.edu.au)
 Copyright (C) 2000-2003, Axis Communications AB. */
 Copyright (C) 2002 Maciej W. Rozycki */
 Copyright (C) 1994 - 2000 Ralf Baechle */#include <linux/delay.h>#include <linux/init.h>#include
 <linux/ioport.h>#include <linux/interrupt.h>#include <linux/kernel.h>#include <linux/spinlock.h>
 Copyright (C) 2001 Helge Deller (deller a parisc-linux org)
 (C) 1994-98 W.Zimmermann\n");if (azt_port == -1) { printk ("aztcd:
 DriverVersion=%s For IDE/ATAPI-drives use ide-cd.c\n", AZT_VERSION); } else
 printk ("aztcd: DriverVersion=%s
 Copyright (C) 2004 Marc Singer
 (C) Copyright 1997 Alan Cox, Licensed under the GNU GPL * * Thu May 27 1999 Andrew J. Kroll
 <ag784@freenet..buffalo..edu> * left out exported symbol... fixed
 (C) 1999-2001 Marc Boucher <marc@mbsi.ca>
 Copyright (C) 1996, 1997 Claus Heine.
 Copyright: (c) 2000 Sangoma Technologies Inc.
 Copyright (C) 1993,1994 Jon Tombs.
 Copyright (C) 1998 Paul Mackerras. * * Various evolutions by Benjamin Herrenschmidt & Henry Worth
 Copyright (C) 1998 Jakub Jelinek (jj@ultra.linux.cz) * * 1999-08-19 Fixed socketpair code * Jason

Rappleye (rappleye@ccr.buffalo.edu)
 Copyright 2002 Embedded Edge, LLC * Author: dan@embeddededge.com * * Sleep helper for Au1xxx sleep mode.
 Copyright (C) 1995, 1996 Russell King, Dave Alan Gilbert (gilbertd@cs.man.ac.uk) * * MFM hard drive code [experimental]
 Copyright 2002 Momentum Computer Inc. * Author: Matthew Dharm <mdharm@momenco.com> * * Based on work for the Linux port to the Ocelot board, which is
 Copyright (C) 2003 Megasolution Inc. <matsu@megasolution.jp>
 Copyright 1998-2000 Jonathan Teh Soon Yew): voltagefactor[0]=1.25/2628; (2628/1.25=2102.4) // Vccp voltagefactor[1]=1.25/2628; (2628/1.25=2102.4) // +2.5V voltagefactor[2]=1.67/2628; (2628/1.67
 Copyright (C) 2000 John G Dorsey <john * * This file contains definitions for the PCMCIA support code common to * integrated SOCs like the SA-11x0 and PXA2xx microprocessors.
 Copyright (C) 1996-1999 Russell King */#ifndef __ASM_ARM_CHECKSUM_H#define __ASM_ARM_CHECKSUM_H
 Copyright (C) 2005 Ralf Baechle (ralf@linux-mips.org) * * linux/arch/mips/vr4181/common/irq.c * Completely re-written to use the new irq.c
 Copyright (C) 1992 Krishna Balasubramanian and Linus Torvalds
 Copyright (C) 2001 Broadcom Corporation
 copyright details
 Copyright (C) 2004 IBM Corp. * * based on lib/kobject.c which was:
 Copyright (C) 2001 Dave Kennedy
 Copyright (C) Joerg Reuter DL1BKE (jreuter@yaina.de) */#include <linux/config.h>#include <linux/errno.h>#include <linux/types.h>#include <linux/socket.h>#include <linux/in.h>#include <linux/ker
 Copyright (c) 2004 by Castet Matthieu <castet.matthieu@free.fr> *
 Copyright (C) 2001, 2002 Paul Diefenbaugh <paul.s.diefenbaugh@intel.com>
 Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org) * * Adapted for Power Macintosh by Paul Mackerras
 Copyright (c) 2000-2001 Christoph Hellwig. * All rights reserved
 Copyright (C) 2001 IBM Corp. * * All rights reserved
 Copyright (c) 2003 Felix Domke <tmbinc@elitedvb.net>
 Copyright (C) 2004, 2005 Einar Lueck <elueck@de.ibm.com>
 Copyright (C) 1999, 2000 Kaz Kojima * * FIXME! These routines can be optimized in big endian case.
 Copyright (C) 2000 by Tim Waugh (added LPSETTIMEOUT ioctl) */
 Copyright (C) 1999 Niibe Yutaka
 Copyright (C) 2001 by James.Bottomley@HansenPartnership.com */
 Copyright (C) 2003 Sean McGoogan (Sean.McGoogan@superh.com) * * SuperH SH4-202 MicroDev board support.
 Copyright (C) 1998 Gleb Raiko
 copyright (0 = copy inhibited) * D1: 0 = digital audio / 1 = non-digital audio * * C6 upper channel status (digital serial data description) (CS4237B,CS4238B) * D7-D6: sample freque
 copyright: * Copyright (C) 2000, 2001 Paolo Alberelli * * Modification for compressed loader:
 Copyright (C) 1993 Hamish Macdonald * Greg Harp
 Copyright (c) 2001, 2002 Hiroyuki Kondo, Hirokazu Takata, * Hitoshi Yamamoto */
 Copyright (C) 1996-1997 Claus-Justus Heine
 Copyright (c) 2003 Matthew Wilcox <matthew@wil.cx> * * This file is where we call all the ethtool_ops commands to get * the information ethtool needs. We fall back to calling do_ioctl() * for dri
 Copyright (C) 2000 MIPS Technologies, Inc. */#ifndef _ASM_SYSTEM_H#define _ASM_SYSTEM_H
 Copyright (C) 1999, 2000, 2001, 2003, 2004
 Copyright: MontaVista Software, Inc.
 Copyright (c) 2002 Thibaut Varene <varenet@parisc-linux.org>
 (C) 2003 Robert Schwebel <r.schwebel@pengutronix.de>
 Copyright (C) 2004 Texas Instruments *
 Copyright(C) 1996 David S. Miller
 Copyright (C) 1991, 1992, 1996 Linus Torvalds * linux/fs/binfmt_flat.c for 2.0 kernel
 Copyright : %s\n", (status snd_iprintf(buffer, "Emphasis : %s\n", emphasis[(status & SPCS_EMPHASISMASK) >> 3]); snd_iprintf(buffer, "Mode : %i\n", (status &
 Copyright (C) 2003 Takashi Kusuda <kusuda-takashi@hitachi-ul.co.jp> * * SH-Mobile SolutionEngine 7300 support

(C) IBM Corporation, IBM Deutschland Entwicklung GmbH, 1999,2000 * * \$Revision: 1.10 \$
 Copyright (c) by Jaroslav Kysela <perex@suse.cz>
 Copyright (C) 2003-2004 MontaVista Software, Inc.
 Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Hartmut Penner
 (hp@de.ibm.com) * Ulrich Weigand (uweigand@de.ibm.com) * * Derived from "arch/i38
 Copyright (C) 1999, 2000 Silicon Graphics, Inc. */#include <asm/asm.h>#include <asm/offset.h>#include
 <asm/regdef.h>
 Copyright (C) 2002-2003 Dave Jones.
 Copyright (C) 1995 Russell King
 Copyright (C) 2002, 2003, 2004 Maciej W. Rozycki */#include <linux/init.h>#include
 <linux/kernel.h>#include <linux/mc146818rtc.h>#include <linux/module.h>#include
 <linux/string.h>#include <lin
 Copyright (C) 1998 Olivier A. D. Lebaillif * * Email: olivier.lebaillif@ifrsys.com
 (C) 2003 IBM Corporation by Martin Schwidefsky (schwidefsky@de.ibm.com);MODULE_DESCRIPTION
 ("Linux for S/390 IUCV special message driver");
 Copyright (C) 1998 Harald Koerfgen, Frieder Streffer and Paul M. Antoine
 Copyright (C) 1992 by Linus Torvalds * based on ideas by Darren Senn * * Fixes:
 Copyright (C) 1996, 1997, 1998, 1999, 2000, 03, 04 by Ralf Baechle
 Copyright (c) 2005 Dmitry Torokhov */
 Copyright (C) 1994 by Florian La Roche * - Do not copy data too often around in the kernel. * - In
 nfs_file_read the return value of kmalloc wasn't checked. * - Put in a better version of rea
 Copyright (C) 1998-1999 Dave Gilbert / Russell King
 Copyright (C) 1998 Jon Howell * * based on drivers/macintosh/platinum.c: Console support * for
 PowerMac "platinum" display adaptor.
 Copyright (C) 1995 Vadim V. Model * * model@cecmow.enet.dec.com * vadim@rbrf.ru *
 vadim@ipsun.ras.ru
 Copyright 1994-1998 by Fritz Elfert (fritz@isd4linux.de)
 (C) 2002 Tora T. Engstad
 Copyright (C) Terry Dawson VK2KTJ (terry@animats.net)
 Copyright (c) 1996 Paul Mackerras <paulus@cs.anu.edu.au> * Changes to accommodate Power
 Macintoshes. * Cort Dougan <cort@cs.nmt.edu> * Rewrites. * Grant Erickson <grant@lcse.umn.ed
 Copyright (C) 2002 Christoph Hellwig */
 COPYRIGHT | SPCS_NOTAUDIODATA; snd_emu10k1_ptr_write(emu, SPCS0 + i, 0,
 bits); }
 Copyright (C) 1998 IBM Corporation * Author(s): Martin Schwidefsky <schwidefsky@de.ibm.com> */
 Copyright (c) by Jaroslav Kysela <perex@suse.cz> * Uros Bizjak <uros@kss-loka.si> * *
 Routines for control of 8-bit SoundBlaster cards and clones * Please note: I don't have ac
 (C) Copyright 2000-2004 David Brownell <dbrownell@users.sourceforge.net> * * [Initialisation is based
 on Linus'] * [uhci code and gregs ohci fragments]
 Copyright (C) 1997 Dan Malek (dmalek@jlc.net). * Amiga/APUS changes by Jesper Skov
 (jskov@cygnus.co.uk). * * This file contains the low-level support and setup for the * PowerPC platform,
 inclu
 Copyright (C) 1998 Dan Jacobowitz * * Hardware information from:
 Copyright 2004 MontaVista Software Inc.
 Copyright (C) 1992, 1993, 1994, 1995 * Remy Card (card@masi.ibp.fr) * Laboratoire MASI - Institut Blaise
 Pascal * Universite Pierre et Marie Curie (Paris VI) * * Enhanced block allocation by Ste
 Copyright (c) 1999-2004 " MODULEAUTHOR#endif
 Copyright (c) 2000-2001 Vojtech Pavlik <vojtech@ucw.cz>
 Copyright 2002 Adam Belay <ambx1@neo.rr.com> *
 Copyright (C) 2002 Jenna Hall <jenna.s.hall@intel.com>
 Copyright: (c) 1995-2000 Sangoma Technologies Inc.
 Copyright Tomi Manninen OH2BNS (oh2bns@sral.fi) */#include <linux/types.h>#include
 <linux/socket.h>#include <linux/timer.h>#include <net/ax25.h>#include <linux/skbuff.h>#include
 <net/netrom.h>
 Copyright (C) 2003 Intel Corporation * Venki Pallipadi
 Copyright (C) 2003 Joshua Wise
 Copyright (C) 2004 Sylvain Munaut <tnt@246tNt.com>
 Copyright (C) 1996 David S. Miller (davem@caipfs.rutgers.edu) * * Based upon code written by Ross Biro,
 Linus Torvalds, Bob Manson, * and David Mosberger.

Copyright (C) 2003 Bernardo Innocenti <bernie@develer.com> * Based on former asm-ppc/div64.h and
asm-m68knommu/div64.h * * The semantics of do_div() are: *

Copyright (C) 2004 Patrick Mochel * 2005 Rudolf Marek <r.marek@sh.cvut.cz> * *

The 1563 southbridge is deceptively similar to the 1533, with a * few notable exceptions. One
of those happens

Copyright (c) 1999-2003 Mark W. McClelland

(C) 2003 David Woodhouse <dwmw2@infradead.org> * * Interface to Linux 2.5 block layer for MTD
'translation layers'.

Copyright (C) 1995, 1996 Olaf Kirch <okir@monad.swb.de>

Copyright (2004) Linus Torvalds * * Author: Zwane Mwaikambo <zwane@fsmllabs.com>

COPYRIGHT); snd_emu10k1_ptr_write(emu, SPCS1, 0, emu->spdif_bits[1] =
SPCS_CLKACCY_1000PPM | SPCS_SAMPLERATE_48 |
SPCS_CHANNELNUM_LEFT | SPCS_SOURCENUM_UNSPEC |
SPCS_GENERATIONSTATUS | 0x

Copyright (C) 2004 MontaVista Software Inc. * Author: Manish Lachwani, mlachwani@mvista.com * * First-
level interrupt dispatcher for Ocelot-3 board.

Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin
Schwidefsky (schwidefsky@de.ibm.com) * * Derived from "include/asm-i386/bitops.h"

Copyright (C) 2000, 2001 * Gary Brubaker (xavyer@ix.netcom.com) *

Copyright (C) 2002 SGI - Silicon Graphics, Inc <linux-xfs@oss.sgi.com> */#ifndef
_POSIX_ACL_XATTR_H#define _POSIX_ACL_XATTR_H

Copyright (C) 2000 Andrea Arcangeli <andrea@suse.de> SuSE */

Copyright 2002 SuperH Ltd.!! Entry: ARG0: destination pointer! ARG1: source pointer! ARG2: byte
count

Copyright (c) 1999 Dag Brattli <dagb@cs.uit.no>

Copyright (C) 2002, International Business Machines Corporation * All Rights Reserved

Copyright (C) 1999, 2000 Creative Labs, inc. *

(C) Copyright IBM Corp. 2002, 2004 * * Authors:

Copyright (C) 1995, 1996 Paul M. Antoine

Copyright (c) 2001-2002 PPC64 team, IBM Corp

Copyright (C) 2002-2003 Patrick Mochel <mochel@osdl.org> * * This file is released under the GPLv2.

Copyright 1999 ARM Limited

copyright follow. See wavelan_cs.p.h for details. * * This code is derived from Anthony D. Joseph's code
and all the changes here

Copyright 2002-2004 MontaVista Software, Inc. * PowerPC 44x support, Matt Porter
<mporter@kernel.crashing.org>

Copyright (C) 2001-2005 Stelian Pop <stelian@popies.net> *

Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) * * Generalization by Jesper Skov
(jskov@cygnus.co.uk)

Copyright (c) 2003-2004 J * * Usage: *

Copyright 2004 Jon Smirl <jonsmirl@gmail.com>

Copyright (C) 2002 Al Stone <ahs3@fc.hp.com>

Copyright (C) 2001 Altera Corporation

Copyright (C) 1997 Geert Uytterhoeven

Copyright (C) 1998 Bernd Harries

Copyright (C) 1999 Tetsuya Okada

Copyright (C) 2002 - 2003 Dominik Brodowski <linux@brodo.de> *

Copyright (C) by Hannu Savolainen 1993-1996\n");

(C) 1998-2001 Ben Fennema

Copyright (C) 1996 Olaf Kirch, <okir@monad.swb.de> * * TCP NFS related read + write fixes

Copyright (C) 2000 Steven J. Hill (sjhill@realitydiluted.com) *

Copyright (C) 1996, 1997, 1998, 2000, 2001 by Ralf Baechle */#ifndef _ASM_WATCH_H#define
_ASM_WATCH_H

Copyright (C) Leigh Brown 2002.

Copyright (c) 2000 Daniel Egger <egger@suse.de>

Copyright (C) 1998-2000 Andre Hedrick <andre@linux-ide.org>

Copyright (C) 2001-2004, SnapGear Inc. (www.snapgear.com) *

Copyright (c) 2004-2005 Richard Purdie * * Based on Sharp's 2.4 kernel patches

Copyright (C) 2002,2003 NEC Corporation * * All rights reserved

Copyright (c) 2004-2005 Simtec Electronics * <http://www.simtec.co.uk/products/SWLINUX/> *
Ben Dooks <ben@simtec.co.uk> * * S3C24XX CPU Support

Copyright (c) 2001 Hitoshi Yamamoto

Copyright (C) 2002 Thomas Gleixner (tglx@linutronix.de) * * \$Id: nand_ids.c,v 1.10 2004/05/26 13:40:12 gleixner Exp \$

Copyright (C) 2004 Intel Corporation * Ashok Raj <ashok.raj@intel.com> * * 05/26/2000 S.Eranian
initial release * 08/21/2000 S.Eranian updated to July 2000 PAL specs * 02/05/2001 S.Eranian fix

Copyright (c) 2002 Monta Vista Software, Inc. * * Support for OMAP1510/1610 by Dirk Behme
<dirk.behme@de.bosch.com>

Copyright (C) 2004 Andriy Skulysh <askulysh@image.kiev.ua> */

Copyright 2000 Silicon Graphics, Inc. */#ifndef __ASM_SN_MAPPED_KERNEL_H#define
__ASM_SN_MAPPED_KERNEL_H

Copyright (C) 2003-2004 Bartlomiej Zolnierkiewicz * * The big the bad and the ugly.

Copyright 2000 Precision Insight, Inc., Cedar Park, Texas.

Copyright (C) 2000, 2001, 2002, 2003 Maciej W. Rozycki */#include <linux/sched.h>#include
<linux/interrupt.h>#include <linux/param.h>#include <linux/console.h>#include <linux/init.h>#include <
copyright of skeleton.c was as follows: * * skeleton.c Written 1993 by Donald Becker.

Copyright (C) 2002 Mark D. Studebaker <mdsxyz123@yahoo.com>

Copyright (C) 1991, 1992, 1995, 2001, 2002 Linus Torvalds * * This file contains the v850-specific time
handling details. * Most of the stuff is located in the machine specific files.

Copyright (C) 1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz)

Copyright (c) 1998 Dan Malek (dmalek@jlc.net) */#ifndef __KERNEL__#ifndef __MACH_RPX_DEFS#define
__MACH_RPX_DEFS

Copyright (C) 1996-1998 Martin Mares <mj@atrey.karlin.mff.cuni.cz> * * Derived from network
configuration code in fs/nfs/nfsroot.c,

Copyright (c) 1997 Dan Malek (dmalek@jlc.net) * * The I/O on the MPC860 is comprised of blocks of special
registers * and the dual port ram for the Communication Processor Module. * Within this sp

Copyright (C) 1994, 1995, 1996 scott snyder <snyder@fnald0.fnal.gov>

Copyright (C) 2001, 2002 Hitoshi Yamamoto

Copyright (c) 2001-2003 LSI Logic Corporation. *

(C) 2002 by Harald Welte <laforge@gnumonks.org> * * This software is distributed under GNU GPL v2,
1991

Copyright (C) 1991, 1992 Linus Torvalds * * ext2 directory handling functions

Copyright (C) 2003-2005 Alan Stern

Copyright 2004 J. Mayer <l_indien@magic.fr>

Copyright (c) 1997 Antonio Santos * * The original work is from the NetBSD CyberVision 64 framebuffer
driver * and support files (grf_cv.c, grf_cvreg.h, ite_cv.c): * Permission to use the source

Copyright : (c) Specialix International Ltd. 1998/*

// Description : Prototypes, structures and definitions
// describing the SX/SI/XIO board hardware */

Copyright (C) 2001, 2002, 2003 Liam Davies (ldavies@agile.tv) */#ifndef __ASM_COBALT_H#define
__ASM_COBALT_H

Copyright (C) 2002 Stuart Menefy

Copyright (C) 1999, 2000 Silicon Graphics, Inc. * Kevin D. Kissell, kevink@mips.com and Carsten
Langgaard, carstenl@mips.com

(C) 2002 Brian Murphy <brian@murphy.dk>

Copyright (C) 1997, 98, 99, 2000, 2003 Ralf Baechle

Copyright (C) 2004 MontaVista Softwrae, Inc. * * Maintainer: Deepak Saxena <dsaxena@plexity.net>

Copyright (C) 2004 by Ralf Baechle * * RTC routines for PC style attached Dallas chip with ARC epoch.

Copyright (C) 1994-1995 Bas Laarhoven.

Copyright (C) 2003, 2004 Paul Mundt <lethal@linux-sh.org>

Copyright (c) 1999 Pavel Machek <pavel@suse.cz>

(C) F6BB 1998 * * Tue Aug 25 20:24:08 1998

Copyright (c) 2003 The Regents of the University of Michigan. * All rights reserved

Copyright (C) 1999, 2000 Ingo Molnar, Red Hat

Copyright (C) 2000 Takashi Iwai <tiwai@suse.de> * * Routines for control of EMU10K1 WaveTable synth

Copyright (C) 1999-2003, Greg Ungerer <gerg@snapgear.com> */

Copyright (C) 2001, 2002, 2003 by Liam Davies (ldavies@agile.tv) */#include <linux/types.h>#include

`<linux/pci.h>#include <linux/kernel.h>#include <linux/init.h>`
 Copyright 1993, 1994: Eric Youngdale (ericy@cais.com). */
 Copyright (C) 2001 Manuela Cirronis, Paolo Alberelli
 Copyright (C) 1999 AbsoluteValue Systems, Inc. All Rights Reserved
 Copyright (C) 1998 Alan Cox *
 Copyright (C) 1999-2001 Hewlett-Packard Co * David Mosberger <davidm@hpl.hp.com> * * This stub
 allows us to make EFI calls in physical mode with interrupts * turned off. We need this because we c
 Copyright (C) 2002-2004 Yoichi Yuasa <yuasa@hh.iij4u.or.jp> * * Modified for TANBAC TB0219:
 Copyright (C) 1999 Don Dugger <Don.Dugger@intel.com>
 Copyright (C) 2000 Anton Blanchard (anton@samba.org) */
 Copyright (C) Steven Whitehouse * New nbd_end_request() for compatibility with new linux block *
 layer code. * 2003/06/24 Louis D. Langholtz <ldl@aros.net> * Remov
 (c) Copyright 1999 Grant Grundler
 (C) 2001-2004 Thomas Winischhofer.\n");
 Copyright (C) 1997 Michael AK Tesch * * with work by Jon Howell * Harry AC
 Eaton * Anthony Tong <atong@uiuc.edu>
 (C) Copyright 1998 Linus Torvalds * * These functions have a non-standard call interface * to make them
 more efficient, especially as they * return an error value in addition to the "real" * retu
 Copyright 2001 (c) Jean-Christophe Vaugois
 Copyright 1997 Linus Torvalds */#include <linux/config.h>#include <linux/mm.h>#include
 <linux/highmem.h>#include <linux/blkdev.h>#include <linux/module.h>#include
 <asm/uaccess.h>#include <asm/
 (C) 2001 Brad Hards
 (C) 2000 Nicolas Pitre <nico@cam.org> * * This code is GPL
 Copyright (c) 1998-1999 TiVo, Inc. * PowerPC 403GCX modifications.
 Copyright (c) by Jaroslav Kysela <perex@suse.cz> * Routines for control of AD1848/AD1847/CS4248 *
 Copyright (C) 1996, 2004 David S. Miller (davem@davemloft.net). * * Based heavily upon x86 variant
 which is:
 Copyright (C) 1992, 1994, 1995, 2000 Free Software Foundation, Inc.
 Copyright 1999 Red Hat, Inc.
 copyright(void); /
 Copyright (C) 1994-1995 Bas Laarhoven,
 Copyright : (c) Specialix International Ltd. 1999
 Copyright (c) 2002, 2003 Philip Pokorny <ppokorny@penguincomputing.com>
 Copyright (C) IBM Corporation, 2002, 2004 * * 2004-Oct Prasanna S Panchamukhi
 <prasanna@in.ibm.com> and Jim Keniston * kenistoj@us.ibm.com adopted from i386.
 Copyright (C) 1992,1993,1994,1995,1996,1997,1999
 Copyright (C) 2004 Thiemo Seufer */#include <linux/config.h>#include <linux/errno.h>#include
 <asm/asm.h>#include <asm/asmmacro.h>#include <asm/mipsregs.h>#include <asm/regdef.h>#include
 <asm/s
 Copyright (c) 1998 Hugo Fiennes * * 18-aug-2000: Cleanup by Erik Mouw (J.A.K.Mouw@its.tudelft.nl) *
 Get rid of the special ide_init_hwif_ports() functions * and make a ge
 Copyright (c) 2003 Embedded Edge, LLC.
 Copyright (C) 1998 D. Jeff Dionne <jeff@ryeham.ee.ryerson.ca>, * Kenneth Albanowski
 <kjahds@kjahds.com>, * The Silver Hammer Group, Ltd. * * linux/arch/
 Copyright (C) 1994, 95, 96, 97, 98, 99, 2003 by Ralf Baechle
 Copyright (C) 2001 Randolph Chung <tausq at parisc-linux.org>
 Copyright (c) 2002-3 Patrick Mochel
 Copyright (C) 1998-2000 Russell King
 (C) Erik Mouw (J.A.K.Mouw@its.tudelft.nl), April 21, 2000
 (C) Copyright 1999 Andrea Arcangeli */
 Copyright 2001 Red Hat, Inc.
 Copyright (C) 2002 IBM Deutschland Entwicklung GmbH, * IBM Corporation *
 Author(s): Cornelia Huck(cohuck@de.ibm.com) * Martin Schwidefsky
 (schwidefsky@de.ibm.com) * * Status accumulation
 (C) 1995 by Andreas Busse (andy@waldorf-gmbh.de) * * A driver for the onboard Sonic ethernet controller
 on Mips Jazz * systems (Acer Pica-61, Mips Magnum 4000, Olivetti M700 and * perhaps others,
 Copyright (c) 2001 Tony Luck <tony.luck@intel.com>
 Copyright (C) 1999,2001-2004 Silicon Graphics, Inc. All Rights Reserved

Copyright (C) 2002-2003 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> */
 Copyright (C) 1994,1999 | W. Metzenthien, 22 Parker St, Ormond, Vic 3163, | |
 Australia. E-mail billm@melbpc.org.au | |
 Copyright (C) 1998 Kenneth Albanowski <kjahds@kjahds.com>,
 Copyright (C) 2001 PPC 64 Team, IBM Corp
 Copyright Joern Engel <joern@wh.fh-wedel.de># Inspired by Linus Torvalds# Original idea maybe
 from Keith Owens# s390 port and big speedup by Arnd Bergmann <arnd@bergmann-dalldorf.de>#
 Mips port by
 Copyright (C) 1998 Randy Gobbel.
 Copyright (c) 2000 The Regents of the University of Michigan. * All rights reserved
 Copyright (C) 1997-2002 Russell king
 Copyright (C) 2001 Peter Bergner.
 Copyright (C) 1995 Linus Torvalds
 Copyright (C) 2003, 2004 Ralf Baechle */#ifndef
 __ASM_MACH_YOSEMITE_CPU_FEATURE_OVERRIDES_H#define
 __ASM_MACH_YOSEMITE_CPU_FEATURE_OVERRIDES_H
 Copyright (c) 1999 Dan Malek (dmalek@jlc.net)
 Copyright (C) 2004 Saito.K Interface Corporation. * * This file contains Interface CTP/PCI-SH03 specific
 LED code.
 (C) 1998 Dave Boynton
 Copyright 2001 Patrick Mochel <mochel@osdl.org> */#include <asm/desc.h>#include <asm/i387.h>
 Copyright (C) 1994 - 2000 Ralf Baechle */#include <linux/delay.h>#include <linux/init.h>#include
 <linux/interrupt.h>#include <linux/irq.h>#include <linux/kernel.h>#include <linux/spinlock.h>
 Copyright 1994-2000 by Donald Becker.
 Copyright 2002 Andi Kleen, SuSE Labs. */
 Copyright (C) 1996,1997,1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
 Copyright (C) 2001 Bradley D. LaRonde <brad@lrc.com> * * 32 bit support, text color and panning fixes
 for modes != 8 bit
 Copyright (C) 1997, 1999, 2001 by Ralf Baechle
 Copyright (c) 2004 Infinicon Corporation. All rights reserved
 Copyright (C) 1995-1997 Jan "Yenya" Kasprzak <kas@fi.muni.cz>
 Copyright (c) 2001, 2002 M. R. Brown <mrbrown@linuxdc.org>
 Copyright 2001 MontaVista Software Inc. * Author: Jun Sun, jsun@mvista.com or jsun@junsun.net *
 (C) Copyright 1999 Roman Weissgaerber, weissg@vienna.at
 (C) 1998 Jonas Munsin <jmunsin@iki.fi> * * GemTek hasn't released any specs on the card, so the protocol
 had to * be reverse engineered with dosemu.
 Copyright (c) 1998 Andrea Arcangeli
 copyright; see LICENSE.FlashPoint for details. * * \$Workfile: blx30.h \$
 (C) 2001 Dave Jones, Arjan van de ven.
 Copyright (C) 1999 Silicon Graphics, Inc. */#include <linux/init.h>#include <asm/arc/types.h>#include
 <asm/sgialib.h>
 (C) Architecture Software * Developer's Manual, Volume 3: System Programming Guide, * revision
 #12 in Table B-1: MSRs in the Pentium 4 and * Intel Xeon Processors, on page B-4 and B-5. */
 if (
 Copyright (C) 2000-2002 Andi Kleen, SuSE Labs (x86-64 port)
 Copyright (C) 1995-1999 Madge Networks Ltd.
 Copyright (C) 1997 Paul Mackerras. * * and indirectly from: *
 Copyright (C) 1998,99 Takashi Iwai
 Copyright (C) 1999 SuSE GmbH, (Philipp Rumpf, prumpf@tux.org) * * 1994-07-02 Alan Modra *
 fixed set_rtc_mmss, fixed time.year for >= 2000, new mktime * 1998-12-20 Updated NTP code ac
 Copyright (c) 1992, 1993 * The Regents of the University of California. All rights reserved
 Copyright (C) 1996, 1997 Olaf Kirch */
 Copyright (C) 2000-2001 John Marvin <jsm at parisc-linux.org>
 Copyright (C) 1993 Hamish Macdonald
 Copyright (C) 1992,1993 Rick Sladkey <jrs@world.std.com>
 Copyright (C) International Business Machines Corp., 2003,2004
 Copyright (c) 2002 Hiroyuki Kondo, Hirokazu Takata,
 Copyright (C) 1995,1996 Olaf Kirch <okir@monad.swb.de> */
 Copyright (C) 1998-2002 Axis Communications AB * * Delay routines, using a pre-computed

"loops_per_second" value.
 (C) Marvell. ";#endif
 Copyright (C) 2001, 2002 Paul Mundt
 Copyright (C) 1993 by Nigel Gamble (added interrupt code)
 Copyright (C) 1998 Deborah Wallach.
 Copyright (c) 1996 by Manish Vachharajani
 Copyright (c) 2005 Vojtech Pavlik <vojtech@suse.cz> * * ALPS detection, tap switching and status querying
 info is taken from * tpconfig utility (by C. Scott Ananian and Bruce Kall).
 copyright : (C) 2000 by Adaptec
 Copyright (c) 2004, 2005 James Bottomley <James.Bottomley@SteelEye.com>
 Copyright (C) by Hannu Savolainen 1993-1997 *
 Copyright (C) 1999-2000 Takashi Iwai <tiwai@suse.de> * * Emu8000 synth plug-in routine
 Copyright (C) 2001 Utz-Uwe Haus <haus@uuhaus.de>
 Copyright (C) 2003 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin Schwidefsky
 (schwidefsky@de.ibm.com) */
 Copyright (C) 2004 Arcom Control Systems
 Copyright (C) 1992-1997,1999,2001-2004 Silicon Graphics, Inc. All Rights Reserved
 Copyright (C) 1998 Eddie C. Dost (ecd@skynet.be) */
 Copyright 2000-2004 MontaVista Software Inc. * * Cleaned up a bit more, Matt Porter
 <mporter@kernel.crashing.org>
 Copyright 1994,95,96 by Fritz Elfert (fritz@isd4linux.de)
 Copyright (C) 2001 Dave Engebretsen
 Copyright (C) 1998 Gleb Raiko */#include <linux/init.h>#include <linux/kernel.h>#include
 <linux/sched.h>#include <linux/mm.h>
 Copyright (c) 1998-2001 Vojtech Pavlik * * Based on the work of:
 (C) 1991 Linus Torvalds - minix filesystem */
 Copyright (C) 1993 Hamish Macdonald
 Copyright (c) 2000,2001 Ghazlane Toumi <gtoumi@messel.emse.fr> * * Created 28 Aug 2001 by
 Ghazlane Toumi
 Copyright (C) 2001-2002 Marcel Holtmann <marcel@holtmann.org> * Jose Orlando
 Pereira <jop@di.uminho.pt> *
 (C) 2000 Dave Gilbert
 (c) Copyright 2004 Wim Van Sebroeck <wim@iguana.be>. * * Based on source code of the following
 authors:
 Copyright (C) 2001 ARM Limited
 Copyright (C) 2004 Patrick Boettcher (patrick.boettcher@desy.de)
 (C) David S. Miller. */
 (C) 2002 - 2004 Dominik Brodowski <linux@brodo.de>
 Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin
 Schwidefsky (schwidefsky@de.ibm.com), * Christian Borntraeger (cborntra@de.ibm.com), */
 Copyright (C) Hannu Savolainen 1993-1997"); if (!probe_uart401(&cfg_mpu, THIS_MODULE))
 return -ENODEV; }
 Copyright (c) 1999-2004 LSI Logic Corporation * Originally By: Steven J. Ralston * (mailto:netscape.net)
 * (mailto:mpt_linux_developer@lsil.com) * * \$Id: mptscsih.h,v 1.21 2002/12/03 21:26:35
 (C) Copyright 2002 Hewlett-Packard Company * * SA1111 Bus Glue
 (c) Copyright 1995 Alan Cox <alan@redhat.com> * * 14-Dec-2001 Matt Domsch
 <Matt_Domsch@dell.com> * Added nowayout module option to override
 CONFIG_WATCHDOG_NOWAYOUT * Can
 Copyright (C) 2002 Richard Henderson
 Copyright (C) 1997 Fabio Riccardi. * And from the frame buffer device for Open Firmware-initialized
 devices:
 Copyright (C) 2003 Ian Molton.
 Copyright 2004 (c) MontaVista Software, Inc.
 Copyright (C) 1999 Christoph Rohland *
 Copyright (c) 2000-2003 Gerd Knorr <kraxel@bytesex.org>
 Copyright (c) 1982, 1986, 1993, 1994 * The Regents of the University of California. All rights reserved
 (C) 1997 Carnegie Mellon University
 Copyright (C) 1989, 1992, 1993, 1994, 1995, 2001 Free Software Foundation, Inc.
 copyright (C) 1994, 1995 Troy De Jongh, and subsequently

Copyright (C) 1994 by Ingo Wilken (Ingo.Wilken@informatik.uni-oldenburg.de)
 Copyright (C) 1996 Mike Shaver (shaver@zeroknowledge.com) */#include <linux/mm.h>#include
 <linux/sysctl.h>#include <linux/init.h>#include <net/ax25.h>#include <net/netrom.h>
 Copyright (C) 2003 Agilent Technologies
 Copyright (C) 1999-2001 Matthew Wilcox <willy at debian dOT org >
 Copyright (C) 2000, 2001 Ralf Baechle <ralf@gnu.org> * swiped from i386, and cloned for MIPS by Geert,
 polished by Ralf. */#include <linux/config.h>#include <linux/types.h>#include <linux/mm.h>
 (C) Copyright IBM Corp. 2003, 2004 * * This file is part of the SCTP kernel reference Implementation
 (C) Copyright IBM Corp. 2002, 2004 * * Author(s): Martin Peschke <mpeschke@de.ibm.com> *
 Raimund Schroeder <raimund.schroeder@de.ibm.com> * Aron Zeh * Wolfgang Ta
 Copyright (c) 2004 Richard Purdie * * Based on code written by Sharp/Lineo for 2.4 kernels
 Copyright (C) 2001 Ingo Molnar <mingo@redhat.com> * * This file contains the implementation of an
 IRQ-safe, crash-safe * kernel console implementation that outputs kernel messages to the * net
 Copyright (C) 1997 Sigurdur Asgeirsson * With additional hacking by Jeffrey Kusin
 (jsk@mojave.stanford.edu) * Modified by Danilo Beuche 1998 * Some register values added by Damien
 Doligez, INRI
 Copyright 1994 Fujitsu Laboratories Ltd. Special thanks to:
 (C) 1999 Chris Kemp and Tim Watterton
 Copyright (C) 1997, 1998 Krzysztof G. Baranowski * * This file contains code for allocating/freeing inodes
 and for read/writing * the superblock.
 (c) Copyright 2000-2004 Hewlett-Packard Company
 Copyright 2000,2001 MontaVista Software Inc. * Author: MontaVista Software, Inc. *
 ppopov@mvista.com or source@mvista.com * * Part of this file was derived from Carsten
 Langgaard's * arc
 Copyright (C) 1998 Eddie C. Dost (ecd@skynet.be) * * Based largely on code which is: *
 Copyright (C) 2002 Qlogic Corporation (www.qlogic.com)
 Copyright (C) 1998, 1999, 2000, 2001 Philip Blundell * * Arthur personality
 Copyright (C) 1999 Jakub Jelinek (jakub@redhat.com) */
 Copyright (C) 2000 Andre Hedrick <andre@linux-ide.org>
 Copyright 1999 by Armin Schindler (mac@melware.de)
 Copyright (C) 1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
 Copyright (C) 2004 MontaVista Software, Inc.
 Copyright (C) 2000 Andre Hedrick <andre@suse.com>
 Copyright (C) 1999,2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin
 Schwidefsky (schwidefsky@de.ibm.com), * Denis Joseph Barrow (djbarrrow@de.ibm.com,barrow
 Copyright (C) 2000, 2001, 2002 Andi Kleen SuSE Labs
 Copyright (C) 1991, 1993, 1997, 1998 Free Software Foundation, Inc.// This was originally a part of
 the GNU C Library.// It is distributed under the GPL, and was swiped from offtime.c
 Copyright (C) 2000, 2001 Silicon Graphics, Inc. */#ifndef _ASM_SOCKET_H#define _ASM_SOCKET_H
 Copyright (C) 2001 David A. Hinds -- dahinds@users.sourceforge.net
 Copyright 2001 MontaVista Software Inc. *
 Copyright (C) 2003 Ralf Baechle */#ifndef _ASM_PGTABLE_H#define _ASM_PGTABLE_H
 Copyright (C) 2002 Yoshinori Sato * * Based on: linux/asm-m68nommu/processor.h
 Copyright (c) 2001-2004 Hiroyuki Kondo, Hirokazu Takata, * Hitoshi Yamamoto, Mamoru
 Sakugawa */
 Copyright (C) 1996,1997 Fredrik Noring, lars brinkhoff
 Copyright (C) 1997, 1998, 1999, 2000, 2001, 2002, 2003 Ralf Baechle
 Copyright (C) 2000-2001 Toshiba Corporation */#ifndef __ASM_TX3927_JMR3927_H#define
 __ASM_TX3927_JMR3927_H
 (C) 2000 IBM Corp. by Fritz Elfert (felfert@millenux.com)");
 (C) 1998 Thomas Bogendoerfer (tsbogend@alpha.franken.de)
 Copyright (C) 2001 Sun Microsystems, Inc.
 (c) Copyright 2000 Jakob Oestergaard <jakob@unthought.net> * * 12/4 - 2000 [Initial
 revision] * 25/4 - 2000 Added /dev/watchdog support * 09/5 - 2001
 Copyright (C) 1993 Linus Torvalds
 Copyright (C) 1999-2000 Russell King
 Copyright (c) by Jaroslav Kysela <perex@suse.cz> * Creative Labs, Inc. * Routines for control
 of EMU10K1 chips / proc interface routines * * BUGS: * --
 (c) Copyright 2003 Red Hat Inc <jgarzik@redhat.com> derived from
 (C) 2000-2003 Dave Jones, Arjan van de Ven, Janne P

Copyright (C) 1997, 1998, 1999, 2003 David S. Miller (davem@redhat.com) */
 Copyright (C) 1999, 2000 Silicon Graphics, Inc. */#ifndef _ASM_SIM_H#define _ASM_SIM_H
 Copyright (C) 2000 James Goodwin, Filanet Corporation (www.filanet.com)
 Copyright (C) 2001 Mike Corrigan * Rewrite, cleanup:
 Copyright (C) 1995, 96, 97, 98, 99, 2000, 01, 02 by Ralf Baechle
 Copyright (C) 1998 Steffen A. Mork (linux-dev@morknet.de)
 Copyright (c) by Uros Bizjak <uros@kss-loka.si> * * OPL2/OPL3/OPL4 FM routines for internal percussion channels
 Copyright (C) 2004 PathScale, Inc
 Copyright (C) 2001 Paul Mundt
 Copyright (C) Motorola, Inc. 1990| All Rights Reserved
 Copyright (c) 2001, 2002 Hitoshi Yamamoto * * Some code taken from sh version.
 Copyright (C) 2000 Manfred Spraul * further cleanups power management.
 support for big endian descriptors
 Copyright (C) 1993, 1994, 1995 * Remy Card (card@masi.ibp.fr) * Laboratoire MASI - Institut Blaise Pascal
 * Universite Pierre et Marie Curie (Paris VI) * * hfsplus ioctls
 (C) 1996-2000 Thomas Sailer, HB9JNX/AE4WA\n"KERN_INFO "baycom_ser_hdx: version 0.10 compiled "
 __TIME__ " " __DATE__ "\n";
 Copyright (C) 2001 James Morris <jmorris@intercode.com.au>
 Copyright (C) 1996-1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
 Copyright (c) 2000-2003 LSI Logic Corporation. *
 Copyright (C) International Business Machines Corp., 2000,2005 * * Modified by Steve French
 (sfrench@us.ibm.com)
 Copyright (c) 1994-1998, 2000, 2001 Justin T. Gibbs. * All rights reserved
 Copyright (C) 2004 Trond Myklebust * * NFSv4 callback handling
 Copyright (C) 2002 Andriy Skulysh, 2005 Kristoffer Ericson
 Copyright (C) 1993 Bruno Haible * * This file contains code for allocating/freeing blocks.
 Copyright 1994 Roman Hodek <Roman.Hodek@informatik.uni-erlangen.de> * * (Loosely based on the work
 of Robert De Vries' team)
 Copyright (C) 1997,1998,1999 Jakub Jelinek (jj@ultra.linux.cz)
 Copyright (C) 2004 Nokia Corporation by Tony Lindrgen <tony@atomide.com>
 Copyright (C) 1999,2000 Martin Lucina, Tom Zerucha * * \$Id: tga_fb.h,v 1.4.2.3 2000/04/04 06:44:56
 mato Exp \$
 Copyright (C) 2003 Richard.Curnow@superh.com * * IMPORTANT NOTES :
 Copyright (C) 2001 Jens Axboe <axboe@suse.de>
 Copyright (C) 2001 Will Dyson <will_dyson@pobox.com> */
 Copyright (C) 1991, 1992 Linus Torvalds * * 1997-11-28 Modified for POSIX.1b signals by Richard
 Henderson * 2000-06-20 Pentium III FXSR, SSE support by Gareth Hughes * 2000-12-* x86-64 com
 Copyright (C) 1996 Simon G. Vogl
 Copyright 2004-2005 Sylvain Munaut <tnt@246tNt.com>
 Copyright (c) by Chris Rankin * * This driver was written in part using information obtained from * the
 OSS/Free SoundScape driver, written by Hannu Savolainen.
 Copyright 2000 Silicon Integrated Systems Corp, Inc., HsinChu, Taiwan.
 Copyright (C) 2001 * Brad Boyer (flar@allandria.com)
 Copyright (C) 1998-1999, Stephen Tweedie and Bill Hawes * * Manage the dynamic fd arrays in the
 process files_struct.
 Copyright 2003 IBM Corporation\n");
 (C) 1998-2001 Ben Fennema * * HISTORY
 COPYRIGHT); }#endif
 Copyright (C) 2000, 2003 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> * *
 03/05/07 davidm Switch from PCI-DMA to generic device DMA API. * 00/12/13 davidm Rename to
 swiotlb.c and
 Copyright (C) 1998 Dave Perks <dperks@ibm.net> * * Modifications for LML33/DC10plus unified driver
 Copyright (C) 2000-2002 Axis Communications AB * * Authors: Bjorn Wesen (bjornw@axis.com)
 Copyright (C) 2002 Maxim Yevtyushkin <max@linuxmedialabs.com> * * Based on saa7111 driver by Dave
 Perks
 Copyright (c) 2003 by Jaroslav Kysela <perex@suse.cz>
 Copyright: MontaVista Software Inc.
 Copyright (C) 1997 by Volker Lendecke * * Please add a note about your changes to smbfs in the

ChangeLog file.
 Copyright 2002, Yoshinori Sato */
 Copyright (C) 2003-2005 Alan Stern * All rights reserved
 Copyright (C) 1999 Silicon Graphics, Inc. */#ifndef _ASM_CURRENT_H#define _ASM_CURRENT_H
 Copyright (C) 2004 Michael Geng <linux@MichaelGeng.de> * * Derived from
 Copyright (c) 2005 - James Bottomley <James.Bottomley@steeleye.com>
 (C) 1998 Michael Tesch (tesch@cs.wisc.edu) *
 (c) Copyright 2003 P * * Based on advantechwdt.c which is based on wdt.c.
 Copyright (C) 2001 Sven Luther, <luther@dpt-info.u-strasbg.fr>
 Copyright (C) 2001, 2002 Sistina Software (UK) Limited.
 Copyright (C) by Hannu Savolainen 1993-1997 * * mad16.c
 Copyright (C) 2000 Linuxcare, Inc. * * Based on the ia64, i386, and alpha versions.
 Copyright (c) 1999 Grant Erickson <grant@lcse.umn.edu> * * Eugene Surovegin
 <eugene.surovegin@zultys.com> or <ebs@ebshome.net>
 Copyright (C) 1996, 1997 Claus-Justus Heine
 Copyright (C) 2003 Ian Molton
 Copyright 1996 by Geert Uytterhoeven <geert@linux-m68k.org> *
 Copyright 2002-2005 MontaVista Software, Inc.
 Copyright (c) 2002 Paul Mundt * * Released under the terms of the GNU GPL v2.0.
 Copyright (C) 1996 Fujitsu Laboratories Limited
 Copyright (C) 2000 Hermann Jung <hej@odn.de>
 Copyright (C) International Business Machines Corp., 2000-2004
 copyright details. * * This file contains functions for attaching, initializing of an appropriate *
 demodulator/frontend. I2C-stuff is also located here.
 (C) 2001 NeilBrown <neilb@cse.unsw.edu.au> * * This driver for the Micro Memory PCI Memory Module
 with Battery Backup
 Copyright (C) 2003 2004 by Luca Risolia <luca.risolia@studio.unibo.it>
 Copyright (C) 1991, 1992 Linus Torvalds * * ext2 symlink handling code
 Copyright 2002 Andi Kleen, SuSE Labs/* * ISO C memset - set a memory block to a byte value.
 (C) Copyright 1995 - 1997 Marco van Wieringen - ELM Consultancy B.V. * * Plugged two leaks. 1) It didn't
 return acct_file into the free_filps if * the file happened to be read-only. 2) If the acc
 Copyright (C) 1998, 1999 Richard Henderson * * Code for all boards that route the PCI interrupts through
 the SIO * PCI/ISA bridge. This includes Noname (AXPpci33), Multia (UDB), * Kenetics's Plat
 Copyright (C) 2004 Antonino Daplas<adaplas@pol.net>
 Copyright 2002-2004 Rusty Russell, IBM Corporation * * Based in part on module-init-
 tools/depmod.c,file2alias
 Copyright (C) 2001 Jeff Garzik (jgarzik@pobox.com)
 Copyright (C) 2003 Paul Mundt * * Based on linux/arch/i386/mm/fault.c:
 Copyright 2004 James Cleverdon, IBM.
 Copyright (c) 1999 Nicolas Pitre <nico@cam.org> */#include <linux/config.h>
 (C) Steve Whitehouse 1999 derived from the * ipv4 netfilter header file which is * (C)1998 Rusty Russell --
 This code is GPL. */
 Copyright (C) 2000-2002 Inside Out Networks
 Copyright (c) 2004 Red Hat, Inc., James Morris <jmorris@redhat.com>*/#ifndef _LINUX_XATTR_H#define
 _LINUX_XATTR_H
 Copyright (C) 1992 obz under the linux copyright * * Dynamic diacritical handling - aeb@cwil.nl - Dec 1993
 * Dynamic keymap and string allocation - aeb@cwil.nl - May 1994 * Restrict VT switching
 Copyright (C) 1994, 1995 Waldorf Electronics * Written by Ralf Baechle and Andreas Busse
 Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) */#include <linux/kernel.h>#include
 <linux/module.h>#include <linux/errno.h>#include <linux/init.h>#include <linux/types.h>#include
 <linux/i
 Copyright (C) 1994 David Carter * * with work by William Rucklidge (wjr@cs.cornell.edu) *
 Geert Uytterhoeven * Jes Sorensen (jds@kom.auc.dk) *
 Martin Apel * with work
 copyright header * 23-Sep-2004 BJD Added serial port remove code*/
 Copyright (C) 1996 Universidade de Lisboa\n");
 Copyright (C) 2003, 2004 Paul Mundt
 (c) Copyright 2000 Hewlett-Packard Company
 Copyright (C) 1998 Pauline Middelink <middelink@polyware.nl> *

Copyright (C) 2003 Guido Guenther <agx@sigxcpu.org> */
 Copyright 2003 Jos
 Copyright (C) 1991, 1992, 1993, 1994 Linus Torvalds * * Modified by Cort Dougan and Paul Mackerras.
 Copyright (C) 1995 Jean-loup Gailly. * For conditions of distribution and use, see copyright notice in zlib.h
 */
 Copyright (C) 2001 Mike Corrigan IBM Corporation
 Copyright (C) 1993 Bruno Haible * * SystemV/Coherent regular file handling primitives
 (C) 1999-2001 Torben Mathiasen
 Copyright (C) 2004 Intel Corporation <matthew.e.tolentino@intel.com> * * This code takes all variables
 accessible from EFI runtime and * exports them via sysfs
 Copyright (C) 1994 David S. Miller (davem@caip.rutgers.edu) */
 Copyright (C) 2000-2002 David McCullough <davidm@snapgear.com> */
 Copyright 2003 Dell Inc. * by Matt Domsch <Matt_Domsch@dell.com> */
 Copyright (C) 1995-1997 Simon G. Vogl, 1998-2000 Hans Berglund * * And which acknowledged Kyösti
 Mäkelä <kmalkki@cc.hut.fi>, * Frodo Looijaard <frodol@dds.nl>, Martin Bailey <mabail@littlefeet-in
 Copyright (C) 2001 Paul Diefenbaugh <paul.s.diefenbaugh@intel.com>
 Copyright (C) 2000, 2002-2003 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>
 * * Kernel unwind support.
 Copyright (C) 2003 Randolph Chung <tausq with parisc-linux.org>
 Copyright (C) 2004 Olof Johansson <olof@austin.ibm.com>, IBM Corporation
 Copyright (C) 2002 David S. Miller (davem@redhat.com) */#include <linux/config.h>#include
 <linux/module.h>#include <linux/kernel.h>#include <linux/sched.h>#include <linux/errno.h>#include
 <linu
 Copyright (C) 2000 YAGASHI Takeshi * * Typical I/O routines for HD64465 system.
 Copyright (C) 2002-2003 Helge Deller <deller with parisc-linux.org>
 Copyright (C) 1995 Geert Uytterhoeven
 Copyright (C) 1995 by Volker Lendecke * Modified for sparc by J.F. Chadima * Modified for
 __constant_ntoh by Frank A. Vorstenbosch *
 Copyright (C) 1999-2000 Takashi Iwai <tiwai@suse.de>
 Copyright (C) 2004 by Jan-Benedict Glaw <jbglaw@lug-owl.de> */
 Copyright (c) 2003 by Clemens Ladisch <clemens@ladisch.de>
 Copyright (C) 2001 Standard Microsystems Corporation * Developed by Simple Network Magic
 Corporation
 Copyright (C) Terry Dawson VK2KTJ (terry@animats.net) */#include <linux/errno.h>#include
 <linux/types.h>#include <linux/socket.h>#include <linux/in.h>#include <linux/kernel.h>#include
 <linux/sc
 Copyright (c) 1996 John Shifflett, GeoLog Consulting
 Copyright (C) 2002 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Arnd Bergmann
 <arndb@de.ibm.com> * * Interface for CCW device drivers
 (c) Copyright 1995 Alan Cox <alan@lxorguk.ukuu.org.uk> *
 Copyright (C) 2001-2003 MontaVista Software Inc. * Author: Yoichi Yuasa <yyuasa@mvista.com, or
 source@mvista.com>
 Copyright (C) 2001 Michael Anderson, IBM Corporation * * Serial device driver include file.
 Copyright (C) 2001 Wolfgang Scherr <scherr@net4you.at> * * \$Id: zr36050.c,v 1.1.2.11 2003/08/03
 14:54:53 rbultje Exp \$
 Copyright (c) 2001 Helge Deller <deller@gmx.de>
 Copyright 2000 (c) Hewlett Packard (Paul Bame <bame()spam.parisc-linux.org>)
 Copyright (C) 2004 Neil Brown * * faultly-device-simulator personality for md
 Copyright (C) 2001 by Andreas Gruenbacher <a.gruenbacher@computer.org>
 Copyright (C) 1999 Benjamin Herrenschmidt (benh@kernel.crashing.org)
 Copyright (C) 2002 David S. Miller (davem@redhat.com) * * Changes:
 Copyright (C) 1996 Eddie C. Dost (ecd@skynet.be)
 copyright (c) 2001 Sun Microsystems *
 Copyright (C) 1998 Jakub Jelinek (jj@ultra.linux.cz) */
 Copyright (C) 1998, Dag Brattli, * All Rights Reserved
 Copyright (C) 2003 Takashi Kusuda <kusuda-takashi@hitachi-ul.co.jp> * IO functions for SH-
 Mobile(SH7300) SolutionEngine */
 Copyright (C) 2002 MontaVista Software Inc.
 Copyright (C) 2000 Steven J. Hill (sjhill@realitydiluted.com) * * \$Id: autcpu12.c,v 1.22 2004/11/04

12:53:10 gleixner Exp \$
 (C) 1998 Christian Schmidt <schmidt@digadd.de>
 Copyright (C) 2002-2003 David McCullough <davidm@snapgear.com>
 Copyright (C) 2001,2003 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Carsten Otte
 <cotte@de.ibm.com> * Tuan Ngo-Anh <ngoanh@de.ibm.com> * Martin Schwidefsky
 <schwidefsky@de
 Copyright (C) 2003 Thomas Gleixner <tglx@linutronix.de> * 2003 Robert Schwebel
 <r.schwebel@pengutronix.de> * 2004 Sascha Hauer <s.hauer@pengutronix.de> * * Architect
 Copyright (C) 2000-2001 Toshiba Corporation * * Based on arch/mips/au1000/common/puts.c
 Copyright (C) 1998 Dan Jacobowitz <dan@debian.org> * * pmc-valkyrie.c -- Console support for
 PowerMac "valkyrie" display adaptor.
 Copyright (C) 2004 Jean Delvare <khali@linux-fr.org> * * Original port to Linux 2.6 by Jeff Oliver.
 Copyright (c) 2001 Chris Atenasio <chris@crud.net>
 Copyright (C) 1996 Paul Mackerras. * * With various updates provided over the years by Michael Schmitz, *
 Guido Koerber and others.
 Copyright (c) by Jaroslav Kysela <perex@suse.cz> * I/O routines for GF1/InterWave synthesizer chips *
 Copyright (C) 1991, 1992, 1995, 1999, 2000 Linus Torvalds * * This file contains the PC-specific time
 handling details:
 Copyright (C) 2002 Will Dyson <will_dyson@pobox.com> * * Many thanks to Dominic Giampaolo, author of
 "Practical File System * Design with the Be File System", for such a helpful book.
 Copyright (C) 1999 IBM Corporation
 Copyright (C) 2000-2001 Qualcomm Incorporated Written 2000,2001 by Maxim Krasnyansky
 <maxk@qualcomm.com>
 Copyright (C) 1999-2001, 2003 Hewlett-Packard Co * David Mosberger <davidm@hpl.hp.com> *
 Stephane Eranian <eranian@hpl.hp.com> * * 05/22/2000 eranian Added support for stacked
 register calls * 05
 Copyright 2000 Silicon Integrated System Corporation
 Copyright 2003 - 2004 Pathscale, Inc# Released under the GPL
 (C) Copyright 1998 Linus Torvalds */
 (C) 2001 SBS Technologies, Inc.\n");
 Copyright (c) 2003 Dave Engebretsen * Will Schmidt willschm@us.ibm.com
 Copyright (C) 2000 Lernout
 (C) 2001 Martin Josefsson
 Copyright (c) by Jaroslav Kysela <perex@suse.cz> * Creative Labs, Inc. * Routines for control
 of EMU10K1 chips * * BUGS: * --
 Copyright (c) 2001,2003 Greg Kroah-Hartman (greg@kroah.com)
 Copyright (c) 1997 Dan Malek (dmalek@jlc.net) * * This file contains structures and information for the
 communication * processor channels. Some CPM control and status is available * through the
 Copyright (C) 1999 Rainer Johanni <Rainer@Johanni.de> * * based on
 Copyright 1997 Andi Kleen <ak@muc.de>
 Copyright (C) 2002, 2003 Paul Mundt */
 copyright preserved * below. * Steve Whitehouse: Some bug fixes, cleaning up some
 code to make it * compatible with my routing layer. *
 Copyright (C) 1991, 1992 Linus Torvalds * * proc root directory handling functions
 Copyright 2000 by Carsten Paeth <calle@calle.de>
 Copyright (C) 1998, 2002 Ralf Baechle
 Copyright (c) 1999 The Puffin Group (David Kennedy and Alex deVries)
 (C) 1999 Ulf Carlsson (ulfc@thepuffinguop.com) * * This driver is based on sgicons.c and cons_newport.
 Copyright (C) 1991, 1992 Linus Torvalds * * coh/dir.c
 (C) Copyright 1998 Linus Torvalds * * These functions have a non-standard call interface to make them
 more * efficient, especially as they return an error value in addition to * the "real" return
 Copyright (c) 2002 David S. Miller (davem@redhat.com) */#include <linux/config.h>#include
 <linux/kernel.h>#include <linux/module.h>#include <linux/init.h>#include <linux/input.h>
 Copyright (c) 1999 Jean Tourrilhes, All Rights Reserved
 Copyright 2002 Roland Dreier
 Copyright 2000-2003 MontaVista Software Inc.
 Copyright (c) 1998-2000 Bruce Kalk <kall@compass.com>
 Copyright (C) 2002 Greg Ungerer <gerg@snapgear.com>
 Copyright (C) 1998 Paul Mackerras * ...which was derived from the Powermac "chips" driver:

Copyright (C) 2004 David S. Miller (davem@redhat.com) */
 Copyright (C) 1992, 1993, 1994, 1995, 1996, 1997, * 1998, 1999 Theodore Ts'o *
 Copyright (C) 2003, 04, 05 Ralf Baechle (ralf@linux-mips.org) */#include <linux/init.h>#include
 <linux/kernel.h>#include <linux/sched.h>#include <linux/mm.h>#include <linux/module.h>#include <
 Copyright (C) 2001, 2002 Red Hat, Inc. * * Created by David Woodhouse <dwmw2@infradead.org>
 Copyright (C) 2004,2005J * * Licence: GPL
 (C) Copyright 1994 Linus Torvalds */
 Copyright (C) 1998 Michel Lanners (mlan@cpu.lu)
 Copyright (C) 1998-2000 by Microgate Corporation
 Copyright (C) 2001, Jean Tourrilhes <jt@hpl.hp.com>
 Copyright: (c) 1999-2002 Cyclades Corp.
 Copyright (C) 1999, 2000, 2001 Ingo Molnar, Red Hat *
 Copyright (C) 2003 - 2004 PathScale, Inc * Released under the GPL */
 Copyright (c) 2000-2004 LSI Logic Corporation * Originally By: Noah Romer *
 (mailto:mpt_linux_developer@lsil.com) * * \$Id: mptlan.c,v 1.53 2002/10/17 20:15:58 pdelaney Exp \$
 Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) */#ifndef _SPARC_PGTSUN4C_H#define
 _SPARC_PGTSUN4C_H
 Copyright (C) 2004-2005 Pierre Ossman, All Rights Reserved
 Copyright (c) 2003-2005 Simtec Electronics * Ben Dooks <ben@simtec.co.uk> * *
 http://www.simtec.co.uk/products/EB2410ITX/
 Copyright 1995 by the Massachusetts Institute of Technology.
 Copyright (C) 1991, 1992 Linus Torvalds
 (C) 1996-2000 Thomas Sailer HB9JNX/AE4WA\n"); printk(KERN_INFO "hldcdrv: version 0.8 compiled "
 __TIME__ " " __DATE__ "\n"); return 0;}
 Copyright (C) 2001-2004 MontaVista Software, Inc.
 Copyright (C) 2001 Tim Waugh <twaugh@redhat.com>
 Copyright (C) 1995 Miguel de Icaza (miguel@nuclecu.unam.mx) * * Driver layout based loosely on tgafb.c,
 see that file for credits.
 (C) Copyright 1995 1996 Linus Torvalds * * Hacked for ARM by Phil Blundell <philb@gnu.org> * Hacked to
 allow all architectures to build, and various cleanups * by Russell King
 Copyright (C) 2002 M. R. Brown
 Copyright (C) 2004 by Ralf Baechle */#ifndef __ASM_MIPS_MARVELL_H#define __ASM_MIPS_MARVELL_H
 (C) 2000-2002 by Harald Welte <laforge@netfilter.org> * * This module accepts two parameters:
 Copyright (C) 1991, 1992, 1996 Linus Torvalds * * Hacked a bit by DaveM to make it work with 32-bit
 SunOS * binaries on the sparc64 port.
 Copyright (C) 2001 Nobuhiro Sakawa * M1543C:PCI-ISA Bus Bridge with Super IO Chip support * * from
 Copyright (C) 2003 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> * * There are a
 number of reasons for patching instructions. Rather than duplicating code * all over the place, we
 Copyright (C) 1999-2002, 2004 Hewlett-Packard Co * Stephane Eranian <eranian@hpl.hp.com> *
 David Mosberger-Tang <davidm@hpl.hp.com> * * 2002/12/09 Fix rotating register handling (off-
 by-1 error,
 Copyright (C) 2000 Serguei Miridonov <mirsev@cicese.mx> * * This code was modify/ported from the
 saa7111 driver written * by Dave Perks.
 Copyright (c) 2002 International Business Machines <robb@austin.ibm.com>
 Copyright (C) 2000 Hewlett-Packard (John Marvin)
 (C) 2002 William Lee Irwin III, IBM
 copyright * message below for the original source.
 Copyright (C) 2000 Geert Uytterhoeven <geert@sonycom.com> * Sony Software
 Development Center Europe (SDCE), Brussels * * This file is based on the following documentation: *
 Copyright 1999 (C) Niibe Yutaka
 (C) 2003 zecke@handhelds.org * * GPL version 2
 Copyright (C) 2003 Ralf Baechle (ralf@linux-mips.org) */#include <linux/bcd.h>#include
 <linux/ds1286.h>#include <linux/init.h>#include <linux/kernel.h>#include <linux/interrupt.h>#include
 <linu
 (C) 2001, 2002 by: * Alan Cox <alan@redhat.com> * Thomas Hood * Brian Gerst
 <bgerst@didntduck.org> *
 Copyright (C) 2002 Russell King
 Copyright (C) 2001 Jeff Dike (jdike@karaya.com)
 Copyright (C) 1995, 1996 by Volker Lendecke * Modified for big endian by J.F. Chadima and David S. Miller

* Modified 1997 Peter Waltenberg, Bill Hawes, David Woodhouse for 2.1 dcache * Modified
 Copyright (C) 2003 -- 2004 Greg Kroah-Hartman <greg@kroah.com> */
 Copyright (c) 2002 Tomas Kasperek <tomas.kasperek@seznam.cz> *
 Copyright (C) 1996 Eddie C. Dost (ecd@skynet.be)
 Copyright (C) 2004 Olof Johansson <olof@austin.ibm.com>, IBM Corporation * * Dynamic DMA mapping
 support, iSeries-specific parts.
 Copyright (C) 1996, 97, 98, 2000, 03, 04 Ralf Baechle (ralf@linux-mips.org) */#include
 <linux/config.h>#include <linux/eisa.h>#include <linux/hdreg.h>#include <linux/ioport.h>#include
 <linux/sch
 Copyright (c) 2000 Steve Hill (sjhill@cotw.com) * * Changelog * 03-21-2000 SJH Created * 04-26-
 2000 SJH Fixed functions * 05-03-2000 SJH Removed usage of obsolete 'iomd.h' * 05-31-2000 S
 (C) 1999-2001 Ben Fennema * * HISTORY
 Copyright (C) 2001 Ben. Herrenschmidt (benh@kernel.crashing.org) * * Modifications for ppc64:
 Copyright (C) 2000 Vinh Truong (vinh.truong@eng.sun.com) * VT - Add all ioctl commands and
 environment status definitions * VT - Add application note */#ifndef _SPARC64_ENVCTRL_H#define
 _SPAR
 Copyright 2003 MontaVista Software Inc.
 Copyright (C) 1998, 1999 Jesper Skov * * Basically what is needed to replace functionality found in *
 arch/m68k allowing Amiga drivers to work under APUS. * Bits of code and/or ideas from arch
 Copyright (c) 2004 Topspin Corporation. All rights reserved
 Copyright (C) 1999 Jakub Jelinek (jakub@redhat.com) */
 Copyright 1997 by Michael Schmitz
 Copyright 2002 by Mylex (An IBM Business Unit)
 Copyright (C) 1995,1996 by Paul M. Antoine, some code and definitions * are by courtesy of Chris Fraser.
 Copyright (C) 2001 IBM
 Copyright (C) 2004 Red Hat, Inc. * * Author: David Woodhouse <dwmw2@infradead.org>
 Copyright (C) 2003 Yoshinori Sato <ysato@users.sourceforge.jp>
 Copyright 2001,2002 by Andi Kleen, SuSE Labs.
 Copyright (C) 2002, 2003 */
 Copyright (C)2003 USAGI/WIDE Project * * Author Mitsuru KANDA <mk@linux-ipv6.org>
 Copyright (C) 1994 Roman Hodek *
 Copyright (C) 2000, 2001 David S. Miller (davem@redhat.com)
 (C) 1999 by Thomas Sailer, <sailer@ife.ee.ethz.ch>\n");
 Copyright (c) 1999-2000 Grant Erickson <grant@lcse.umn.edu> * * Module name: oaknet.c
 Copyright (c) 2002-2004 Takeo Takahashi, Mamoru Sakugawa
 Copyright (C) 1996, 1997, 2000 David S. Miller (davem@redhat.com) */
 Copyright (C) 2004 Thibaut VARENE <varenet@parisc-linux.org> * * Some code stolen from alpha &
 sparc64 ;)
 (C) 1996 Peter Braam */
 (C) 1998-2000 Thomas Sailer, HB9JNX/AE4WA\n"KERN_INFO "baycom_epp: version 0.7 compiled "
 __TIME__ " " __DATE__ "\n";
 (C) Copyright 2000, Lineo Inc. (www.lineo.com) */
 Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org) * * Largely rewritten by Cort Dougan
 (cort@cs.nmt.edu) * and Paul Mackerras.
 Copyright (C) 2001 Michael Ashley <m.ashley@unsw.edu.au> *
 Copyright (C) 1996-2000 Russell King - Converted to ARM.
 Copyright (C) Alan Cox GW4PTS (alan@lxorguk.ukuu.org.uk)
 Copyright (c) 1999-2000 Andre Hedrick <andre@linux-ide.org>
 Copyright (C) 2002-04 Intel Corporation
 Copyright Distributed Processing Technology, Corp. * 140 Candace Dr. * Maitland, FL 32751 USA
 * Phone: (407) 830-5522 Fax: (407) 260-5366 * All Rights Reserved
 (C) Keith Owens 2001 <kaos@ocs.com.au>
 Copyright (C) 2003 Randolph Chung <tausq with parisc-linux.org> *
 Copyright 2004 Red Hat, Inc. * * Author/maintainer: Jeff Garzik <jgarzik@pobox.com>
 Copyright (c) 2001 Brian S. Julin * All rights reserved
 Copyright by Stephan von Krawczynski <skraw@ithnet.com>
 Copyright (c) 2002 Patrick Mochel
 (C) Copyright 2003 Grant Grundler <grundler parisc-linux org>
 Copyright (c) 1999 Grant Erickson <grant@lcse.umn.edu> * PowerPC 403GCX/405GP modifications.

Copyright (C) 1998-1999 Pete Zaitcev (zaitcev@yahoo.com) * * This is mainly a variation of 8250.c, credits go to authors mentioned * therein. In fact this driver should be merged into the gener
 Copyright 1996 The Board of Trustees of The Leland Stanford * Junior University. All Rights Reserved
 Copyright 2000 Philipp Rumpf <prumpf@tux.org> *
 (C) SK" ;#endif
 Copyright (C) 1998-2002 by Jes Sorensen, <jes@wildopensource.com>. * * Thanks to Essential Communication for providing us with hardware * and very comprehensive documentation without which I would
 Copyright (C) 1998-2000 Andre Hedrick <andre@linux-ide.org>
 Copyright (C) 2001 Russell King
 Copyright (C) 2003 Alexey N. Kuznetsov (kuznet@ms2.inr.ac.ru)
 Copyright (c) 2004 Open Source Development Labs * * This file is released under the GPLv2. * See the file COPYING for more details.
 Copyright (C) 1998-2003 by Thorsten Knabe <linux@thorsten-knabe.de> *
 Copyright (C) 2004 Jeff Dike (jdike@addtoit.com)
 Copyright (C) 1993 Ray Burr
 Copyright (C) 2002, 2003 Oracle. All rights reserved
 Copyright (c) 1999 by Jaroslav Kysela <perex@suse.cz> * Uros Bizjak <uros@kss-loka.si>
 * * Based on reference implementation by Sun Microsystems, Inc.
 Copyright (C) 2002, 2003 Philip Pokorny <ppokorny@penguincomputing.com>
 Copyright (C) 2000-2002 J.I. Lee <jung-ik.lee@intel.com>
 (c) Copyright 2001 Charles Howes <chowes@vsol.net> * * Based on advantechwdt.c which is based on acquirewdt.c which * is based on wdt.c.
 Copyright (C) 1997,1999,2000 Jakub Jelinek (jakub@redhat.com) */
 Copyright (C) 1997 by Paul M. Antoine. * reworked 1998 by Harald Koerfgen.
 Copyright (C) 2002 David Howells (dhowells@redhat.com) * - Incorporating suggestions made by Linus Torvalds and Dave Miller * * CRIS port by Axis Communications
 copyright & legal stuff :
 copyright date. * * Revision 3.86 2001/01/23 23:53:46 eokerson * Fixes to G.729 compatibility.
 Copyright (C) 2002 by Andreas Mohr <hw7oshyuv3001@sneakemail.com> * * Framework borrowed from Bart Hartgers's als4000.c. * Driver developed on PCI168 AP(W) version (PCI rev. 10, subsystem ID 1801
 (C) 1999-2001 Michal Ludvig <michal@logix.cz>
 Copyright (C) 2000-2001 Deep Blue Solutions Ltd.
 Copyright 2000 Eicon Networks
 Copyright (C) 1994 Linus Torvalds * * Pentium III FXSR, SSE support * General FPU state handling cleanups * Gareth Hughes <gareth@valinux.com>, May 2000 * x86-64 work by Andi Kleen 2002
 Copyright (C) 2001, 2002 Red Hat, Inc.
 Copyright (C) 2002 Ralf Baechle
 Copyright (C) 1994, 95, 96, 97, 98, 99, 2000, 01, 02, 03 by Ralf Baechle
 Copyright (C) 1996, 1997, 1998, 1999, 2000 by Ralf Baechle
 Copyright (C) 1999 Jakub Jelinek (jakub@redhat.com)
 Copyright (c) 2000-2001 Adaptec Inc. * All rights reserved
 Copyright (c) 1996-2001 Jonathan A. Buzzard (jonathan@buzzard.org.uk) * * Valuable assistance and patches from:
 Copyright 2001-2003 SuSE Labs.
 Copyright (C) 2002, 2003, 2004 Julien Lerouge, Karol Kozimor
 Copyright (C) 2002,2003 Jun Nakajima <jun.nakajima@intel.com>
 Copyright (C) 1995-1996 Linus Torvalds */
 Copyright (C) 1999, 2000 Silicon Graphics, Inc. */#ifndef _ASM_SPINLOCK_H#define _ASM_SPINLOCK_H
 copyright below. * * This code supports version 2.00 of WaveLAN/PCMCIA cards (2.4GHz), and * can work on Linux 2.0.36 with support of David Hinds' PCMCIA Card Services
 Copyright (C) 1990, 1999 by Silicon Graphics, Inc. */#ifndef _ASM_ADDRSPACE_H#define
 _ASM_ADDRSPACE_H
 Copyright (C) 1998 Eddie C. Dost (ecd@skynet.be)
 Copyright (c) 1999 by Jaroslav Kysela <perex@suse.cz> *
 Copyright (C) 2000 - 2003 Krzysztof Halasa <khc@pm.waw.pl>
 Copyright (c) by Matze Braun <MatzeBraun@gmx.de>. * Takashi Iwai <tiwai@suse.de> *
 * Most of the driver code comes from Zach Brown(zab@redhat.com) * Alan Cox O
 Copyright (C) 1992 Krishna Balasubramanian

Copyright (C) 2004 Psion Teklogix (for NetBook PRO)
 Copyright (C) 1992 Tommy Thorn
 (C) Copyright 1999-2003, Greg Ungerer (gerg@snapgear.com).
 (C) Copyright 2004 Linus Torvalds */#include <linux/pci.h>#include <linux/module.h>#include
 <asm/io.h>
 Copyright (C) 2002, Linus Torvalds * * 10Sep2002 akpm@zip.com.au * Initial version.
 Copyright 2001 MontaVista Software Inc. * Author: Jun Sun, jsun@mvista.com or jsun@junsun.net * *
 arch/mips/gt64120/momenco_ocelot/pci.c * Board-specific PCI routines for gt64120 controller.
 (C) 2003 Dave Jones <davej@codemonkey.org.uk> on behalf of SuSE Labs.
 Copyright (C) 2000 Qlogic Corporation (www.qlogic.com)
 Copyright (C) 2002-2004 Thibaut VARENE <varenet@parisc-linux.org>
 Copyright (C) 2001 - 2003 Sistina Software (UK) Limited.
 Copyright (C) 2003 Intel Corp.
 Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) */#ifndef _SGISEEQ_H#define _SGISEEQ_H
 Copyright (C) 2002, IBM Corp. * * All rights reserved
 Copyright 2001, D. Otis. Use this program, code or tables/* extracted from it, as desired without
 restriction. *//* */ 32
 Copyright (C) 1995-96, 2000 Simon G. Vogl
 Copyright (C) 1999-2001 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin
 Schwidefsky (schwidefsky@de.ibm.com), * * 'math.c' emulates IEEE instructions on a S390 processor *
 Copyright (c) 2001-2002 Intel Corp.
 (C) 2001, 2001 Red Hat, Inc. * GPL'd * \$Id: gen_probe.h,v 1.3 2004/10/20 22:10:33 dwmw2 Exp \$ */
 Copyright (C) 1999, 2001 Hewlett-Packard Co
 (C) 1996-1997 Claus Heine.
 Copyright 1995 (C) David S. Miller (davem@caip.rutgers.edu) */
 copyright information. */#ifndef __FLEXCOP_H__#define __FLEXCOP_H__
 (C) 2003 Ardis Technologies <roman@ardistech.com> * * Handle basic btree node operations
 Copyright (C) 1999 David S. Miller (davem@redhat.com) *
 Copyright 1995-2001 Russell King
 copyright details. * * This file contains functions for initializing and handling the * usb specific stuff.
 COPYRIGHT 0x00000004 /
 Copyright (C) 1999 - 2003
 Copyright (C) 2004 Ashok Raj <ashok.raj@intel.com> * Support for CPU Hotplug */
 copyright since none * of the original contents of this file are specific *
 to DoC devices. David can whack me with a baseball * bat later if I did
 something naughty. * 10-11-2000 SJH
 Copyright (C) 2002 Momentum Computer Inc. * Author: Matthew Dharm <mdharm@momenco.com> * *
 Louis Hamilton, Red Hat, Inc. * hamilton@redhat.com [MIPS64 modifications]
 Copyright (c) Alan Smithee.
 Copyright (C) 2000-2001 Toshiba Corporation
 (C) 1993 Ray Burr - Amiga FFS filesystem. * * Please send bug reports to: hjw@zvw.de
 Copyright (C) 1996 Gertjan van Wingerde (gertjan@cs.vu.nl) * Minix V2 fs support. * * Modified for
 680x0 by Andreas Schwab
 Copyright (C) 1999,2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin
 Schwidefsky (schwidefsky@de.ibm.com), * * Updated:
 Copyright (c) 2003 Hitoshi Yamamoto
 Copyright (C) 1997 Russell King <rmk@arm.linux.org.uk>
 Copyright 1994 David C. Davies. This software may be used and distributed
 Copyright 2002,2003 Andi Kleen, SuSE Labs
 Copyright (C) 1999 - 2004
 Copyright (C) 1999 Don Dugger <don.dugger@intel.com>
 Copyright (C) 2003 Randolph Chung <tausq at debian . org> *
 Copyright (c) 2005 by Benjamin Herrenschmidt <benh@kernel.crashing.org>
 Copyright (C) 1999 Cort Dougan <cort@cs.nmt.edu>
 Copyright 1997, 1998 by Phase5, Germany.
 Copyright (C) 1999, 2000 by Ralf Baechle */#ifndef _ASM_SN_KLDIR_H#define _ASM_SN_KLDIR_H
 Copyright (c) International Business Machines Corp., 2002, 2005
 Copyright (C) 2000-2002 Axis Communications AB * * Authors: Bjorn Wesen (bjornw@axis.com)
 Copyright (c) 1996,1997,1998 Russell King. * * Changelog:

Copyright (c) 2003 Open Source Development Lab * * This file is released under the GPLv2.
 Copyright (C) 1996 Paul Mackerras * * Updated to 2.5 framebuffer API by Ben Herrenschmidt *
 <benh@kernel.crashing.org>, Paul Mackerras <paulus@samba.org>, * and James Simmons
 <jsimmons@infradea
 Copyright (C) 1996, 1997, 1998, 1999, 2000, * Ingo Molnar, Matti Aarnio, Jakub Jelinek, Richard
 Henderson. * * Dispatch optimized RAID-5 checksumming functions.
 Copyright (C) 1999-2002 Ralph Metzler
 Copyright (c) 2000-2003 Patrick Mochel
 Copyright 1995 Apple Computer, Inc. All rights reserved
 Copyright (C) 2001-2004, SnapGear Inc. (www.snapgear.com) */
 Copyright 1993, Drew Eckhardt * Visionary Computing * (Unix and Linux consulting and custom
 programming) * drew@colorado.edu * +1 (303) 666-5836 * * DISTRIBUTION RELEASE 6.
 Copyright (C) 1992, 1994 by Theodore Ts
 Copyright (c) 2002 Nokia Corp. * * This file is part of the SCTP kernel reference Implementation
 Copyright 2005 Ralf Baechele (ralf@linux-mips.org) *
 Copyright (C) 1996 Mike Shaver (shaver@zeroknowledge.com) */#include <linux/mm.h>#include
 <linux/sysctl.h>#include <linux/init.h>#include <net/ax25.h>#include <net/rose.h>
 Copyright (C) 1995, 1999 Silicon Graphics */#ifndef __ASM_MIPS_REG_H#define __ASM_MIPS_REG_H
 Copyright (C) 2001, 2002, 2003 Paul Mundt <lethal@linux-sh.org>
 Copyright (C) 2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin
 Schwidefsky (schwidefsky@de.ibm.com), * Gerhard Tonn (ton@de.ibm.com) * Th
 Copyright (C) 2002-2003 Intel Corporation
 Copyright (C) 1999-2001 ARM Limited
 Copyright (C) 2004, Red Hat, Inc.
 Copyright (c) 1998, Thomas Davis, <ratbert@radiks.net>,
 Copyright (c) by Uros Bizjak <uros@kss-loka.si> * * Routines for OPL2/OPL3/OPL4 control
 Copyright (C) 2003 IBM Corporation
 Copyright (C) 1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
 (C) 2003, 2004 Paul Mundt
 Copyright (c) by Jaroslav Kysela <perex@suse.cz> * * Memory allocation helpers.
 Copyright 1999 Silicon Graphics, Inc. All rights reserved
 Copyright 2001 MontaVista Software Inc. * Author: MontaVista Software, Inc. *
 ppopov@mvista.com or source@mvista.com * * Some of the routines are right out of init/main.c,
 whose * copyrights a
 (C) 2000 Nicolas Pitre <nico@cam.org> * * This code is GPL
 Copyright (C) by Hannu Savolainen, Rob Hooft 1993-1996\n");
 Copyright (c) 2003 Dimitromanolakis Apostolos <apostol@cs.utoronto.ca>
 Copyright (C) 1999-2004, Greg Ungerer (gerg@snapgear.com)
 Copyright (C) 1997 David S. Miller (davem@caip.rutgers.edu) * * To put things into perspective, consider
 sparcc64 with a few PCI controllers. * Each type would have an own structure, with instances
 Copyright (c) 1999-2000 Vojtech Pavlik * * Sponsored by SuSE
 Copyright (C) 1999, 2000 Brian Warner <warner@lothar.com>
 (C) 2001-2002 Andreas Gruenbacher, <a.gruenbacher@computer.org> */
 Copyright (c) Marc A. Viredaz, 1998 * DEC Western Research Laboratory, Palo Alto, CA *
 Date April 1998 (April 1997) * System Advanced RISC Machine (ARM) * Language C
 or ARM Assembly
 Copyright (c) 1997--1999 Martin Mares <mj@ucw.cz> */
 Copyright (c) 2002 James Morris <jmorris@intercode.com.au> * * The HMAC implementation is derived
 from USAGI.
 (c) Copyright 1999,2000 Grant Grundler
 Copyright (C) 2001 Dan Malek (dmalek@jlc.net) *
 Copyright (C) 2003 Ian Molton
 Copyright (C) 2001 Hiroyuki Kondo, Hirokazu Takata, and Hitoshi Yamamoto
 (C) Copyright 2001, Lineo Inc. (www.lineo.com) */
 Copyright (C) 2000, 2004 Intel Corp * Rohit Seth <rohit.seth@intel.com> * Suresh Siddha
 <suresh.b.siddha@intel.com> * Gordon Jin <gordon.jin@intel.com>
 Copyright (c) 2002 Red Hat, Inc. All rights reserved
 (c) Copyright 1998 Red Hat Software Inc *Written by Alan Cox. * Further debugging by Carl Drougge. *
 Initial SMP support by Felipe W Damasio <felipewd@terra.com.br> * Heavily modified

Copyright (C) 1999 VMware, Inc. (Regis "HPReg" Duchesne) * Made nbd_end_request() use the
io_request_lock

(C) 2000 James Morris, this code is GPL. */#ifndef _IP_QUEUE_H#define _IP_QUEUE_H

(C) 2003 Aurelien Alleaume <slts@free.fr>

Copyright (C) 1999 - 2001 * Greg Kroah-Hartman (greg@kroah.com) * Bill Ryder
(bryder@sgi.com)

Copyright (C) 2001 SED Systems, a Division of Calian Ltd.

Copyright (C) 1991, 1992 Linus Torvalds * * Enhanced CPU detection and feature setting code by Mike
Jagdis * and Martin Mares, November 1997.

Copyright (C) 1997 David S. Miller (davem@caip.rutgers.edu)

Copyright 2000,2003 IBM Corporation * * Author(s): Original Code written by *
Peter Tiedemann (ptiedem@de.ibm.com)

Copyright (c) 2001 "Crazy" James Simmons * * Input driver Power Management.

Copyright (C) 1998, 1999, 2002 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>
*/

Copyright 2000 Grant Grundler <grundler at parisc-linux.org>

(C) 1999-2001 Paul

Copyright (C) 2003, 2004 Ralf Baechle */#ifndef _ASM_HAZARDS_H#define _ASM_HAZARDS_H

Copyright (C) 1997 Miguel de Icaza (miguel@nuclecu.unam.mx) */#include <linux/init.h>#include
<linux/kernel.h>#include <linux/errno.h>#include <linux/tty.h>#include <linux/kd.h>#include <linux/

(C) IBM Corporation, IBM Deutschland Entwicklung GmbH, 1999,2000

Copyright 2005 Dan Williams and Red Hat, Inc.

Copyright (C) 2002, Linus Torvalds. * * Contains functions related to preparing and submitting BIOS which
contain * multiple pagecache pages.

Copyright (C) 2004 by Christoph Hellwig <hch@lst.de>

Copyright (c) 2003-2004 Dmitry Torokhov */

Copyright (C) 1999,2001 * * Author: J.E.J.Bottomley@HansenPartnership.com

Copyright (C) 2001 Arcom Control System Ltd

Copyright (c) 2002 David Howells (dhowells@redhat.com). */

Copyright (c) 1998-2001 by Frank van de Pol <fvdpol@coil.demon.nl> * Jaroslav Kysela
<perex@suse.cz> * Takashi Iwai <tiwai@suse.de> *

Copyright (C) 2000 Takashi Iwai <tiwai@suse.de> * * Generic memory management routines for
soundcard memory allocation

Copyright (C) 1995-2000 Simon G. Vogl With some changes from:

Copyright (C) 1998 - 2005 Douglas Gilbert * * Modified 19-JAN-1998 Richard Gooch
<rgooch@atnf.csiro.au> Devfs support

Copyright (C) 1991, 1992, 1993, 1994 Linus Torvalds * Swap reorganised 29.12.95, Stephen Tweedie *

Copyright 2004 Andrew Chew

Copyright (C) 1991, 1992, 2002 Linus Torvalds */

Copyright (C) 1999 - 2001

Copyright (C) 2001 Jean Tourrilhes, HP Labs

Copyright (C) 1998 Phil Blundell * * DMA functions specific to EBSA-285/CATS architectures

Copyright (C) 1998,1999 Jakub Jelinek (jj@ultra.linux.cz) */

Copyright by Michael T. Mayers (c) Jan 09, 2000

Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org) * * Derived from "arch/i386/kernel/signal.c"

Copyright (C) 2003, 2004 Chris Dearman

Copyright (C) 1999, 2003 Hewlett-Packard Co * Stephane Eranian <eranian@hpl.hp.com> * * Most of
the code coming from arch/alpha/lib/checksum.c

Copyright (C) 1996 Universidade de Lisboa * * Written by Pedro Roque Marques (roque@di.fc.ul.pt)

Copyright (C) 1997, 2003 Ralf Baechle

Copyright 1999 Ben Pfaff <bpaffben@debian.org> and Petr Vandrovec <VANDROVE@vc.cvut.cz> * Based
on VGA info at <http://www.goodnet.com/~tinara/FreeVGA/home.htm>

Copyright (C) 2003 MontaVista Software, Inc.

Copyright (c) 2003 Christoph Hellwig <hch@lst.de> * - new-style, hotplug-aware pci probing and
scsi registration * * Version : v2.00.3 (Feb 19, 2003) - Atul Mukker <Atul.Mukker@sil.com>

Copyright (c) 2003-2004 Greg Kroah-Hartman

Copyright (C) 2000 Niibe Yutaka * 2001 Yutaro Ebihara * * Setup routines for A-ONE Corp CAT-
68701 SH7708 Board

Copyright (C) 1998 Gabriel Paubert. */#ifndef CONFIG_8260_PCI9#define cfg_read(val, addr, type, op)

```

*val = op((type)(addr))#else#define cfg_read(val, addr, type, op) \ idma_pci9_read_le((u8*)(va
Copyright (C) 2005 IBM Corporation *
Copyright (C) 1999 Silicon Integrated Systems, Inc. * * See http://www.winischhofer.net/ for more
information and updates
Copyright (C) 2001 Jun Nakajima <jun.nakajima@intel.com> *
Copyright Keith Owens <kaos@ocs.com.au>. GPL.
(C) Copyright 1999-2000 Peter Pregler <Peter_Pregler@email.com>
Copyright 2002 Yoichi Yuasa <yuasa@hh.ij4u.or.jp>
Copyright (C) 2004 Benjamin Herrenschmidt (benh@kernel.crashing.org),
Copyright (C) 1997 Ralf Baechle */#include <linux/sched.h>#include <linux/mm.h>#include
<asm/io.h>#include <asm/pgtable.h>#include <asm/processor.h>#include <asm/reboot.h>#include
<asm/system.
copyright not found\n");#endif /* Validate checksum */ for (i = s = 0; i < EEPROM_CHECKSUM; i++)
s += e[i]; s &= 0xFF; if (s != e[EEPROM_CHECKSUM]) {
printf(KERN_ERR DEV_LABEL "(itf %d): EEPR
(c) Copyright 2002 Robert Schwebel <r.schwebel@pengutronix.de> *
(C) Copyright 1999 Linus Torvalds * * cramfs interfaces to the uncompression library. There's really just *
three entrypoints: *
Copyright (C) 1991-1998 Linus Torvalds * * Thanks to Branko Lankester, lankeste@fwi.uva.nl, who found
a bug * in the early extended-partition checks and added DM partitions
Copyright (c) 2004 Gerd Knorr
COPYRIGHT); snd_ca0106_ptr_write(chip, SPCS2, 0, chip->spdif_bits[2]
= SPCS_CLKACCY_1000PPM | SPCS_SAMPLERATE_48 |
SPCS_CHANNELNUM_LEFT | SPCS_SOURCENUM_UNSPEC |
SPCS_GENERATIONSTATUS
Copyright (C) 2001,2002 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Carsten Otte
<cotte@de.ibm.com> * Tuan Ngo-Anh <ngoanh@de.ibm.com> * Martin Schwidefsky
<schwidefsky@de
Copyright 2003 Motorola Inc.
Copyright (C) 2002 KOBIL Systems GmbH * Author: Thomas Wahrenbruch * * Contact:
linuxusb@kobil.de
(C) 2003 MontaVista Software, Inc. " "(source@mvista.com)\n", BOARD_VENDOR,
BOARD_MACHINE);
Copyright (C) 2002 Peter Bergner <bergner@vnet.ibm.com>, IBM
Copyright (C) 1993 Bruno Haible * * SystemV/Coherent directory handling functions
Copyright (C) 2000 Lineo Inc. (www.lineo.com) * * Based on: *
Copyright (C) 2000 Jungjun Kim */
(C)Copyright 1999-2004 Marvell(R)."
Copyright (C) 2004 Hirokazu Takata, Kei Sakamoto * * Original x86 implementation:
Copyright (C) 2004 Anton Blanchard <anton@au.ibm.com>, IBM *
Copyright 2003,2004 Andi Kleen SuSE Labs */
Copyright (C) 2001 MIPS Technologies, Inc. */#ifndef _ASM_REBOOT_H#define _ASM_REBOOT_H
(C) Copyright 1996 Linus Torvalds * * Address space accounting code <alan@redhat.com>
Copyright (C) 2004 Steven J. Hill <sjhill@realitydiluted.com> */#include <linux/module.h>#include
<linux/fs.h>#include <linux/stat.h>#include <linux/sched.h>#include <linux/mm.h>#include <linux
Copyright (c) 2000-2001 Vojtech Pavlik <vojtech@suse.cz> */
Copyright (C) 1995 Miguel de Icaza (miguel@nuclecu.unam.mx)
Copyright (C) 2003, 2004 Ralf Baechle (ralf@linux-mips.org) */#include <linux/kernel.h>#include
<linux/types.h>#include <linux/pci.h>
(C) IBM Corporation, IBM Deutschland Entwicklung GmbH, 1999-2001 * * $Revision: 1.164 $
Copyright (C) 1994, 1995 Waldorf GmbH
Copyright (C) 1998 Jon Howell */
Copyright (C) 1996 by Ralf Baechle * * This file is here to satisfy GCC's expectations.
Copyright 2001 Sun Microsystems (thockin@sun.com)
Copyright (c) 2002-2003 TiVo Inc.
Copyright 1999 by Carsten Paeth (calle@calle.in-berlin.de)
Copyright (C) 2004 Olof Johansson, IBM Corporation * * Dynamic DMA mapping support, platform-
independent parts.
Copyright (C) 1995 Volker Lendecke *
Copyright (C) 1998, 1999 Richard Henderson * * Code supporting the MIKASA (AlphaServer 1000).

```

Copyright (C) 1998-2003 by Thorsten Knabe and "others\n"); #ifdef AD1816_CLOCK
/* set ad1816_clockfreq if set during compilation */ ad1816_clockfreq=AD1816_CLOCK; #endif if
(ad1816_clockfreq
Copyright 2001-2002 MontaVista Software Inc.
Copyright (C) 1992 Dana L. How
Copyright (c) 2004 Pavel Machek <pavel@suse.cz> * * This file is released under the GPLv2.
(C) Copyright 1999-2002 Axis Communications AB, LUND, SWEDEN*!
Copyright (C) IBM Corporation, 2001 * * Author: Dipankar Sarma <dipankar@in.ibm.com>
Copyright (c) 2000 ATecoM GmbH * * The author may be reached at ecd@atecom.com.
Copyright (C) 2004 Saito.K *
copyright text 2001jul05 change message format to improve OVERRUN case*/
COPYRIGHT) ? 0 : AC97_CXR_COPYRGT; v |= new & IEC958_AES0_NONAUDIO ?
AC97_CXR_SPDIF_AC3 : AC97_CXR_SPDIF_PCM; change |= snd_ac97_update_bits_nolock(ac97,
AC97_CXR_AUDIO_MISC, AC97_CXR
Copyright (c) 2004 Dmitry Torokhov
Copyright 1999 Matthew Wilcox <willy@bofh.ai> * based on binfmt_elf which is
(C) 2001 IBM Corporation by Fritz Elfert (felfert@millenux.com));MODULE_DESCRIPTION ("Linux for S/390
IUCV network driver");
Copyright (C) 1999, 2000 Silicon Graphics, Inc. */#include <linux/init.h>#include <linux/kernel.h>#include
<linux/sched.h>#include <linux/interrupt.h>#include <linux/kernel_stat.h>#include <lin
Copyright (c) 2002 Hitoshi Yamamoto
Copyright (C) 1996, 1997, 2004 by Ralf Baechle (ralf@linux-mips.org)
Copyright (C) 2000 Jeff Wiedemeier (Compaq Computer Corporation) * * Error handling code
supporting Alpha systems
Copyright (c) Motorola 1999,2000,2001
Copyright (C) 2004 ARM Limited. ** Written by Deep Blue Solutions Limited. *
Copyright (C) 1995, 1996, 1997, 1998 David S. Miller (davem@redhat.com)
Copyright (C) 2004 Andrew de Quincey * * based on code originally found in av7110.c & dvb_ci.c:
Copyright (C) 2000 Philipp Rumpf <prumpf@tux.org> *
Copyright (C) 2002 - 2003 Dominik Brodowski */
Copyright (C) 2001 MIPS Technologies, Inc. */#include <linux/a.out.h>#include <linux/errno.h>#include
<linux/linkage.h>#include <linux/mm.h>#include <linux/smp.h>#include <linux/smp_lock.h>#in
Copyright (C) 2002 Miles Bader <miles@gnu.org>
(c) Copyright Dell 2004. All Rights Reserved
Copyright by BeWan Systems
(C) 1994* Normunds Saumanis (normunds@rx.tech.swh.lv)
(C) Copyright 1999, 2000 University of Helsinki, * Department
of Computer Science * * This code is still under development / test.
COPYRIGHT && i
Copyright 2000 Ani Joshi <ajoshi@kernel.crashing.org> * * i2c bits from Luca Tettamanti
<kronos@kronoz.cjb.net>
Copyright (C) 1999,2000,2001 by
copyright (C) 1999/2000 by Henning Zabel <henning@uni-paderborn.de>
Copyright (C) 1995 */#ifndef __ASM_PPC64_FLOPPY_H#define __ASM_PPC64_FLOPPY_H
Copyright (c) 2001 M. R. Brown <mrbrown@linuxdc.org>
Copyright (c) by Jaroslav Kysela <perex@suse.cz> * Routines for control of GF1 chip (PCM things) * *
InterWave chips supports interleaved DMA, but this feature isn't used in * this code.
Copyright (C) 2001
(C) Copyright David Brownell 2000-2001 (kernel hotplug, usb_device_id, more docs, etc)
Copyright (C) 2001 Patrick Mochel <mochel@osdl.org> *
Copyright (C) 2002
Copyright (C) 1992, 1993 Rick Sladkey * * Modified 1995, 1996 by Volker Lendecke to be usable for ncp *
Modified 1997 Peter Waltenberg, Bill Hawes, David Woodhouse for 2.1 dcache
Copyright (C) 1996 Paul Gortmaker * * This driver allows use of the real time clock (built into *
nearly all computers) from user space. It exports the /dev/rtc * interface supporting various
ioct
Copyright (c) 2000-2001 LSI Logic Corporation. All rights reserved
(C) 1995 by Andreas Busse (andy@waldorf-gmbh.de) * * Core code included by system sonic drivers
Copyright 2002 MontaVista Software Inc. * Author: MontaVista Software, Inc. * ppopov@mvista.com

or source@mvista.com *
 Copyright (C) 1992 by Theodore Ts
 Copyright (C) 2001-2003 Ben Collins <bcollins@debian.org> * 2000 Bonin Franck
 <boninf@free.fr> * 2003 Steve Kinneberg <kinnebergsteve@acmsystems.com> * * Mainly based
 o
 Copyright (C) 2005 Thiemo Seufer * * Written by Justin Carlson of SiByte, Inc. * and Kip Walker of
 Broadcom Corp.
 Copyright (C) 1996,1998 David S. Miller (davem@redhat.com)
 Copyright (C) 2000
 Copyright (C) 1999-2000 Thomas Sailer (sailer@ife.ee.ethz.ch)
 copyright 2001,2002 Manfred Spraul (manfred@colorfullife.com)
 Copyright (C) 2001-2002 Sistina Software (UK) Limited. * * This file is released under the GPL.
 Copyright (C) Paul Mackerras 1997.
 Copyright (c) 2001 Vojtech Pavlik * * HID char devices, giving access to raw HID device events.
 Copyright (C) 2001 Daniel Barlow
 Copyright (C) 2003 David S. Miller (davem@redhat.com) * * I've modified Bob's hash to be useful in the
 Linux kernel, and * any bugs present are surely my fault. -DaveM
 (C) 1992 Eric Youngdale Modified for ISO9660 filesystem. *
 Copyright (c) 2001-2004 Silicon Graphics, Inc. All rights reserved
 Copyright (c) 2004 Simtec Electronics * Ben Dooks <ben@simtec.co.uk> * * Base S3C2410 platform device
 definitions
 Copyright (C) by Hannu Solvainen, " "Paul Barton-Davis 1993-1998.\n");
 Copyright (C) 2000 Atom Create Engineering Co., Ltd. * * Renesas Technology Sales HS7751RVoIP support
 (C) 2003 Ardis Technologies <roman@ardistech.com> * * Format of structures on disk * Information taken
 from Apple Technote #1150 (HFS Plus Volume Format)
 Copyright (C) 1994 - 2003 by Ralf Baechle */#include <linux/config.h>#include <linux/init.h>#include
 <linux/kernel.h>#include <linux/module.h>#include <linux/sched.h>#include <linux/mm.h>
 (C) 1999 Dave Airlie, University of Limerick, Ireland <airlied@linux.ie> */
 Copyright (C) 1999 Nexus Electronics Ltd. * * This file contains the hardware definitions of the * CL7500
 evaluation board.
 Copyright 2003-2004 Red Hat Inc., Durham, North Carolina.
 Copyright: Synertronixx GmbH
 Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) */#ifndef _SPARC_KGDB_H#define
 _SPARC_KGDB_H
 Copyright (C) 1999, 2000 Silicon Graphics, Inc. */#ifndef __ASM_CPU_INFO_H#define
 __ASM_CPU_INFO_H
 Copyright (C) 2004 Richard Curnow, SuperH UK Limited
 (C) Copyright 1996 Linus Torvalds */
 Copyright (C) 2003 Geert Uytterhoeven
 (C) Copyright 2000 Philipp Rumpf <prumpf@tux.org> *
 Copyright (C) 2003 ARM Limited.
 Copyright (C) 2000-2002 Toshiba Corporation
 Copyright (C) 1995-1996 Miguel de Icaza (miguel@nuclecu.unam.mx)
 (c) Copyright 2000 Philipp Rumpf <prumpf@tux.org>
 Copyright (C) 2004 Texas Instruments
 Copyright 2002,2004 MontaVista Software Inc.
 Copyright (C) 2004 Embedded Edge, LLC * * \$Id: au1550nd.c,v 1.11 2004/11/04 12:53:10 gleixner Exp \$
 Copyright (C) 2003 Sistina Software * * This file is released under the LGPL.
 (C) Copyright 2001 Brad Hards (bhards@bigpond.net.au) *
 Copyright (C) 1999-2001 Cisco, Motorola * * This file is part of the SCTP kernel reference Implementation
 Copyright (c) 2004 Matthieu Castet <castet.matthieu@free.fr>
 Copyright (C) 1998-2000 Christian T. Steigies * * Initialization additions : *
 (C) 1991, 1992 by Linus Torvalds */
 Copyright (C) 1991, 1997 Free Software Foundation, Inc.
 Copyright (C) 1994-98 Werner Zimmermann(Werner.Zimmermann@fht-esslingen.de)
 Copyright (C) 2004 Richard Curnow */
 (C) Copyright 2001 John Marvin <jsm fc hp com>
 Copyright (C) 1999 Roman Weissgaerber * * The SL811HS controller handles host side USB (like the
 SL11H, but with * another register set and SOF generation) as well as peripheral side USB * (like t

Copyright (C) 2003 Carlos O
 Copyright 2002 Momentum Computer * Author: mdharm@momenco.com
 Copyright (C) 2004 Pengutronix
 Copyright (C) 2002,2005 IBM Corporation * Author(s) Original code written by:
 Copyright 1997 Wout Klaren <W.Klaren@inter.nl.net>
 (C) 2000-2002 Harald Welte <laforge@netfilter.org>
 Copyright (C) 1999 Deti Fliegl (deti@fliegl.de)
 (C) 2004 Pavel Machek <pavel@suse.cz>
 Copyright 2004 Sylvain Munaut <tnt@246tNt.com>
 (C) 2001-2002 Patrick McHardy <kaber@trash.net>
 Copyright (C) 2001-2002 Convergence Integrated Media GmbH
 Copyright (c) 2004 Coraid, Inc. See COPYING for GPL terms./* * aoehr.c * AoE character device driver
 Copyright (C) 1999, 2000 Jeff Wiedemeier * * Code supporting TITAN systems (EV6+TITAN), currently:
 Copyright (C) 1998, 1999, 2001 Hewlett-Packard Co * Stephane Eranian <eranian@hpl.hp.com> */
 Copyright (C) 1998-2002 Russell King * * MIPS and 50xx clock support
 Copyright (C) 2001-2002, 2004 Hirokazu Takata <takata at linux-m32r.org> */
 Copyright 2001 MontaVista Software Inc. * Author: Jun Sun, jsun@mvista.com or jsun@junsun.net
 Copyright (C) 2000 RidgeRun, Inc. * glonnon@ridgerun.com, skranz@ridgerun.com, stevej@ridgerun.com
 *
 Copyright (C) 2004 Herbert Poetzl <herbert@13thfloor.at>
 Copyright (c) 2002 Eric Brower (ebrower@usa.net) */
 Copyright 2000 MontaVista Software Inc.
 Copyright (C) 1997,1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz) * Heavily based on arch/sparc/kernel/irq.c.
 */
 Copyright (C) 2000 Franz Sirl. * * This file will soon be removed in favor of an uinput userspace tool.
 Copyright (C) Hans-Joachim Hetscher DD8NE (dd8ne@bnv-bamberg.de)
 Copyright (C) 2000-2002 Andre Hedrick <andre@linux-ide.org> * * This a look-a-like variation of the ICH0
 PIIX4 Ultra-66, * but this keeps the ISA-Bridge and slots alive.
 Copyright (c) 2003 Open Source Development Labs * * This file is released under the GPLv2
 Copyright (C) 2003 Richard Curnow, SuperH UK Limited
 Copyright (C) 1999 Makoto Kato (m_kato@ga2.so-net.ne.jp) */
 Copyright (C) 2003 Thomas Gleixner <tglx@linutronix.de> * 2003 Robert Schwebel
 <r.schwebel@pengutronix.de> * 2004 Sascha Hauer <s.hauer@pengutronix.de> * * processor
 Copyright (C) 1998 Kenneth Albanowski <kjahds@kjahds.com>, * The Silver Hammer Group,
 Ltd. *
 Copyright (C) 1998 by Ori Pomerantz * Print the string to the appropriate tty, the one * the current task
 uses */static void print_string(char *str)
 (C) 1994, 1995, 1996,1997 Russell King
 Copyright (C) 1992,1993,1994,1997 | W. Metzenthien, 22 Parker St, Ormond, Vic 3163, |
 | Australia. E-mail billm@suburbia.net | |
 Copyright (C) 2003 Jamie Honan
 Copyright (C) 1998 David S. Miller (davem@redhat.com) *
 Copyright (C) 2000-2003 David McCullough <davidm@snapgear.com>
 Copyright (c) 2002 by Takashi Iwai <tiwai@suse.de>, * Clemens Ladisch
 <clemens@ladisch.de> *
 Copyright (c) 2003-2005 Simtec Electronics * Ben Dooks <ben@simtec.co.uk> * *
 http://www.handhelds.org/projects/h1940.html
 Copyright 1993 United States Government as represented by the * Director, National Security Agency. *
 * Thanks to Erik De Cock, Adrian Bridgett and Frank Fiene for their * assistance and p
 Copyright (C) 1999 Precision Insight, Inc.
 Copyright (C) 1999, 2000 Silicon Graphics, Inc. */#include <linux/config.h>#include
 <linux/kernel.h>#include <linux/sched.h>#include <linux/timer.h>#include <linux/smp.h>#include
 <linux/mmzone.h>
 Copyright (C) 2000 Frodo Looijaard <frodol@dds.nl> * Philip Edelbrock
 <phil@netroedge.com> * Stephen Rousset <stephen.rousset@rocketlogix.com>
 Copyright 1997 by Henner Eisen <eis@baty.hanse.de>
 Copyright 1998-2002 by Jes Sorensen, <jes@trained-monkey.org>. * * Thanks to Alteon and 3Com for
 providing hardware and documentation * enabling me to write this driver.
 Copyright (C) 1997, 1998, 1999, 2000 Ralf Baechle */#include <linux/kernel.h>#include

`<linux/sched.h>#include <linux/binfmts.h>#include <linux/highuid.h>#include`
`<linux/pagemap.h>#include <linu`
 Copyright (C) 1998, 1999 Richard Henderson * * Code supporting the RX164 (PCA56+POLARIS).
 Copyright (c) 2003-2004 MontaVista Software, Inc.
 Copyright (c) 2004,2005 Simtec Electronics <linux@simtec.co.uk>
 Copyright (C) 2001 Thomas Bogendoerfer <tsbogend at parisc-linux.org> *
 Copyright (C) 2002 Niibe Yutaka *
 Copyright (C) 2003 Christophe Saout <christophe@saout.de> * * This file is released under the GPL.
 Copyright (C) 1997 Jakub Jelinek (jakub@redhat.com) */
 Copyright (C) 1993,1995,1997 | W. Metzenthen, 22 Parker St, Ormond, Vic 3163, | |
 Australia. E-mail billm@suburbia.net | |
 Copyright 2003 OProfile authors * @remark Read the file COPYING * * @author John Levon
 <levon@movementarian.org>
 Copyright: (C) 2004 MontaVista Software, Inc. * * This XIP support for MTD has been loosely inspired
 * by an earlier patch authored by David Woodhouse.
 Copyright (C) 2002-2003 MontaVista Software, Inc. * * Update for Linux-2.6 and cache flush
 improvements
 Copyright (C) 1999 C-media support (support@cmedia.com.tw) * * Based on the PCI drivers by
 Thomas Sailer (sailer@ife.ee.ethz.ch)
 Copyright (C) 2001,02,04 NEC Corporation
 Copyright (c) 1999 ITConsult-Pro Co. <info@itc.hu>
 Copyright (C) Acculogic, Inc.\r\n2.8M Diskette Extension Bios ver 4.04.03 03/01/1993", 61, 82
 (C) Copyright 1999 Gregory P. Smith (from usb-ohci.c)
 Copyright (c) 1997, 1999 Dag Brattli <dagb@cs.uit.no>, * All Rights Reserved
 Copyright (C) 1994-98 Werner Zimmermann * * based on Mitsumi CDROM driver by Martin Harriss
 Copyright (C) 2003, 2004 Paul Mundt * * benedict.gaster@superh.com 19th, 24th July 2002.
 Copyright 1999-2000 Jeff Garzik * * Contributors: *
 Copyright (C) 1998, 1999, 2001, 2003 Hewlett-Packard Co * David Mosberger-Tang
 <davidm@hpl.hp.com>
 Copyright (C) 2004 Silicon Graphics, Inc. All rights reserved
 Copyright 2004 Jens Maurer <Jens.Maurer@gmx.net>
 Copyright (C) 2001 IBM Corp.
 Copyright (c) International Business Machines Corp., 2000,2002
 Copyright (C) 1996 Miguel de Icaza (miguel@nuclecu.unam.mx) */
 Copyright (C) 1990, 1999, 2000 Silicon Graphics, Inc. */#ifndef _ASM_MACH_IP32_SPACES_H#define
 _ASM_MACH_IP32_SPACES_H
 (C) Stefan Eletzhofer <stefan.eletzhofer@eletztrick.de>, 2002 * * The HackKit has two leds (GPIO 22/23).
 The red led (gpio 22) is used * as cpu led, the green one is used as timer led.
 Copyright (C) 2003 by James.Bottomley@HansenPartnership.com */
 Copyright (C) 2004 Andrew de Quincey * * Parts of this file were based on sources as follows: *
 Copyright (C) 2000 YAEHASHI Takeshi * Typical I/O routines for HD64461 system. */
 Copyright (C) 1993-1995 Bas Laarhoven,
 Copyright (C) 1998 Jakub Jelinek (jj@ultra.linux.cz) */
 Copyright (C) 2000-2001 Greg Kroah-Hartman (greg@kroah.com) * * This program is largely
 derived from work by the linux-usb group * and associated source files. Please see the usb/serial files f
 Copyright (c) 2004, 2005 Broadcom Corporation
 (C) Carnegie Mellon University
 Copyright (C) 2003 NEC Electronics Corporation
 Copyright 2001 Andi Kleen, SuSE Labs. * * Much of the core SMP work is based on previous work by
 Thomas Radke, to * whom a great many thanks are extended.
 Copyright (c) 1998-1999 Dag Brattli,
 Copyright Linus Torvalds and others.
 Copyright (C) 1994 by Alan Cox (Modularised it) * LPCAREFUL, LPABORT, LPGETSTATUS added by Chris
 Metcalf, metcalf@lcs.mit.edu * Statistics and support for slow printers by Rob Janssen, rob@knoware.n
 Copyright (C) 1996-1999 Jakub Jelinek (jj@ultra.linux.cz)
 Copyright (C) 2001 Qlogic Corporation (www.qlogic.com)
 Copyright (C) 2000, 2001 Lineo, by David McCullough <davidm@lineo.com> * based heavily on: *
 Copyright (c) 2004 Hirokazu Takata */
 Copyright: (c) 1995-2001 Sangoma Technologies Inc.

Copyright (C) 2004 Nokia Corporation * Written by Juha Yrjölä <juha.yrjola@nokia.com> */

Copyright (C) 2003, 2004 Reinhard Nissl <rnissl@gmx.de>

Copyright (C) 2000 VA Linux Co

Copyright (C) 2001 Toshiba Corporation */#ifndef __ASM_TX3927_IRQ_H#define __ASM_TX3927_IRQ_H

Copyright (C) 1996-1997 Paul H. Hargrove

Copyright (C) 1995-03 ICP vortex, Achim Leubner * See gdth.c for further informations and * below for supported controller types * * <achim_leubner@adaptec.com>

Copyright (c) 1999 Al Smith *

Copyright (C) 1998 David S. Miller (davem@redhat.com)

Copyright (C) 1996,1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz)

Copyright (C) 2001-2002 Greg Kroah-Hartman (greg@kroah.com)

Copyright (c) 2003 Dimitromanolakis Apostolos <apostol@cs.utoronto.ca> * * version 0.82: Stable / not all features work yet (no communication with AC97 secondary) * added 64x/128x oversample

(C) 2003 Thomas Gleixner <tglx@linutronix.de> */

Copyright (C) 1998, 1999 Richard Henderson * * Code supporting the Jensen.

Copyright (C) 2003, 2004 Renesas Technology Corp. */

Copyright (C) 2004 - 2005 Red Hat, Inc. All rights reserved

Copyright (C) 2004 SUSE LINUX Products GmbH. All rights reserved

Copyright 2001 MontaVista Software Inc. * Author: Jun Sun, jsun@mvista.com or jsun@junsun.net * * arch/mips/ddb5xxx/ddb5477/pci_ops.c * Define the pci_ops for DB5477.

Copyright (C) 1995, 1996, 2001 Ralf Baechle

Copyright (C) Hewlett-Packard Company. All rights reserved

Copyright (C) 1999-2002 Andre Hedrick <andre@linux-ide.org> *

(C) 2001 San Mehat <netzwerk@valinux.com>

Copyright (C) 1996 Olaf Kirch * 04 Aug 1998 Ion Badulescu <ionut@cs.columbia.edu> * FIFO's need special handling in NFSv2 */

Copyright (C) 2001 Will Dyson (will@cs.earlham.edu) *

Copyright 2001 (c) Jean-Christophe Vaugeois <vaugeois@esiee.fr>

Copyright (C) 1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz) * * Based upon code written by Ross Biro, Linus Torvalds, Bob Manson, * and David Mosberger.

(C) 2000 Stelias Computing Inc * * HISTORY

Copyright (C) 1995 Linus Torvalds */

Copyright (C) 1996,1997 Thomas K. Dyas (tdyas@eden.rutgers.edu) * * --- Notes from Thomas's original driver --- * This is the lowlevel driver for the AMD7930 audio chip found on all * sun4c machin

Copyright (C) 1995 Linus Torvalds *

Copyright (C) 1997 Dan Malek (dmalek@jlc.net). * * This file contains the system call entry code, context switch * code, and exception/interrupt return code for PowerPC.

Copyright (C) 2005 Thomas Winischhofer\n"); }

Copyright 2002 Andi Kleen, SuSE Labs. * \$Id: aperture.c,v 1.7 2003/08/01 03:36:18 ak Exp \$ */#include <linux/config.h>#include <linux/kernel.h>#include <linux/types.h>#include <linux/init.h>#in

Copyright 2004 Cooper Street Innovations Inc.

Copyright (C) 2001 IBM Deutschland Entwicklung GmbH, IBM Corporation

Copyright (c) 2002-2005 Clemens Ladisch * All rights reserved

Copyright (C) 2003 PMC-Sierra Inc. * Author: Manish Lachwani (lachwani@pmc-sierra.com)

Copyright (C) 2002 Maciej W. Rozycki

Copyright (c) 2001 Dave Engebretsen *

Copyright (C) 2003 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> * * 25-Sep-03 davidmImplement fsys_rt_sigprocmask(). * 18-Feb-03 louisk Implement fsys_gettimeofday(). * 28-Feb-

(C) 2003-2005 Netfilter Core Team <coreteam@netfilter.org>

Copyright (C) 2000 RidgeRun, Inc. * Author: Greg Lonnon <glonnon@ridgerun.com> * * Rewritten by:

Copyright (C) 2000-2001 Thomas Bogendoerfer <tsbogend@parisc-linux.org>

Copyright (c) 2004 Silicon Graphics, Inc. * * Please see Documentation/filesystems/sysfs.txt for more information.

(c) Copyright 2001 Ascensit <support@ascensit.com>

Copyright (C) 2004 Justin Thiessen <jthiessen@penguincomputing.com>

Copyright (c) 1999 Armin Fuerst <fuerst@in.tum.de>

Copyright 1999,2000 Hewlett-Packard Company

Copyright (C) 1995, 1996 Olaf Kirch <okir@monad.swb.de> * * CHANGES * 19-Apr-2000 Chris Evans -

Security fix
 Copyright (C) 2001, Erik Mouw (J.A.K.Mouw@its.tudelft.nl) * * This file accompanies the procfs-guide in the Linux kernel * source. Its main use is to demonstrate the concepts and * functions descr
 Copyright 2004 SGI *
 Copyright 1998 by Franco Venturi.
 Copyright (C) 2000 Vinh Truong (vinh.truong@eng.sun.com) * VT - The implementation is to support Sun Microelectronics (SME) platform * environment monitoring. SME platforms use pcf8584 as
 Copyright (c) Trond Myklebust * * Definitions pertaining to NFS delegated files
 copyright text 2001jul05 change message format to improve OVERRUN case
 (C) Copyright 2003 Hewlett-Packard
 Copyright (C) 2002, Rob Scott <rscott@mtrob.fdns.net>
 (C) 1999 Dave Airlie, University of Limerick, Ireland <airlied@linux.ie> * * Rewrite of larges part of the code in order to stabilize TCP stuff. * Fix behaviour when socket buffer is full.
 Copyright (C) 1999 David S. Miller (davem@redhat.com)
 Copyright (C) 2001 Steven Hill (sjhill@realitydiluted.com)
 Copyright (C) 2001 Anton Blanchard <anton@au.ibm.com>, IBM * * Module name: htab.c
 Copyright (c) by Jaroslav Kysela <perex@suse.cz> * Routines for control of CS4235/4236B/4237B/4238B/4239 chips * * Note: * ----
 Copyright (c) 2000-2002 Helge Deller, Matthew Wilcox * * Distributed under the terms of the GPL, version 2
 (c) Copyright 2002-2004 Xilinx Inc.* All rights reserved
 Copyright 1994 David C. Davies and United States Government
 (as represented by the Director, National Security Agency).
 Copyright (C) 1999, 2000 Silicon Graphics, Inc. */
 Copyright (c) by Jaroslav Kysela <perex@suse.cz>, * Takashi Iwai <tiwai@suse.de> *
 Copyright 2002 OProfile authors * @remark Read the file COPYING * * @author Richard Henderson <rth@twiddle.net>
 Copyright 2001 esd electronic system design - hannover germany
 (C) Copyright 2004, Greg Ungerer <gerg@snapgear.com>
 Copyright (C) 1995, 96, 97, 98, 99, 2000 by Ralf Baechle
 copyright(ae_config.base_io) == FALSE)
 Copyright (C) 1998 Phil Blundell */
 Copyright (C) 2004 Texas Instruments * * Added entry for the keypad and uwire CS1. (09Mar 2004)
 Copyright (c) 2004 Coraid, Inc. See COPYING for GPL terms./* * aoebk.c * block device routines
 Copyright (C) 1991, 1992 Linus Torvalds * * ext/freelists.c
 Copyright (C) 2003-2004 Russell King, All Rights Reserved
 Copyright (C) International Business Machines Corp., 2002,2005
 Copyright (c) 2002 Johann Deneux */
 Copyright (C) 2004 Greg Kroah-Hartman <greg@kroah.com>
 Copyright (C) 2004 * Lonnie Mendez (dignome@gmail.com)
 Copyright (c) 2002-2003 Intel Corporation
 Copyright (c) 1999 Nicolas Pitre <nico@cam.org> */#ifndef __ASM_ARCH_SYSTEM_H#define
 __ASM_ARCH_SYSTEM_H#include <linux/config.h>#include <asm/arch/hardware.h>
 (C) 2004 Intracom, S.A.
 Copyright (C) 1996,98,99 Jakub Jelinek (jj@sunsite.mff.cuni.cz) */
 Copyright (C) 2001 Anton Blanchard (antonb@au.ibm.com) * * These routines maintain argument size conversion between 32bit and 64bit * ioctls.
 Copyright (c) 2000 Jeroen B. Vreeken (pe1rxq@amsat.org) * * Still somewhat based on the Linux ov511 driver.
 Copyright (C) 1995 David A Rusling
 Copyright (C) Russell King
 Copyright 1998-2001 by Jes Sorensen, <jes@trained-monkey.org>. * * RETURNS: An appropriate -ERRNO error value on error, or zero for success.
 Copyright (C) 1999, 2004 Silicon Graphics, Inc.
 Copyright 2001 MontaVista Software Inc. * Author: jsun@mvista.com or jsun@junsun.net * * First-level interrupt dispatcher for ddb5477
 Copyright (C) 2004 Ryan S Arnold, IBM Corporation * * LPAR console support.
 (C) 2003 Ardis Technologies <roman@ardistech.com> * * Option parsing
 Copyright (C) 2002 Roman Zippel <zippel@linux-m68k.org> * Released under the terms of the GNU GPL v2.0. * * Introduced single menu mode (show all sub-menus in one large tree). * 2002-11-06 Petr Ba

Copyright (C) International Business Machines Corp., 2002,2004
 Copyright (C) 2000-2002, David McCullough <davidm@snapgear.com> */
 Copyright (C) 2003, 2004 Richard Curnow
 (C) Copyright 2004 Silicon Graphics, Inc. Jesse Barnes <jbarnes@sgi.com> * * PCI ROM access routines
 Copyright (C) 1996, 1997, 1998, 2003 by Ralf Baechle */#ifndef
 __ASM_MACH_GENERIC_FLOPPY_H#define __ASM_MACH_GENERIC_FLOPPY_H
 Copyright (C) 1999 Silicon Graphics, Inc. * * Cache error handler
 Copyright (C) 2004 Greg Kroah-Hartman <greg@kroah.com> * * This file is released under the GPLv2.
 (C) IBM Corporation, IBM Deutschland Entwicklung GmbH, 2000a * History of changes * 07/24/00 new file
 * 05/04/02 code restructuring.
 Copyright (C) 1999-2004 Greg Ungerer (gerg@snapgear.com)
 Copyright (C) 2002-2004 VERITAS Software Corporation.
 Copyright (C) 1999-2002 Andre Hedrick <andre@linux-ide.org> */
 Copyright (C) 1995, 1996 by Andreas Busse * * NOTE: Some of the argument checking could be removed
 when * things have settled down. Also, instead of returning 0xffffffff * on failure of vdma_alloc
 Copyright (C) 2002 Maciej W. Rozycki */#include <linux/config.h>#include <linux/init.h>
 (C) 2005 Georges Toth <g.toth@e-biz.lu>
 Copyright (C) International Business Machines Corp., 2002,2003
 (C) 2003 Ardis Technologies <roman@ardistech.com> * * Handling of allocation file
 Copyright (C) International Business Machines Corp., 2002,2005 * Author(s): Steve French
 (sfrench@us.ibm.com) * * Contains the routines for constructing the SMB PDUs themselves
 Copyright (C) by Paul Barton-Davis 1998-1999 * * Some portions of this file are taken from work that is
 Copyright (C) 2001 Greg Kroah-Hartman (greg@kroah.com)
 Copyright (C) 2002,2003 Takayoshi Kochi (t-kochi@bq.jp.nec.com)
 Copyright (C) 1997 Michael AK Tesch * written with much help from Jon Howell * * Updated for 3D RAGE
 PRO and 3D RAGE Mobility by Geert Uytterhoeven
 Copyright (C) 1998-2003 Hewlett-Packard Co * Stephane Eranian <eranian@hpl.hp.com> * David
 Mosberger <davidm@hpl.hp.com>
 Copyright (c) 1999-2001 Motorola, Inc. * * This file is part of the SCTP kernel reference Implementation
 Copyright (C) 2000 Pavel Machek <pavel@suse.cz> * * \$Id\$
 Copyright (C) 1999, 2000, 01 Silicon Graphics, Inc. */#include <linux/config.h>#include
 <linux/interrupt.h>#include <linux/module.h>#include <asm/checksum.h>#include
 <asm/pgtable.h>#include <as
 Copyright (C) 2000, 2001 Wolfgang Denk, wd@denx.de * Modified for direct IDE interface * by Thomas
 Lange, thomas@corelatus.com * Modified for direct IDE interface on 8xx without using the PCMCIA
 Copyright (C) 1998-2000 Jens Axboe */#ifndef _IDE_CD_H#define _IDE_CD_H
 Copyright (C) 2004 Paul Mundt
 Copyright (C) by Paul Barton-Davis 1998-1999
 Copyright (C) 1996 Free Software Foundation, Inc.
 (C) 1997 Linus Torvalds */
 Copyright (c) 2001, 2002 Hiroyuki Kondo, Hirokazu Takata, * Hitoshi Yamamoto *
 Taken from i386 version.
 Copyright 2000, 2001 MontaVista Software Inc.
 Copyright (c) 1999 Csaba Halasz <qgehal@uni-miskolc.hu>
 Copyright (C) 1993 Paul B. Monday * * sysv/inode.c
 Copyright (C) 2001,2004 Grant Grundler <grundler@parisc-linux.org>*** Lots of stuff stolen from
 arch/alpha/kernel/smp.c** ...and then parisc stole from arch/ia64/kernel/smp.c. Thanks David! :^)
 Copyright (C) 1994 Linus Torvalds * * Pentium III FXSR, SSE support * General FPU state handling
 cleanups * Gareth Hughes <gareth@valinux.com>, May 2000
 Copyright 2004 Antonino A. Daplas <adaplas@pol.net> * * Based partly on riva-fb-i2c.c
 Copyright (C) 1992 Drew Eckhardt * Linux scsi disk driver by * Drew Eckhardt
 <drew@colorado.edu> * * Modified by Eric Youngdale ericy@andante.org to * add scatter-gather,
 multip
 Copyright 2001 MontaVista Software Inc. * Author: jsun@mvista.com or jsun@junsun.net * * First-level
 interrupt dispatcher for ddb5476
 (C) 2004 Red Hat <alan@redhat.com> * * Marcelo Tosatti <marcelo@conectiva.com.br> : SMP fixes
 Copyright 1998 Artur Skawina <skawina@geocities.com> * * Supported cards:
 Copyright 2004 Ralf Baechle <ralf@linux-mips.org> */#include <asm/sn/addr.h>#include
 <asm/sn/sn0/hub.h>#include <asm/sn/klconfig.h>#include <asm/sn/ioc3.h>#include

```

<asm/sn/sn_private.h>
(C) Copyright 1996 Linus Torvalds * * Modified 1996-12-23 by Dave Grothe <dave@gcom.com> to fix bugs
in *           the original code and to make semaphore waits *           in
Copyright (C) 2000      Andre Hedrick <andre@suse.com>      Further tiny build fixes and trivial hoovering
Alan Cox
Copyright (C) Alex Williamson
Copyright (C) 2001 Kristian H
(C) 2000-2002 James Morris <jmorris@intercode.com.au>
Copyright (C) 1992 David Giller
Copyright (C) 1998, 1999 Richard Henderson * * Code supporting the ALCOR and XLT (XL-300/366/433).
Copyright (C) 1995, 1996, 1997, 1998 Jakub Jelinek           (jj@ultra.linux.cz) *
Copyright 2000,2003 IBM Corporation * Author(s): Thomas Spatzier <tspat@de.ibm.com> *
Copyright (C) 1992, Linus Torvalds * * I don't think we'll ever need a.out ...
Copyright (C) 2000 Linus Torvalds. *           2000 Transmeta Corp. * aops copied from ramfs. */
Copyright 1994. * * This file also contains code originally written by Linus Torvalds,
Copyright (c) 2001-3 Patrick Mochel * * Please see Documentation/filesystems/sysfs.txt for more
information.
Copyright 2000-2001 MontaVista Software Inc. *      Original author: Armin Kuster akuster@mvista.com * *
Module name: ibm405gp.c
(C) 1999 Stelias Computing Inc * * HISTORY
(C) 2001 Fernando Anton, this code is GPL.
Copyright 1996, 1997 David S. Miller (davem@caip.rutgers.edu) */
copyright; /* Copyright message.
Copyright (C) 2001 Nicolas Pitre */#include <linux/compiler.h>#include <linux/init.h>
Copyright 2004 Uwe Koziolk
Copyright (2004) Ingo Molnar */
Copyright (C) 2002   Wolfgang M
Copyright: Copyright (c) 1996 John Shifflett, GeoLog Consulting */static inlineint round_period(unsigned int
period)
Copyright (C) 2002 Takashi Iwai <tiwai@suse.de>
Copyright (C) 1994, David S. Miller (davem@caip.rutgers.edu) */
Copyright (c) 2003 Henk Vergonet <henk@god.dyndns.org> *   Based on code written by:
Copyright (c) 1998      Thomas Davis <ratbert@radiks.net> *   All Rights Reserved
Copyright (C) 2004 Coastal Environmental Systems * * [ Substantially cribbed from include/asm-arm/arch-
pxa/hardware.h ]
Copyright (c) by Jaroslav Kysela <perex@suse.cz> *           Takashi Iwai <tiwai@suse.de> * *
Generic memory allocators
Copyright (C) 1996 Martin Apel, *           Geert Uytterhoeven
Copyright (C) 1999 Lars Brinkhoff. See the file COPYING for licensingterms and
conditions.*/
(C) 1998 Christian Schmidt (chr.schmidt@tu-bs.de)
Copyright (c) 2004-2005 Simtec Electronics *   Ben Dooks <ben@simtec.co.uk> * * Samsung S3C2440
Drive Strength Control support
Copyright 2000-2001 ATMEL Corporation.
Copyright (C) 2001, 2002, 2003 David S. Miller (davem@redhat.com) */
Copyright (C) 1997-1999 Janos Farkas <chexum@shadow.banki.hu> * * Using parts of the minix
filesystem
Copyright (C) 2000 RidgeRun, Inc. * Author: RidgeRun, Inc. *           Greg Lonnon glonnon@ridgerun.com or
info@ridgerun.com *
Copyright (C) 2004 IBM Corporation *           character device driver for reading z/VM system service records,
*           Version 1.0 *           Author(s): Xenia Tkatschow <xenia@us.ibm.com> *           Stefan Weinhuber
<wein@de.
Copyright (C) 1999, 2001-2002, 2005 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>
Copyright (C) 1999-2005 3ware Inc.
Copyright (c) by Jaroslav Kysela <perex@suse.cz> *   Universal routines for AK4531 codec *
Copyright (C) 1999,2000 IBM Deutschland Entwicklung GmbH, IBM Corporation */
Copyright (c) 2003 Pavel Machek
Copyright (C) 1999 Nexus Electronics Ltd */
Copyright (C) 2002 - 2003 Jeff Dike (jdike@addtoit.com)

```

Copyright (c) 1997-1999 Perceptive Solutions, Inc. * All Rights Reserved
 (C) 2003 Pete Popov <ppopov@pacbell.net> *
 Copyright (c) 2000 Jaroslav Kysela <perex@suse.cz> * * This is modified (by Sasha Khapyorsky
 <sashak@smlink.com>) version * of ALSA ICH sound driver intel8x0.c .
 Copyright (C) 2000-2004 Netfilter Core Team <coreteam@netfilter.org>
 Copyright (C) 2000, 2002, 2003 Maciej W. Rozycki * * These are addresses which have to be known early
 in the boot process. * For other addresses refer to tc.h, ioasic_addrs.h and friends.
 Copyright header from piix.c:
 Copyright (C) by Todd E. Johnson (mtouchusb.c)
 Copyright (c) 2005 Silicon Graphics, Inc. All rights reserved
 Copyright (C) 2002-2003 David McCullough <davidm@snapgear.com>
 Copyright (C) 1992, 1998 Linus Torvalds, Ingo Molnar * * This file contains the lowest level m32r-specific
 interrupt * entry and irq statistics code. All the remaining irq logic is * done by the g
 Copyright (C) 1998, 1999 Phil Blundell
 (C) 2000 Nicolas Pitre <nico@cam.org> * * \$Id: sa1100-flash.c,v 1.47 2004/11/01 13:44:36 rmk Exp \$
 Copyright 2004 Embedded Edge LLC.
 Copyright (C) 2001, 2002 Hiroyuki Kondo, Hirokazu Takata
 Copyright (C) 2004 Kazuhiro Inaoka
 (c) Copyright 1999, 2000 Red Hat Software
 Copyright (C) 1998, 1999, 2000 Axis Communications AB */
 Copyright: MontaVista Software Inc. * * Code common to all PXA machines.
 Copyright (C) 2002-2003 Patrick Mochel <mochel@osdl.org>
 Copyright 2001,2003 Jeff Garzik <jgarzik@pobox.com>
 Copyright (c) 2000-2004 Vojtech Pavlik <vojtech@ucw.cz>
 Copyright 1995 David S. Miller (davem@caip.rutgers.edu)
 Copyright (C) 2002-2003 Dave Jones
 Copyright (C) 1997 Martin Mares <mj@atrey.karlin.mff.cuni.cz> * * The __delay function must _NOT_ be
 inlined as its execution time * depends wildly on alignment on many x86 processors. The addition
 Copyright (c) 2000-2002 Vojtech Pavlik * * Based on the work of:
 copyright ? SPDCOPYRHT : 0);}
 Copyright (C) 1992, 1993, 1994, 1995 * Remy Card (card@masi.ibp.fr) * Laboratoire MASI - Institut Blaise
 Pascal * Universite Pierre et Marie Curie (Paris VI) */
 Copyright (c) 2002 Red Hat, Inc. All rights reserved
 Copyright (C) 1998 by Harald Koerfgen
 Copyright (C) 2003 Russell King, All Rights Reserved
 Copyright 2002 OProfile authors * @remark Read the file COPYING * * @author John Levon * @author
 David Smith
 copyright details. * * This file contains functions for handling the event device on the software * side and
 the remote control on the hardware side.
 Copyright (C) 2004 David S. Miller <davem@davemloft.net> */
 (C) Copyright 2000-2005 David Brownell
 Copyright (C) 2002 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> */
 Copyright 2000 by Hans Reiser, licensing governed by reiserfs/README * * Trivial changes by Alan Cox to
 add the LFS fixes
 Copyright (c) 2001 David Howells (dhowells@redhat.com). * - Derived partially from ideas by Andrea
 Arcangeli <andrea@suse.de> * - Derived also from comments by Linus */
 Copyright (C) 1998-2001 Hewlett-Packard Co
 Copyright (C) 1999 Niibe Yutaka * Based on linux/arch/i386/mm/init.c:
 Copyright (C) 2005 Narayanan R S <nars@kadamba.org>
 Copyright (C) 2002 Randolph Chung <tausq with parisc-linux.org> *
 Copyright (C) 2004 Advanced Micro Devices *
 Copyright (C) 2002 Intel Corporation
 Copyright (C) 2002 Richard Russon
 Copyright (C) 1998-1999 Andrzej Krzysztofowicz, Author and Maintainer
 Copyright (C) 1999-2004, Renesas Technology Corp. * Hirokazu Takata <takata at linux-m32r.org> */
 Copyright (C) 1989, 1991 Free Software Foundation, Inc.
 Copyright (C) 2004 Clemens Fruhwirth <clemens@endorphin.org> * * This file is released under the GPL.
 Copyright 1999, 2000 Precision Insight, Inc., Cedar Park, Texas.
 copyright information. printk(KERN_WARNING "NetWinder Floating Point Emulator V0.95 "

Copyright (c) 1995, 1996 Daniel M. Eischen * All rights reserved
 Copyright (C) 2001, 2002, 2003, 2004 Maciej W. Rozycki */
 (C) Copyright 1999-2000, Lineo (www.lineo.com) */
 Copyright (C) 1991, 1992 Linus Torvalds * * ext2fs fsync primitive
 Copyright (C) 1996-2001 Russell King. * * I _hate_ this partitioning mess - why can't we have one defined
 * format, and everyone stick to it?
 Copyright (C) 2000 ARM Limited
 Copyright 2000-2003 (c) Helge Deller
 (C) 1998,1999 Kenneth Albanowski, D. Jeff Dionne\n");
 Copyright (C) 2004, Kyle McMartin <kyle@ * * Based on the previous Harmony incarnations by,
 Copyright 1999 Red Hat Software --- All Rights Reserved
 copyright follows: *
 Copyright (C) 2005 Sven Luther <sl@bplan-gmbh.de> * Thanks to :
 Copyright (C) 2002 Patrick Mansfield * * The general scanning/probing algorithm is as follows, exceptions
 are * made to it depending on device specific flags, compilation options, and * global var
 Copyright (C) 1998 D. Jeff Dionne <jeff@lineo.ca>, * Kenneth Albanowski
 <kjahds@kjahds.com>,
 Copyright 1993-1999 NVIDIA, Corporation. All rights reserved
 Copyright (C) 2000, 2001, 2003 Broadcom Corporation */#include <linux/cache.h>#include
 <linux/delay.h>#include <linux/init.h>#include <linux/interrupt.h>#include <linux/spinlock.h>#include
 <lin
 Copyright 2001, 2002 by Robert Olsson <robert.olsson@its.uu.se> * Uppsala University
 and * Swedish University of Agricultural Sciences * * A
 Copyright (C) 1996, 1998 by Ralf Baechle * * Multi-arch abstraction and asm macros for easier reading:
 (C) 2000 by Matthew G. Marsh <mgm@paktronix.com>
 Copyright (C) 1995, 1999, 2000, 2001 by Silicon Graphics, Inc. * * References:
 Copyright (C) 2004 Emulex Corporation.
 Copyright (C) 1999, 2000 Philipp Rumpf <prumpf@tux.org> */
 Copyright (C) 1996,1997,1998 Russell King
 Copyright (C) 1992,1993,1994,1996 | W. Metzenthen, 22 Parker St, Ormond, Vic 3163,
 Australia | | E-mail billm@jacobi.maths.monash.edu.au | |
 Copyright (C) 2001-2002 Jungjun Kim, Hynix Semiconductor Inc.
 Copyright 2001 MontaVista Software Inc. * Author: jsun@mvista.com or jsun@junsun.net * * rtc and time
 ops for vr4181. Part of code is derived from * linux-vr, originally written by Bradley D. LaR
 (C) 2001 IBM Deutschland Entwicklung GmbH by Carsten Otte and "
 (C) Copyright 1995 by Geert Uytterhoeven, * Peter De Schrijver * *
 lance.c: An AMD LANCE ethernet driver for linux. * Written 1993-94 by Donald
 Becker.
 (c) Copyright 2002 Guido Guenther <agx@sigxcpu.org>, All Rights Reserved
 Copyright (C) 1996 Paul Mackerras (Paul.Mackerras@cs.anu.edu.au)
 Copyright (C) 2000 Greg Banks, Mitch Davis * C API to interface to the standard LinuxSH BIOS * usually
 from within the early stages of kernel boot. */
 Copyright (C) 1997 Geert Uytterhoeven * * and SPARC console subsystem
 Copyright 2000 Paul Mackerras.
 Copyright (C) 1998 Peter Maydell (pmaydell@chiark.greenend.org.uk)
 Copyright (C) 2000,2002 Stephen Rothwell */
 Copyright (C) 2003 Ralf Baechle <ralf@linux-mips.org>
 Copyright (c) 2000-2004 Silicon Graphics, Inc. All Rights Reserved
 Copyright (C) 1992 Linus Torvalds * Adapted from arch/i386 by Gary Thomas
 Copyright (C) 2000 Andreas E. Bombe
 Copyright (C) 2000, 2002, 2003 Maciej W. Rozycki
 Copyright (C) 2003 IBM Corporation, IBM Deutschland Entwicklung GmbH. * * Author: Gerald Schaefer
 <geraldsc@de.ibm.com>
 Copyright (c) 1995-1998 Mark Lord
 (C) Copyright 2003, Greg Ungerer (gerg@snapgear.com) */
 Copyright (c) 2001 by Jay Schulist <jschlst@samba.org>
 Copyright (C) 2003 Convergence GmbH
 Copyright (C) Steven Whitehouse GW7RRM (steve@acm.org)
 Copyright 2003 (C) Al Borchers (alborchers@steinerpoint.com) * * This code is based in part on the Gadget

Zero driver, which
 Copyright (c) 2001 Maciej W. Rozycki
 Copyright (c) 2002-3 Open Source Development Labs * * This file is released under the GPLv2
 Copyright (c) 2003 Evgeniy Polyakov <johnpol@2ka.mipt.ru> *
 (C) 2000 Nicolas Pitre <nico@cam.org> * * \$Id: ceiva.c,v 1.11 2004/09/16 23:27:12 gleixner Exp \$
 Copyright (C) 1992,1993,1994,1996,1997,1999 | W. Metzenthien, 22 Parker St, Ormond, Vic
 3163, Australia | | E-mail billm@melbpc.org.au
 Copyright (C) 1999 Walt Drummond <drummond@valinux.com> * * This file is used for SMP configurations
 only.
 Copyright (C) 2003 Joshua Wise (joshua@joshuawise.com) * * Derived from drivers/mtd/nand/edb7312.c
 Copyright (C) 2003 Joerg Dorchain <joerg AT dorchain.net>
 Copyright (C) 1999 Silicon Graphics, Inc. * Kevin Kissell, kevink@mips.com and Carsten Langgaard,
 carstenl@mips.com
 Copyright is held by AT * * AT&T gives permission for the free use of the CRC source code.
 Copyright (C) 2004-2005 Red Hat, Inc. All rights reserved
 (C) Copyright 2003, 2004 Jamie Lokier * * Thanks to Ben LaHaise for yelling "hashed waitqueues" loudly *
 enough at me, Linus for the original (flawed) idea, Matthew * Kirkwood for proof-of-conc
 Copyright (C) 1996 David S. Miller * Kevin D. Kissell, kevink@mips.com and Carsten Langgaard,
 carstenl@mips.com
 Copyright (C) 2001-2004 Helge Deller <deller@gmx.de>
 Copyright (C) 1998-2002 Paul Mackerras * * This file is derived from the Powermac "chips" driver:
 Copyright 2001 Stelian Pop <stelian.pop@fr.alcove.com>, Alc * * For all support questions please contact:
 <support@auverttech.fr>
 Copyright (C) 1995 - 2000, 2001 by Ralf Baechle
 Copyright (C) 2001,2002 Jakob Kemi <jakob.kemi@telia.com> * * Documentation is available at
<http://linux-ntfs.sf.net/ldm>
 COPYRIGHT)) val if (sbits & (IEC958_AES1_CON_ORIGINAL << 8))
 val |= 1 << 7; val |= sbits & (IEC958_AES1_CON_CATEGORY << 8); }
 return val;
 Copyright (C) 1992, 1998 Linus Torvalds, Ingo Molnar * * This file contains the lowest level x86_64-specific
 interrupt * entry and irq statistics code. All the remaining irq logic is * done by the
 Copyright (c) 2003 Dave Engebretsen <engebret@us.ibm.com>
 Copyright (c) 1999 Rt-Control Inc. <jeff@uclinux.org> */ #ifndef _MCF_SERIAL_H#define _MCF_SERIAL_H
 (C) Copyright 1995 1996 Linus Torvalds * CRIS-port by Axis Communications AB */
 Copyright (C) 1998, 1999, 2003 by Ralf Baechle */#ifndef _ASM_TIMEX_H#define _ASM_TIMEX_H
 Copyright (C) 1999, 2000 Nexus Electronics Ltd. */
 Copyright (C) 2000, 2001 Paolo Alberelli * * This file contains various random system calls that * have a
 non-standard calling sequence on the Linux/SH5 * platform.
 Copyright (c) 1999 by Oliver Aldulea (oli@bv.ro) * * This code is based on the RISCom/8 multiport
 serial driver written * by Dmitry Gorodchanin (pgmdsg@ibi.com), based on the Linux serial * driver
 Copyright 1999 by Werner Cornelius (werner@titro.de)
 Copyright 2000-2003 (c) Helge Deller <deller@gmx.de>
 Copyright (c) Jean-Luc Cooke <jlcooke@certainkey.com>
 (C) Copyright 1999, 2000, 2001 Axis Communications AB, LUND, SWEDEN*!
 Copyright (C) 2001 Patrick Mochel <mochel@osdl.org>
 (C) 2002 - 2003 Dominik Brodowski <linux@brodo.de>
 Copyright (C) 1999 Walt Drummond <drummond@valinux.com> */#include <linux/config.h>
 Copyright (C) 2003, 2004 IBM Corp.
 (C) 2003 Venkatesh Pallipadi <venkatesh.pallipadi@intel.com>.
 Copyright (c) 2005 Christer Weinigel <christer@weinigel.se> * * There is a wiki with more information
 about the n30 port at * <http://handhelds.org/moin/moin.cgi/AcerN30Documentation> .
 (C) 2002-2004 Ingo Molnar, Red Hat * * pid-structures are backing objects for tasks sharing a given ID to
 chain * against. There is very little to them aside from hashing them and * parking tasks
 Copyright (C) 2004 Dominik Brodowski
 Copyright (C) 1999 Bent Hagemark, Ingo Molnar * * SGI Visual Workstation interrupt controller
 (C) 2003 David Woodhouse <dwmw2@infradead.org> * * Simple read-only (writable only for RAM)
 mtdblock driver
 Copyright (C) 2000 - 2002 Paul Bristow <paul@paulbristow.net> */
 Copyright (C) 1992 David Giller, rafetmad@oxy.edu * 1994, 1995 Eberhard Moenkeberg,

emoenke@gwdg.de * 1996 David van Leeuwen, david@tm.tno.nl *
 Copyright 1999 Jeff Garzik <jgarzik@pobox.com> * * Original clgenfb author: Frank Neumann
 Copyright (C) 1991, 1992 Linus Torvalds * * Pentium III FXSR, SSE support * Gareth Hughes
 <gareth@valinux.com>, May 2000
 Copyright (C) 1998-2001 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>
 Copyright 1997 Linus Torvalds
 Copyright (C) Srinivasa Thirumalachar (sprasad@engr.sgi.com)
 Copyright (c) 2001, 2003 Maciej W. Rozycki */#include <linux/string.h>#include <linux/init.h>#include
 <linux/ioport.h>#include <linux/kernel.h>#include <linux/module.h>
 copyright information.
 Copyright 1993, 1994 Drew Eckhardt * Visionary Computing * (Unix and Linux consulting and
 custom programming) * Drew@Colorado.EDU * +1 (303) 786-7975 * * Drew's work was spon
 Copyright (C) 1998-1999 Russell King.
 Copyright (C) 2000 Silicon Graphics, Inc.
 Copyright (c) 2003,2004 Simtec Electronics
 Copyright (C) 1993 Pascal Haible, Bruno Haible * * sysv/file.c
 Copyright (C) 1996, 97, 2000, 2001 by Ralf Baechle
 Copyright (C) 2000, 01 MIPS Technologies, Inc. * * In all honesty, little of the old MIPS code left - the
 PPC64 variant was * just looking nice and portable so I ripped it. Credits to whoever wrote
 Copyright 2001 MontaVista Software Inc. * Author: Jun Sun, jsun@mvista.com or jsun@junsun.net * *
 arch/mips/vr4181/common/serial.c * initialize serial port on vr4181.
 Copyright (C) 1999, 2000 Jakub Jelinek (jakub@redhat.com) */
 Copyright (c) 2000 David Woodhouse <dwmw2@mvhi.com> * Steven J. Hill
 <sjhill@realitydiluted.com> * Thomas Gleixner <tglx@linutronix.de> * * \$Id: nand.h,v
 1.68 2004/11/1
 Copyright (C) 1997 Martin von L *
 COPYRIGHT * This file is distributed under the terms of the GNU General Public
 Copyright 1997 Transmeta Corporation - All Rights Reserved
 Copyright (C) 1996 Eddie C. Dost (ecd@skynet.be)
 Copyright (C) 1998 * Daniel Pirkel <daniel.pirkel@email.cz> * Charles University, Faculty of Mathematics and
 Physics */
 copyright information and source see the end of this file.static u8 mac_reader[] = {
 0x06,0x00,0x00,0xea,0x04,0x00,0x00,0xea,0x03,0x00,0x00,0xea,0x02,0x00,0x00,0xea,
 0x01,0x00,0x00,0xea,0x00,0x00,0
 Copyright (C) 2002 Vivien Chappelier
 Copyright (C) 1997, 1998 Ralf Baechle
 Copyright (c) 2000 Xavier Debacker <debackex@esiee.fr> * * HP PS/2 AT-compatible Keyboard, found in
 PA/RISC Workstations & Laptops
 Copyright (c) 1996 Russell King.
 Copyright 2000, 2001 STMicroelectronics Limited.
 (C) 2002 Hewlett-Packard Company <jamey.hicks@hp.com>
 Copyright (c) 1998 by Jaroslav Kysela <perex@suse.cz> *
 Copyright (C) 2001 MIPS Technologies, Inc. */#include <linux/config.h>#include <linux/eisa.h>#include
 <linux/hdreg.h>#include <linux/init.h>#include <linux/ioport.h>#include <linux/sched.h>#in
 Copyright 1999 Ben Pfaff and Petr Vandrovec * Based on VGA info at
 http://www.goodnet.com/~tinara/FreeVGA/home.htm
 (C) IBM Corporation, IBM Deutschland Entwicklung GmbH, 1999-2001 * * \$Revision: 1.14 \$
 Copyright (C) 1998, 1999 Frodo Looijaard <frodo@dds.nl> * and Philip Edelbrock <phil@netroedge.com>
 */
 Copyright (C) 1998 Geert Uytterhoeven * * 2000 - Removal of OpenFirmware dependencies by:
 Copyright (C) 2000 Philipp Rumpf <prumpf@tux.org> * - based on skeletonfb, which was * Created 28
 Dec 1997 by Geert Uytterhoeven * - HP Xhp cfb-based X11 window driver for XFree86
 Copyright (C) 1998-9 Tim Waugh <tim@cyberelk.demon.co.uk>
 Copyright (C) 1997,1998 Jakub Jelinek (jj@ultra.linux.cz)
 Copyright (C) 2000 Neil Brown <neilb@cse.unsw.edu.au> */
 copyright 1996 by David Weis, weisd3458@uni.edu
 Copyright 2003 PMC-Sierra * Author: Manish Lachwani (lachwani@pmc-sierra.com) * * Board specific
 definitions for the PMC-Sierra Yosemite
 Copyright (C) 2002 Maxim Krasnyansky <maxk@qualcomm.com>

Copyright (C) 2004 Sean McGoogan * * This file contains the system call numbers.
 (C) 1999-2001 by Helge Deller <deller@gmx.de> *
 Copyright (c) 1999-2001 Vojtech Pavlik * * Based on the work of:
 Copyright 1999,2000 Nortel Networks
 Copyright (C) 2003 Nokia Corporation
 Copyright (c) 1999 Grant Erickson <grant@lcse.umn.edu> * PowerPC 403GCX/405GP modifications.
 */#include <linux/config.h>#include <linux/kernel.h>#include <linux/mm.h>#include <asm/ptrace.h>#i
 Copyright (C) 1996 Miguel de Icaza (miguel@nuclecu.unam.mx)
 Copyright (C) 1996 David S. Miller (davem@caip.rutgers.edu) * * Returns 0, if ok, and number of bytes not
 yet set if exception * occurs and we were called as clear_user.
 Copyright (C) 1998 Jakub Jelinek * * This driver is partly based on the Open Firmware console driver
 Copyright Richard Zidlicky
 Copyright (c) 2000 Steven Hill (sjhill@cotw.com) * * Changelog:
 Copyright (c) 2004 Dmitry Torokhov
 Copyright Jonathan Naylor G4KLX (g4klx@g4klx.demon.co.uk)
 Copyright (C) 2002-2003 Krzysztof Halasa <khc@pm.waw.pl>
 (C) 2003, 2004 Andriy Skulysh
 Copyright (C) 1995 Miguel de Icaza (miguel@nuclecu.unam.mx) * * 1996: sparc_free_io, 1999:
 ioremap()/iounmap() by Pete Zaitcev.
 Copyright (C) 2001 Todd Inglett, IBM Corporation * * PCI manipulation via device_nodes.
 Copyright (C) 2000 Steve Hill (sjhill@cotw.com) * Rob Scott (rscott@mtrob.fdns.net)
 Copyright (c) by Jaroslav Kysela <perex@suse.cz> * Routines for control of YMF724/740/744/754 chips *
 * BUGS: * --
 Copyright (C) 2004 MIPS Technologies, Inc. All rights reserved
 Copyright (C) 1997 Eddie C. Dost (ecd@skynet.be)
 Copyright (C) 1996, 1998, 1999, 2000, 2004 David S. Miller (davem@redhat.com)
 Copyright (C) Andrew Tridgell 1998
 Copyright (C) 2001 Hewlett-Packard
 Copyright (c) 2000-2001 Vojtech Pavlik * * USB HID to Linux Input mapping
 Copyright (C) 2002 Toshiba Corporation
 Copyright (C) 2003-2005 David Hollis <dholllis@davehollis.com>
 Copyright (C) 2000, 2001 Broadcom Corporation *
 Copyright (C) 2002, 2003, 2004 Maciej W. Rozycki */#include <linux/config.h>#include
 <linux/init.h>#include <linux/mm.h>#include <linux/module.h>#include <linux/sched.h>#include
 <linux/smp.h>
 Copyright (C) 1997 Linus Torvalds */
 Copyright (C) 1993 Linus Torvalds * Support of BIGMEM added by Gerhard Wichert, Siemens AG, July
 1999 * SMP-safe vmalloc/vfree/ioremap, Tigran Aivazian <tigran@veritas.com>, May 2000 * Major re
 Copyright (C) 2002 Momentum Computer * * Author: RidgeRun, Inc. * glonnon@ridgerun.com,
 skranz@ridgerun.com, stevej@ridgerun.com
 Copyright (C) 2001 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Ulrich Weigand
 (Ulrich.Weigand@de.ibm.com) */
 Copyright (C) 2000 Harald Koerfgen */
 Copyright (c) International Business Machines Corp., 2004
 Copyright (C) 1996 Paul Mackerras. */#include <stdarg.h>#include <linux/config.h>#include
 <linux/types.h>#include <linux/errno.h>#include <linux/kernel.h>#include <linux/delay.h>#include <linu
 Copyright (C) Alex Holden <alex@linuxhacker.org> 1998, 1999. */
 Copyright (c) 2001 La Monte H.P. Yarroll
 Copyright (c) La Monte H.P. Yarroll * * This file is part of the SCTP kernel reference implementation.
 Copyright (C) 2002 Marius Gr * * Derived from drivers/mtd/nand/autcpu12.c
 (C) 2002 Pascal Dameme <netinet@freesurf.fr>
 Copyright (c) International Business Machines Corp., 2003
 Copyright (C) 1995, 1996 Paul M. Antoine. */#ifndef _ASM_BOOTINFO_H#define _ASM_BOOTINFO_H
 COPYRIGHT XEBEC (C) 1984",xd_xebec_init_controller,xd_xebec_init_drive," XEBEC"
 Copyright 2001, 2004 IBM Corporation");
 Copyright(c) 2002-2005 Neterion Inc.
 copyright (c) 2001,2002 Sun Microsystems (thockin@sun.com)
 Copyright (c) 2002 Vladimir Dergachev * * This 2.2.0 version is a rewrite / cleanup of the 2.1.1 driver,
 including * porting to the 2.6 kernel interfaces, along with other modification * to be

```

(C) 1998/1999 R.E.Wolff@BitWizard.nl \n");          printk (KERN_INFO "sx: version %s\n",
RCS_ID);          header_printed = 1;          }
Copyright (C) 1999 Mike Bernson <mike@mlb.org>
Copyright (C) 1994,1995 |          W. Metzenthien, 22 Parker St, Ormond, Vic 3163,    | |
Australia. E-mail billm@jacobi.maths.monash.edu.au | |
Copyright (C) 1995 Geert Uytterhoeven
Copyright 2000-2003 MontaVista Software Inc. * * Original driver version was highly leveraged from i2c-
elektor.c
Copyright history from vga16fb.c:
copyright message * below) provided to Red Hat by VIA Networking Technologies, Inc. for * addition to the
Linux kernel. * * The code has been merged into one source file, cleaned up to follow * L
Copyright (C) 2002 Sun Microsystems, Inc. * Tim Hockin <thockin@sun.com> * * A few notes on this MTD
map: * * This was developed with a small number of SCB2 boards to test on.
Copyright (c) 2001, 2002, 2003 Ladislav Michl <ladis@linux-mips.org> * * Based on Ulf Carlsson's code.
Copyright (C) 2001 Ingo Molnar <mingo@redhat.com>
Copyright (C) 2003 Ralph Metzler <rjkm@metzlerbros.de> * * based on code: *
Copyright (C) 1998, 2000 Richard Henderson * * This file contains declarations and inline functions for
interfacing * with the IRQ handling routines in irq.c.
Copyright (C) 2003-2004 David Brownell
copyright was changed, and the change * is retroactive to all "true" BSD software (ie everything * from UCB
as opposed to other peoples code that just carried
Copyright (C) 1995, 1996, 1997, 1999, 2001 by Ralf Baechle
Copyright (c) 2002 Holger Waechtler <holger@convergence.de>
Copyright (C) 1994-1999 Linus Torvalds */
Copyright (C) 2002-2003 Stephen Rothwell, IBM Corporation
Copyright (C) 2000 Kanoj Sarcar (kanoj@sgi.com) */#include <linux/init.h>#include
<linux/kernel.h>#include <linux/sched.h>#include <linux/mm.h>#include <asm/page.h>#include
<asm/pgtable.h>#inc
Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Hartmut Penner
(hp@de.ibm.com), * Martin Schwidefsky (schwidefsky@de.ibm.com), * Den
Copyright (C) 2001 Matthew Wilcox * * These routines maintain argument size conversion between 32bit
and 64bit * environment. Based heavily on sys_ia32.c and sys_sparc32.c.
Copyright (C) 1994-1999 by Mika Kuoppala
(C) Copyright 1986 Western Digital Corp.",xd_wd_init_controller,xd_wd_init_drive," Western Dig. 1002-
27X"
Copyright (C) 1991, 1992 Linus Torvalds * * Big-endian to little-endian byte-swapping/bitmaps by *
David S. Miller (davem@caip.rutgers.edu), 1995 * Directory entry file type support and
Copyright (C) 2000 Hewlett Packard (Paul Bame bame@puffin.external.hp.com) *
Copyright (c) 1997, 1998, 1999-2000 Dag Brattli, All Rights Reserved
Copyright (C) 1995 Pete A. Zaitcev (zaitcev@yahoo.com)
Copyright (C) 1999, 2000, 2001 Silicon Graphics, Inc. */#ifndef _ASM_CACHEFLUSH_H#define
_ASM_CACHEFLUSH_H
(c) Copyright 1999 Hewlett-Packard
Copyright (C) Andrew Tridgell 1992-2000
Copyright (C) 1996-1999 Stallion Technologies
Copyright (C) 2000 Kazumoto Kojima * * Renesas Technology Sales HS7751RVoIP Support.
Copyright by Jan den Ouden
Copyright (C) 05/1998 Peter Maydell <pmaydell@chiark.greenend.org.uk> * Based on the Sun Lance driver
and the NetBSD HP Lance driver * Uses the generic 7990.c LANCE code. */
Copyright 2004 (c) George T. Joseph
Copyright (C) 2003 David Brownell
(C) 1997 Perceptive Solutions, Inc. All rights reserved
copyright information. *
Copyright (C) 1998/1999 R.E.Wolff@BitWizard.nl * * SX serial driver. * -- Supports SI, XIO and SX host
cards. * -- Supports TAs, MTAs and SXDCs.
Copyright (C) 1998-2000 Gerard Roudier * * The sym53c8xx driver is derived from the ncr53c8xx driver
that had been * a port of the FreeBSD ncr driver to Linux-1.2.13.
Copyright (c) 2001 Cliff Brake, Accelent Systems Inc. * * 2001-09-13: Cliff Brake <cbrake@accelent.com>
* Initial code

```

Copyright 1994 Roman Hodek <Roman.Hodek@informatik.uni-erlangen.de> * * Loosely based on the work of Robert De Vries' team and added:

Copyright (C) 2002-2003 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>

*/#ifndef _ASM_IA64_THREAD_INFO_H#define _ASM_IA64_THREAD_INFO_H

Copyright (C) 1994 Martin Schaller * Roman Hodek * * with work by Andreas Schwab

* Guenther Kelleter

(C) 2003 Christian Pellegrin <chri@ascensit.com>, <chri@infis.univ.ts.it>: concatenation of multiple flashes

* * \$Id: ipaq-flash.c,v 1.3 2004/11/04 13:24:15 gleixner Exp \$

Copyright (c) International Business Machines Corp., 2002

Copyright (c) 1998 Dag Brattli, All Rights Reserved

Copyright (c) 2005 Silicon Graphics, Inc. All rights reserved

Copyright (C) 2001, 2002 Paul Diefenbaugh <paul.s.diefenbaugh@intel.com> *

Copyright (C) 2005 Greg Kroah-Hartman <gregkh@suse.de>

Copyright (C) 2004 John Steele Scott <toojays@toojays.net>

Copyright (C) 2002-2003 Hewlett Packard Co * Stephane Eranian <eranian@hpl.hp.com> */static

int pfm_ita_pmc_check(struct task_struct *task, pfm_context_t *ctx, unsigned int cnum, uns

Copyright (C) 1989 - 1997 Carnegie Mellon University * * Carnegie Mellon University encourages users of this software to * contribute improvements to the Coda project. Contact Peter Braam * <coda@

Copyright (C) 1997 | W. Metzenthen, 22 Parker St, Ormond, Vic 3163, Australia | |

E-mail billm@jacobi.maths.monash.edu.au | |

Copyright (c) 2003 James Morris <jmorris@intercode.com.au>

Copyright (C) 2000 David J. McKay (david.mckay@st.com)

Copyright (C) 2000 Intel Corp.

Copyright (C) 2000 Intel

Copyright (C) 2000 Kazumoto Kojima * * Renesas Technology Sales RTS7751R2D Support.

Copyright (C) 2004 Silicon Graphics, Inc. *

Copyright (c) by George Talusan <gstalusan@uwaterloo.ca>

Copyright (c) by Jaroslav Kysela <perex@suse.cz> * Creative Labs, Inc. * Routines for control of EMU10K1 chips *

Copyright (C) 2001 SUGIOKA Tochinobu * * SH-2000 Support.

Copyright (c) 2001-2003 International Business Machines, Corp. * * This file is part of the SCTP kernel reference Implementation

Copyright (c) 2003 RENESAS TECHNOLOGY CORPORATION * AND RENESAS SOLUTIONS CORPORATION

* All Rights Reserved

Copyright (C) 2001 Allan H Trautman, IBM Corporation

Copyright (c) 1997 Dan Malek (dmalek@jlc.net) */#ifdef __KERNEL__#ifndef __MACH_MBX_DEFS#define __MACH_MBX_DEFS

Copyright (C) 2001 Will Dyson <will_dyson@pobox.com> *

(C) 1992 V8.00.004/02/92

Copyright (C) 2004 Yoichi Yuasa <yuasa@hh.iij4u.or.jp>

Copyright (C) 2002-2004 Hugh Dickins.

Copyright (C) 1995, 1996,1997,1998 Russell King

Copyright (C) 2000 Alan Modra <amodra at parisc-linux.org>

Copyright (C) 2002-2004 John Belmonte

Copyright (c) 1997, 1998, 1999 Justin T. Gibbs.

Copyright (C) 1996 Martin von L * original #-checking implemented by tytso. */

Copyright (C) 1998 Russell King

Copyright 1998-2000 OmniVision Technologies * Many improvements by Bret Wallach

<bwallac1@san.rr.com> * Color fixes by Orion Sky Lawlor <olawlor@acm.org> (2/26/2000) * Snapshot code by Kevin Moo

Copyright by Marcus Niemann <niemann@www-bib.fh-bielefeld.de>

Copyright (C) 1999 MIPS Technologies, Inc. All rights reserved

Copyright (C) 2003,4 Manfred Spraul

Copyright (C) 1998, 1999 Richard Henderson * * Code supporting the NORITAKE (AlphaServer 1000A), * CORELLE (AlphaServer 800), and ALCOR Primo (AlphaStation 600A).

Copyright (C) 2000-2004 Silicon Graphics, Inc. All rights reserved

Copyright (c) 1998-2000 Dag Brattli <dagb@cs.uit.no>,

(C) Copyright 2002 Linus Torvalds * * This file contains the needed initializations to support sysenter.

Copyright (C) 1995-2003 Russell King * 2001-2002 Keith Owens * * Generate definitions

needed by assembly language modules. * This code generates raw asm output which is post-pro
 Copyright (C) Alex Holden <alex@linuxhacker.org> 1998, 1999. *
 Copyright (c) 2002 Thomas Gleixner <tgxl@linutronix.de> * * Derived from drivers/mtd/spia.c
 Copyright (C) 1999-2001 Hewlett-Packard Company
 Copyright (C) 1991, 1992 Linus Torvalds * 1995 Jay Estabrook * *
 User definable mapping table and font loading by Eugene G. Crosser, * <crosser@average.org>
 Copyright (C) 2001, 2003 IBM Corp. * * All rights reserved
 Copyright (C) 1998-1999 Russell King
 Copyright (C) 1992, 1993 | W. Metzenthen, 22 Parker St, Ormond, Vic 3163, ||
 Australia. E-mail billm@vaxc.cc.monash.edu.au | |
 Copyright (C) 1997 David S. Miller (davem@caip.rutgers.edu) *
 Copyright (c) by Jaromir Koutek <miri@punknet.cz>, * Jaroslav Kysela <perex@suse.cz>, *
 Thomas Sailer <sailer@ife.ee.ethz.ch>, * Abramo Bagnara
 Copyright (C) International Business Machines Corp., 2000-2004
 Copyright (c) 1999 Grant Erickson <grant@lcse.umn.edu> * * Module name: oak.h
 Copyright (C) 1996 Eddie C. Dost (ecd@skynet.be) * * Kernel module support added on 96/04/26 by *
 Stefan Reinauer <stepan@home.culture.mipt.ru>
 Copyright (C) International Business Machines Corp., 2000-2005
 Copyright (C) 2001 by Hiroyuki Kondo, Hirokazu Takata, and Hitoshi Yamamoto
 Copyright (C) 1992, 1993, 1994, 1995 * Remy Card (card@masi.ibp.fr) * Laboratoire MASI - Institut Blaise
 Pascal * Universite Pierre et Marie Curie (Paris VI) * * from
 Copyright (C) 1992 by Linus Torvalds *
 Copyright (c) 2001, 2002 M. R. Brown <mrbrown@0xd6.org>
 (C) 1990 - 2000 Specialix International Ltd., Byfleet, Surrey, UK.
 Copyright (C) 2001 Christoph Hellwig
 Copyright (C) 2004 Ralf Baechle */#include <linux/config.h>#include <linux/init.h>#include
 <linux/sched.h>#include <linux/mm.h>#include <linux/delay.h>#include <linux/smp.h>
 Copyright (c) 2002 Adaptec Inc. * All rights reserved
 Copyright (c) 2000 Adaptec Inc. * All rights reserved
 copyright of the skeleton driver is held by the United States Government, as represented by DIRNSA,
 and it is released under the GPL.
 Copyright (C) Paul Mackerras 1997. * * Updates for PPC64 by Todd Inglett, Dave Engebretsen & Peter
 Bergner.
 Copyright (c) 2003 Maciej W. Rozycki * * include/asm-mips/time.h * header file for the new style time.c
 file and time services.
 Copyright (C) 1999 - 2001 Greg Kroah-Hartman <greg@kroah.com>
 Copyright (C) 2001 RidgeRun, Inc. * Author: RidgeRun, Inc. Greg Lonnon <glonnon@ridgerun.com> * *
 Reorganized for Linux-2.6 by Tony Lindgren <tony@atomide.com> * and Dirk
 Copyright (C) 1996 Paul Mackerras. */#ifdef __KERNEL__#ifndef _PPC_PROM_H#define _PPC_PROM_H
 Copyright (C) 1999-2002 Ralph Metzler * & Marcus Metzler for convergence integrated
 media GmbH * * originally based on code by:
 Copyright (C) 2001 Antonino Daplas<adaplas@pol.net> * All Rights Reserved
 Copyright (C) 2003-2004 Ken Chen <kenneth.w.chen@intel.com> * * Sep, 2003: add numa support * Feb,
 2004: dynamic hugetlb page size via boot parameter
 Copyright (C) 1996 Dave Redman (djhr@tadpole.co.uk)
 Copyright (C) 2000, 2001, 2002 Ralf Baechle
 Copyright (C) 1994 by Waldorf GMBH, written by Ralf Baechle
 Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Hartmut Penner
 (hp@de.ibm.com) * * Derived from "arch/i386/mm/extable.c"
 Copyright (C) 2004 George T. Joseph
 Copyright (c) 2002-2004 Martin Langer <martin-langer@gmx.de>, * Pilo Chambert
 <pilo.c@wanadoo.fr> * * Thanks to : Anders Torger <torger@ludd.luth.se>, *
 Copyright (c) 2004-2005 Simtec Electronics
 Copyright (C) 1997 Jay Estabrook * * This file is used for creating a bootp file for the Linux/AXP kernel
 (C) 1986-1990 V7.009/18/90
 Copyright (C) 2001,02,03,04 NEC Electronics Corporation
 Copyright (C) 1999 David Mosberger-Tang <davidm@hpl.hp.com> *
 Copyright (C) 2000 Steve Hill <sjhill@cotw.com> * * Some code borrowed from Nicolas Pitre's 'head-
 sa1100.S' file. This * is merged with head.S by the linker.

Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) */#ifndef _SPARC_VIKING_H#define
_SPARC_VIKING_H
Copyright (C) 2003 Ian Molton - adapted for ARM26
Copyright (c) 2001 Vojtech Pavlik * * CATC EL1210A NetMate USB Ethernet driver
Copyright (c) 2004, Luke Kenneth Casson Leighton <lkcl@lkcl.net>
(C) 2003 Dave Jones <davej@codemonkey.org.uk> on behalf of SuSE Labs
Copyright (C) 2004 Venkatesh Pallipadi <venkatesh.pallipadi@intel.com>
Copyright (C) 2004 Amaury Demol for DiBcom (ademol@dibcom.fr) * * Remote control code added by
David Matthews (dm@prolingua.co.uk)
Copyright 2002 James Simmons *
Copyright (C) 2004 MontaVista Software Inc. * Author: Manish Lachwani, mlachwani@mvista.com
*/#include <linux/sched.h>#include <linux/mm.h>#include <linux/delay.h>#include <asm/io.h>#include
<a
Copyright 1999 Paul Mackerras.
Copyright (C) 1998-2003 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> *
Stephane Eranian <eranian@hpl.hp.com>
Copyright 2001 MontaVista Software Inc. * Author: Jun Sun, jsun@mvista.com or jsun@junsun.net *
(C) 2003 Ardis Technologies <roman@ardistech.com> * * Handling of Extents both in catalog and extents
overflow trees
Copyright (C) by Paul Laufer 2002. Based on code originally by * Hannu Savolainen which was modified by
many others over the * years. Authors specifically mentioned in the previous version were:
(c) Copyright 2001 Matthew Wilcox for Hewlett-Packard
Copyright Darryl Miles G7LED (dlm@g7led.demon.co.uk) */#include <linux/errno.h>#include
<linux/types.h>#include <linux/socket.h>#include <linux/in.h>#include <linux/kernel.h>#include
<linux/sch
Copyright (C) 2004 Hirokazu Takata * * void *memset(void *dst, int val, int len);
Copyright (C) 1995 Vadim V. Model * model@cecmow.enet.dec.com *
vadim@rbrf.msk.su *
Copyright (C) 2000-2003 Russell King
(C) Copyright 2001, 2002 Rusty Russell IBM Corporation#include <linux/init.h>#include
<linux/stringify.h>#include <linux/kernel.h>
Copyright (C) 2000 Pavel Machek <pavel@suse.cz>
Copyright (C) 1999 Eric A. Thomas.
Copyright (C) 1997 by Theodore Ts
Copyright (c) 2003 Open Source Development Lab * * This file is released under the GPLv2
Copyright (C) 2001 MIPS Inc.
Copyright (C) 1995 - 1997 Marco van Wieringen - ELM Consultancy B.V. *
Copyright (C) 1999,2000 MIPS Technologies, Inc. All rights reserved
Copyright (C) 2003 Lineo uSolutions, Inc.
COPYRIGHT (1<<4)#define AC_DIG1_NONAUDIO (1<<5)#define
AC_DIG1_PROFESSIONAL (1<<6)#define AC_DIG1_LEVEL (1<<7)
Copyright (C) 1991, 1992 Linus Torvalds * * 1997-01-28 Modified by Finn Arne Gangstad to make timers
scale better.
Copyright (C) 1997 David S. Miller (davem@caip.rutgers.edu) * * These routines maintain argument size
conversion between 32bit and 64bit * environment.
Copyright 2001 Saito.K * * IO functions for an Interface MPC-1211
Copyright (C) 2002 Greg Kroah-Hartman (greg@kroah.com)
Copyright (c) 2002 Adam J. Richter <adam@yggdrasil.com>
Copyright (C) 1994 - 2000 Ralf Baechle
Copyright (C) 2001 Ronny Strutz <3des@elitedvb.de>
Copyright (C) 2004 2N Telekomunikace, Ladislav Michl <michl@2n.cz> * * Hardware definitions for
OMAP5910 based VoiceBlue board.
Copyright (C) 1999 David Mosberger-Tang <davidm@hpl.hp.com>
Copyright (C) 2003 Sean McGoogan (Sean.McGoogan@superh.com)
Copyright (C) 2002 Jeff Dike (jdike@karaya.com) and
Copyright (c) by Christian Fischbach <fishbach@pool.informatik.rwth-aachen.de>
Copyright (C) 1999, 2002 by Massimo Piccioni <dafastidio@libero.it>
(C) Rusty Russell, IBM 2002 * * Generalized futexes, futex requeueing, misc fixes by Ingo Molnar
Copyright (C) 1999-2002 Harald Koerfgen <hkoerfg@web.de>

Copyright (C) 1994 Wolfgang Stanglmeier * * Other major contributions: *

Copyright (C) 2001-2002 Greg Kroah-Hartman (greg@kroah.com)

Copyright (C) 1997 Anton Blanchard (anton@progsoc.uts.edu.au) */

Copyright (C) 1999 Matthew Wilcox <willy at debian . org>

Copyright (C) 2000 Dan Malek. * Quick hack of Paul's code to make XMON work on 8xx processors. Lots * of assumptions, like the SMC1 is used, it has been initialized by the * loader at some point,

Copyright (C) 2003 IBM.

Copyright (C) 1998-2000 IBM Corporation * Author(s): Martin Schwidefsky * * Derived from "linux/arch/i386/kernel/semaphore.c

Copyright (c) 1999-2004 LSI Logic Corporation * Originally By: Steven J. Ralston * (mailto:sjralston1@netscape.net) * (mailto:mpt_linux_developer@lsil.com) * * \$Id: mptbase.h,v 1.144 2003/01/

Copyright (C) 2001 Todd Inglett, IBM Corporation * * pSeries LPAR support.

Copyright (c) 2002,2003 by Takashi Iwai <tiwai@suse.de>

COPYRIGHT); snd_ca0106_ptr_write(chip, SPCS3, 0, chip->spdif_bits[3]
=
SPCS_CLKACCY_1000PPM | SPCS_SAMPLERATE_48 |
SPCS_CHANNELNUM_LEFT | SPCS_SOURCENUM_UNSPEC |
SPCS_GENERATIONSTATUS

Copyright (C) 2003 Jeff Dike (jdike@addtoit.com)

Copyright (C) 2004-2005 Applied Micro Circuits Corporation.

Copyright (c) 2004 Zultys Technologies

Copyright (c) 2000 Eric Brower (ebrower@usa.net) *

Copyright (C) 2000-2002 Deep Blue Solutions Ltd.

Copyright (c) by Jaroslav Kysela <perex@suse.cz> * Routines for control of EMU10K1 MPU-401 in UART mode *

Copyright (C) 2001 IBM

Copyright (C) 1994, 95, 96, 97, 98, 99, 2000, 01, 02, 03 Ralf Baechle

(C) SK " ;#endif

Copyright (C) 1990, 1999, 2000 Silicon Graphics, Inc. */#ifndef _ASM_MACH_GENERIC_SPACES_H#define _ASM_MACH_GENERIC_SPACES_H

Copyright (C) 2002, David McCullough <davidm@snapgear.com>

(C) Copyright 2000-2004 David Brownell <dbrownell@users.sourceforge.net> * * This file is licenced under GPL

Copyright (c) by Jaroslav Kysela <perex@suse.cz>, * Hannu Savolainen 1993-1996 *

Copyright (C) 2000 YAEHASHI Takeshi * Generic scan keyboard driver */

Copyright (C) International Business Machines Corp., 2000-2003

Copyright (c) 2004 David Shaohua Li <shaohua.li@intel.com>

(C) Copyright 1999, Moreton Bay Ventures Pty Ltd.

Copyright (C) 2002 Fenghua Yu <fenghua.yu@intel.com> * -Optimize __ia64_save_fpu() and __ia64_load_fpu() for Itanium 2.

Copyright (C) 1995, 1999 Ralf Baechle

(C) Copyright 1999-2000, Moreton Bay (www.moretonbay.com)

Copyright (C) 1998 Daniel Jacobowitz <dan@debian.org> * * pmc-valkyrie.h: Console support for PowerMac "control" display adaptor.

Copyright (C) 2001 Deep Blue Solutions Ltd.

Copyright (C) 1998, 1999 David Mosberger-Tang <davidm@hpl.hp.com>

Copyright 1993 -- 1997 Drew Eckhardt, Frederic Potter, * David Mosberger-Tang *

Copyright (C) 1998 Johnnie Peters

Copyright 2001 MontaVista Software Inc. * Author: jsun@mvista.com or jsun@junsun.net * * First-level interrupt dispatcher for ocelot board.

(C) 1996, Peter J. Braam

Copyright (C) 2001 Stuart Menefy (stuart.menefy@st.com)

(C) 1999 by Joshua M. Thompson (funaho@jurai.org) * * Redistribution and use in source and binary forms, with or without * modification, are permitted provided that the following conditions * are

(C) 2002 Momentum Computer Inc.

Copyright (C) 2000, 2001 Paolo Alberelli * * Empty on purpose. ARCH SH64 ASM libs are out of the current project scope.

Copyright (C) 2003 Ian Molton (ARM26) * * FIXME!!! This is probably very broken (13/05/2003)

Copyright (C) 1998-2003 Krzysztof Halasa <khc@pm.waw.pl>

Copyright (C) 1999 Vladimir Gurevich <vgurevic@cisco.com>
 Copyright (c) 1995 Strom Systems, Inc. under the terms of the GNU
 Copyright (C) 2002 RidgeRun, Inc.
 Copyright (C) 1995, 1996 Olaf Kirch, <okir@monad.swb.de> */
 Copyright (C) 2001-2002 MontaVista Software Inc. * Author: Yoichi Yuasa <yyuasa@mvista.com or
 source@mvista.com>
 Copyright (c) 1997 by Procom Technology, Inc.
 Copyright (C) 1996 by ACN S.A */#ifndef _ASM_UNISTD_H#define _ASM_UNISTD_H
 Copyright (C) 2003 Richard Curnow (/proc/tlb, bug fixes)
 (C) Copyright 1999 Deti Fliegl (new USB architecture)
 Copyright (c) 2000-2003 Conectiva, Inc. <acme@conectiva.com.br> * Neither Arnaldo Carvalho de
 Melo nor Conectiva, Inc. admit liability nor * provide warranty for any of this software. This material
 Copyright (C) 2004 Dominik Brodowski <linux@brodo.de>
 Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) */#ifndef _MACSERIAL_H#define
 _MACSERIAL_H
 (c) Copyright 1995 Alan Cox <alan@redhat.com> * * 14-Dec-2001 Matt Domsch
 <Matt_Domsch@dell.com> * Added nowayout module option to override
 CONFIG_WATCHDOG_NOWAYOUT
 Copyright (C) 2000 Adam Harrison <adam@antispin.org>*/
 (C) 1998 Red Hat Software <alan@redhat.com> * TCP NFS related read + write fixes
 Copyright (C) 1998 Deborah Wallach (updates for SA1100/Brutus).
 Copyright (C) 1998, 1999 Frodo Looijaard <frodol@dds.nl> and Philip Edelbrock
 <phil@netroedge.com>
 Copyright (C) 2000 Russell King
 Copyright 2000 John Marvin <jsm at hp.com>
 Copyright (C) 1990, 1999 by Silicon Graphics, Inc. */#ifndef _ASM_MACH_IP27_SPACES_H#define
 _ASM_MACH_IP27_SPACES_H
 Copyright (C) 2001 Richard Hirst <rhirst at parisc-linux.org>
 Copyright 2005 Pacific Digital Corporation.
 (c) Copyright 2004 Naresh Kumar Inna <knaresh at india x hp x com>
 Copyright (C) 1996 Eddie C. Dost (ecd@skynet.be) * * Driver layout based loosely on tgafb.c, see that file
 for credits.
 Copyright (c) 2002 Felix Tang, All Rights Reserved
 Copyright (c) by Jaroslav Kysela <perex@suse.cz> * GUS's memory access via proc filesystem *
 Copyright (C) 2003 Pavel Machek (pavel@suse.cz) * * These routines maintain argument size
 conversion between 32bit and 64bit * ioctls.
 Copyright (c) 2002-3 Patrick Mochel * 2002-3 Open Source Development Lab * * This file is
 released under the GPLv2
 (C) Copyright 2003-2004 * Humboldt Solutions Ltd, adrian@humboldt.co.uk.
 Copyright (c) 2001 Vojtech Pavlik * * Based on the work of:
 Copyright (C) 1996,97,98 Ralph Metzler <rjkm@thp.uni-koeln.de>
 (C) Marvell.";#endif /* !_lint */
 Copyright (C) 1991, 1992 Linus Torvalds * * Big-endian to little-endian byte-swapping/bitmaps by *
 David S. Miller (davem@caip.rutgers.edu), 1995
 Copyright (C) 1995-2003 Geert Uytterhoeven
 Copyright (C) 1999 - 2003 ARM Limited
 Copyright (c) 1999, 2000, 2001, 2002 Axis Communications AB * * Authors: Bjorn Wesen (initial
 version) * Ola Knutsson (LED handling) * Johan Adolfsson (read/se
 Copyright (c) by David Shust, dshust@shuststring.com. This chip has nonstandard and extended
 behaviour with regard to its S/PDIF output. The AC'97 spec states that the S/PDIF signal is to be
 out
 Copyright (C) 2003 Vadim Catana, skystar@moldova.cc * * Acknowledgements:
 Copyright (C) 1999 Free Software Foundation, Inc.
 Copyright 2002-2003, Stephen Frost, 2.5.x port by laforge@netfilter.org/* Author: Stephen Frost
 <sfrost@snowman.net> *//* Project Page: http://snowman.net/projects/ipt_recent/ *//* This software is
 Copyright (C) 2000, 2001 Ralf Baechle <ralf@gnu.org> * swiped from i386, and cloned for MIPS by Geert,
 polished by Ralf. */#include <linux/types.h>#include <linux/mm.h>#include <linux/module.h>
 Copyright (C) 1995 Hamish Macdonald */
 Copyright (C) 2000 IBM Corporation
 Copyright (C) 2000, Rohit Seth <rohit.seth@intel.com>

Copyright (C) 2003 Kartikey Mahendra Bhatt <kartik_me@hotmail.com>.
(c) Copyright 2002 Ryan Bradetich
Copyright (C) 1992, 1998-2004 Linus Torvalds, Ingo Molnar * * This file contains the core interrupt handling code.
(C) 1996 Kai Harrekilde-Petersen,
Copyright (C) 1996 Jesper Skov (jskov@cygnus.co.uk) * * This driver is based on cyberstorm.c
Copyright (c) by Jaroslav Kysela <perex@suse.cz>, * Cirrus Logic, Inc. * Definitions for Cirrus Logic CS46xx chips *
Copyright (C) 1998,1999 Philip Blundell */#ifndef __ASM_ARCH_DMA_H#define __ASM_ARCH_DMA_H
Copyright (c) Clemens Ladisch <clemens@ladisch.de> * * based on btaudio.c by Gerd Knorr <kraxel@bytesex.org>
Copyright (C) 1994 Hamish Macdonald
Copyright (C) 1998-2000 Andreas S. Krebs (akrebs@altavista.net), Maintainer
Copyright (C) 2004, 2005 Manu Abraham (manu@kromtek.com)
(C) 2003 Ardis Technologies <roman@ardistech.com> * * Handling of directories
(C) Marvell.";#endif /* !defined(lint) */
Copyright (C) 2004 S.Hauer, Pengutronix *
Copyright 2001 Mike Corrigan IBM Corp
(C) INESC 1999 *
Copyright 2002,2003 Andi Kleen, SuSE Labs. */ #include <linux/kernel.h>#include <linux/mm.h>#include <linux/string.h>#include <linux/init.h>#include <linux/bootmem.h>#include <linux/mmzone.h>#
COPYRIGHT; switch (bits case 0x10: diga->status[0] |=
IEC958_AES0_CON_EMPHASIS_NONE; break; case 0x00: diga->status[0] |=
IEC958_AES0_CON_EMPHASIS_5015; break; } if (!(bits & 0x80))
diga-
Copyright (C) 1996 Eddie C. Dost (ecd@skynet.be)
Copyright (C) 2001, 2002, 2003 Broadcom Corporation
Copyright (C) 1995,1996,1997,1998 Riccardo Facchetti (fizban@tin.it)
Copyright (C) 2002 MontaVista Software, Inc.
Copyright (C) 2001 David J. McKay (david.mckay@st.com)
Copyright (C) 2003 Vadim Catana, skystar@moldova.cc * * FIX: DISEQC Tone Burst in flexcop_diseqc_ioctl() * FIX: FULL soft DiSEqC for skystar2 (FlexCopII rev 130) VP310 equipped *
Vincenzo Di
Copyright (C) 1994-1996 Linus Torvalds * * sh64 version by Richard Curnow & Paul Mundt
Copyright (c) 1997 Dag Brattli <dagb@cs.uit.no>, All Rights Reserved
Copyright (C) 1999 Creative Technology Ltd.");
Copyright 2004 Freescale Semiconductor Inc.
Copyright (C) 1999, 2001 Ralf Baechle (ralf@gnu.org)
Copyright (C) 1991, 1992, 1999 Linus Torvalds */
Copyright (C) 1998-1999 Russell King * * DIGITAL Shark LED control routines.
Copyright 1999-2000 D. Jeff Dionne, <jeff@rt-control.com>
Copyright (C) 2001-2003 Hewlett-Packard Co * Stephane Eranian <eranian@hpl.hp.com> */
(c) Copyright 1999 Hewlett-Packard Company
Copyright (C) Frederic Rible F10AT (fribble@teaser.fr) */#include <linux/errno.h>#include <linux/types.h>#include <linux/socket.h>#include <linux/in.h>#include <linux/kernel.h>#include <linux/sc
Copyright (C) 1995-1997 David S. Miller (davem@caip.rutgers.edu)
Copyright (C) 2003 Paul Mundt * * Based on:
Copyright (C) 2004-2005 Yoichi Yuasa <yuasa@hh.iij4u.or.jp>
Copyright (C) 2002, Linus Torvalds. * * Contains functions related to writing back dirty pages at the * address_space level.
Copyright (c) 1998 Dan Malek (dmalek@jlc.net) */#ifndef __MACH_BSEIP_DEFS#define
__MACH_BSEIP_DEFS
Copyright (C) 2005 Arcom Control Systems Ltd.
Copyright (C) 1999 Takashi Iwai <tiwai@suse.de>
Copyright (C) 1991, 1992 Linus Torvalds.
Copyright (c) 1995,1996 Eric van der Maarel <H.T.M.v.d.Maarel@marin.nl> * * Version 0.6
Copyright (C) 1999 Silicon Graphics, Inc. */#ifndef _ASM_SIGNAL_H#define _ASM_SIGNAL_H
Copyright (c) 2003 Silicon Graphics, Inc. All Rights Reserved
Copyright (C) 2000 * William Greathouse (wgreathouse@smva.com) * * This program is largely derived

from work by the linux-usb group * and associated source files. Please see the usb/serial

Copyright (C) 2003 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> *

Copyright (C) 2002 Greg Ungerer <gerg@snapgear.com> * * VZ Support/Fixes Evan Stawnyczy <e@lineo.ca> * Multiple UART support Daniel Potts <danielp@cse.unsw.edu.au> *

Copyright (C) 1998, 1999 Ralf Baechle */#include <linux/kernel.h>#include <linux/types.h>#include <asm/byteorder.h>#include <asm/string.h>#include <asm/uaccess.h>#include <net/checksum.h>

Copyright (C) 2000 Toshiharu Nozawa

Copyright (C) 2005 Ralf Baechle (ralf@linux-mips.org)

Copyright (C) 2001, 2004 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> * *

Adapted from arch/i386/kernel/ldt.c

Copyright (C) 2003 by Ralf Baechle */#ifndef __ASM_MACH_DEC_PARAM_H#define __ASM_MACH_DEC_PARAM_H

(C) IBM Corporation, IBM Deutschland Entwicklung GmbH, 1999-2001 * * \$Revision: 1.45 \$

Copyright (C) 1997 Jes Sorensen

Copyright (C) 2001 Russell King

Copyright (C) 1996, 1997, 1998, 1999 by Ralf Baechle

Copyright (C) 1995,1996 David S. Miller (davem@caip.rutgers.edu)

Copyright (C) 1995 Andreas Busse *

Copyright (C) 1997 Thomas Bogendoerfer (tsbogend@alpha.franken.de) * * jazz_esp is based on David S. Miller's ESP driver and cyber_esp

Copyright (C) 2003 Ben. Herrenschmidt (benh@kernel.crashing.org)

Copyright (c) 2003, 2004 Fruhwirth Clemens <clemens@endorphin.org>

Copyright (C) 1996 by David S. Miller

Copyright (C) 1997 Eddie C. Dost (ecd@skynet.be) * * Adopted for sparc by V. Roganov and G. Raiko.

Copyright (c) by Jaroslav Kysela <perex@suse.cz> * Universal interface for Audio Codec '97 * * For more details look to AC '97 component specification revision 2.2 * by Intel Corporation (http:

(C) Copyright IBM Corp. 2003 * Virtual CPU timer * * Author: Jan Glauber (jang@de.ibm.com)

Copyright (C) 1999 Niiibe Yutaka * * Based on:

Copyright 2005 Freescale Semiconductor, Inc.

Copyright (C) 1999-2003 Andre Hedrick <andre@linux-ide.org>

Copyright (C) 1999 Makoto Kato (m_kato@ga2.so-net.ne.jp) * * debug functions

(C) 1992 V3.00.004/02/92", 5, 44, 3, 0, 0

Copyright (C) 1991, 1997, 2003 Free Software Foundation, Inc. * * Several strategies are tried to try to get the best performance for various * conditions. In the optimal case, we copy 64-bytes in

Copyright (C) 1995, 1996, 1997, 2003 by Ralf Baechle */#include <linux/kernel.h>#include <linux/init.h>#include <linux/irq.h>

(C) 2003 Ardis Technologies <roman@ardistech.com> */

Copyright (C) 1995 1996 Heiko Schlittermann <heiko@lotte.sax.de> * VERSION: 2.14(hs) * * ... anyway, I'm back again, thanks to Marcin, he adopted * large portions of my code (at least the parts co

Copyright (c) 1999 Grant Erickson <grant@lcse.umn.edu>

copyright by him. net.russotto.AtmelMACFW is used under the GPL license version 2.

Copyright (C) Andrew Bartlett <abartlet@samba.org> 2002-2003

Copyright (c) 2004 Jean-Luc Cooke <jlcooke@certainkey.com>

Copyright (C) 1996, 1999, 2001 Ralf Baechle

Copyright (C) 1994 by Hamish Macdonald * Taken from linux/kernel/ptrace.c and modified for M680x0. * linux/kernel/ptrace.c is by Ross Biro 1/23/92, edited by Linus Torvalds * * Modified by Cort

Copyright (C) 1998-2003 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> *

04/11/17 Ashok Raj <ashok.raj@intel.com> Added CPU Hotplug Support */#define __KERNEL_SYSCALLS__ /* see <asm

Copyright (C) 2002 Trond Myklebust <trond.myklebust@fys.uio.no> */

Copyright (c) 2001 Axis Communications AB */

Copyright (C) 2000-2001 Toshiba Corporation *

Copyright (C) 1998 Russell King * * Note! Some code fragments found in here have a special calling * convention - they are not APCS compliant!

Copyright 2000,2001 Philipp Rumpf <prumpf@mandrakesoft.com>

Copyright - Galileo technology.

Copyright (c) 2000 PocketPenguins Inc * * Derived from setup_hd64465.c which bore the message:

Copyright (c) by James Courtier-Dutton <James@superbug.demon.co.uk> * Driver p16v chips * Version: 0.22 * * FEATURES currently supported:

Copyright (C) 2003, 2004 Ralf Baechle */#ifndef
 __ASM_MACH_SIBYTE_CPU_FEATURE_OVERRIDES_H#define
 __ASM_MACH_SIBYTE_CPU_FEATURE_OVERRIDES_H

Copyright (C) 1994 Linus Torvalds

Copyright (C) 1996 Russell King, Dave Gilbert

Copyright (C) 2005 Ilya A. Volynets-Evenbakh <ilya@total-knowledge.com> * swiped from i386, and cloned for MIPS by Geert, polished by Ralf. * IP32 changes by Ilya. */#include <linux/types.h>#incl

Copyright (c) 1999-2000 Takashi iwai <tiwai@suse.de>

(c) Copyright 2001 Scott Jennings <linuxdrivers@oro.net> * * 4/19 - 2001 [Initial revision] *
 9/27 - 2001 Added spinlocking * 4/12 - 2002 [rob@osinv

Copyright (C) 1996, 97, 2001, 04 Ralf Baechle (ralf@linux-mips.org)

Copyright (C) 2002 Paul Mundt

Copyright (c) by Takashi Iwai <tiwai@suse.de> *

Copyright (C) 1996 Paul Mackerras. */#ifndef _MESH_H#define _MESH_H

Copyright (c) 2002 Petko Manolov (petkan@users.sourceforge.net)

Copyright (C) 1999 Walt Drummond <drummond@valinux.com> */

(C) 2002-2003 William Irwin, IBM
 COPYRIGHT)) val val |= ((new >> 8) & 0xff) << 4; // category +
 original switch ((new >> 24) & 0xff) { case IEC958_AES3_CON_FS_44100:
 val |= 0<<12; break; case IEC958_AES3_CON_FS_48000: val

Copyright (C) 1995 David S. Miller <davem@caip.rutgers.edu>

Copyright (c) 1999 Alex deVries <alex@onefishtwo.ca>

Copyright (C) 1993 Linus Torvalds * * Delay routines calling functions in arch/x86_64/lib/delay.c

Copyright (C) 2001 Russell King, All rights reserved

(C) 2003 Ardis Technologies <roman@ardistech.com> *

(C) 2002 David Woodhouse <dwmw2@infradead.org>

Copyright (C) 1996, 1999 David S. Miller (davem@redhat.com) */

Copyright (C) 1995, 1996 Andreas Busse

Copyright 1995-2002, Russell King */

Copyright (C) 2001 Intel

copyright: failed return FALSE; }

Copyright (C) 2002, Linus Torvalds. * * O_DIRECT

Copyright (C) 2002 Steve Schmidtke

Copyright (C) 1996 Paul Mackerras. * MPC8xx modifications by Dan Malek

Copyright 1995-2002, Russell King */#include <linux/module.h>#include <linux/signal.h>#include
 <linux/sched.h>#include <linux/ioport.h>#include <linux/delay.h>#include <linux/blkdev.h>#include

Copyright (c) 2001-2004 MontaVista Software, Inc. */

Copyright (C) 2004 Richard Curnow

Copyright (C) 2001 fnbrd <fnbrd@gmx.de>

Copyright (C) 2001 SGI - Silicon Graphics, Inc <linux-xfs@oss.sgi.com>

Copyright (c) 2001, 2002, 2003 Hitoshi Yamamoto * * Taken from i386 version.

Copyright (C) 1999 Vijay Chander <vijay@engr.sgi.com> */#ifndef
 _IA64_PLATFORM_HPSIM_SSC_H#define _IA64_PLATFORM_HPSIM_SSC_H

Copyright (C) 1995 - 1998 by Andreas Busse and Ralf Baechle */#ifndef __ASM_JAZZ_H#define
 __ASM_JAZZ_H

Copyright (c) 2004 James Courtier-Dutton <James@superbug.demon.co.uk> * Driver CA0106 chips. e.g.
 Sound Blaster Audigy LS and Live 24bit * Version: 0.0.22 * * FEATURES currently supported:

Copyright (C) 2000 Serguei Miridonov <mirsev@cicese.mx> * * Currently maintained by:

Copyright (C) 1992, 1998-2004 Linus Torvalds, Ingo Molnar * * This file contains spurious interrupt
 handling.

Copyright (C) 2002 Gary Brubaker (xavyer@ix.netcom.com)

Copyright (C) 2004 Bartłomiej Zolnierkiewicz *

Copyright (C) 2002 NEC Corporation

Copyright (c) 2001-2004 Anton Altaparmakov

Copyright (C) 2002 Marcel Holtmann <marcel@holtmann.org>

Copyright (C) 2004 Olof Johansson <olof@austin.ibm.com>, IBM Corporation * * Based on
 pSeries_iommu.c:

Copyright (C) 2004 Trond Myklebust * * NFSv4 callback procedures

Copyright (C) 2002 Dave Boutcher IBM Corporation

Copyright (C) 2002 Paul Mackerras, IBM Corp.
 Copyright (C) 2001, 2003 Keith M Wesolowski
 Copyright (C) 1999 Cort Dougan <cort@ppc.kernel.org> */
 Copyright (C) 1996-2001 Cort Dougan <cort@fslmlabs.com>
 Copyright (C) 2003 MontaVista Software Inc.
 Copyright (C) 2000, 2001 Silicon Graphics, Inc.
 Copyright (C) 1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz) *
 Copyright (C) Freescale Semiconductor, Inc 2004 * * Author: Andy Fleming
 Copyright (C) 2000 David Mosberger-Tang <davidm@hpl.hp.com>
 Copyright (C) 1999, Anthony Tong <atong@uiuc.edu> * * Ani Joshi / Jeff Garzik *
 - Code cleanup
 Copyright 2001,2002 Andi Kleen, SuSE Labs. * Some parts copied from arch/i386/kernel/ptrace.c. See that
 file for earlier * copyright. * * This allows to access 64bit processes too; but there is
 Copyright (c) 2002-2003 Matthew Wilcox for Hewlett-Packard
 Copyright (c) 2001 by David Brownell
 (C) 2003-2004 MontaVista Software, Inc.
 Copyright (c) 2001 Matthew Wilcox for Hewlett Packard
 Copyright (C) 2004 Jochen Friedrich * * Loosely based on drivers/pci/pci-sysfs.c and drivers/zorro/zorro-
 sysfs.c
 Copyright (c) 1993 Ning and David Mosberger. This is based on code originally written by Bas Laarhoven
 (bas@vimec.nl) and David L. Brown, Jr., and incorporates improvements suggested by Kai Harre
 (C) SysKonnect GmbH.";static const char SysKonnectBuildNumber[] = "@(#)SK-BUILD: 6.23 PL:
 01"; #endif /* !defined(lint) */
 Copyright (C) 1996-2000 Vojtech Pavlik * * Sponsored by SuSE
 Copyright (c) 2001 Matthew Wilcox for Hewlett-Packard * * These are the routines to discover what
 hardware exists in this box. * This task is complicated by there being 3 different ways of * perfo
 (C) 2001 Rusty Russell
 Copyright (c) 1999-2000 Grant Erickson <grant@lcse.umn.edu> * * Module name: oak.c
 Copyright (c) 2001-2003 International Business Machines Corp.
 Copyright (c) 2004 James Morris <jmorris@redhat.com>, * Red Hat Inc. *
 Copyright (C) 1991, 1992 Linus Torvalds * * minix directory handling functions
 Copyright (C) 1999,2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Denis Joseph
 Barrow (djbarrow@de.ibm.com,barrow_dj@yahoo.com) * * Based on Intel version
 Copyright 2004 Red Hat, Inc.
 Copyright (C) 2001-2003 Montavista Software Inc. * Author: Yoichi Yuasa <yyuasa@mvista.com, or
 source@mvista.com>
 (c) Copyright 2000 Helge Deller <hdeller@redhat.com>
 Copyright (C) 1997 Free Software Foundation, Inc.
 Copyright (C) 1998 D. Jeff Dionne <jeff@lineo.ca>, * Kenneth Albanowski
 <kjahds@kjahds.com>,
 Copyright (C) 2001 by Harald Welte <laforge@gnumonks.org> * * based on the existing uml-networking
 code, which is
 Copyright (c) 2001 Pete Zaitcev <zaitcev@redhat.com>
 Copyright (C) 1999, 2000 Silicon Graphics, Inc. * * Kevin Kissell, kevink@mips.com and Carsten Langgaard,
 carstenl@mips.com
 Copyright (C) 1997, 1998, 1999, 2000 by Ralf Baechle
 Copyright (C) 2003 MontaVista Software Inc. * Author: Jun Sun, jsun@mvista.com or jsun@junsun.net *
 Copyright (C) 1995 - 1997, 1999 Silcon Graphics, Inc.
 Copyright 2001 MontaVista Software Inc. * Author: jsun@mvista.com or jsun@junsun.net * * First-level
 interrupt dispatcher for Jaguar-ATX board.
 Copyright 2004 Dave Jiang <dave.jiang@intel.com>
 Copyright 1999-2004 3Com Corporation. All Rights Reserved
 Copyright (C) 1997, 1998, 1999 Ralf Baechle (ralf@gnu.org)
 Copyright (C) 1998-2000 Jens Axboe <axboe@suse.de>
 Copyright (C) 2000 - 2001 by Kanoj Sarcar (kanoj@sgi.com)
 Copyright (C) 2000 by Silicon Graphics, Inc.
 Copyright (C) 1996 Cort Dougan * Adapted for Power Macintosh by Paul Mackerras
 Copyright (C) 2000, 2001 Axis Communications AB * * Authors: Bjorn Wesen (bjornw@axis.com)
 Copyright David J. Mckay. * Needs major work! * * benedict.gaster@superh.com: 3rd May 2002 *

Added support for ramdisk, removing statically linked romfs at the same time.
 Copyright (C) 2002 David S. Miller (davem@redhat.com) * * Rewrote buffer handling to use CIRC(Circular Buffer) macros. * Maxim Krasnyanskiy <maxk@qualcomm.com>
 Copyright (C) 2004 IBM Corp.
 Copyright (c) 1995-2000 Advanced System Products, Inc.
 Copyright (C) 2002-2004 Rohit Seth <rohit.seth@intel.com>
 Copyright (C) 1998-2002 Andre Hedrick <andre@linux-ide.org>, Integrator * * CYPRESS CY82C693 chipset IDE controller
 Copyright 1994 Free Software Foundation, Inc. Written by Ian Lance Taylor, Cygnus Support
 Copyright (C) 1999 Jeff Hartmann.
 Copyright 2004-2005 MontaVista Software Inc.
 Copyright (c) 1999 Grant Erickson <grant@lcse.umn.edu> * * Module name: ibm4xx.h
 Copyright (C) 1999-2001 Klaus
 Copyright 2003 Red Hat, Inc.
 (C) Copyright 2000 Oliver Neukum <Oliver.Neukum@lrz.uni-muenchen.de> * * See microtek.c for history
 Copyright (c) 2002 NEC Corp.
 Copyright (c) 2004 Red Hat, Inc. * * Written by: msalter@redhat.com
 Copyright (C) 1992 Linus Torvalds
 Copyright (C) 1999 Kaz Kojima *
 Copyright (C) 2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Denis Joseph Barrow (djbarrow@de.ibm.com, barrow_dj@yahoo.com) * Gerhard Tonn (ton@de.ibm.com)
 Copyright (C) 2000 David Mosberger-Tang <davidm@hpl.hp.com>
 Copyright 2001,2002,2003 MontaVista Software Inc. * Author: MontaVista Software, Inc. *
 ppopov@mvista.com or source@mvista.com *
 copyright does however _not_ include the ELF hash() function
 Copyright 1991, 1992, 1993, and by Julian Cowley, Copyright 1994.
 Copyright (C) 2003 Richard Curnow <richard.curnow@superh.com>
 copyright (C) by Hannu Savolainen 1993-1996 * * Although the relevant code here is all new, the handling of * sample/alias/multi- samples is entirely based on a driver by Matt * Martin and Rutger
 Copyright (c) 2003,2004 Simtec Electronics <linux@simtec.co.uk>
 Copyright (C) 1997 Geert Uytterhoeven * * This driver is partly based on the PowerMac console driver: *
 Copyright (C) 2001, 2002 David S. Miller (davem@redhat.com)
 Copyright by Thomas Pfeiffer (pfeiffer@pds.de)
 Copyright (c) 1999 Algorithmics Ltd * * Carsten Langgaard, carstenl@mips.com
 Copyright (C) 2001,02,03 NEC Electronics Corporation
 Copyright (c) 2001 M. R. Brown <mrbrown@0xd6.org>
 Copyright (C) 1997 Andr *
 Copyright (c) International Business Machines Corp., 2002,2004 * Author(s): Steve French (sfrench@us.ibm.com) * * See Error Codes section of the SNIA CIFS Specification * for more informat
 Copyright (C) 1999 Cort Dougan <cort@cs.nmt.edu> *
 Copyright (C) 2002, 2003 Maciej W. Rozycki * * additional sources:
 Copyright (C) 2004 Linda Xie <lxie@us.ibm.com> * * All rights reserved
 Copyright (C) 1996, 1998, 1999, 2002 by Ralf Baechle
 Copyright (C) 1996 Miguel de Icaza (miguel@nuclecu.unam.mx) */
 Copyright (C) 1996 * Adrian Rodriguez (adrian@franklins-tower.rutgers.edu) * Laboratory for Computer Science Research Computing Facility * Rutgers, The State University of New Jersey *
 Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org) * Updated and modified by Cort Dougan (cort@cs.nmt.edu)
 Copyright (C) 2001 IBM Corporation * Author(s): Carsten Otte <cotte@de.ibm.com> *
 Michael Holzhau <holzhau@de.ibm.com> * Tuan Ngo-Anh <ngoanh@de.ibm.com> * *
 PROCFS Functions
 Copyright (C) 2000 David S. Miller (davem@redhat.com) */#include <linux/config.h>#include <asm/thread_info.h>
 Copyright (C) 2000 by Bart Hartgers <bart@etpmod.phys.tue.nl>, * Jaroslav Kysela <perex@suse.cz>
 Copyright (C) 2002 SnapGear, by Paul Dale <pauli@snapgear.com>
 (C) 1999 Thomas Bogendoerfer * minor modifications, cleanup: Guido Guenther <agx@sigxcpu.org> *
 further cleanup: Maciej W. Rozycki */
 Copyright (C) 1999, 2000, 2004, 2005 MIPS Technologies, Inc. * All rights reserved

(C) 1997 Carnegie Mellon University * * Carnegie Mellon encourages users to contribute improvements to * the Coda project. Contact Peter Braam (coda@cs.cmu.edu).
 Copyright (c) 2001 Intel Corp.
 (C) 2002, 2003 Marc Zyngier <maz@wild-wind.fr.eu.org> * * This code is released under the GPL version 2.
 Copyright (C) 1999-2000 VA Linux Systems
 Copyright (C) 2000,2001,2002 Andi Kleen, SuSE Labs (x86-64 port) * * These routines maintain argument size conversion between 32bit and 64bit * environment. In 2.5 most of this should be moved to a
 Copyright (C) 1998 Dave Perks <dperks@ibm.net> * * and
 (C) Copyright 2003 Red Hat Inc <alan@redhat.com> * * XpressAudio(tm) is used on the Cyrix MediaGX (now NatSemi Geode) systems. * The older version (VSA1) provides fairly good soundblaster emulation
 Copyright (c) 2001, 2002, 2003, 2004, 2005 Paul Mundt <lethal@linux-sh.org> * * This file is part of the LinuxDC project (linuxdc.sourceforge.net).
 Copyright (C) 2001 by Andreas Gruenbacher, <a.gruenbacher@computer.org> */
 Copyright (C) 2001 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s):
 Copyright (C) 1996 Paul Mackerras.
 (C) 2000 Lineo Inc.\n");
 Copyright (C) 1997 Michael A. Griffith (grif@acm.org) */
 Copyright (C) 2001 A * * I/O routine and setup routines for A&D ADX Board
 Copyright (C)2001 Daniel Maas <dmaas@dcine.com> * receive by Dan Dennedy <dan@dennedy.org> *
 * based on:
 (C) Copyright 1999-2000 Scott J. Bertin
 Copyright (c) by James Courtier-Dutton <James@superbug.demon.co.uk> * * BUGS: * --
 Copyright (C) 1997 Dan Malek (dmalek@jlc.net). * * This file contains low-level support and setup for PowerPC 8xx * embedded processors, including trap and interrupt dispatch.
 Copyright (C) 1995 Hamish Macdonald * * Contains common initialization routines, specific init code moved * to motorola.c and sun3mmu.c
 Copyright 1999 Matrox Graphics Inc.
 (C) 2003 Cornelius Consult (werner@cornelius-consult.de)/*
 // Driver maintained by Cologne Chip
 Copyright (C) 1999, 2004 Manfred Spraul * * This file is released under GNU General Public Licence version 2 or * (at your option) any later version.
 Copyright (C) 2002, 2003 Paul Mundt * * This file originally bore the message (with enclosed-\$):
 Copyright (C) 2004 Nokia Corporation by Imre Deak <imre.deak@nokia.com>
 Copyright (C) 2001-2003 Andreas Gruenbacher <agruen@suse.de> * * Fix by Harrison Xing <harrison@mountainviewdata.com>. * Extended attributes for symlinks and special files added per * suggestion
 (C) 2000 Red Hat. GPL * * \$Id: cfi_cmdset_0001.c,v 1.164 2004/11/16 18:29:00 dwmw2 Exp \$
 Copyright (C) 1996 David Sitsky (David.Sitsky@anu.edu.au)
 Copyright (C) 2000, 2002 Jeff Dike (jdike@karaya.com)
 Copyright (C) 2000 David Huggins-Daines <dhd with pobox.org>
 Copyright 2002-2004 MontaVista Software Inc. * * Eugene Surovegin <eugene.surovegin@zultys.com> or <ebs@ebshome.net>
 Copyright (C) 1998-2000 Andre Hedrick (andre@linux-ide.org)
 Copyright (C) 1999 Rainer Johanni <Rainer@Johanni.de> * * buz.0.0.3
 Copyright 1993, Drew Eckhardt * Visionary Computing * (Unix consulting and custom programming) * drew@colorado.edu * +1 (303) 666-5836 * * DISTRIBUTION RELEASE 7
 Copyright (C) 2005 Stuart Brady * * This exists because awe_voice.h defined its own _PATCHKEY and it wasn't * clear whether removing this would break anything in userspace.
 Copyright (C) 1999,2000 Martin Lucina, Tom Zerucha
 Copyright (c) 2004 Randy Dunlap
 Copyright (C) 1997 Fabio Riccardi. * And from the frame buffer device for Open Firmware-initialized devices:
 Copyright (C) 2000,2001 Cirrus Logic Corp.
 Copyright (C) 1996 Thomas K. Dyas (tdyas@eden.rutgers.edu) * * This is a little driver that lets a user-level program access * the SPARC Mostek real time clock chip. It is no use unless you * use
 Copyright (C) 1999 Wolfgang Scherr <scherr@net4you.net>
 Copyright (C) 2003 Fruhwirth Clemens <clemens@endorphin.org>
 Copyright (C) 1998-2005 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> */

```
(C) 1999, 2000 Axis Communications AB\n");      #ifdef CONFIG_JFFS_PROC_FS      jffs_proc_root =
proc_mkdir("jffs", proc_root_fs); if (!jffs_proc_root) {      printk(KERN_WARNING "cannot create
/proc/jffs ent
Copyright (C) 2000      David Mosberger-Tang <davidm@hpl.hp.com>
Copyright (C) 2003 Ralf Baechle (ralf@linux-mips.org)
(C) Copyright 1999-2000 Scott J. Bertin <sbertin@securenym.net>,
Copyright (c) 1999 Jean Tourrilhes
Copyright (C) 1995      Hamish Macdonald
Copyright (C) 1995--2003 Geert Uytterhoeven
Copyright 2002 Andy Grover <andrew.grover@intel.com>
Copyright (C) 2000 Michael Ang <mang with subcarrier.org>
Copyright (C) 1996 Paul M. Antoine
Copyright (c) 1999-2001 Vojtech Pavlik * * USB HIDBP Mouse support
Copyright 1994 Roman Hodek <Roman.Hodek@informatik.uni-erlangen.de>
Copyright (C) 2004 Logic Product Development
Copyright (C) 2003,2004 Aurelien Alleaume <slts@free.fr>
Copyright (C) 1993 Greg Harp * Atari Support by Bjoern Brauel, Roman Hodek * * Big cleanup Sep 11..14
1994 Roman Hodek:
Copyright (C) 2003 IBM Corp. * * Original driver for 2.2.x by anonymous
(C) Copyright 2000, Lineo (www.lineo.com)
COPYRIGHT);MODULE_LICENSE("GPL");
Copyright (C) 1996 Dave Frascione * Cloned from      Richard Hirst [richard@sleepie.demon.co.uk] * *
Based on: *
Copyright (c) by Jaroslav Kysela <perex@suse.cz> *      Creative Labs, Inc. * Routines for effect
processor FX8010 * * BUGS: * --
Copyright (C) 1998-2001 David Mosberger-Tang <davidm@hpl.hp.com> */
Copyright 1998-2001 (c) Cirrus Logic Corp. *      Version 1.04
*****
Copyright (C) 1994, 1995, 1996, 1999, 2000 by Ralf Baechle
Copyright (C) 1996,1999 David S. Miller (davem@redhat.com)
Copyright (C) 2001-2002 SnapGear Inc. <www.snapgear.com> * * Based on code from 68332serial.c which
was: *
(C) 2003 Ardis Technologies <roman@ardistech.com> * * Handling of HFS wrappers around HFS+ volumes
Copyright (C) 1992 Remy Card (card@masi.ibp.fr) *      Laboratoire MASI - Institut Blaise Pascal
*      Universite Pierre et Marie Curie (Paris VI) * from
Copyright (C) 1994-1996 Greg Ungerer.
Copyright (C) 1995, 1996, 1997, 1998 Jakub Jelinek (jj@ultra.linux.cz) */
Copyright (C) 2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Gerhard Tonn
(ton@de.ibm.com) * * Heavily inspired by the 32-bit Sparc compat code which is
Copyright (c) 2002 Kazunori Miyazawa <miyazawa@linux-ipv6.org> / USAGI
Copyright (C) 2002 Yoshinori Sato (ysato@users.sourceforge.jp) */
Copyright (C) 2004 Ralf Baechle */#ifndef __ASM_MACH_IP32_MANGLE_PORT_H#define
__ASM_MACH_IP32_MANGLE_PORT_H
Copyright (c) 1997 Dan Malek <dmalek@jlc.net> (mpc8xx) * * This file contains structures and information
for the communication * processor channels. Some CPM control and status is available * thr
Copyright (C) 2003 Benedikt Spranger, Pengutronix
Copyright (c) 1998 Corey Thomas (corey@world.std.com)
Copyright (C) 1997 David S. Miller (davem@caip.rutgers.edu) */
Copyright (C) 1999 Silicon Graphics, Inc. */#ifndef _ASM_SGIARCS_H#define _ASM_SGIARCS_H
Copyright (C) 1999 by Silicon Graphics, Inc. */#include <linux/config.h>#include <linux/kernel.h>#include
<linux/mm.h>#include <linux/sched.h>#include <linux/string.h>
Copyright (C) 2004 Keith M Wesolowski (wesolows@foobazco.org) */
Copyright (c) 2004-2005 Richard Purdie * * Based on Sharp's 2.4 kernel patches/lubbock.c
Copyright (C) 2005 Ilya A. Volynets-Evenbakh
Copyright (C) 1997 Eddie C. Dost (ecd@skynet.be) * * Adaptation to new UART layer is: *
Copyright (C) 1991, 1992 Linus Torvalds * *      modified by Drew Eckhardt *      modified by Bruce
Evans (bde) *      modified by Chris Noe (May 1999) (as86 -> gas) *      gutted by H. Peter Anvin (Jan 2003)
Copyright 1997 by Fritz Elfert (fritz@isd4linux.de)
Copyright (c) 1998-2000 Dag Brattli <dagb@cs.uit.no>, *      All Rights Reserved
```

Copyright (C) 2004 Jean-Frederic Clere.
 Copyright (C) 2001 Richard Hirst <rhirst with parisc-linux.org>
 Copyright status#define AC97_ALC650_PRE 0x0038 /* Preemphasis status */#define
 AC97_ALC650_PRE_SHIFT 3#define AC97_ALC650_MODE 0x00C0 /* Preemphasis status
 */#define
 Copyright (C) 2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Holger Smolinski
 (Holger.Smolinski@de.ibm.com) */
 Copyright (C) 1994-1996 Linus Torvalds
 Copyright (C) Jonathan Naylor G4KLX (g4klx@g4klx.demon.co.uk)
 (C) 2000 R.E.Wolff@BitWizard.nl
 copyright; see LICENSE.FlashPoint for details. * * \$Workfile: harpoon.h \$
 Copyright (C) 2004-5 Patrick Boettcher <patrick.boettcher@desy.de> * * based on the skystar2-driver
 Copyright (C) 1999 Matthew Wilcox <willy with parisc-linux.org>
 Copyright (C) 2001 Red Hat, Inc. * * \$Id: epxa10db-flash.c,v 1.13 2004/11/04 13:24:14 gleixner Exp \$
 Copyright (c) 1997, 1998 by Ralf Baechle */#include <linux/init.h>#include <linux/kernel.h>#include
 <asm/bcache.h>#include <asm/sni.h>
 Copyright (c) 2001 David Howells (dhowells@redhat.com). * - Derived partially from idea by Andrea
 Arcangeli <andrea@suse.de> * - Derived also from comments by Linus */#include <linux/rwsem.h>#i
 Copyright (c) 2001-2004 Ben Fennema <bfennema@falcon.csc.calpoly.edu> * All rights reserved
 Copyright (c) 1994, 95, 96, 97, 98, 2000, 01 Ralf Baechle
 Copyright (C) 2000 Kazumoto Kojima * * Hitachi SystemH support
 Copyright (C) 1996-1999 David S. Miller (davem@caip.rutgers.edu)
 (C)Copyright 1997-1998 DAVICOM Semiconductor,Inc. All Rights Reserved
 Copyright (c) 1999 Dan Malek (dmalek@jlc.net) * * The Internal Memory Map for devices with CPM2 on
 them. This * is the superset of all CPM2 devices (8260, 8266, 8280, 8272, * 8560).
 Copyright (c) 1998, 1999 Ky
 Copyright (C) 2004 Pete Zaitcev (zaitcev@yahoo.com)
 Copyright (C) 2000 Greg Banks, Mitch Davis *
 (C) 1992, 1993 Eric Youngdale * * Rock Ridge Extensions to iso9660
 Copyright (C) Shane Nay (shane@minirl.com)
 Copyright: (C) 2001 MontaVista Software Inc.
 Copyright (C) 1993 Stephen Tweedie (sct@dcs.ed.ac.uk) * from
 Copyright (C) 1994, 1995, 1996, 1999 Ralf Baechle
 Copyright (C) 1999 Silicon Graphics, Inc. */#include <asm/mipsregs.h>#include <asm/page.h>#include
 <asm/regdef.h>#include <asm/stackframe.h>
 Copyright (C) 1999-2000 Maxim Krasnyansky <max_mk@yahoo.com>
 Copyright (C) 2003 Hewlett-Packard
 Copyright (C) 1999 Intel Corp.
 Copyright (C) 2000 Niibe Yutaka * * Generic I/O routine. These can be used where a machine specific
 version * is not required.
 Copyright (C) 2003 Thomas Charbonnel (thomas@undata.org)
 Copyright (C) 1997-1998 Geert Uytterhoeven
 Copyright (C) 1998 Jakub Jelinek (jj@ultra.linux.cz) */
 Copyright (C) 1997-2000 Russell King
 Copyright (c) 2001-2002 Denis Oliver Kropp <dok@directfb.org> * Sven Neumann
 <neo@directfb.org> *
 (C) 1999 Thomas Bogendoerfer (tsbogend@alpha.franken.de) * * Based on David S. Miller's esp driver
 Copyright 1999 SuSE GmbH (Philipp Rumpf, prumpf@tux.org)
 Copyright (c) by Lee Revell <rlrevell@joe-job.com> * Clemens Ladisch <clemens@ladisch.de>
 * Routines for control of EMU10K1 chips * * BUGS: * --
 Copyright (c) 2002 The Regents of the University of Michigan. * All rights reserved
 Copyright (C) by Rebel.com 1998-1999 * * RWA010 specs received under NDA from Rockwell
 Copyright (C) 1998 Russell King.
 Copyright (C) 1999-2001, 2003-2004 Hewlett-Packard Co. * David Mosberger-Tang <davidm@hpl.hp.com>
 */#ifndef _ASM_IA64_MACHVEC_H#define _ASM_IA64_MACHVEC_H
 Copyright (c) 2004,2005 Simtec Electronics * Ben Dooks <ben@simtec.co.uk> * *
 http://www.fluff.org/ben/smdk2440/
 Copyright (C) 1999-2003 Hewlett-Packard Co. * David Mosberger-Tang <davidm@hpl.hp.com> *
 Stephane Eranian <eranian@hpl.hp.com> * * All EFI Runtime Services are not implemented yet as

EFI only * s
 Copyright (C) 1995 David A Rusling
 (C) 1996 Peter Braam
 Copyright (C) 1999,2000 Walt Drummond <drummond@valinux.com>
 (C) Copyright 2002 Hewlett-Packard Company * * Bus Glue for pxa27x
 (C) Copyright 1998-2003 SysKonnct GmbH.
 Copyright (C) 1995 Linus Torvalds * * This file contains the code used by various IRQ handling routines:
 Copyright (C) 1991, 1992 Linus Torvalds * * super.c contains code to handle: - mount structures *
 - super-block tables * - fil
 Copyright (C) 2005 Phil Chang <pchang23@sbcbglobal.net>
 Copyright (C) 2002 by John Newbigin * * Please add a note about your changes to smbfs in the Changelog
 file.
 Copyright (c) 2001, 2002 Hiroyuki Kondo, Hirokazu Takata, * Hitoshi Yamamoto,
 Mamoru Sakugawa */
 Copyright (c) 2004 Topspin Communications. All rights reserved
 Copyright (C) 1998 Randy Gobbel. * * May 1999, Al Viro: proper release of /proc/net/bmac entry, switched
 to * dynamic procfs inode.
 (c) Copyright 1995 Simon "Guru Aleph-Null" Janes * NCM: Network and Communications Management, Inc.
 *
 Copyright (C) 1999-2003 Ralph Metzler
 Copyright (C) 2003 Andriy Skulysh */
 Copyright (C) 2001 Daniel Barlow <dan AT telent.net> * Some of this code is "inspired" by linux-wlan-ng-
 0.1.10, but nothing * has been copied from it. linux-wlan-ng-0.1.10 is originally :
 Copyright (C) 2000,2001 by Hiroyuki Kondo */
 Copyright (C) 2004 Thiemo Seufer * * Hairry, the userspace application uses a different argument passing *
 convention than the kernel, so we have to translate things from o32 * to ABI64 calling con
 Copyright (c) 2002 Mark D. Studebaker <mdsxyz123@yahoo.com>
 Copyright (C) 2002 Marius Gr
 Copyright (C) 2000, 2001 Axis Communications AB * * Authors: Bjorn Wesen (bjornw@axis.com)
 Copyright (C) 1999 by
 Copyright (C) Hans-Joachim Hetscher DD8NE (dd8ne@bnv-bamberg.de) */#include
 <linux/config.h>#include <linux/errno.h>#include <linux/types.h>#include <linux/socket.h>#include
 <linux/in.h>#includ
 Copyright (C) 1999 Silicon Graphics, Inc. */#include <asm/asm.h>#include <asm/mipsregs.h>#include
 <asm/regdef.h>#include <asm/stackframe.h>
 Copyright (C) 2000 MIPS Technologies, Inc. All rights reserved
 Copyright(c) 1999 - 2004 Intel Corporation. All rights reserved
 Copyright (C) 2003-2004 Christoph Hellwig
 Copyright (C) 1997.1998 Russell King */#ifndef __ASM_ARCH_DMA_H#define __ASM_ARCH_DMA_H
 Copyright 1994, Tom Zerucha.
 Copyright Management Information (UDF 2.50 3.3.4.5.1.2)struct DVDCopyrightImpUse { __le16
 headerChecksum; uint8_t CGMSInfo; uint8_t dataType;
 uint8_t protectionSystemInfo[4];} __attribute__
 Copyright 2004 OProfile Authors * * @remark Read the file COPYING
 Copyright (C) 1991, 1992, 1993, 1994 Linus Torvalds * Swap reorganised 29.12.95, Stephen Tweedie *
 Support of BIGMEM added by Gerhard Wichert, Siemens AG, July 1999 * Reshaped it to be a zoned
 Copyright (C) 2000 Takashi Iwai
 Copyright (c) 2004 Hirokazu Takata <takata at linux-m32r.org> * * Taken from i386 version.
 Copyright 2003 Pavel Machek <pavel@suse.cz>, distribute under GPLv2
 Copyright (C) 2001 Andrea Arcangeli <andrea@suse.de> SuSE */
 Copyright (c) 2004 Chris Pascoe
 Copyright (C) 1998-2001 Russell King
 (c) Copyright 2004 Benjamin Herrenschmidt (benh@kernel.crashing.org),
 Copyright (C) 2001 Troy D. Armstrong IBM Corporation
 Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org) * Updated and modified by Cort Dougan
 <cort@fslabs.com>
 Copyright (C) 1994 Wolfgang Stanglmeier
 Copyright 2004 PMC-Sierra * Author: Manish Lachwani (lachwani@pmc-sierra.com) * * Based on Ocelot
 Linux port, which is

Copyright Micro Memory INC 2001. All rights reserved
 Copyright (C) 1994 Linus Torvalds */
 Copyright (C) 2001 Manfred Spraul * ethtool support (jgarzik) * Replace some MII-related magic numbers with constants (jgarzik) TODO:
 Copyright (C) 1996-1998 Stallion Technologies
 COPYRIGHT (0)#define EEPROM_COPYRIGHT_LEN (44)#define EEPROM_CHECKSUM
 (62)#define EEPROM_CHECKSUM_REV (63)#define EEPROM_MAC (64)#define
 EEPROM_MAC_REV (70)#define EEPROM_SERIAL (112)#defin
 Copyright (C) 1999 Geert Uytterhoeven * * 2001 - Documented with DocBook * - Brad Douglas <brad@neruo.com>
 Copyright (C) 1999 Mike Shaver */
 Copyright (C) 2000 Rob Scott (rscott@mtrob.fdns.net) * Steve Hill (sjhill@cotw.com) * * 04-21-2000 RS Created file * 05-03-2000 SJH Tick rate was wrong
 Copyright 2001 MontaVista Software Inc. * Author: MontaVista Software, Inc. * ahennessy@mvista.com * * arch/mips/jmr3927/common/rtc_ds1742.c * Based on arch/mips/ddb5xxx/common/rtc_d
 Copyright 2002 Momentum Computer Inc. * Author: Matthew Dharm <mdharm@momenco.com> * (c) Copyright 2002-2005 Alex Williamson
 Copyright (C) 1994, 1995, 1996, 1999 by Ralf Baechle
 Copyright 2003,2004 Andi Kleen, SuSE Labs.
 Copyright (C) 1999-2000 Michael Cornwell <cornwell@acm.org>
 Copyright (C) 2000 Philipp Rumpf <prumpf@tux.org>.
 Copyright (C) 1998-2003 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> */
 Copyright (C) 1993 Hamish Macdonald * Greg Harp
 Copyright (c) 2002 Convergence GmbH * * based on code:
 Copyright (C) 2001-2002 Deep Blue Solutions Ltd. * * \$Id: cpu.c,v 1.6 2002/07/18 13:58:51 rmk Exp \$
 Copyright (C) 1994 - 2000, 2001, 2003 Ralf Baechle
 Copyright (c) 2000 Justin Cormack */
 (C) 1996-1998 by Thomas Sailer, HB9JNX/AE4WA */
 Copyright (C) 2000 RidgeRun, Inc. * Author: Greg Lonnon <glonnon@ridgerun.com> * * This file was derived from linux/include/asm-arm/arch-intergrator/memory.h
 Copyright (C) 2003 Geert Uytterhoeven * * Loosely based on drivers/pci/pci-sysfs.c
 Copyright (c) 1998 by Frank van de Pol <fvdpol@coil.demon.nl>
 Copyright (C) 2000,2001 Axis Communications AB * * Authors: Bjorn Wesen (bjornw@axis.com)
 Copyright (C) 1995. Send bug reports for the * VFAT filesystem to <chaffee@cs.berkeley.edu>. Specify * what file operation caused you trouble and if you can duplicate * the problem, send
 Copyright (c) 1998 Harald Koerfgen
 Copyright ♦ 1993, 1994 Motorola Inc. All rights reserved
 Copyright (C) 1996 Roman Zippel * * The concept of some functions bases on the original Amiga OS function
 Copyright (C) 2000 Hewlett-Packard Co.
 Copyright 1995-1998 Mark Adler "/* If you use the zlib library in a product, an acknowledgment is welcome in the documentation of your product. If for some reason you cannot include such an ac
 (C) 2004 William Irwin, Oracle */#include <linux/config.h>#include <linux/init.h>#include <linux/module.h>#include <linux/sched.h>#include <linux/mm.h>#include <linux/wait.h>#include <linux/ha
 Copyright 2001 MontaVista Software Inc. * Author: jsun@mvista.com or jsun@junsun.net * * arch/mips/ddb5xxx/ddb5477/debug.c * vrc5477 specific debug routines.
 Copyright (c) by Scott McNab <sdm@fractalgraphics.com.au> * * Trident 4DWave-NX memory page allocation (TLB area) * Trident chip can handle only 16MByte of the memory at the same time.
 Copyright(C) Arnaldo Carvalho de Melo <acme@conectiva.com.br>, 2002 */
 Copyright (c) 1999-2004 LSI Logic Corporation * Original author: Steven J. Ralston * (mailto:sjralston1@netscape.net) * (mailto:mpt_linux_developer@lsil.com) * * \$Id: mptscsih.c,v 1.104 2002/
 Copyright (C) 1997,1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz) */
 Copyright (c) 2004 Will Schmidt IBM Corporation. * Nathan Lynch nathanl@austin.ibm.com
 (C) 2004 Embedded Edge, LLC, based on db1550-flash.c:
 (C) Copyright 1996 Linus Torvalds * * m68k version by Andreas Schwab
 (C) 2001-2003 Red Hat, Inc. * GPL'd * \$Id: gen_probe.c,v 1.21 2004/08/14 15:14:05 dwmw2 Exp \$ */
 (C) 2001-2002 Maciej Soltysiak <solt@dns.toxicfilms.tv>

Copyright (C) 1996 Paul Mackerras. * * This file contains low-level assembler routines for managing * the PowerPC MMU hash table. (PPC 8xx processors don't use a * hash table, so this file is

Copyright (C) 1994, Linus Torvalds */

Copyright (C) 2003 Pavel Machek (pavel@suse.cz) * * These routines maintain argument size conversion between 32bit and 64bit * ioctl's.

Copyright 1999-2000 Jeremy Fitzhardinge <jeremy@goop.org>

Copyright (c) 2001 Jeff Sutherland, Accelent Systems Inc. * * blinky lights for various PXA-based systems: *

Copyright 2004 Thibaut VARENE <varenet@parisc-linux.org>

Copyright 2001, 2002, 2004 Hirokazu Takata */#include <linux/config.h>#include <linux/prefetch.h>#include <linux/string.h>#include <linux/thread_info.h>#include <asm/uaccess.h>

Copyright (C) 1995-1997 Paul H. Hargrove

Copyright (c) 1997 Carnegie-Mellon University */

Copyright (C) 2000, Axis Communications AB. * * Written by Hans-Peter Nilsson. * Pieces used from memcpy, originally by Kenny Ranerup long time ago.

Copyright 2000 MontaVista Software Inc. * Author: MontaVista Software, Inc. * ppopov@mvista.com or source@mvista.com * * Updates to 2.6, Pete Popov, Embedded Alley Solutions, Inc.

Copyright (C) 1999 Ingo Molnar <mingo@redhat.com> */

Copyright (C) 2001 MIPS Technologies, Inc.

Copyright (C) 1999 Silicon Graphics

Copyright 1997 by Carsten Paeth (calle@calle.in-berlin.de)

Copyright (C) 1999, 2001, 2003 David Mosberger-Tang <davidm@hpl.hp.com>

Copyright (c) 2004-2005 David Howells <dhowells@redhat.com>

Copyright (C) 2000 Lineo Inc. (www.lineo.com)

Copyright (C) 2004 Luming Yu <luming.yu@intel.com>

Copyright 2004 Intel Corporation

Copyright (C) 1998 Phil Blundell */#include <linux/ioport.h>#include <linux/init.h>#include <linux/pci.h>

Copyright (C) Jonathan Naylor G4KLX (g4klx@g4klx.demon.co.uk) * * Most of this code is based on the SDL diagrams published in the 7th ARRL * Computer Networking Conference papers. The diagrams have

Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) * * Refactoring for unified NCR/PCIO support

2002 Eric Brower (ebrower@usa.net)

Copyright (c) by Jaroslav Kysela <perex@suse.cz>, * Creative Labs, Inc. * Definitions for EMU10K1 (SB Live!) chips *

Copyright (C) 2002 - 2004 Jeff Dike (jdike@addtoit.com)

Copyright (C) 2001 Ian da Silva, Jeremy Siegel * Based largely on io_se.c. * * I/O routine for Hitachi 7751 Systemh.

(C) 1996 P. Braam and M. Callahan

Copyright (C) 2004 Bo Henriksen, Nordic ID

Copyright (C) 1994 Martin Schaller

Copyright 1998-2001 by Leonard N. Zubkoff <lnz@dandelion.com>

Copyright 2000 by Digi International

Copyright (C) 1991, 1992 Linus Torvalds * * Added devfs support. * Jan-11-1998, C. Scott Ananian <cananian@alumni.princeton.edu> * Shared /dev/zero mmaping support, Feb 2000, Kanoj Sarcar <

Copyright (c) 2002 Erich Focht <efocht@ess.nec.de>

Copyright (C) 1999 Arun Sharma <arun.sharma@intel.com>

Copyright (C) 2002 Momentum Computer * * Author: Matthew Dharm, Momentum Computer * mdharm@momenco.com

Copyright 1997 by Carsten Paeth <calle@calle.de>

Copyright (C) 1996-98 Erik Andersen

Copyright (C) 2003 Sean McGoogan (Sean.McGoogan@superh.com) * * IO functions for the SuperH SH4-202 MicroDev board.

Copyright (C) 2004 IBM, Inc. All rights reserved

Copyright (C) 2000 Steve Hill (sjhill@cotw.com) * * Changelog:

Copyright 2002 Andi Kleen #include <asm/cpufeature.h>

Copyright (C) 2003-2004 Jean Delvare <khali@linux-fr.org> Based on older i2c-philips-par.c driver

Copyright (c) 2000 Eric Sandeen <eric_sandeen@bigfoot.com>

Copyright (C) 1993, 1994, 1995 Eric Youngdale * * Modified by Eric Youngdale * Use request_irq and request_dma to help prevent unexpected conflicts * Set up on-board DMA controller,

Copyright (C) 2001-2003 MontaVista Software Inc. * Author: Yoichi Yuasa <yyuasa@mvista.com or source@mvista.com>

(C) 2002 Alan Stern <stern@rowland.org>
 copyright 2001 Ryan Bradetich <rbradetich@uswest.net> * * Initial PA-RISC Version: 04-23-1999 by Helge Deller
 Copyright (C) 1991, 1992 Linus Torvalds * * ext2 fs regular file handling primitives
 Copyright (C) 1999-2001 * Cisco, Motorola, and IBM
 Copyright (c) 2000-2001 Silicon Graphics, Inc. All Rights Reserved
 Copyright (C) 1999, 2000, 01 Silicon Graphics, Inc.
 (C) DTC 17-MAY-1985
 Copyright (C) 2004 MontaVista Software Inc. * Author: Manish Lachwani, mlachwani@mvista.com
 Copyright (c) 2004 Simtec Electronics
 copyright; } mpeg_format_info; } format_info;
 Copyright (C) 2002 David S. Miller <davem@redhat.com> * * Based entirely upon
 drivers/sbus/audio/cs4231.c which is:
 Copyright (C) 2002 Neil Brown <neilb@cse.unsw.edu.au> * * Released under terms in GPL version 2. See COPYING.
 Copyright (C) 1994 - 2000 Ralf Baechle
 Copyright (C) 1995-1999 Russell King
 Copyright (C) 2000 Philipp Rumpf <prumpf@tux.org>
 Copyright (C) 1991, 1992, 1993 Linus Torvalds * * \$Id: head.S,v 1.3 2001/04/20 00:59:28 ak Exp \$
 Copyright (C) 2002 - 2005 Benjamin Herrenschmidt <benh@kernel.crashing.org>
 Copyright (c) 1999-2000 Grant Erickson <grant@lcse.umn.edu> * * Module name: as400_setup.h
 Copyright (C) 1992, 1993 Krishna Balasubramanian * Many improvements/fixes by Bruno Haible. *
 Replaced `struct shm\_desc' by `struct vm_area_struct', July 1994. * Fixed the shm swap deallocation (s
 Copyright (c) 2004-2005 Silicon Graphics, Inc. All Rights Reserved
 Copyright (C) 2003 Ladislav Michl <ladis@linux-mips.org> */
 Copyright (C) 1996 by Paul M. Antoine
 Copyright (C) 1998-2001 Hewlett-Packard Co * Stephane Eranian <eranian@hpl.hp.com> * David
 Mosberger-Tang <davidm@hpl.hp.com> * * 6/10/99: Updated to bring in sync with x86 version to
 facilitate
 Copyright (C) 2003-2005 QLogic Corporation
 Copyright (c) 2000 Silicon Graphics, Inc. All rights reserved
 (c) Copyright 1999-2001 Quicknet Technologies, Inc.
 Copyright (C) 2003 Benjamin Herrenschmidt (benh@kernel.crashing.org)
 Copyright (C) 1999-2001 Ralph Metzler * Marcus Metzler *
 Holger Waechtler * for convergence integrated media GmbH *
 Copyright (C) 1998, 1999 Frodo Looijgaard <frodol@dds.nl> and Philip Edelbrock <phil@netroedge.com>
 Copyright (C) 1997 Paul Mackerras. * * pmc-valkyrie.c: Console support for PowerMac "control" display
 adaptor.
 Copyright (C) 1999 Benjamin Reed. All Rights Reserved
 Copyright (C) 2001 * * Richard Zidlicky <rz@linux-m68k.org>
 Copyright (C) 1999, 2000 Silicon Graphics, Inc. */#ifndef _ASM_PROCESSOR_H#define
 _ASM_PROCESSOR_H
 Copyright (C) 1999, 2000 IBM Deutschland Entwicklung GmbH, * IBM Corporation *
 Author(s): Michael Holzheu (holzheu@de.ibm.com), * Holger Smolinski (Holg
 Copyright (C) 2003 Robert Schwebel <r.schwebel@pengutronix.de>, Pengutronix
 Copyright (C) 1999-2002 Greg Ungerer (gerg@snapgear.com)
 Copyright 2003 MontaVista Software Inc. * Author: Pete Popov, MontaVista Software, Inc. *
 ppopov@mvista.com or source@mvista.com *
 Copyright (C) 1999-2000 CJ, cjtsai@ali.com.tw, Maintainer *
 Copyright (C) 2003 by Kazuhiro Inaoka */#ifndef __ASM_M32R_CACHCTL#define
 __ASM_M32R_CACHCTL
 Copyright (C) 2000 Richard Hirst <rhirst@parisc-linux.org>
 Copyright (C) 2005 Arcom Control Systems Ltd. * * Based on AMD's original 2.4 driver:
 Copyright (C) 1992, Linus Torvalds *
 Copyright (C) 1995,2002 Pete A. Zaitcev (zaitcev@yahoo.com)
 Copyright (C) 1995-2000 Russell King.
 Copyright (C) 1993 Linus Torvalds * * Delay routines calling functions in arch/sh/lib/delay.c
 Copyright (C) 2001 Juha Yrj *
 Copyright (C) 2003 Jens Axboe <axboe@suse.de> */#include <linux/kernel.h>#include

`<linux/fs.h>#include <linux/blkdev.h>#include <linux/elevator.h>#include <linux/bio.h>#include`
`<linux/config.h>`
 Copyright (C) 2000, 2001, 2002, 2003 Broadcom Corporation
 Copyright (C) 1996,97,98 Ralph Metzler (rjkm@metzlerbros.de) * & Marcus Metzler
 (mocm@metzlerbros.de)
 Copyright (C) 2001-2002 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> * *
 06/16/00 A. Mallick added siginfo for most cases (close to IA32) * 09/29/00 D.
 Mosberger added ia32_interc
 Copyright (C) 2004 IBM Corporation * * Implements the generic device dma API for ppc64. Handles * the
 pci and vio busses
 Copyright (C) 1999 Juergen Peitz
 (C) Copyright 1997 Thomas Schoebel-Theuer, * with heavy changes by Linus Torvalds */
 Copyright (C) 2002 Takayoshi Kochi (t-kochi@bq.jp.nec.com)
 Copyright (C) 2004 Carl-Daniel Hailfinger (invalid MAC handling, insane * IRQ rate fixes,
 bigendian fixes, cleanups, verification)
 Copyright (c) 1999 Grant Erickson <grant@lcse.umn.edu> * Modifications for IBM PowerPC 400-class
 processor evaluation * boards. * * Module name: crt0.S
 (c) Copyright 2002, 2003, 2004 Hewlett-Packard Development Company, L.P.
 (C) 1986-1989 V6.0A7/28/89
 Copyright (C) 2001 Sistina Software (UK) Limited * * This file is released under the GPL.
 Copyright (c) 2001,2002 Richard Russon
 Copyright: (c) 1999-2003 Cyclades Corp.
 Copyright 1997, Theodore Ts */
 Copyright 2002-2005 MontaVista Software Inc. * * Eugene Surovegin <eugene.surovegin@zultys.com> or
 <ebs@ebshome.net>
 (C) 2000 David Brown <usb-storage@davidb.org>
 Copyright (C) 2001,2003 Greg Kroah-Hartman (greg@kroah.com)
 Copyright (C) 1997 Eddie C. Dost (ecd@skynet.be)
 Copyright (C) 2003 Herbert Valerio Riedel <hvr@gnu.org>
 Copyright (c) 2004 Hirokazu Takata */
 (C) 1999 David A. Hinds
 Copyright (C) 1992 - 1997, 2000-2003 Silicon Graphics, Inc. All rights reserved
 Copyright (C) 1999, 2000 Silcon Graphics, Inc.
 Copyright (C) 1999 Nicolas Pitre <nico@cam.org> * * SA1100 specific tweaks. This is merged into head.S
 by the linker.
 Copyright 2002 Momentum Computer Inc. * Author: Matthew Dharm <mdharm@momenco.com> * * Based
 on Ocelot Linux port, which is
 Copyright (C) 1998 Jakub Jelinek (jj@ultra.linux.cz) */
 (C) 2002 Red Hat <alan@redhat.com>
 Copyright (C) 1998 Philip Blundell <philb@gnu.org> * * This file contains the HP300-specific initialisation
 code. It gets * called by setup.c.
 Copyright (c) 2001 David Paschal <paschal@rcsis.com> * * USB Printer Device Class driver for USB printers
 and printer cables
 (C) 2000 YAEHASHI Takeshi
 Copyright (C) 2001, Roman Weissgaerber <weissg@vienna.at>
 (C) by Vojtech Pavlik */
 Copyright 2001 MontaVista Software Inc. * Author: jsun@mvista.com or jsun@junsun.net * * include/asm-
 mips/ddb5xxx/ddb5477.h * DDB 5477 specific definitions and macros.
 Copyright (c) by Jaroslav Kysela <perex@suse.cz> * Routines for Sound Blaster mixer control *
 (C) Copyright 1999 Bas Huisman,
 Copyright (C) 2001 Sistina Software (UK) Limited.
 Copyright 2000-2001 MontaVista Software Inc. * Completed implementation. * Author: MontaVista
 Software, Inc. <source@mvista.com> * Frank Rowand <frank_rowand@mvista.com> *
 Copyright (C) 2000, 2001 Silicon Graphics, Inc. */#ifndef _ASM_SIGINFO_H#define _ASM_SIGINFO_H
 Copyright (C) 2000, 2001, 2002 Andi Kleen, SuSE Labs * * Pentium III FXSR, SSE support * Gareth
 Hughes <gareth@valinux.com>, May 2000
 Copyright (C) 2003 Anton Blanchard <anton@au.ibm.com>, IBM * * pSeries specific routines for PCI.
 Copyright (c) 1998 by Frank van de Pol <fvdpol@coil.demon.nl> * Jaroslav Kysela
 <perex@suse.cz> *

Copyright (C) 1995, 1996, 1997 by Ralf Baechle
 (C) 2001 * by Karsten Merker <merker@linuxtag.org> * and Maciej W. Rozycki
 <macro@ds2.pg.gda.pl> * Later on, I had access to the device's documentation (referenced below). */
 Copyright (C) 1996,97 Ralph Metzler (rjkm@thp.uni-koeln.de)
 Copyright (C) 2001 Convergence Integrated Media GmbH
 Copyright (c) 1997-2004 Jean Tourrilhes, All Rights Reserved
 (C) 1986-1990 1800-V2.0", 73, 43, 2, 0, 3
 Copyright (c) by Jaroslav Kysela <perex@suse.cz> * Routines for control of MPU-401 in UART mode * *
 MPU-401 supports UART mode which is not capable generate transmit * interrupts thus output is
 Copyright (C) 2003 Thomas Gleixner <tglx@linutronix.de> * 2003 Robert Schwebel
 <r.schwebel@pengutronix.de> * 2004 Sascha Hauer <s.hauer@pengutronix.de> * * common
 st
 Copyright (C) 1997 Martin Mares <mj@atrey.karlin.mff.cuni.cz> */
 Copyright (C) 1997, 2001 Ralf Baechle (ralf@gnu.org)
 Copyright (C) 1999 Silicon Graphics, Inc.
 Copyright (C) 2001 Lennert Buytenhek (buytenh@gnu.org) and * James Leu (jleu@mindspring.net).
 Copyright (C) 2003 Ken Chen <kenneth.w.chen@intel.com>
 Copyright (C) 2003,2004 Simtec Electronics * Ben Dooks <ben@simtec.co.uk> * * Samsung
 S3C2410X DMA support
 Copyright (C) 2001, 2004-2005 Intel Corp * Rohit Seth <rohit.seth@intel.com> * Suresh
 Siddha <suresh.b.siddha@intel.com> * Gordon Jin <gordon.jin@intel.com> * Ashok Raj
 <ashok.raj@intel.com>
 Copyright (c) 2001 Thomas Gleixner (gleixner@autronix.de) * * \$Id: tx4925ndfmc.c,v 1.5 2004/10/05
 13:50:20 gleixner Exp \$
 Copyright (c) 2000-2001 Lineo, Inc. <www.lineo.com>
 Copyright 2001 MontaVista Software Inc. * Author: jsun@mvista.com or jsun@junsun.net
 Copyright (C) 2002 Red Hat, Inc. All Rights Reserved
 Copyright (c) 2004-2005 Simtec Electronics * Ben Dooks <ben@simtec.co.uk> * * S3C2410 Clock
 control support
 Copyright (C) 1995, 1998 David S. Miller (davem@caip.rutgers.edu) */
 Copyright (C) 1997-1998 Mark Lord
 Copyright (C) 2000 Steve Hill (sjhill@cotw.com) * * Extra MM routines for L7200 architecture
 Copyright (C) 2000-2003 Krzysztof Halasa <khc@pm.waw.pl>
 Copyright 2003 Benjamin Herrenschmidt <benh@kernel.crashing.org> *
 Copyright 2000, 2001 (c) Trond Myklebust <trond.myklebust@fys.uio.no> *
 Copyright (C) 1995, 1996, 1997, 2002 by Ralf Baechle
 COPYRIGHT) bits else bits |= 0x08;
 switch (diga->status[0] & IEC958_AES0_CON_EMPHASIS) { default:
 (C) 2002 MontVista Software, Inc. * * \$Id: omap-toto-flash.c,v 1.3 2004/09/16 23:27:13 gleixner Exp \$
 Copyright (C) 2002-2004 Stefan Eletzhofer * * based on linux/drivers/acron/char/pcf8583.c
 Copyright (C) 2002-2003 Florian Schirmer <jolt@tuxbox.org>
 Copyright (C) 1998 Corey Minyard * * This reads the NvRAM on PReP compliant machines (generally from
 IBM or * Motorola). Motorola kept the format of NvRAM in their ROM, PPCBUG, the * same, long
 (C) Copyright 1995 1996 Linus Torvalds */
 Copyright (C) 1996-2002 Russell King
 COPYRIGHT 0#define DVD_CPM_COPYRIGHTED 1
 Copyright (c) 1998-1999 by Frank van de Pol <fvdpol@coil.demon.nl> * Jaroslav Kysela
 <perex@suse.cz> *
 Copyright (C) 1996 Eddie C. Dost (ecd@skynet.be) * * This character device driver allows user programs to
 access the * PROM device tree. It is compatible with the SunOS /dev/openprom * driver and
 Copyright (C) 1999 Cort Dougan <cort@cs.nmt.edu> */#ifndef __PPC_SYSTEM_H#define
 __PPC_SYSTEM_H
 Copyright (c) Peter Danielsson 1999 * * Definition of constants related to the sa1101 * support chip for the
 sa1100
 Copyright (C) 2001 MIPS Technologies, Inc. */#ifndef __ASM_IOCTL_H#define __ASM_IOCTL_H
 Copyright (C) 2004 Intel Corporation <naveen.b.s@intel.com> * * All rights reserved
 Copyright (C) 1998 Inside Out Networks, Inc.
 Copyright (C) 2001 Greg Kroah-Hartman (greg@kroah.com) * * History: *
 Copyright (C) 1996, 1999 David S. Miller (davem@caip.rutgers.edu) */#ifndef _SPARC64_IOMMU_H#define

_SPARC64_IOMMU_H
 Copyright (C) 1997-2003 Russell King
 Copyright(c) Arnaldo Carvalho de Melo <acme@conectiva.com.br>
 Copyright (c) by Abramo Bagnara <abramo@alsa-project.org> *
 Copyright (C) 1998 Chris G. Davis (cdavis@cois.on.ca) */
 Copyright (C) 1997 Paul Mackerras (paulus@cs.anu.edu.au)
 Copyright (C) 2003 Michael Hunold <michael@mihu.de>
 Copyright 1995, Erik H. Moe * Renamed and updated to 1.3.x by Michael Griffith <grif@cs.ucr.edu> * Chris Loveland <cwl@iol.unh.edu> to support the isp2100 and isp2200*/
 Copyright (C) 1999-2002 Russell King
 copyright details. * * This file contains functions for initializing and handling the * linux-dvb API.
 Copyright (C) 2005 Narayanan R S <nars@kadamba.org> *
 Copyright(c) 2000, Compaq Computer Corporation * Fibre Channel Host Bus Adapter * 64-bit, 66MHz PCI
 * Originally developed and tested on:
 Copyright (C) 1991, 1992, 1993 Linus Torvalds */
 Copyright (C) 1996 David S. Miller (davem@caipfs.rutgers.edu) * * A lot of this driver was directly stolen from Erik H. Moe's PCI * Qlogic ISP driver. Mucho kudos to him for this code.
 Copyright (C) 1999-2003 Matthew Wilcox <willy@parisc-linux.org>
 (c) Copyright 2003 Red Hat Inc\n"); return pci_module_init(&kahlua_driver);}
 Copyright (C) 2004 IBM Deutschland Entwicklung GmbH, IBM Corporation
 Copyright (c) 1997-1999 by Paul Barton-Davis <pbd@op.net>
 Copyright (C) 1999 Iain Grant * * Code supporting the EIGER (EV6+TSUNAMI).
 Copyright (C) 2002 Anton Blanchard <anton@au.ibm.com>, IBM
 Copyright (C) 1994, 1996, 1997, 1998 Free Software Foundation, Inc.
 Copyright (C) 2002-2003 Intel Corp.
 Copyright (c) International Business Machines Corp., 2005 * Author(s): Steve French (sfrench@us.ibm.com) * * Externs for misc. small encryption routines * so we do not have to put them in c
 Copyright (C) 1999 Arun Sharma <arun.sharma@intel.com>
 (C) 1993, Hamish Macdonald, see a3000.c for more info *
 (c) Copyright 1999 Deepak Saxena * * Originally written by Deepak Saxena(deepak@plexity.net)
 Copyright (c) 1998-2000 Ilario Nardinocchi (nardinoc@CS.UniBO.IT)
 Copyright (C) 2002 Pete Zaitcev <zaitcev@yahoo.com> * * The algorithm to search a zero bit string is geared towards its application. * We expect a couple of fixed sizes of requests, so a rotating c
 Copyright (C) 2001 RidgeRun, Inc.
 Copyright (C) 1996, 98, 99, 2000, 01 Ralf Baechle * * Multi-arch abstraction and asm macros for easier reading:
 Copyright (C) 2000 Andre Hedrick <andre@linux-ide.org>
 Copyright (C) 1996 Paul M. Antoine * Modified for DECStation and hence R3000 support by Paul M. Antoine * Further modifications by David S. Miller and Harald Koerfgen
 Copyright (C) 2003 Paul Mundt */
 Copyright 1996-1999 Thomas Bogendoerfer * Derived from the lance driver written 1993,1994,1995 by Donald Becker.
 copyright; see LICENSE.FlashPoint for details. * * \$Workfile: eeprom.h \$
 (C) 2003 David Woodhouse <dwmw2@infradead.org> * * Interface to Linux block layer for MTD 'translation layers'.
 Copyright (C) 1997 Theodore Ts */
 Copyright (C) 1992,1995 | W. Metzenthen, 22 Parker St, Ormond, Vic 3163, | |
 Australia. E-mail billm@jacobi.maths.monash.edu.au | |
 Copyright (c) 1999 Dag Brattli, All Rights Reserved
 Copyright (C) 2001 Romain Dolbeau <dolbeau@irisa.fr>
 Copyright 1998 Compaq Computer Corporation
 Copyright (C) 2001 IBM Corporation * Author(s): Despina Papadopoulou <despina_p@de.ibm.com> *
 Copyright (C) 1997,1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz) * * 1999-08-19 Implemented solaris F_FREESP (truncate) * fcntl, by Jason Rappleye (rappleye@ccr.buffalo.edu)
 Copyright (C) 2002, 2003, 2004 Dell Inc. * by Matt Domsch <Matt_Domsch@dell.com> * * structures and definitions for the int 13h, ax={41,48}h * BIOS Enhanced Disk Drive Services * This is based o
 Copyright (C) 1996-1997,1999 Jakub Jelinek (jj@ultra.linux.cz) * * Sources:

```

Copyright 2000 IBM Corporation");
(C) Benjamin Reed,
COPYRIGHT);  snd_emu10k1x_ptr_write(chip, SPCS1, 0, chip->spdif_bits[1] =
                SPCS_CLKACCY_1000PPM | SPCS_SAMPLERATE_48 |
SPCS_CHANNELNUM_LEFT | SPCS_SOURCENUM_UNSPEC |
Copyright (C) 1994-1999 Russell King
Copyright (C) 1994, 1995, 1996, by Andreas Busse
Copyright (C) 1999 Andrew R. Baker (andrewb@uab.edu)
Copyright (C) 1999 by Ralf Baechle */#ifndef _ASM_SN_TYPES_H#define _ASM_SN_TYPES_H
Copyright (C) 2002-2003 Deep Blue Solutions Ltd, all rights reserved
(C) Copyright David Brownell 2000-2004
Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) */#include <linux/init.h>#include <asm/sgialib.h>
Copyright (C) 1999, 2000, 2001 Silicon Graphics, Inc. */#ifndef _ASM_PGALLOC_H#define
_ASM_PGALLOC_H
Copyright (c) 1996-1999 Distributed Processing Technology Corporation * All rights reserved
Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation
Copyright (C) 1996 Paul Mackerras. */#include <linux/config.h>#include <linux/errno.h>#include
<linux/sched.h>#include <linux/smp.h>#include <linux/interrupt.h>#include <linux/bitops.h>#includ
copyright (c) 2002 Romain Lievin <roms@lpg.ticalc.org>.\n" "Based on the source code from
Roman Zippel.\n");
Copyright (C) 2003 Red Hat, Inc. All rights reserved
Copyright (C) 1995 David S. Miller */
(C) 1994 Linus Torvalds */
(C) 1998 James Banks
Copyright (C) 1997 Paul Mackerras. * * and indirectly: *
Copyright (C) 2004 Russell King
Copyright (C) 1995 - 1999 Ralf Baechle
(c) Copyright 1998 Alan Cox <alan@lxorguk.ukuu.org.uk>
Copyright (C) 1999-2005 Hewlett Packard Co * Stephane Eranian <eranian@hpl.hp.com> *
David Mosberger-Tang <davidm@hpl.hp.com> * * More information about perfmon availa
Copyright (c) 1994-2001 by Jaroslav Kysela <perex@suse.cz> *
Copyright (C) 2005 Ilya A. Volynets <ilya@total-knowledge.com> */#include <linux/types.h>#include
<linux/init.h>#include <linux/kernel.h>#include <linux/interrupt.h>#include <asm/bootinfo.h>#in
Copyright (C) 1995, 1996, 1997 David S. Miller (davem@caip.rutgers.edu)
Copyright (C) 2001 Russell King * * $Id: cpu-sa1110.c,v 1.9 2002/07/06 16:53:18 rmk Exp $
Copyright (C) 1992 - 1997, 1999, 2000 Silicon Graphics, Inc.
Copyright (C) 2003 Sistina Software.
Copyright (C) 1997 Richard Waltham <dormouse@farsrobt.demon.co.uk> *
(C) 2000-2002 Netfilter core team\n"); return 0; }
Copyright (c) 2000 Mike Corrigan <mikejc@us.ibm.com> * * SMP scalability work:
(C) Copyright David Brownell 2000-2002
Copyright (c) by Cirrus Logic Corporation <pcaudio@crystal.cirrus.com>
Copyright (c) 1999, 2000 Matthew Dharm (mdharm-usb@one-eyed-alien.net)
Copyright (C) 1999 Silicon Graphics, Inc. */#include <linux/init.h>
Copyright (c) 2004 Coraid, Inc. See COPYING for GPL terms./* * aoecmd.c * Filesystem request handling
methods
Copyright (C) 2002 Maxim Yevtyushkin <max@linuxmedialabs.com> * * Based on adv7176 driver by:
Copyright (C) 2003 - 2004 Tresys Technology, LLC
Copyright (C) 2004 Red Hat UK Ltd. * * This file is released under the GPL.
Copyright (C) 1995, 1996, 2000, 2001 by Ralf Baechle
Copyright 2004 Richard Curnow (evt_debug etc)--
(C) Copyright (Corey Minyard), (1998). All rights reserved
Copyright (C) 2001 Will Dyson <will_dyson@pobox.com> * * Based on portions of file.c and inode.c * by
Makoto Kato (m_kato@ga2.so-net.ne.jp)
Copyright 1993, 1994 Drew Eckhardt * Visionary Computing * (Unix and Linux consulting and
custom programming) * drew@Colorado.EDU * +1 (303) 786-7975 * * For more information, pl
Copyright (C) 1992 - 1997, 2000 Silicon Graphics, Inc.
Copyright (C) 2003 Paul Mundt * * Started from SH3/4 version:
Copyright (C) 1996-1997 Claus-Justus Heine.

```

Copyright (c) 2002 by Takashi Iwai <tiwai@suse.de>
 (C) SysKonnnect.";#endif /* !lint */
 Copyright (c) 2004 Simtec Electronics * Ben Dooks <ben@simtec.co.uk> * * Header file for s3c2410 machine directory
 Copyright (C) 1992,1993,1994,1995 | W. Metzenthen, 22 Parker St, Ormond, Vic 3163, |
 | Australia. E-mail billm@jacobi.maths.monash.edu.au | |
 (C) 1992, 1993 Linus Torvalds, (C) 1997 Ingo Molnar * * moved some of the old arch/i386/kernel/irq.h to here. VY
 Copyright (C) 1996 Eddie C. Dost (ecd@skynet.be) */
 Copyright (C) 2000 Axis Communications AB. * * Created by Simon Kagstrom <simonk@axis.com>.
 Copyright 2003-2004 Jeff Garzik
 Copyright (c) 2000-2004 Jean Tourrilhes <jt@hpl.hp.com>
 (C) 1997 M. Kirkwood * Converted to new API by Alan Cox <Alan.Cox@linux.org> * Various bugfixes and enhancements by Russell Kroll <rroll@exploits.org> * * TODO: Allow for more than one of these f
 Copyright (C) 2000 Andrea Arcangeli <andrea@suse.de> SuSE
 Copyright (c) 2001 Nokia, Inc. * * This file is part of the SCTP kernel reference Implementation
 Copyright (C) 1999, 2000 Silicon Graphics, Inc. */ #include <linux/config.h>
 Copyright (C) 2000-2004 Tigran Aivazian * * This driver allows to upgrade microcode on Intel processors * belonging to IA-32 family - PentiumPro, Pentium II, * Pentium III, Xeon, Pentium 4, etc.
 Copyright (C) 2002, 2003 Jeff Dike (jdike@addtoit.com)
 Copyright (C) 1995, 1996 by Volker Lendecke
 (c) Copyright 1998 Rebel.com (Woody Suwalski <woody@netwinder.org>) *
 Copyright (C) 2001-2004 by Thomas Winischhofer, Vienna, Austria * * Author: Thomas Winischhofer <thomas@winischhofer.net> * (see <http://www.winischhofer.net/> * for more information and updates
 Copyright (C) 1995 - 2000, 01, 03 by Ralf Baechle
 Copyright (C) 1998, 1999, 2001 Hewlett-Packard Co
 (c) Copyright 2003 Wim Van Sebroeck <wim@iguana.be>. * * Based on source code of the following authors:
 Copyright (C) 2002, 2003 Paul Mundt */
 Copyright (c) 1999 Johannes Erdfelt <johannes@erdfelt.com>
 Copyright (C) 1998, 1999, 2000 by Ralf Baechle
 Copyright (C) 2002 STMicroelectronics Limited * Author : David J. McKay *
 (c) Copyright 2002 David S. Miller (davem@redhat.com)
 Copyright (C) 2002 TimeSys Corp.
 Copyright 1994, Anders Klemets <klemets@it.kth.se> * * This software may be freely distributed for noncommercial purposes * as long as this notice is retained.
 Copyright (c) 2002 Martin Diehl,
 Copyright 2000,1 Compaq Computer Corporation. * * Use consistent with the GNU GPL is permitted, * provided that this copyright notice is * preserved in its entirety in all copies and derived works
 Copyright 1999 SuSE GmbH * changed by Philipp Rumpf
 Copyright (C) 1995, 1996, 1999 by Ralf Baechle */#include <asm/asm.h>#include <asm/mipsregs.h>#include <asm/regdef.h>
 Copyright (C) 1996 - 2004 David S. Miller <dm@engr.sgi.com>
 Copyright (C) 1994, 1995, 1996 Paul M. Antoine.
 Copyright (C) 2004 Hewlett-Packard Co
 Copyright (C) 2001 Broadcom Corporation.
 Copyright (C) 2002 Jens Axboe <axboe@suse.de> * Nick Piggin <piggin@cyberone.com.au> *
 Copyright 2003 Embedded Edge, LLC
 Copyright (C) 1995-1999 Gary Thomas, Paul Mackerras, Cort Dougan.
 Copyright (c) by Jaroslav Kysela <perex@suse.cz> * Universal interface for Audio Codec '97 * * For more details look to AC '97 component specification revision 2.1 * by Intel Corporation ([http:](http://)
 Copyright (C) 1995-1998 Mark Adler * For conditions of distribution and use, see copyright notice in zlib.h */
 (C)Copyright 1998-2002 SysKonnnect.
 Copyright (C) 1996 by Erik Stahlman
 Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) */#ifndef _SPARC_CLOCK_H#define

_SPARC_CLOCK_H
 Copyright (c) 2000 Greg Kroah-Hartman <greg@kroah.com>
 Copyright (C) 2001-2002 Helge Deller <deller at parisc-linux.org>
 Copyright (c) 2000 by Takashi Iwai <tiwai@suse.de> * * Based on nm256_audio.c OSS driver in linux kernel. * The original author of OSS nm256 driver wishes to remain anonymous, * so I just put my a
 (C) 2002 by Harald Welte <laforge@netfilter.org>
 Copyright (C) 2005 Arthur Huillet (ahuillet@users.sf.net)
 (c) Copyright 2002-2005 Hewlett-Packard Company
 Copyright (C) 1999,2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin Schwidefsky (schwidefsky@de.ibm.com), * Thomas Spatzier (tspat@de.ibm.com) * * Deriv
 Copyright (C) 1995, 96, 97, 98, 99, 2000 by Ralf Baechle */#ifndef _ASM_RISCOS_SYSCALL_H#define _ASM_RISCOS_SYSCALL_H
 Copyright (C) 1999 Eddie C. Dost (ecd@atecom.com) */
 (C) Copyright 1999, Axis Communications AB, LUND, SWEDEN*!
 Copyright (C) 2000 Ralph Metzler <ralph@convergence.de>
 Copyright (C) 2001 Holger Waechtler for Convergence Integrated Media GmbH
 Copyright (C) 1999,2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Hartmut Penner (hp@de.ibm.com) * Martin Schwidefsky (schwidefsky@de.ibm.com) * * Derived fr
 Copyright (C) 2001 O * * The source code in this file can be freely used, adapted, * and redistributed in source or binary form, so long as an * acknowledgment appears in derived source files. Th
 Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) * * Ulf Carlsson - Compability with the IRIX structures added
 copyright was as follows: * * skeleton.c Written 1993 by Donald Becker.
 Copyright (C) 1996 Linus Torvalds */
 Copyright 1999 Ralf Baechle (ralf@gnu.org)
 Copyright (C) 1996 David Redman (djhr@tadpole.co.uk) * * This file handles the Sparc specific level14 ticker * This is really useful for profiling OBP uses it for keyboard * aborts and other stuff
 Copyright (C) 2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Ingo Adlung (adlung@de.ibm.com) * Martin Schwidefsky (schwidefsky@de.ibm.com) */
 Copyright (C) 1999 by Ralf Baechle */#ifndef _ASM_SN_SN0_ADDRS_H#define _ASM_SN_SN0_ADDRS_H
 Copyright (C) 1999 Eric Youngdale * * SCSI queueing library. * Initial versions: Eric Youngdale (eric@andante.org). * Based upon conversations with large numbers *
 Copyright (C) 2002 Brian Waite * * This driver allows reading the Nexus register * It exports the /proc/sky_chassis_id and also * /proc/sky_slot_id pseudo-file for status information.
 (C) Marvell." ;#endif
 Copyright (C) 2001-2005 Russell King
 Copyright (C) 2001 Anton Blanchard <anton@au.ibm.com>, IBM
 (C) 1999-2001 Ben Fennema
 Copyright (C) 2000 Andrew Henroid
 Copyright 2004 Embedded Edge, LLC * * Copied from mpc8560_ads.c
 Copyright (C) 2004 Robert Schwebel, Pengutronix
 Copyright (C) 2003 James Bottomley <jejb with parisc-linux.org> *
 (C) 2003 Ardis Technologies <roman@ardistech.com> * * Handle opening/closing btree
 Copyright (C) 1999 Russell King.
 Copyright 2002 Pete Zaitcev <zaitcev@yahoo.com> * * Yamaha YMF7xx driver.
 Copyright (C) 2001 Hewlett-Packard (Grant Grundler)
 Copyright 1998-2001 Cirrus Logic Corporation <pcaudio@crystal.cirrus.com> *
 <twoller@crystal.cirrus.com>
 Copyright (C) 2001,2002 IBM Corp. * * All rights reserved
 Copyright (C) 1996 David S. Miller (davem@caip.rutgers.edu) */#ifndef _SPARC_IOMMU_H#define _SPARC_IOMMU_H
 Copyright (C) 1999 by Ralf Baechle */#ifndef _ASM_SN_SN0_HUB_H#define _ASM_SN_SN0_HUB_H
 Copyright (C) 1998-1999 Thomas Sailer (sailer@ife.ee.ethz.ch) * * Heavily modified by Zach Brown <zab@zabbo.net> based on lunch * with ESS engineers. Many thanks to Howard Kim for providing *
 C
 Copyright (C) 1997 Geert Uytterhoeven. * * Hardware information from:
 Copyright (C) 1992 Rick Sladkey * * structure passed from user-space to kernel-space during an nfs mount
 (C) Copyright 2003-2005 MontaVista Software Inc. * * Bus Glue for PPC On-Chip OHCI driver * Tested on

Freescale MPC5200 and IBM STB04xxx
 Copyright (C) 1996, 1999, 2001 David S. Miller (davem@redhat.com) */
 Copyright (C) 2000, 2001 Paolo Alberelli * * SMP- and interrupt-safe semaphores.
 (C) 2002 Hiroshi Miura <miura@da-cha.org>
 Copyright (c) 2000 Benjamin Kong <benjamin_kong@ali.com.tw>
 Copyright 1999-2003 by Mitchell Blank Jr <mitch@sfgoth.com>
 Copyright (C) 2000,2001 Andi Kleen, SuSE Labs */
 (C) Copyright 1995-1996 Tekram Technology Co., Ltd.

 Copyright (c) 2003 Adaptec Inc. * All rights reserved
 (C) 1993 Ray Burr - Modified for Amiga FFS filesystem. *
 Copyright (C) 1999 Hewlett-Packard Co.
 Copyright (C) 2001-2002 Greg Kroah-Hartman
 (C) 2002 Interface, Saito.K * * GPL'd
 Copyright (C) 1994 Martin Schaller * * 2001 - Documented with DocBook * - Brad Douglas
 <brad@neruo.com>
 Copyright (c) 2002-2003 Intel Corp. * * This file is part of the SCTP kernel reference Implementation
 Copyright (C) 2000 Toshiba Corporation */#ifndef __ASM_TX3927_H#define __ASM_TX3927_H
 Copyright (C) 1997, 1998 Martin Mares <mj@atrey.karlin.mff.cuni.cz> */
 Copyright (c) 2004 Linus Torvalds <torvalds@osdl.org>
 Copyright (c) 1999-2001 Paul Davis
 Copyright (C) 2000-2002 Axis Communications AB * * Authors: Bjorn Wesen * Hans-Peter
 Nilsson
 Copyright (C) 2001 Mike Corrigan * * Rewrite, cleanup: *
 Copyright (C) 1997 Jakub Jelinek <jj@sunsite.mff.cuni.cz> */
 Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) * * Further modifications to make this work:
 Copyright (C) 2000 Imagination Technologies Ltd
 Copyright (C) 1999-2003 David Woodhouse <dwmw2@infradead.org> et al. * * Released under GPL
 Copyright (c) 2001 Thomas Gleixner (gleixner@autronix.de) * * \$Id: h1910.c,v 1.5 2004/11/04 12:53:10
 gleixner Exp \$
 Copyright (C) 2000-2003 Paul Bame <bame at parisc-linux.org>
 Copyright (C) 2003, 04 Ralf Baechele (ralf@linux-mips.org) */#include <linux/config.h>#include
 <linux/kernel.h>#include <linux/mm.h>#include <linux/bootmem.h>#include <linux/init.h>#include <lin
 Copyright (c) 2000-2003 Adaptec Inc. * All rights reserved
 (C) 2002 by Brian J. Murrell <netfilter@interlinx.bc.ca>
 Copyright 2003 Intel Corp.
 Copyright 2002 Tungsten Graphics, Inc.
 copyright 1989 Regents of the University of California\n"); return 0;}
 Copyright (C) 2002 Intersil Americas Inc.
 copyright 2000 Martin K. Petersen <mkp@mkp.net>
 Copyright (C) 1999, 2001 Silicon Graphics, Inc. * * Heavily inspired by the 32-bit Sparc compat code which
 is
 Copyright (c) 1999-2004 Vojtech Pavlik <vojtech@suse.cz>
 (C) IBM Corporation, IBM Deutschland Entwicklung GmbH, 1999-2001 * * gendisk related functions for the
 dasd driver.
 Copyright (C) 1996-2001 Cort Dougan * Adapted for Power Macintosh by Paul Mackerras
 Copyright (C) 1998 Paul Mackerras * Ben. Herrenschmidt. *
 Copyright 2001-2004 Jeff Garzik <jgarzik@pobox.com>
 Copyright (C) 1998, 1999, 2001-2002, 2004 Hewlett-Packard Co * David Mosberger-Tang
 <davidm@hpl.hp.com> */
 Copyright (c) 1996 Ingo Molnar
 Copyright (C) 1995 Adrian M. Rodriguez (adrian@remus.rutgers.edu) *
 Copyright (C) 2003 David Gibson <dwg@au1.ibm.com>, IBM Corporation.
 Copyright (C) 2000 Inside Out Networks, All rights reserved
 Copyright (C) 2003 MontaVista, Software, Inc.
 Copyright (C) 2002 Ralf Baechele (ralf@linux-mips.org)
 Copyright (c) by Jaroslav Kysela <perex@suse.cz> * Creative Labs, Inc. * Lee
 Revell <rlrevell@joe-job.com> * Routines for control of EMU10K1 chips - voice manag
 (C) 1991 Linus Torvalds - minix filesystem * * affs directory handling functions

Copyright (c) 1998 Lichen Wang, <lwang@actisys.com>
 (C)Copyright Data Technology Corp 12/03/88",xd_dtc_init_controller,xd_dtc_init_drive," DTC 5150X"
 Copyright (C) 1995 Olaf Kirch <okir@monad.swb.de> */
 Copyright (C) 1995, 1996 Mike Jagdis (jaggy@purplet.demon.co.uk) */
 Copyright (c) 1999 Al Smith */
 Copyright (C) 1995-1997 H. Peter Anvin
 Copyright 2004 Silicon Graphics Inc. All Rights Reserved
 Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Denis Joseph Barrow (djbarrow@de.ibm.com,barrow_dj@yahoo.com), * Martin Schwidefsky (schwidefsky@de.ibm.com)
 Copyright (c) 1999 Ulf Carlsson * * Derived from DECstation promcon.c
 copyright; see LICENSE.FlashPoint for details. * * \$Workfile: utility.c \$
 Copyright (C) 2000 Andrew Henroid
 Copyright (C) 1999, 2000 Silicon Graphics, Inc. */#include <linux/sched.h>#include
 <linux/mm.h>#include <linux/smp.h>#include <linux/smp_lock.h>#include <linux/kernel.h>#include
 <linux/signal.h
 (C) 1999 Machine Vision Holdings, Inc.
 (C) 2001,2002,2003 Benjamin Herrenschmidt (benh@kernel.crashing.org)
 Copyright (C) 2000-2002, Greg Ungerer <gerg@snapgear.com> */
 Copyright (C) 2001, 2002 M. R. Brown * * Some of this code has been adopted directly from the old
 arch/sh/mm/sq.c * hack that was part of the LinuxDC project. For all intents and purposes, * this
 Copyright (C) 2001 Stefan Gmeiner <riddlebox@freesurf.ch> * start merging tpconfig and gpm code to a
 xfree-input module * adding some changes and extensions (ex. 3rd and 4th button) *
 Copyright (C) 1995, 1996, 1997, 2000, 2001, 05 by Ralf Baechle
 Copyright (C) 1999 by Ralf Baechle */#ifndef _ASM_IA64_SN_KLCONFIG_H#define
 _ASM_IA64_SN_KLCONFIG_H
 Copyright (C) 2002 Thibaut Varene <varenet@parisc-linux.org> *
 (C) 2002 Harald Welte <laforge@gnumonks.org> * This software is distributed under GNU GPL v2, 1991 *
 * See RFC2474 for a description of the DSCP field within the IP Header.
 Copyright (C) 1996 Jesper Skov (jskov@cygnus.co.uk) * * This driver is based on the CyberStorm driver,
 hence the occasional * reference to CyberStorm.
 copyright 1997-2001 by Donald Becker.
 Copyright (C) 2003 Sistina Software Limited.
 Copyright (c) 2000 Uros Bizjak <uros@kss-loka.si> *
 Copyright (C) 2001 Takayoshi Kochi <t-kochi@bq.jp.nec.com>
 (C) 1999-2004 Ben Fennema
 Copyright (c) Andrew Tridgell 1997-1998. * Modified by Steve French (sfrench@us.ibm.com) 2002
 Copyright (C) 1994-2000 Russell King
 Copyright (C) 1997 by Bill Hawes * * Routines to support directory cacheing using the page cache. * This
 cache code is almost directly taken from ncpfs.
 Copyright (C) 1996, 1997, 1999 by Ralf Baechle
 Copyright (C) 1998-2004 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> *
 Stephane Eranian <eranian@hpl.hp.com>
 Copyright (C) 2000-2001 Ralph Metzler <ralph@convergence.de>
 Copyright (C) 1994 Linus Torvalds */
 Copyright (C) 2003 * Ethan Benson <erbenson@alaska.net> * partially derived from linux/fs/ext2/ioctl.c
 (C) 2003 - 2004 Dominik Brodowski */
 Copyright (c) 2004 Sascha Hauer <sascha@saschahauer.de> * * Original (leds-footbridge.c) by Russell
 King
 Copyright 2001 MontaVista Software Inc. * Author: MontaVista Software, Inc. *
 ahennessy@mvista.com * * Based on arch/mips/tsdb/kernel/int-handler.S
 Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) * * Based upon preliminary work which is: *
 (C) Copyright 2000 Linuxcare Canada, Inc.
 (c) Copyright 2001 Scott Jennings <linuxdrivers@oro.net> * 9/27 - 2001 [Initial release] * *
 Additional fixes Alan Cox *- Fixed formatting * - Removed debug printks * -
 Fixed
 Copyright (C) 2000-2003 Deep Blue Solutions Ltd
 Copyright (C) 1995-2001 Russell King
 Copyright 2000 Grant Grundler (grundler@cup.hp.com) */
 (C) 2003 - 2004 Dominik Brodowski */

Copyright (c) 2003 LSI Logic Corporation. *

Copyright (c) 2001 Benjamin Herrenschmidt <benh@kernel.crashing.org>

Copyright (C) 2001-2003 Red Hat, Inc. * * Created by Arjan van de Ven <arjanv@redhat.com>

(C) Copyright Greg Kroah-Hartman 2002-2003 *

Copyright (c) 2004 Coraid, Inc. See COPYING for GPL terms./* * aoedev.c * AoE device utility functions; maintains device list.

Copyright 1998 by Egbert Eich <Egbert.Eich@Physik.TU-Darmstadt.DE> * * 2. John Fremlin <vii@users.sourceforge.net> and * Ani Joshi <ajoshi@unixbox.com>

Copyright (C) 2002,03,04 NEC Electronics Corporation

Copyright (c) 1997 Alan Cox

Copyright (C) 2003 Deep Blue Solutions Ltd.

Copyright (C) 1996,1997,1999 Jakub Jelinek (jj@ultra.linux.cz)

(C) 1999 Rt-Control, Inc\n");

(C) Copyright IBM Corp. 2001, 2003

Copyright (C) 1999-2003 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> */

Copyright (C) 2001, 2002, 2003 Paul Mundt

Copyright (C) 2003-2004 Robert Schwebel, Benedikt Spranger

Copyright (C) 1998-2001, 2003 Hewlett-Packard Co * Stephane Eranian <eranian@hpl.hp.com> * David Mosberger <davidm@hpl.hp.com>

Copyright (C) 2003 MontaVista Software (source@mvista.com)

Copyright (C) 1999, 2000 Ingo Molnar * * RAID-5 management functions.

Copyright 1992 by Greg Harp

Copyright abandoned, Michael Chastain, <mailto:mec@shout.net>. * This is a C version of syncdep.pl by Werner Almesberger. *

Copyright (C) 2000-2001 by Harald Welte <laforge@gnumonks.org>

(C) Copyright 1999, 2000 Linus Torvalds * * Changelog:

Copyright (C) 2000 Franz Sirl. * * Adapted to ADB changes and support for more devices by * Benjamin Herrenschmidt. Adapted from code in MkLinux * and reworked.

Copyright (C) 1997 Richard Waltham <dormouse@farsrobt.demon.co.uk>

Copyright (C) 1999 Ralf Baechle (ralf@gnu.org) */#ifndef _ASM_IA64_SN_ARCH_H#define _ASM_IA64_SN_ARCH_H

(C) Copyright 1999, Lineo (www.lineo.com) * * Modified by David W. Miller for the MCF5307 Eval Board.

Copyright (C) 1999, 2002-2003 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> */

Copyright (c) by Jaroslav Kysela <perex@suse.cz> * Routines for control of MPU-401 in UART mode * * Modified for the Aureal Vortex based Soundcards * by Manuel Jander (mjande@embedded.cl).

Copyright (C) 2003 Geert Uytterhoeven * * NOTES:

Copyright 2002 OProfile authors * @remark Read the file COPYING * * @author John Levon <levon@movementarian.org>

(c) Copyright 2000 Oleg Drokin <green@crimea.edu>

Copyright (C) 1995, 1996 Gero Kuhlmann <gero@gkminix.han.de> * * Allow an NFS filesystem to be mounted as root. The way this works is:

Copyright (C) 1999, 2002-2003 * Asit Mallick <Asit.K.Mallick@intel.com> * Don Dugger <Don.Dugger@intel.com> * Suresh Siddha <suresh.b.siddha@intel.com> * Fenghua Yu <fenghua.yu@intel.com>

Copyright (C) 1997 Martin Mares */

Copyright 2002-2003 MontaVista Software Inc. * * Cleaned up and converted to new DCR access * Matt Porter <mporter@kernel.crashing.org>

Copyright (C) 1999 Bradley D. LaRonde and Michael Klar * * Clean up to conform to the new IRQ

Copyright 2002 MontaVista Software Inc. * * Cleanup 2004 for Linux 2.6 by Dirk Behme <dirk.behme@de.bosch.com>

Copyright (C) 1999 Phil Blundell * * ISA shared memory and I/O port support

Copyright (C) 2001 Red Hat, Inc.

(C) 2003 Herbert Valerio Riedel <hvr@gnu.org>

COPYRIGHT)) { printk(")

Copyright (c) 2003 Simtec Electronics <linux@simtec.co.uk>

Copyright (C) 2001, 2002 Ralf Baechle */#include <linux/init.h>#include <linux/console.h>#include <linux/kdev_t.h>#include <linux/major.h>#include <linux/termios.h>#include <linux/sched.h>#inc

Copyright (C) IBM Corporation, 2001 * * Authors: Dipankar Sarma <dipankar@in.ibm.com> * Manfred

Spraul <manfred@colorfullife.com>
 Copyright (C) 1993 Linus Torvalds * * Delay routines
 Copyright (C) 2003-2005 Simtec Electronics
 Copyright (c) 2003 Daniele Bellucci */
 Copyright (C) 2003 James Bottomley <jejb at parisc-linux.org>
 Copyright (C) 2004-5 Patrick Boettcher (patrick.boettcher@desy.de)
 Copyright (C) 1994-1996 Linus Torvalds
 Copyright (C) 1999 * Brad Boyer (flar@pants.nu)
 Copyright (C) 1994 Linus Torvalds
 Copyright (c) 2000 Silicon Graphics, Inc. All Rights Reserved
 Copyright (C) 2001 Romain Dolbeau <dolbeau@irisa.fr> * Based on code written by:
 (C) Copyright IBM Corp. 2001, 2004
 Copyright (C) 2000-2004 Russell King
 Copyright (C) 2001 Thomas Gleixner autronix automation <gleixner@autronix.de> *
 Copyright (C) 2000 Serguei Miridonov <mirsev@cicese.mx> * * Changes for BUZ by Wolfgang Scherr
 <scherr@net4you.net>
 Copyright (C) 1999, 2000, 04 Ralf Baechle (ralf@linux-mips.org)
 Copyright: Jamal Hadi Salim (2002-4) */
 Copyright (C) 2002,03,04 Miles Bader <miles@gnu.org> * * Derived from arch/mips/kernel/ptrace.c: *
 Copyright (c) 2001 La Monte H.P. Yarroll * * These are the definitions needed for the sctp_ulpevent type.
 The * sctp_ulpevent type is used to carry information from the state machine * upwards to
 Copyright (C) 1999 by Massimo Piccioni <dafastidio@libero.it>
 Copyright (C) 2003 Paul Mundt * * This file is generally used by user-level software, so you need to * be a
 little careful about namespace pollution etc. Also, we cannot * assume GCC is being us
 Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) * * This file originally came from the gdb
 sources, and the * copyright notices have been retained below.
 Copyright (c) Eicon Networks, 2002. * This source file is supplied for the use with Eicon Networks range of
 DIVA Server Adapters.
 (c) Copyright 1995 Simon "Guru Aleph-Null" Janes * NCM: Network and Communications Management, Inc.
 * * BUT, I'm the one who modified it for ethernet, so:
 Copyright (c) 1998-2000 Dag Brattli <dagb@cs.uit.no>
 Copyright 2002 (c) Intel Corporation
 Copyright (c) 2004 Panagiotis Issaris <panagiotis.issaris@mech.kuleuven.ac.be>
 Copyright (C) 2001 Peter Bergner, IBM Corp.
 Copyright (C) 2005 Ilya A. Volynets (Total Knowledge) */#include <linux/types.h>#include
 <linux/init.h>#include <linux/kernel.h>#include <linux/mm.h>
 Copyright 2002 Rusty Russell <rusty@rustcorp.com.au> IBM Corporation * * ChangeLog: *
 (C) William Irwin, April 2004 */#include <linux/gfp.h>#include <linux/list.h>#include
 <linux/init.h>#include <linux/module.h>#include <linux/mm.h>#include <linux/hugetlb.h>#include
 <linux/sysc
 Copyright (C) 2002 Tomas Kasperek <tomas.kasperek@seznam.cz>
 Copyright (C) 1999-2002 Matthew Wilcox <willy with parisc-linux.org>
 Copyright (C) 2002 * Connect Tech Inc. *
 Copyright (C) 1997 Peter De Schrijver * * This driver is partly based on the PowerMac console driver: *
 Copyright (C) 1996 Paul Mackerras. * * Adapted for 64bit PowerPC by Dave Engebretsen, Peter Bergner,
 and * Mike Corrigan {engebret|bergner|mikejc}@us.ibm.com
 Copyright (C) 2002 Erich Focht <efocht@ess.nec.de> *
 (C) 2004 IBM Corporation by Xenia Tkatschow (xenia@us.ibm.com)\n"
 Copyright (C) 1992-1997,2000-2003 Silicon Graphics, Inc. All Rights Reserved
 Copyright (C) 2001 - 2004 Jeff Dike (jdike@addtoit.com)
 Copyright (C) 1999, 2000, 2001 Silicon Graphics, Inc.
 Copyright (C) 2002 Lionel Bouton <Lionel.Bouton@inet6.fr>, Maintainer
 Copyright (c) 1998-1999 Dag Brattli <dagb@cs.uit.no>,
 Copyright (C) 1998, 1999, 2000 Ralf Baechle * * Based on code written by Paul Gortmaker.
 Copyright (C) 2001 IBM Corporation. All rights reserved
 Copyright (C) 2002 Mark Debbage (Mark.Debbage@superh.com)
 Copyright 2000 IBM Corporation.
 Copyright (c) 1998-1999 TiVo, Inc. * PowerPC 403GCX modifications.
 Copyright (c) 1994 Creative Technology Ltd.

Copyright (c) 2003-2005 Silicon Graphics, Inc. All Rights Reserved
 Copyright (C) 1995, 96, 97, 98, 99, 2000, 01 by Ralf Baechle
 Copyright (c) by Jaroslav Kysela <perex@suse.cz>, * Takashi Iwai <tiwai@suse.de> *
 Creative Labs, Inc. * Routines for control of EMU10K1 chips / mixer routines
 Copyright 2000-2003 Cytronics
 Copyright 2004 Freescale Semiconductor, Inc.
 Copyright (C) 2002 Paul Mundt * * Based on linux/arch/sh/mm/fault.c:
 Copyright 2000 Silicon Graphics, Inc. */#ifndef __ASM_SN_KLKERNVARS_H#define
 __ASM_SN_KLKERNVARS_H
 Copyright (C) 2001 MIPS Technologies, Inc. */#ifndef _ASM_TERMBITS_H#define _ASM_TERMBITS_H
 Copyright (C) 1996-1998 Takashi Iwai
 Copyright (C) 2003-2004 Alex Woods <linux-dvb@giblets.org>
 (C) Copyright 1999-2002, Greg Ungerer (gerg@snapgear.com)
 Copyright (c) 1989, 1993 * The Regents of the University of California. All rights reserved
 Copyright (C) 1998 * Daniel Pirkel <daniel.pirkel@email.cz> * Charles University, Faculty of Mathematics and
 Physics * * from
 Copyright (C) 1998 Eddie C. Dost (ecd@skynet.be)
 Copyright (C) 1995,1997 David S. Miller (davem@caip.rutgers.edu)
 Copyright (C) 1997 - 2000, 2003 Ralf Baechle <ralf@linux-mips.org> */#include <linux/kernel.h>#include
 <linux/pci.h>#include <linux/types.h>#include <asm/sni.h>
 Copyright (c) 2000 Rob Scott (rscott@mtrob.fdns.net) * Steve Hill (sjhill@cotw.com) * *
 Changelog:
 Copyright (C) 2001 Florian Lohoff (flo@rfc822.org)
 Copyright (c) 1996-2001 Vojtech Pavlik */
 Copyright (C) 2002 Jungo Software Technologies.
 Copyright (C) 1999 G. Allen Morris III <gam3@acm.org> * Extensive rewrite by Neil Brown
 <neilb@cse.unsw.edu.au> Southern-Spring 1999 * ... and again Southern-Winter 2001 to support
 export_operations
 Copyright 1999, Thomas Davis, tadavis@lbl.gov.
 Copyright (C) 2000 Marcus Metzler <marcus@convergence.de>
 Copyright (C) 1999-2003 Ralph Metzler
 Copyright (C) 1999-2001, 2005 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>
 */#include <asm/asmmacro.h>#include <asm/page.h>
 Copyright (C) 2004 Gareth Bult <Gareth@Encryptec.net>
 Copyright (C) 1999 Vladimir Gurevich <vgurevic@cisco.com> * Bear & Hare Software, Inc. *
 * Based on include/asm-m68knommu/MC68332.h
 Copyright (c) 2004 Hirokazu Takata <takata at linux-m32r.org> */
 Copyright (C) 1996 Linus Torvalds
 Copyright (c) 2002, Dr Brian Gladman <>, Worcester, UK.
 Copyright (c) 2000 Randy Dunlap <rdunlap@osdl.org>
 Copyright (C) 1999 Richard Hirst <richard@sleepie.demon.co.uk> *
 Copyright (C) 2003 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin
 Schwidefsky (schwidefsky@de.ibm.com) * * Collaborative memory management interface.
 (C) Copyright 2001-2002, SnapGear (www.snapgear.com) * * \$Id: nettel.c,v 1.10 2005/01/05
 17:11:29 dwmw2 Exp \$
 (C) 2001-2004 Dave Jones. <davej@codemonkey.org.uk>
 Copyright 1992, 1993, 1994, 1995, 1996 Rickard E. Faith * * \$Id: fdomain.c,v 5.45 1996/10/02 15:13:06
 root Exp \$
 Copyright (C) 1999 Lars Brinkhoff. See the file COPYING for licensing terms and conditions.
 Copyright (C) 2003, 2004 Maciej W. Rozycki
 Copyright (C) 1995, 96, 97, 98, 99, 2003 Ralf Baechle */#ifndef _ASM_FCNTL_H#define _ASM_FCNTL_H
 Copyright (C) 1995-99 Simon G. Vogl
 Copyright (c) 2003-2004 Simtec Electronics
 Copyright (C) by Hannu Savolainen 1993-1996
 Copyright (C) 1993, 1994 Alain Knaff
 Copyright (C) 2004 Jean Delvare <khali@linux-fr.org> * Based on the lm90 driver. * * The LM63 is a
 sensor chip made by National Semiconductor. It measures * two temperatures (its own and one exte
 Copyright (C) 1994 - 2000 Ralf Baechle */#include <linux/config.h>#include <linux/kernel.h>#include
 <linux/delay.h>#include <linux/init.h>#include <linux/interrupt.h>#include <linux/kernel_stat

Copyright (C) 2000, 2003 Ralf Baechle
 Copyright (C) 2001-2002 Greg Kroah-Hartman <greg@kroah.com>
 Copyright (C) 2004-5 by Florian and Andreas 'ad' Deresch <aderesch@fs.tum.de>
 Copyright (C) 1999 Steve Ratcliffe * * Based on awe_wave.c by Takashi Iwai
 Copyright (C) 1991, 1992 Linus Torvalds
 Copyright © 2002 LSI Logic Corporation.
 Copyright (c) by Jaroslav Kysela <perex@suse.cz>, * Hannu Savolainen 1993-1996, *
 Rob Hooft * * Routines for control of AdLib FM cards (OPL2
 Copyright (C) 2000 Nicolas Pitre *
 Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) * * Sun3x version 2/4/2000 Sam Creasey
 (sammy@sammy.net)
 Copyright (C) 1999 Cort Dougan. */
 Copyright (C) 1997, 1999 Jakub Jelinek (jj@ultra.linux.cz)
 Copyright (c) 1998, Dag Brattli * All Rights Reserved
 Copyright 1998 Franco Venturi
 Copyright (C) 2001 Standard Microsystems Corporation . Developed by Simple Network Magic
 Corporation
 Copyright (C) 1999, 2001 Hewlett-Packard Co * Stephane Eranian <eranian@hpl.hp.com> * * 09/24/99
 S.Eranian add speculation recovery code
 Copyright (C) 2002 M. R. Brown
 Copyright (c) 1993, 1994 Motorola Inc. All rights reserved
 Copyright (C) 2003-2005 Silicon Graphics, Inc. All Rights Reserved
 (C) 1995-2001 Russell King v0.04\n";
 Copyright (C) 2001 Nathan Neulinger <nneul at umr.edu>
 Copyright 2001 by Micro Solutions, Inc., DeKalb IL.\n", pi->device); printk("%s: BACKPACK %s, Micro
 Solutions BACKPACK Drive at 0x%x\n", pi->device, BACKPACK_VERSION, pi->port); printk("%s:
 Unit: %d
 Copyright (C) 2004 Texas Instruments * * This driver is based on the Linux io_ti driver, which is
 Copyright (C) 1992 - 1997, 1999 Silcon Graphics, Inc.
 (C) Copyright 2002 Hewlett-Packard Company * * Bus Glue for AMD Alchemy Au1xxx
 (C) 2000 Carnegie Mellon University * * Carnegie Mellon encourages users of this code to contribute
 improvements * to the Coda project http://www.coda.cs.cmu.edu/ <coda@cs.cmu.edu>.
 (c) Copyright 2000 Zach Brown <zab@zabbo.net> * * I need to thank many people for helping make this
 driver happen. * As always, Eric Brombaugh was a hacking machine and killed many bugs * that I
 (C) Copyright IBM Corp. 1994, 2002."
 Copyright (C) 1995 Jean-loup Gailly * For conditions of distribution and use, see copyright notice in zlib.h
 */
 Copyright (c) 1999-2000 Grant Erickson <grant@lcse.umn.edu> * * Module name: iSeries_setup.c
 Copyright (C) 1989, 92-98, 1999 Free Software Foundation, Inc.
 Copyright (C) 2001 MontaVista Software Inc. * Author: Jun Sun, jsun@mvista.com or jsun@junsun.net
 Copyright (C) 1999 David S. Miller (davem@redhat.com) * * This is a good place to start if you're trying to
 understand the * emulation code, because it's pretty simple. What we do is * essentially
 Copyright (C) by Hannu Savolainen 1993-1997
 Copyright (C) 2001 MIPS Technologies, Inc. */#include <linux/kernel.h>#include <linux/sched.h>#include
 <linux/signal.h>#include <asm/branch.h>#include <asm/cpu.h>#include <asm/cpu-features.h>#
 Copyright (c) 2002-2004 Johann Deneux */
 Copyright 1995 by Geert Uytterhoeven (geert@linux-m68k.org) * Peter De Schrijver *
 (Peter.DeSchrijver@linux.cc.kuleuven.ac.be) *
 Copyright (C) 1991,1996 Free Software Foundation
 Copyright (C) 05/1998 Peter Maydell <pmaydell@chiark.greenend.org.uk> * * Most of this stuff was
 obtained by looking at other LANCE drivers, * in particular a2065.[ch]. The AMD C-LANCE datasheet wa
 Copyright 2000 Jakub Jelinek (jakub@redhat.com) */
 Copyright (C) 1999-2003 Greg Ungerer <gerg@snapgear.com>
 Copyright (C) 2003 MontaVista Software Inc. * Author: Jun Sun, jsun@mvista.com or jsun@junsun.net */
 Copyright (C) 2004 Amaury Demol for DiBcom (ademol@dibcom.fr)
 Copyright applies:
 Copyright (C) 1998, 1999 Ralf Baechle
 Copyright (C) 2004 Maciej W. Rozycki */#ifndef _DECSERIAL_H#define _DECSERIAL_H
 Copyright (c) 2001 La Monte H.P. Yarroll * * These are the definitions needed for the sctp_ulpq type. The *

sctp_ulpq is the interface between the Upper Layer Protocol, or ULP, * and the core SCT
(c) Copyright 2000 kernel concepts <nils@kernelconcepts.de>, All Rights Reserved
Copyright (C) 1999 ARM Limited
Copyright (c) 1999-2004 Mark McClelland <mark@alpha.dyndns.org>
Copyright(C) 1995 David S. Miller (davem@caip.rutgers.edu)
Copyright(C) 1996, 2000 David S. Miller
Copyright (C) 2000 Matthew Wilcox (willy a debian . org)
Copyright (C) 1993-1996 Bas Laarhoven,
Copyright (C) 1998 Ingo Molnar. */
Copyright (C) 2002-2003 Red Hat, Inc. * * Created by David Woodhouse <dwmw2@infradead.org>
Copyright (c) 2000 MontaVista Software Inc. (source@mvista.com) * 2.3.99 Updates * * I copied this from
the 8xx CPM Ethernet driver, so follow the * credits back through that.
Copyright (C) 1998 V. Roganov and G. Raiko * * Code is derived from Ultra/PCI PSYCHO controller support,
see that * for author info.
Copyright (C) 2002-2004 Yoichi Yuasa <yuasa@hh.iij4u.or.jp>
Copyright (c) 2005 John Lenz * * Based on from xtkbd.c
Copyright (C) 2003, 2004 Samuel Rydh (samuel@ibrium.se) * * Loosely based upon 'thermostat.c' written
by Benjamin Herrenschmidt
(C) 2002 Samuel Chessman
Copyright (C) 2004 Hermann Kneissel herkne@users.sourceforge.net * * The latest version of the driver can
be found at * <http://sourceforge.net/projects/garmin-gps/>
Copyright (c) 2004-2005 Thibaut VARENE <varenet@parisc-linux.org> * * The file handles registering
devices and drivers, then matching them. * It's the closest we get to a dating agency.
Copyright (C) 1997 Markus Schroeder (schroedm@uni-duesseldorf.de)
Copyright (C) 2001 Keith M Wesolowski
Copyright (c) 1999 by Uros Bizjak <uros@kss-loka.si> * Takashi Iwai <tiwai@suse.de> * *
SB16ASP/AWE32 CSP control
Copyright (C) 2000, 2001 Greg Kroah-Hartman <greg@kroah.com>
(C) IBM Corporation, IBM Deutschland Entwicklung GmbH, 1999,2000 * * \$Revision: 1.39 \$
Copyright (C) Darryl Miles G7LED (dlm@g7led.demon.co.uk)
Copyright (c) 1994 The Australian National University. * All rights reserved
Copyright 1991, 1992 Free Software Foundation, Inc.
Copyright (C) 2002 Helge Deller <deller@gmx.de> * * Based on linux/drivers/video/vgacon.c and
linux/drivers/video/fbcon.c, * which were
Copyright (C) 2003 Luis R. Rodriguez <mcgrof@ruslug.rutgers.edu>
Copyright (C) 2002 IBM Deutschland Entwicklung GmbH, * IBM Corporation * Author(s):
Arnd Bergmann (arndb@de.ibm.com) * Cornelia Huck (cohuck@de.ibm.com) */#
Copyright (C) 2000 Trond Myklebust * * NFS page cache wrapper.
Copyright (C) 2001, 2002, 2004 Ralf Baechle */#include <linux/init.h>#include <linux/console.h>#include
<linux/kdev_t.h>#include <linux/major.h>#include <linux/termios.h>#include <linux/sched.h
Copyright (c) 2002 STMicroelectronics Ltd * Modified from memcpy.S and micro-optimised for SH4 *
Stuart Menefy (stuart.menefy@st.com) *
Copyright (C) 1998, Paul Gortmaker.
(C) IBM. This file is licensed under the terms of the GNU General
Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Hartmut Penner
(hp@de.ibm.com), * Martin Schwidefsky (schwidefsky@de.ibm.com) * * Derived from "
Copyright (C) 1999, 2000 MIPS Technologies, Inc. All rights reserved
Copyright (C) 1994, Karl Keyte: Added support for disk statistics
(C) (diagram), 9.2 * Upon reception of the SHUTDOWN COMPLETE chunk the endpoint will verify * that it is
in SHUTDOWN-ACK-SENT state, if it is not the chunk should be * discarded. If the endpoint is
(C) Copyright 1998 Linus Torvalds
Copyright (c) 2004 Silicon Graphics, Inc. */
Copyright (C) 2000 AG Electronics * Note: the data sheets don't seem to be available from Asilant. * They
are available by searching developer.intel.com, but are not otherwise * linked to. *
Copyright (C) 1993-1996 Bas Laarhoven.
Copyright 2004 Interface Co.,Ltd. Saito.K * * IO functions for an Interface CTP/PCI-SH03
Copyright (C) 1999,2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Denis Joseph
Barrow (djbarrow@de.ibm.com,barrow_dj@yahoo.com), * Martin Schwidefsky (schwidefs
Copyright (C) 1998-2003 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> * *

05/12/00 grao <goutham.rao@intel.com> : added isr in signinfo for SIGFPE
 (C) 2003-2005 Yoichi Yuasa <yuasa@hh.ij4u.or.jp>
 Copyright (C) 1992 - 1997, 2000 Silicon Graphics, Inc. * * gda.h -- Contains the data structure for the
 global data area, * The GDA contains information communicated between the * PROM, SYMMON, a
 Copyright (C) 1997, 1998 David S. Miller (davem@caip.rutgers.edu) */
 (C) 1996 by Thomas Bogendoerfer (tsbogend@bigbug.franken.de) * * This driver is based on work from
 Andreas Busse, but most of * the code is rewritten.
 Copyright (c) 2004-2005 Richard Purdie * * Based on Sharp's 2.4 Backlight Driver
 Copyright message. * 0.0.19 * Finally fix support for SB Live 24 bit. SB0410 and SB0413. * The output
 codec needs resetting, otherwise all output is muted. * 0.0.20 * Merge "pci_disabl
 Copyright (C) 1995 Mark Adler * For conditions of distribution and use, see copyright notice in zlib.h */
 (C) Copyright David Gibson, IBM Corp. 2001-2003. *
 Copyright (C) 1999-2000 Walt Drummond <drummond@valinux.com> */#include <linux/config.h>
 Copyright (C) 1999-2003 Keyspan, A division of InnoSys Incorporated ("Keyspan")
 as an unpublished work. This notice does not imply unrestricted or public access to the
 source code from which th
 Copyright 2001 by Kai Germaschewski <kai.germaschewski@gmx.de>
 Copyright (C) 1999 Silicon Graphics, Inc. */#ifndef _ASM_ASMMACRO_64_H#define
 _ASM_ASMMACRO_64_H
 Copyright (C) 2000 Geert Uytterhoeven <geert@sonycom.com> * Sony Software
 Development Center Europe (SDCE), Brussels */
 Copyright (C) 1996 Russell King.
 Copyright (c) 2002 - 2004 Karsten Wiese
 Copyright 2005 Benjamin Herrenschmidt, IBM Corp. * * Released under the term of the GNU GPL v2.
 Copyright (C) 2002-2003 Open Source Development Labs * * This file is released under the GPLv2.
 Copyright (C) Vijay Chander <vijay@engr.sgi.com>
 Copyright (C) 1995, 1996, 1997 Olaf Kirch <okir@monad.swb.de> */
 Copyright: (C) 2001-2003 MontaVista Software Inc.
 Copyright 2002-2003 Cytronics
 (C) Copyright 1999-2000 Johannes Erdfelt <johannes@erdfelt.com>
 Copyright (C) 1999 Nicolas Pitre (full GPIO irq isolation) * * 2001/11/14 RMK Cleaned up and
 standardised a lot of the IRQs.
 Copyright (C) 2002, 2003 Maciej W. Rozycki */
 (C) Copyright 2000-2002 David Brownell <dbrownell@users.sourceforge.net> * * This file is licenced under
 the GPL.
 Copyright (C) 2000 James Goodwin, Filanet Corporation (www.filanet.com) * jamesg@filanet.com (JSG) *
 Copyright (C) 1996 SpellCaster Telecommunications Inc. * * Card functions implementing ISDN4Linux
 functionality
 Copyright (C) 1999 Andreas E. Bombe
 Copyright (C) 1997-1999 Russell King */
 Copyright 2002 TimeSys Corp. * Added ethtool/mii-tool support,
 Copyright (c) 2005 Vojtech Pavlik <vojtech@suse.cz>
 Copyright (c) 1994-2003 by Jaroslav Kysela <perex@suse.cz>, * Abramo Bagnara
 <abramo@alsa-project.org> *
 (C) IBM Corporation, IBM Deutschland Entwicklung GmbH, 1999,2000 * * History of changes (starts July
 2000)
 Copyright (C) 1995 by Linus Torvalds
 Copyright by Carsten Paeth <calle@calle.de>
 (C) Copyright Al Viro 2002,2003 * Released under GPL v2. * * NOTE: data structure needs to be
 changed. It works, but for large dev_t * it will be too slow. It is isolated, though, so these chang
 Copyright (C) 1997,1999 Jakub Jelinek (jj@ultra.linux.cz)
 (C) 2004 Kalev Lember <kalev@smartlink.ee> * * Author: David Woodhouse <dwmw2@infradead.org> *
 Additional Diskonchip 2000 and Millennium support by Dan Brown <dan_brown@ieee.org> * Diskonchip Mill
 Copyright (C) 1999 Emanuel Pirker
 (C) IBM Corporation, IBM Deutschland Entwicklung GmbH, 1999,2000 * * \$Revision: 1.64 \$
 Copyright (C) 1999-2000 Grant Grundler
 Copyright (C) 2000, 2001 Axis Communications AB * * Authors: Bjorn Wesen
 Copyright (c) 1998-1999 Dag Brattli <dagb@cs.uit.no> * All Rights Reserved
 Copyright (c) 2001, 2002 Hitoshi Yamamoto * * Taken from i386 version.

Copyright (C) 1994, 1995 Linus Torvalds * * This file is the bootloader for the Linux/AXP kernel
 Copyright (C) 2004 Anil S Keshavamurthy (anil.s.keshavamurthy@intel.com)
 (C) Copyright Deti Fliegl 1999
 Copyright (c) 2002 Rodrigo Damazio. * Portions by Johann Deneux and Bjorn Augustson */
 Copyright (C) 2000-2002 ConnectTech Inc (http://www.connecttech.com/)
 Copyright (C) 2000 Serguei Miridonov <mirsev@cicese.mx> * - some corrections for Pinnacle Systems
 Inc. DC10plus card. * * Changes by Ronald Bultje <rbultje@ronald.bitfreak.net> * - moved ove
 Copyright (C) 2003, Duncan Sands
 Copyright (C) 1996-1998 Linus Torvalds */
 Copyright (C) 2001 Andrea Arcangeli <andrea@suse.de> SuSE */
 Copyright (C) 2003 Paul Mundt <lethal@linux-sh.org> * * Based on files with the following comments: *
 Copyright (C) 1999 by Ralf Baechle
 Copyright (C) 1995 (davem@caip.rutgers.edu) */#ifndef _SPARC_USER_H#define _SPARC_USER_H
 Copyright (C) 2002 Sam Creasey <sammy@sammy.net>
 Copyright (C) 2001-2003 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> */
 Copyright (c) 2003-2005 Simtec Electronics
 Copyright (C) 2000,2001 Ken Aaker (kdaaker@rchland.vnet.ibm.com), IBM Corp
 Copyright (C) 1999, 2000 Tim Waugh <tim@cyberelk.demon.co.uk> * * This file should only be included
 by drivers/parport/parport_pc.c.
 Copyright (C) 2003 Robert Schwebel, Pengutronix
 Copyright (C) 2004 Olof Johansson <olof@austin.ibm.com>, IBM Corporation * * Dynamic DMA mapping
 support, Apple U3 & IBM CPC925 "DART" iommu.
 Copyright (C) 2003, 2004 Paul Mundt * * Mostly derived from arch/sh/mm/ioremap.c which, in turn is
 mostly * derived from arch/i386/mm/ioremap.c .
 Copyright (C) 1997 - 2002 Ralf Baechle (ralf@gnu.org)
 (C) 2004,2005 Benjamin Herrenschmidt, IBM Corp. * * NAPI and NETPOLL support
 (C) IBM Corporation, IBM Deutschland Entwicklung GmbH, 2000 * * \$Revision: 1.9 \$
 Copyright (c) 1982, 1986 Regents of the University of California. * All rights reserved
 Copyright 1994, 1995 Digital Equipment Corporation.
 Copyright (C) 2004 Steven J. Hill <sjhill1@rockwellcollins.com>
 Copyright (c) 2000 Mark Fletcher * * Sponsored by Quelltext AG (http://www.quelltext-ag.de), Dortmund,
 Germany
 Copyright (c) 2005 Topspin Communications. All rights reserved
 (C) 1986-1990 V6.0209/18/90", 5, 47, FD
 Copyright (C) 1998, 1999, 2000 Richard Henderson * * Code supporting the SX164 (PCA56+PYXIS).
 Copyright (C) 1999 Cort Dougan <cort@cs.nmt.edu> * * Use inline IRQs where possible - Anton Blanchard
 <anton@au.ibm.com>
 Copyright (C) 1999 Silicon Graphics, Inc. */#ifndef _ASM_MMU_CONTEXT_H#define
 _ASM_MMU_CONTEXT_H
 Copyright (c) 2001-3 Patrick Mochel
 Copyright (C) 1992,1993,1994,1997 | W. Metzenthien, 22 Parker St, Ormond, Vic 3163, |
 | Australia. E-mail billm@suburbia.net | |
 (C) Copyright 2005 Linus Torvalds * * These functions have a non-standard call interface * to make them
 more efficient, especially as they * return an error value in addition to the "real" * retu
 Copyright (C) 2003-2004 QLogic Corporation
 Copyright (c) 2002 Martin Diehl
 Copyright (C) 1995, 1996, 1997 Paul M. Antoine and Harald Koerfgen
 Copyright 2000,2003 IBM Corporation * * Author(s): Thomas Spatzier <tspat@de.ibm.com> * Frank
 Pavlic <pavlic@de.ibm.com>
 Copyright (c) 1999 Silicon Graphics, Inc. */#ifndef _ASM_BCACHE_H#define _ASM_BCACHE_H
 Copyright (C) 1997 Paul Mackerras. * * pmc-control.c: Console support for PowerMac "control" display
 adaptor.
 (C) values (high-low)
 Copyright (c) 2003 IBM Corp.
 Copyright (C) 2000 Al Borchers (borchers@steinerpoint.com)
 (C) Copyright 1999-2000 Peter Pregler
 Copyright (C) 2001 Cypress Semiconductor Inc. */
 Copyright 2000-2004 Deepak Saxena <dsaxena@mvista.com>
 copyright follows: * -----

Copyright (C) 1997 Jay Estabrook * * This file is used for creating a compressed BOOTP file for the *
Linux/AXP kernel
Copyright (C) 1998 Gabriel Paubert.
Copyright (c) 2004 Matthew Wilcox */
Copyright (c) 2001, 2d3D, Inc.
Copyright (C) Luke Kenneth Casson Leighton 1996-2000
Copyright (C) 1998-2001, 2003 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>
* * 08/02/00 A. Mallick <asit.k.mallick@intel.com> * Modified RID allocation for SMP *
Goutha
Copyright (C) 2003 David Gibson, IBM Corporation. * * Based on the IA-32 version:
Copyright: (c) 1998-2003 Arnaldo Carvalho de Melo
Copyright (C) 1991, 1992 Linus Torvalds * * ext3 symlink handling code
Copyright (C) 2000 Asit Mallick <Asit.K.Mallick@intel.com>
Copyright 1993, Drew Eckhardt * Visionary Computing * (Unix and Linux consulting and custom
programming) * drew@colorado.edu * +1 (303) 440-4894 *
Copyright (C) 1995-1999 Olaf Kirch <okir@monad.swb.de>
Copyright (C) 1996 Paul Mackerras. * * Updates for PPC64 by Peter Bergner & David Engebretsen, IBM
Corp.
Copyright 1998 by Werner Cornelius (werner@ikt.de)
Copyright (C) 2000 Lineo, <davidm@snapgear.com>
Copyright (C) 2002 Andi Kleen, SuSE Labs * * Pentium III FXSR, SSE support * General FPU state
handling cleanups * Gareth Hughes <gareth@valinux.com>, May 2000
(C) Copyright 2004, Greg Ungerer <gerg@snapgear.com> */
(C) Copyright 1999,2000 Thomas Sailer <sailer@ife.ee.ethz.ch>. (proc file per device)
Copyright (c) 2004 Red Hat, Inc., James Morris <jmorris@redhat.com> *
Copyright 1993, Drew Eckhardt# Visionary Computing # (Unix and Linux consulting and custom
programming)# drew@Colorado.EDU# +1 (303) 786-7975
(C) Copyright 2002 Christoph Hellwig * * Address space accounting code <alan@redhat.com>
Copyright (c) 2001-2003 Martin Diehl
Copyright (C) 1991, 92, 94, 95, 96, 1997, 1998 Free Software Foundation, Inc.
Copyright (C) 1999 by Ralf Baechle */#ifndef _ASM_IA64_SN_TYPES_H#define _ASM_IA64_SN_TYPES_H
Copyright 2003-2005 MontaVista Software Inc.
Copyright (C) 1999, 2000, 2001 by Ralf Baechle
Copyright (C) 2000 David Kennedy <dkennedy@linuxcare.com>
Copyright (c) 1996-2004 Russell King. * * Please note that this platform does not support 32-bit IDE IO.
(C) 1996-2000 Thomas Sailer, HB9JNX/AE4WA\n"KERN_INFO "baycom_par: version 0.9 compiled "
__TIME__ " " __DATE__ "\n";
Copyright (C) 2000-2002 Michael Cornwell <cornwell@acm.org>
(C) Copyright 2004 Silicon Graphics, Inc. Jesse Barnes <jbarnes@sgi.com> * * File attributes for PCI
devices
(C) IBM Corporation, IBM Deutschland Entwicklung GmbH, 1999,2000 * * \$Revision: 1.6 \$
Copyright (C) 1999 Russell King
Copyright (c) 1997 Antonio Santos
Copyright (C) 2004 Randolph Chung <tausq@debian.org>
Copyright (C) 2002, 2004 by Ralf Baechle */#ifndef _ASM_WAR_H#define _ASM_WAR_H
Copyright (C) 2004, OGAWA Hirofumi * Released under GPL v2. */
Copyright (C) 1999 Silicon Graphics, Inc. - Jeffrey Newquist
Copyright (c) 2002 by Takashi Iwai <tiwai@suse.de> *
Copyright (c) 2004 Richard Purdie
Copyright (C) 2004-2005 Sylvain Munaut <tnt@246tNt.com>
Copyright (C) 2000 - 2001 by Silicon Graphics, Inc. */#include <linux/config.h>#include
<linux/kernel.h>#include <linux/init.h>#include <linux/sched.h>#include <linux/mm.h>#include
<linux/modul
Copyright (C) 2003 Paul Mundt */
(C) Copyright 1996 Linus Torvalds * * This routine is "moral-ware": you are free to use it any way you wish,
and * the only obligation I put on you is a moral one: if you make any improvements * t
Copyright (c) by Jaroslav Kysela <perex@suse.cz> * Definitions for CS4231 & InterWave chips &
compatible chips *
Copyright (C) 1994, 1995,1996 by Bao C. Ha.

Copyright (C) 1999 Silicon Graphics, Inc. (Jeffrey Newquist)
(c) Copyright 2000 John Marvin
Copyright (c) 2004 Coraid, Inc. See COPYING for GPL terms./* * aoenet.c * Ethernet portion of AoE driver
Copyright (c) 2003 Open Source Development Lab *
Copyright (c) 2004 Simtec Electronics * Ben Dooks <ben@simtec.co.uk> * * S3C2410 Watchdog Timer Support
Copyright (C) 2003 Paul Mundt *
Copyright (C) 1997 Russell King * * Modifications:
Copyright (C) 1996 Paul Mackerras * * and on the Open Firmware based frame buffer device: *
Copyright (C) by Hannu Savolainen 1993-1996 *
Copyright (C) 2001,2002 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Carsten Otte
<cotte@de.ibm.com> * Michael Holzheu <holzheu@de.ibm.com> * Tuan Ngo-Anh
<ngoanh@de.ibm.co
Copyright (c) 2004 Simtec Electronics * Ben Dooks <ben@simtec.co.uk> * * Header file for s3c2410
standard platform devices
(C) Copyright 2002 Dave Jones. <davej@codemonkey.org.uk> * * This file contains routines to check for
non-fatal MCEs every 15s
(C) Copyright IBM Corp. 2002, 2004
Copyright (C) 1993 Turtle Beach Systems, Inc.
Copyright (C) 1999-2000 Nicolas Pitre
Copyright (C) 2004 Silicon Graphics, Inc. * * Note: Above list of copyright holders is incomplete...
Copyright (C) 2004 Bartlomiej Zolnierkiewicz
Copyright - Galileo Technology. * * Other functions are derived from other MIPS PCI implementations, or
were
Copyright (C) 1999, 2000, 2001 * * Sun3x support added 2/4/2000 Sam Creasey (sammy@sammy.net)
Copyright 2000 VA Linux Systems, Inc., Fremont, California.
copyright (C) 1992 Michael K. Johnson * Interrupt support added 1993 Nigel Gamble * Removed 8255
status defines from inside __KERNEL__ Marcelo Tosatti */
Copyright (C) 1999, 2000 Silicon Graphics, Inc. */#include <linux/config.h>#include
<linux/sched.h>#include <linux/mm.h>#include <linux/personality.h>#include <linux/smp.h>#include
<linux/smp_1
Copyright (C) 1997 Michal Rehacek (Michal.Rehacek@st.mff.cuni.cz) * * Driver layout based loosely on
tgafb.c, see that file for credits.
Copyright (C) 2002 SHARP * * \$Id: sharpsl-flash.c,v 1.2 2004/11/24 20:38:06 rpurdie Exp \$
(C) 1999, 2000, 05 Ralf Baechle (ralf@linux-mips.org)
Copyright (c) 1995-1996 Gary Thomas <gdt@linuxppc.org> * Initial PowerPC version.
copyright text*/
Copyright (C) 2000 Matthew Wilcox <matthew@wil.cx>
Copyright (c) 1999-2004 Intel Corporation.";
Copyright (C) 1994-2000 Algorithmics Ltd. * http://www.algor.co.uk *
Copyright (C) 2001 MIPS Technologies, Inc. */#include <linux/config.h>
Copyright (C) 1998, 2001, 03 by Ralf Baechle
(C) 1986-1988 V4.0I 03/16/88
Copyright (C) 1999 Silicon Graphics, Inc. * * This file contains exception handler for address error exception
with the * special capability to execute faulting instructions in software. The * ha
Copyright (C) 2001 IBM * * All rights reserved
(C) Copyright 2002-2003, Greg Ungerer (gerg@snapgear.com) * * Based heavily on the nftlmount.c code
which is:
Copyright (C) 1998 Andrew Veliath
Copyright (C) 2000-2002 Jungjun Kim
Copyright (C) 1997, 1998 Ralf Baechle (ralf@gnu.org) */#include <linux/config.h>#include
<linux/ds1286.h>#include <linux/init.h>#include <linux/kernel.h>#include <linux/kdev_t.h>#include
<linux
Copyright (C) 1998, 1999, 2000 Richard Henderson * * Code common to all CIA core logic chips.
Copyright (C) 1995 Russell King * * Delay routines, using a pre-computed "loops_per_second" value.
Copyright (C) 2001-2002 Alc *
Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * * Derived from "include/asm-
i386/cache.h"
Copyright (C) 2003-2004 Silicon Graphics, Inc. All rights reserved

Copyright (c) 1999 Martin Mares <mj@ucw.cz> */
 (C) Copyright 1999 Randy Dunlap
 (C) Copyright 1998-2000 by some Elitist 680x0 Users(TM) *
 Copyright (C) 1998, 1999 Richard Henderson * * Code supporting the Sable, Sable-Gamma, and Lynx systems.
 Copyright (C) 1996 * Adrian Rodriguez (adrian@franklins-tower.rutgers.edu) * Laboratory for Computer Science Research Computing Facility * Rutgers, The State University of New Jersey * * Clean sw
 Copyright (C) 2004 Vernon Mauery <vernux@us.ibm.com>
 Copyright (C) 1996-1999 Russell King.
 Copyright (C) 1999 Walt Drummond <drummond@valinux.com>
 Copyright 2000, Compaq Computer Corporation * Fibre Channel Host Bus Adapter * 64-bit, 66MHz PCI * Originally developed and tested on:
 (C) 1993 V3.203/12/93", 5, 44, 3, 2, 0 { "IBM F1 P2 BIOS v1.0104/29/93", 5, 28, 3, -1, 0 }, { "Future Domain Corp. V1.0008/18/93", 5, 33, 3,
 Copyright (c) 2001, 2002 Hitoshi Yamamoto, and H. Kondo
 Copyright (C) 2000 Anton Blanchard (anton@samba.org) */
 Copyright (C) 2001 David S. Miller (davem@redhat.com) */
 (C) by Gert Doering and Klaus Weidner * Used by permission of Gert Doering */
 COPYRIGHT); new new |= ((ucontrol->value.iec958.status[3] &
 IEC958_AES3_CON_FS) << 24); if ((new & IEC958_AES0_CON_EMPHASIS) ==
 IEC958_AES0_CON_EMPHASIS_5015) val |= 1<<3;
 Copyright 2003,2004 Ben. Herrenschmidt <benh@kernel.crashing.org>
 Copyright (C) 2000 Kazumoto Kojima * * Modified for 7751 Solution Engine by * Ian da Silva
 and Jeremy Siegel, 2001.
 Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) */#ifndef _SPARC_MACHINES_H#define
 _SPARC_MACHINES_H
 Copyright (C) 1998, 1999, 2001 David Mosberger-Tang <davidm@hpl.hp.com> */
 Copyright (c) 1997 Dan Malek <dmalek@jlc.net> * * I used the serial.c driver as the framework for this driver. * Give credit to those guys. * The original code was written for the MBX860 board. I
 Copyright (c) 1994-1998 Initio Corporation
 Copyright 1993, Drew Eckhardt * Visionary Computing * (Unix and Linux consulting and custom programming) * drew@colorado.edu * +1 (303) 440-4894 * * DISTRIBUTION RELEASE 2.
 Copyright (C) 1992, 1993, 1994, 1995 * Remy Card (card@masi.ibp.fr) * Laboratoire MASI - Institut Blaise Pascal * Universite Pierre et Marie Curie (Paris VI) * * BSD ufs-inspired inode and direc
 Copyright (C) 2003-2004 Jean Delvare <khali@linux-fr.org> Based on older i2c-velleman.c driver
 Copyright (c) 1999-2004 LSI Logic Corporation * Originally By: Steven J. Ralston *
 (mailto:sjralston1@netscape.net) * (mailto:mpt_linux_developer@lsil.com) * * \$Id: mptctl.h,v 1.13 2002/12/03
 Copyright 1995-1998 by Leonard N. Zubkoff <lnz@dandelion.com>
 Copyright (C) 1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz) */#ifndef _SPARC_PGTSUN4C_H#define
 _SPARC_PGTSUN4C_H
 Copyright (C) 2000 - 2001 by Silicon Graphics, Inc. */#include <linux/init.h>#include
 <linux/sched.h>#include <linux/nodemask.h>#include <asm/page.h>#include
 <asm/processor.h>#include <asm/sn/a
 Copyright (c) 2002 Russell King */
 Copyright (C) David Alan Gilbert 1995/1996,2000
 (c) Copyright 2000 The Puffin Group Inc.
 (c) Copyright 2002, 2004 Hewlett-Packard Development Company, L.P.
 Copyright (C) 1995 Linus Torvalds * Adapted from 'alpha' version by Gary Thomas * Modified by Cort Dougan (cort@cs.nmt.edu) * Synergy Microsystems board support by Dan Cox (dan@synergymicro.com)
 (c) Copyright 1999, Thomas Davis, tadavis@lbl.gov
 Copyright (C) 2000, 2001, 2003 Ralf Baechle (ralf@gnu.org)
 Copyright 1998-2000 Red Hat, Inc --- All Rights Reserved
 copyright information. printk(KERN_WARNING "NetWinder Floating Point Emulator V0.97 (" NWFPE_BITS " precision)\n");
 Copyright (C) 2003-2004 Jean Delvare <khali@linux-fr.org> * * Based on the lm83 driver. The LM90 is a sensor chip made by National * Semiconductor. It reports up to two temperatures (its own plus
 Copyright (c) 2000 Jaroslav Kysela <perex@suse.cz> *

Copyright (C) 2000 Jeff Dike (jdike@karaya.com)
 Copyright (C) 2001, 2002 Ralf Baechle (ralf@gnu.org) */#ifndef _ASM_SGIALIB_H#define
 _ASM_SGIALIB_H
 Copyright (C) 2003 Ladislav Michl
 Copyright (C) 2001-2002 Greg Kroah-Hartman <greg@kroah.com>
 (C) 2000 Nicolas Pitre <nico@cam.org>
 Copyright (C) 2002 Andi Kleen * * This handles calls from both 32bit and 64bit mode.
 Copyright (C) 1997, 1998, 2001, 2003 by Ralf Baechle */#include <linux/init.h>#include
 <linux/ds1286.h>#include <linux/module.h>#include <linux/interrupt.h>#include
 <linux/kernel.h>#include <li
 Copyright (c) by Jaroslav Kysela <perex@suse.cz> * Abramo Bagnara <abramo@alsa-
 project.org> * Cirrus Logic, Inc. * Routines for control of Cirrus Logic CS461x c
 Copyright 2001 MontaVista Software Inc. * Author: MontaVista Software, Inc. *
 ahennesy@mvista.com * * Based on arch/mips/au1000/common/prom.c
 Copyright (C) 1996-2000 Takashi Iwai
 Copyright (C) 1999, 2000, 2005 MIPS Technologies, Inc. * All rights reserved
 Copyright (C) 1999, 2000, 01, 2002 Silicon Graphics, Inc.
 Copyright (c) 1999-2002 Vojtech Pavlik */
 Copyright (C) 2004 Richard Curnow * * Started from sh version.
 Copyright (C) 1996, 1997, 1998 Ingo Molnar, Miguel de Icaza, Gadi Oxman * * MULTIPATH management
 functions.
 Copyright (C) 1996, 1999, 2003 David S. Miller (davem@redhat.com) */
 Copyright (C) 2000 Takashi YOSHII
 Copyright (c) 2001 by James.Bottomley@HansenPartnership.com\n" "NCR D700:\n");
 banner = 0; } /* now do the bus related transforms */ irq =
 mca_device_transform_irq(mca_dev, irq); base_a
 Copyright (C) 2001-2004 Thomas Winischhofer, Vienna, Austria.
 Copyright (C) 2002, 2004 Maciej W. Rozycki */#include <linux/config.h>#include <linux/init.h>#include
 <linux/smp.h>#include <linux/string.h>#include <linux/types.h>
 Copyright 2005 Freescale Semiconductor Inc.
 Copyright clarification
 Copyright (C) 1996, 1997, 1998 by Ralf Baechle * and i386 version. */#ifndef
 __ASM_SH_UACCESS_H#define __ASM_SH_UACCESS_H
 Copyright (C) 2004 FUJITSU LIMITED
 (C) Copyright 1999 Linus Torvalds
 Copyright (C) 1995 Linus Torvalds * * Support of BIGMEM added by Gerhard Wichert, Siemens AG, July
 1999
 Copyright (C) 2000, 2001 Kanoj Sarcar
 Copyright (C) Mike Christie, 2004
 Copyright (C) 2004 Dan Malek (dan@embeddededge.com) * Copied from PowerPC and updated for Alchemy
 Au1xxx processors. *
 Copyright (c) 2002 Kimio Suganuma <k-suganuma@da.jp.nec.com>
 Copyright unasserted) * AN = 0 (Audio data) * P = 0 (Consumer) */
 snd_ca0106_ptr_write(chip, SPCS0, 0, chip->spdif_bits[0] =
 SPCS_CLKACCY_1000PP
 Copyright (C) 2000 Geert Uytterhoeven <geert@sonycom.com> * Sony Software
 Development Center Europe (SDCE), Brussels */#include <linux/init.h>#include <linux/kbd_ll.h>#include
 Copyright (C) 2004 by Ralf Baechle (ralf@linux-mips.org) * * arch/mips/ddb5xxx/ddb5477/setup.c *
 Setup file for DDB5477.
 Copyright (C) 1999 Vladimir Gurevich <vgurevic@cisco.com> * * VZ Support/Fixes Evan
 Stawnyczy <e@lineo.ca>
 Copyright (C) 1999, 2000, 2001 Silicon Graphics, Inc. */#ifndef _ASM_UNALIGNED_H#define
 _ASM_UNALIGNED_H
 Copyright (C) 2000,2001 Cirrus Logic Corp.* -- adapted from drivers by Thomas Sailer, * --
 but don't bug him; Problems should go to:
 Copyright(c) 1996 Kars de Jong/* Based on the ide driver from 1.2.13pl8 */
 Copyright (C) 2003-2005 David Brownell
 Copyright (C) 1992, 1998-2004 Linus Torvalds, Ingo Molnar * * This file contains the /proc/irq/ handling
 code.
 Copyright (c) 2000 Rob Scott (rscott@mtrob.fdns.net) * * Changelog:

Copyright 1997-2000 Pavel Machek <pavel@ucw.cz>
 Copyright (C) 2001 Keith M Wesolowski */#include <linux/init.h>#include <linux/kernel_stat.h>#include
 <linux/types.h>#include <linux/interrupt.h>#include <linux/irq.h>#include <linux/bitops.h>
 Copyright (C) 2000 David S. Miller (davem@redhat.com) */
 copyright follow. See wavelan_cs.h for details. * * This file contain the declarations of the Wavelan
 hardware. Note that * the Pcmcia Wavelan include a i82593 controller (see definitions in * fil
 Copyright (C) 2002 Randolph Chung <tausq at parisc-linux.org>
 Copyright (C) 2003, 2004 Richard Curnow *
 (C) Copyright IBM Corp. 1999,2004 * Author(s): Martin Schwidefsky <schwidefsky@de.ibm.com> *
 Peter Oberparleiter <peter.oberparleiter@de.ibm.com> */
 Copyright (C) 2002, 2003 Paul Mundt * Modified to support multiple serial ports. Stuart Menefy (May
 2000). * Modified to support SH7300(SH-Mobile) SCIF. Takashi Kusuda (Jun 2003). * Modified to
 Copyright 1999 by Armin Schindler (mac@melware.de)
 Copyright (C) 1992, 1998 Linus Torvalds, Ingo Molnar * * This file contains the code used by various IRQ
 handling routines:
 Copyright (C) 2002 James Simmons <jsimmons@users.sf.net> * * Credits: *
 Copyright (C) 1996-98 Ingo Molnar, Gadi Oxman
 (C) David Hinds and the Linux wireless
 Copyright (C) 1992 - 1997, 2000,2002-2005 Silicon Graphics, Inc. All rights reserved
 Copyright 2000 MontaVista Software Inc. * PPC405 modifications * PowerPC 403GCX/405GP
 modifications. * Author: MontaVista Software, Inc. * frank_rowand@mvista.com or
 source@mvista.c
 Copyright (C) 2003 IBM Deutschland GmbH, IBM Corporation
 copyright 1993-1998 by Donald Becker.
 Copyright (C) 2000 RidgeRun, Inc. * Author: RidgeRun, Inc. * glonnon@ridgerun.com,
 skranz@ridgerun.com, stevej@ridgerun.com *
 Copyright (C) 2003 by Andreas Gruenbacher, <a.gruenbacher@computer.org> */
 (c) Copyright 2000 Grant Grundler
 Copyright 2004 Ralf Baechle (ralf@linux-mips.org) * * First-level interrupt router for the PMC-Sierra Titan
 board
 Copyright (C) 1996, 99, 2003 by Ralf Baechle */#ifndef _ASM_BYTEORDER_H#define _ASM_BYTEORDER_H
 Copyright (c) 2003-2004 LSI Logic Corporation.
 Copyright (C) 1999-2001 Naval Research Laboratory
 Copyright (C) 1999, 2000
 Copyright (C) 1990 - 1992, 1999 Silicon Graphics, Inc. */#ifndef _ASM_REGDEF_H#define
 _ASM_REGDEF_H
 Copyright (C) 2001 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Fritz Elfert
 (elfert@de.ibm.com, felfert@millenux.com) Peter Tiedemann (ptiedem@de.ibm.com) *
 Copyright (C) 1997 Michael A. Griffith (grif@acm.org)
 Copyright 1999 by M. Steinkopf
 Copyright (C) 2004-2005 Silicon Graphics, Inc. All rights reserved
 Copyright (C) 2003, 05 Ralf Baechle (ralf@linux-mips.org)
 (C) 2001 by Andreas Gruenbacher, <a.gruenbacher@computer.org>*/
 Copyright (C) 1995 - 2000 by Ralf Baechle */#include <linux/signal.h>#include <linux/sched.h>#include
 <linux/interrupt.h>#include <linux/kernel.h>#include <linux/errno.h>#include <linux/string.
 Copyright (C) 2004 Keith M Wesolowski (wesolows@foobazco.org) * * Based on include/asm-
 sparc64/cpudata.h and Linux 2.4 smp.h
 Copyright (C) 2000-2001 Richard Hirst <rhist with parisc-linux.org>
 Copyright (C) 1994-1997 Claus-Justus Heine
 Copyright (C) 2001-2002, SnapGear Inc. (www.snapgear.com) */
 Copyright (C) 1998, 1999 D. Jeff Dionne <jeff@uclinux.org>
 Copyright (c) 2004 Jaroslav Kysela <perex@suse.cz> *
 Copyright (c) 1998-1999, Thomas Davis (tadavis@jps.net) * All Rights Reserved
 Copyright (C) 1997,1998 Jirka Hanika (geo@ff.cuni.cz) * * There are two kinds of Fibre Channel adapters
 used in Linux. Either * the adapter is "smart" and does all FC bookkeeping by itself and * j
 Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin
 Schwidefsky (schwidefsky@de.ibm.com) */
 Copyright (C) 2001 MIPS Technologies, Inc. */#include <linux/config.h>#include <linux/errno.h>#include
 <asm/asm.h>#include <asm/asmmacro.h>#include <asm/mipsregs.h>#include <asm/regdef.h>#incl

Copyright (c) 1998 Richard Guenther <richard.guenther@student.uni-tuebingen.de> * * \$Id: saa5249.c,v 1.1 1998/03/30 22:23:23 alan Exp \$

Copyright (c) 2001-2004 Anton Altaparmakov");

(C) 2002 Arjan van de Ven <arjanv@redhat.com>

Copyright 1999 Jeff Garzik <jgarzik@pobox.com> *

Copyright (C) 2001, 2002 Andy Grover <andrew.grover@intel.com>

Copyright (C) 2003 Takashi Kusuda <kusuda-takashi@hitachi-ul.co.jp> * * SH-Mobile SolutionEngine 7300 Support.

(C) 1999 Helge Deller <deller@gmx.de>

Copyright (C) 2004-2005 Marcel Holtmann <marcel@holtmann.org> *

Copyright (C) 2000 David Mosberger-Tang <davidm@hpl.hp.com> */

Copyright (C) 2002, 2003 Ladislav Michl (ladis@linux-mips.org) */

(C) 2000-2001 Svenning Soerensen <svenning@post5.tele.dk>

Copyright (C) 1999-2002 IBM Deutschland Entwicklung GmbH, * IBM Corporation

* Author(s): Ingo Adlung (adlung@de.ibm.com) * Cornelia Huck (cohuck@de.ibm.com)

* Arnd Bergmann (arndb@d

Copyright (C) 1998-2002 Richard Gooch

Copyright (C) 2001-2002 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> * *

06/16/00 A. Mallick added csd/ssd/tssd for ia32 thread context * 02/19/01 D.

Mosberger dropped tssd; it's

Copyright 2004 Embedded Edge, LLC

Copyright (C) 2003 NEC Corporation

Copyright (C) 1998/1999 R.E.Wolff@BitWizard.nl * * written for the SX serial driver. * Contains the code that should be shared over all the serial drivers.

Copyright (C) 2001 Helge Deller <deller at parisc-linux.org>

Copyright (C) 1996,1997 Jakub Jelinek (jj@sunsite.mff.cuni.cz) */

Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)

Copyright 2001 MontaVista Software Inc. * Author: MontaVista Software, Inc. *

ahennessy@mvista.com * * Based on skelton.c by Donald Becker.

(C) Copyright 1993, 1994 by Bjorn Ekwall <bj0rn@blox.se> * * Based on adapter information gathered from DOS packetdriver * sources from D-Link Inc: (Special thanks to Henry Ngai of D-Link.)

(C) Copyright 1999, Martin Floeer (mfloeer@axcent.de) */

Copyright (C) 2004,2005 Simtec Electronics * Ben Dooks <ben@simtec.co.uk> * * S3C2410 I2C Controller

Copyright (C) 2002 Peter Hettkamp <peter.hettkamp@t-online.de> * * large parts based on the bttv driver

Copyright (c) 2005 Maarten Deprez <maartendeprez@users.sourceforge.net>

Copyright (c) 1998-2001 Vojtech Pavlik * * Based on the work of:

Copyright 2002 Andi Kleen, SuSE Labs. * FXSAVE<->i387 conversion support. Based on code by Gareth Hughes. * This is used for ptrace, signals and coredumps in 32bit emulation. * \$Id: fpu32.c,v 1.1 2

Copyright (C) 1999-2001 Gerard Roudier <groudier@free.fr> * * This driver is derived from the Linux sym53c8xx driver.

Copyright(C) 1995 David S. Miller (davem@caip.rutgers.edu) */

Copyright (C) 2004-5 Patrick Boettcher (patrick.boettcher@desy.de) * * based on GPL code from DiBCom, which has

Copyright (C) 2003, 2004 Ralf Baechle */#ifndef __ASM_MACH_JA_CPU_FEATURE_OVERRIDES_H#define __ASM_MACH_JA_CPU_FEATURE_OVERRIDES_H

Copyright (c) 2001 Dan Malek (dan@mvista.com) */#ifndef __KERNEL__#ifndef __MACH_ADS8260_DEFS#define __MACH_ADS8260_DEFS

Copyright (C) 2002-2003 Greg Ungerer <gerg@snapgear.com>

(C) 2002 - 2003 Dominik Brodowski <linux@brodo.de> *

Copyright 2004 SuperH (UK) Ltd Author: Richard Curnow

(C) 1995-2003 Linux DECnet Project Team\n";

Copyright (C) 2001-2003 Red Hat, Inc. * * Created by David Woodhouse <dwmw2@infradead.org>

Copyright (C) 2002 Matthew Wilcox (willy at parisc-linux.org) *

Copyright (C) 2003 Geert Uytterhoeven <geert@linux-m68k.org> */

(C) Keith Owens 2002 <kaos@ocs.com.au>

Copyright (C) 1998 Gabriel Paubert. */

Copyright (C) 1997 -- 2000 Martin Mares <mj@ucw.cz>

Copyright (C) 2004-2005 Stephen Rothwell IBM Corporation * * This modules exists as an interface between a Linux secondary partition * running on an iSeries and the primary partition's Virtual
 Copyright (c) 1998-1999 Ilario Nardinocchi (nardinoc@CS.UniBO.IT)
 (c) Copyright 1999, 2001 Alan Cox
 Copyright (C) 1993 Bruno Haible
 Copyright (C) 1996 Paul Mackerras. * * NB this file must be compiled with -O2.
 (C) 1996 Miguel de Icaza
 Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin Schwidefsky (schwidefsky@de.ibm.com) * * Derived from "include/asm-i386/delay.h"
 Copyright (C) 1991, 1992, 1995 Linus Torvalds */
 Copyright (C) 1999, 2000, 2001 Silicon Graphics, Inc. */#ifndef _ASM_PGTABLE_32_H#define _ASM_PGTABLE_32_H
 Copyright (C) 1999 Ralf Baechle
 (C) Copyright Al Viro 2000, 2001 * Released under GPL v2. *
 Copyright (c) by Jaroslav Kysela <perex@suse.cz>, * Abramo Bagnara <abramo@alsa-project.org> *
 Copyright (C) 1997 Miguel de Icaza (miguel@nuclecu.unam.mx) */
 Copyright (C) 2002 Andriy Skulysh
 Copyright (C) 1998 Inside Out Networks, All rights reserved
 Copyright (C) 1999,2000 Philipp Rumpf
 Copyright (C) 2004 Maciej W. Rozycki
 copyright { __u8 type;
 Copyright 2001 MontaVista Software Inc. * Author: MontaVista Software, Inc. * ahennessy@mvista.com or source@mvista.com *
 Copyright (C) 1998-1999 Ilario Nardinocchi (nardinoc@CS.UniBO.IT)
 (C) 2003 Hiroshi Miura <miura@da-cha.org>
 Copyright (C) 2002 Intrinsyc, Inc. (Frank Becker)
 Copyright (C) 2005 Ralf Baechle (ralf@linux-mips.org) */#ifndef __ASM_MACH_MIPS_CPU_FEATURE_OVERRIDES_H#define __ASM_MACH_MIPS_CPU_FEATURE_OVERRIDES_H
 Copyright (C) 2002,2003 Andi Kleen, SuSE Labs.
 Copyright (C) 2000 Peter Berger (pberger@brimson.com)
 Copyright (C) 2004 Paul Mundt
 Copyright 2000, 2001, 2002 Red Hat, Inc. All Rights Reserved
 Copyright (C) 2000, 2002, 2003 Maciej W. Rozycki */#ifndef __ASM_MIPS_DEC_KN03_H#define __ASM_MIPS_DEC_KN03_H
 Copyright (C) 2001-2003 Ilya Volynets
 Copyright (C) 2001 RidgeRun, Inc. Greg Lonnon <glonnon@ridgerun.com> * * GPIO interrupt handler moved to gpio.c by Juha Yrjola
 Copyright (C) 2003 Martin K. Petersen * * Latest version: <http://mkp.net/forte/>
 Copyright (C) 2004 Freescale Semiconductor, Inc. *
 copyright asserted, 1 = copyright not asserted#define CS8427_ORIG (1<<0) /* SCMS generation indicator, 0 = 1st generation or higher, 1 = original */
 Copyright (C) 1997 Eddie C. Dost (ecd@skynet.be) */
 (C) 1994, 1995, 1996* Normunds Saumanis (normunds@fi.ibm.com)
 Copyright (C) 1995, 1999, 2001, 2002 by Ralf Baechle */#ifndef _ASM_ERRNO_H#define _ASM_ERRNO_H
 Copyright (C) 2002 Takayoshi Kochi <t-kochi@bq.jp.nec.com> *
 Copyright (C) 2002 Monroe Williams (monroe@pobox.com) */
 Copyright (C) 2001 - 2002 Greg Kroah-Hartman (greg@kroah.com)
 Copyright (c) 1995--1997 David A. van Leeuwen.
 Copyright (C) 1996 Paul Mackerras. * * Apr. 21 2002 - BenH Rework bus reset code for new error handler * Add delay after initial bus reset *
 (C) Copyright 1990 D-Link, Inc. * Copyright, 1988-1992, Russell Nelson, Crynwr Software * * Adapted to the sample network driver core for linux, * written by: Donald Becker <becker@super.org> *
 Copyright (C) 2002 Momentum Computer *
 Copyright (C) 1995 Peter Zaitcev (zaitcev@yahoo.com)
 Copyright (c) 2000 Gerd Knorr * based on code by:
 Copyright (c) 2000-2002 Silicon Graphics, Inc. All Rights Reserved

Copyright (C) 1997, Olaf Kirch <okir@monad.swb.de> */
 Copyright (C) 1999-2002 Red Hat Software * * Written by Alan Cox, Building Number Three Ltd
 Copyright 1999 by Carsten Paeth <calle@calle.de>
 Copyright (C) 2000 Andrey Panin <pazke@donpac.ru>
 Copyright (C) 2004 Dmitry Torokhov
 Copyright (C) 2000-2005 by David Brownell <dbrownell@users.sourceforge.net>
 (C) 2000 Guenter Geiger <geiger@debian.org> with copy/pastes from the driver of Winfried Ritsch <ritsch@iem.kug.ac.at>
 Copyright (C) 1999-2000 Pete Zaitcev * * This driver is used to program OS into a Flash SIMM on * Krups and Espresso platforms.
 Copyright (c) 2001 Matthew Wilcox, Hewlett-Packard */
 (C) Copyright 2002, Yoshinori Sato <ysato@users.sourceforge.jp> */
 Copyright (C) 1997 Carnegie Mellon University * * Carnegie Mellon University encourages users of this code to contribute * improvements to the Coda project. Contact Peter Braam <coda@cs.cmu.edu>.
 Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * * Derived from "include/asm-i386/a.out.h"
 Copyright (C) 1998, 1999, 2000, 2001, 2002, 2003 Axis Communications AB * * Many, many authors. Based once upon a time on serial.c for 16x50.
 (C) Copyright 2002 Hewlett-Packard Company
 Copyright (C) 1999 Ingo Molnar <mingo@redhat.com>
 Copyright 2004 Pavel Machek <pavel@suse.cz>
 Copyright (C) 1999 Cort Dougan.
 Copyright (C) 1997 Eddie C. Dost (ecd@skynet.be)
 Copyright 1999 Silicon Integrated System Corporation Revision: 1.08.08 Jan. 22 2005 Modified from the driver which is originally written by Donald Becker.
 Copyright (C) 1991, 1992, 1995 Linus Torvalds * * Adapted for PowerPC (PReP) by Gary Thomas * Modified by Cort Dougan (cort@cs.nmt.edu). * Copied and modified from arch/i386/kernel/time.c
 Copyright (C) 2003 Ralf Baechle <ralf@linux-mips.org> *
 Copyright (c) 2000 by Takashi Iwai <tiwai@suse.de>,
 Copyright (C) 1998,2000 Rik van Riel * Thanks go out to Claus Fischer for some serious inspiration and * for goading me into coding this file... * * The routines in this file are used to kill a
 Copyright (C) 1996, 1997, 1998, 1999 Jakub Jelinek (jj@ultra.linux.cz) */
 Copyright (C) 1999,2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Hartmut Penner (hp@de.ibm.com) * Ulrich Weigand (weigand@de.ibm.com) * Martin S
 Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin Schwidefsky (schwidefsky@de.ibm.com) * * Derived from "include/asm-i386/spinlock.h"
 Copyright (C) 1999-2001 Marcus Niemann
 Copyright (C) 2000, 2001 Keith M Wesolowski */#include <linux/kernel.h>#include <linux/init.h>#include <linux/pci.h>#include <linux/types.h>#include <asm/pci.h>#include <asm/ip32/mace.h>
 Copyright (C) 2001 RidgeRun, Inc. * * Support functions for the OMAP internal DMA channels.
 Copyright (c) 1998, 1999 Frodo Looijaard <frodo@dds.nl>
 Copyright (c) 2001-2004 Silicon Graphics, Inc. All Rights Reserved
 Copyright(c) 1999 - 2005 Intel Corporation. All rights reserved
 (C) 2000 Guenter Geiger <geiger@debian.org> with copy/pastes from the driver of Winfried Ritsch <ritsch@iem.kug.ac.at> based on es1370.c
 Copyright (C) 1997, Stephen Tweedie * * Provide stub functions for unreadable inodes
 Copyright (C) 2000, 05 by Ralf Baechle (ralf@linux-mips.org)
 Copyright (c) 1999-2002 Vojtech Pavlik * * This is a module that converts a tty line into a much simpler * 'serial io port' abstraction that the input device drivers use.
 Copyright (C) 1999 Gerhard Wichert, Siemens AG * Gerhard.Wichert@pdb.siemens.de *
 Copyright (C) 1994, 1995, 1996, 1998, 1999, 2002, 2003 Ralf Baechle
 Copyright (C) 2001-2002 Ryan Bradetich <rbrad at parisc-linux.org>
 Copyright (C) 1998-1999 Takashi Iwai <tiwai@suse.de>
 Copyright (C) 1999 Ralf Baechle (ralf@gnu.org) */#ifndef _ASM_PCI_BRIDGE_H#define _ASM_PCI_BRIDGE_H
 Copyright 2000 by Hans Reiser, licensing governed by reiserfs/README */* Reiserfs block (de)allocator, bitmap-based. */
 Copyright (C) 2000-2001 Hewlett-Packard Co * Stephane Eranian <eranian@hpl.hp.com> * * Fixme:

Copyright (C) 1991, 1992 Linus Torvalds (drivers/char/mem.c)
 Copyright (C) 1999 - 2002 Greg Kroah-Hartman (greg@kroah.com)
 Copyright (C) 2001 Ralf Baechle
 Copyright (C) 1998 Free Software Foundation, Inc. * * The Tiger algorithm was developed by Ross Anderson and Eli Biham. * It was optimized for 64-bit processors while still delivering * decent pe
 Copyright (C) 1999 Steve Ratcliffe
 Copyright (c) 1999-2000 Grant Erickson <grant@lcse.umn.edu> *
 Copyright (c) 2000 Dan Malek (dmalek@jlc.net) */#ifndef __MACH_RPX_HIOX_DEFS#define
 __MACH_RPX_HIOX_DEFS
 Copyright (C) 2000 Harald Koerfgen
 Copyright (C) 2002 Intel Corp.
 Copyright (C) 1998-2002 Andre Hedrick <andre@linux-ide.org>
 Copyright (C) 2001-2003 Grant Grundler <grundler with parisc-linux.org>
 Copyright (c) 1999-2001 Vojtech Pavlik
 Copyright 2000,2001,2002,2004 Dell Inc.
 Copyright (C) 2001 Russell King, All Rights Reserved
 Copyright (c) 2002 by Takashi Iwai <tiwai@suse.de> * * Many codes borrowed from audio.c by *
 Alan Cox (alan@lxorguk.ukuu.org.uk) * Thomas Sailer (sailer@ife.ee.ethz.ch)
 Copyright 2004 Randolph Chung (tausq@debian.org) *
 Copyright (c) Eicon Technology Corporation, 2000. * This source file is supplied for the use with Eicon
 Technology Corporation's range of DIVA Server Adapters.
 Copyright (c) by Takashi Iwai <tiwai@suse.de>
 Copyright (C) 2001 Kyle A. Lucke IBM Corporation
 Copyright (C) 2002 ARM Limited
 Copyright (c) 1998-2000 Harald Koerfgen */#include <linux/config.h>#include <asm/asm.h>#include
 <asm/cachectl.h>#include <asm/fpregdef.h>#include <asm/mipsregs.h>#include <asm/offset.h>#includ
 Copyright (C) 2002 Dag Arne Osvik <osvik@ii.uib.no> * 2003 Herbert Valerio Riedel
 <hvr@gnu.org> * * Added tnepres support: Ruben Jesus Garcia Hernandez <ruben@ugr.es>, 18.10.2004 *
 Copyright (C) 2003 Ralf Baechle
 Copyright (C) 2003 Adaptec, Inc.
 Copyright (C) 2003 Russell King */#ifndef _ASM_GENERIC_PCI_H#define _ASM_GENERIC_PCI_H
 Copyright (C) 2001 Toshiba Corporation *
 Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
 Copyright (C) 2001 Saito.K * * Interface MPC-1211 support
 Copyright (C) 1999 Makoto Kato (m_kato@ga2.so-net.ne.jp) *
 Copyright(C) 1995 Miguel de Icaza
 Copyright (C) 2004 Takashi SHUDO <shudo@hitachi-ul.co.jp> */
 Copyright (c) 2002-2004 Bryan W. Headley <bwhheadley@earthlink.net> * * based on wacom.c by *
 Vojtech Pavlik <vojtech@suse.cz> * Andreas Bach Aen <abach@stofanet.dk> * Clifford
 Copyright (C) 2001, 2002, 2003 by Liam Davies (ldavies@agile.tv) *
 Copyright (C) 1998 Andrea Arcangeli * Fixed a xtime SMP race (we need the xtime_lock rw spinlock to *
 serialize accesses to xtime/lost_ticks). */
 Copyright (C) 2003 by David Brownell, all rights reserved
 (C) 2004 MontaVista Software, Inc." (source@mvista.com)\n");
 Copyright (C) 2004 Steven Toth <steve@toth.demon.co.uk>
 Copyright (c) 2000 by Zach Brown <zab@zabbo.net> * Takashi Iwai <tiwai@suse.de> * *
 Most of the hardware init stuffs are based on maestro3 driver for * OSS/Free by Zach Brown
 (C) Copyright 1999 Linus Torvalds * * Common interfaces for "ptrace()" which we do not want * to
 continually duplicate across every architecture.
 Copyright (C) 1995, 1996, 1999, 2001 by Ralf Baechle */#include <asm/asm.h>#include
 <asm/mipsregs.h>#include <asm/regdef.h>
 Copyright (C) 2004 Jeff Lackey.
 Copyright 1993 United States Government as represented by the
 Copyright (C) 1998-2000 Michel Aubry
 Copyright (c) 2003-2005 Matthew Wilcox <matthew@wil.cx> * * This driver is derived from the Linux
 sym53c8xx driver.
 Copyright ♦ 1997-1998 by PowerLogix R
 Copyright 1999 Hans Reiser, see reiserfs/README for licensing and copyright details */
 Copyright (C) 2001 <Wayne G Holm> <IBM Corporation>

Copyright (C) Peter Maydell 05/1998 <pmaydell@chiark.greenend.org.uk> * Converted to driver model
 Jochen Friedrich <jochen@scram.de> * * The board IDs are from the NetBSD kernel, which for once pro
 Copyright (C) 1999, 2000 Silicon Graphics, Inc. */#ifndef _IOC3_H#define _IOC3_H
 Copyright (C) 2004 IBM Corp. * * All rights reserved
 Copyright 2000,2003 IBM Corporation * * Author: Arnd Bergmann <arndb@de.ibm.com>
 copyright years. * * Revision 1.30 2002/04/22 09:39:12 johana * RS-485 support compiles.
 COPYRIGHT * This file is distributed under the terms of the GNU General Public
 Copyright (C) 1993 Bruno Haible * * This file contains code for allocating/freeing inodes.
 Copyright (c) 2004-2005 Simtec Electronics * Ben Dooks <ben@simtec.co.uk> * * Header file for
 S3C24XX CPU support
 Copyright (C) 2002 Jeff Dike (jdike@addtoit.com)
 Copyright 1998-2001 Scott Murray <scott@spiteful.org>
 (c) Copyright 2001 Rodolfo Giometti <giometti@ascensit.com>
 (C) Copyright 1999-2000, Greg Ungerer (gerg@snapgear.com)
 Copyright (C) 2004 Aurelien Alleaume <slts@free.fr>
 Copyright (c) 2003 by Digigram <alsa@digigram.com>
 Copyright (C) 2004, Kyle McMartin <kyle@parisc-linux.org> */
 Copyright (C) 2002, 2003 Paul Mundt
 Copyright (c) 2002 Monta Vista Software, Inc.
 Copyright (C) 2001 Hirokazu Takata * * size_t strlen(const char *s);
 Copyright (C) 2001, 2003 Ladislav Michl (ladis@linux-mips.org) */#include <linux/config.h>#include
 <linux/types.h>#include <linux/init.h>#include <linux/kernel_stat.h>#include <linux/signal.h>#
 Copyright (C) 1997 Sten Wang
 Copyright 2003 Grant Grundler <grundler@parisc-linux.org>
 Copyright (C) 2000 Deep Blue Solutions
 Copyright (C) 2001 Anton Blanchard (anton@au.ibm.com), IBM
 Copyright (C) 1996, 1997 Ingo Molnar, Miguel de Icaza, Gadi Oxman
 Copyright (C) 2003 by Chuck Lever <cel@netapp.com> * * High-performance uncached I/O for the Linux
 NFS client
 Copyright (C) 1995-1997, Olaf Kirch <okir@monad.swb.de> *
 Copyright (C) 1992 - 1997, 1999, 2000 Silicon Graphics, Inc.
 COPYRIGHT); snd_emu10k1x_ptr_write(chip, SPCS2, 0, chip->spdif_bits[2] =
 SPCS_CLKACCY_1000PPM | SPCS_SAMPLERATE_48 |
 SPCS_CHANNELNUM_LEFT | SPCS_SOURCENUM_UNSPEC |
 Copyright (C) 2000,2001 J.I. Lee <jung-ik.lee@intel.com>
 Copyright (C) 2002 Stephen Rothwell, IBM Corporation
 Copyright 1997--1999 Martin Mares <mj@ucw.cz> * * For more information, please consult the
 following manuals (look at * <http://www.pcisig.com/> for how to get them): *
 Copyright (c) 2004 Coraid, Inc. See COPYING for GPL terms.#define VERSION "10"#define AOE_MAJOR
 152#define DEVICE_NAME "aoe"
 Copyright (c) 2000-2001 D Jeff Dionne <jeff@uclinux.org>
 Copyright (c) 2004 Helge Deller <deller@gmx.de>
 Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) */#include <linux/init.h>
 Copyright (C) 1997 Paul Mackerras (paulus@samba.org)
 Copyright (c) 1994-2000 by Jaroslav Kysela <perex@suse.cz> *
 Copyright (C) 1995 Geert Uytterhoeven *
 Copyright (C) 2001 Troy D. Armstrong IBM Corporation
 Copyright 2001 Resilience Corporation <ebrower@resilience.com> * \$Id: map_absent.c,v 1.5 2004/11/16
 18:29:00 dwmw2 Exp \$ * * This map driver is used to allocate "placeholder" MTD * devices on syst
 copyright (c) 1998, David Weis weisd3458@uni.edu * * debugging on Quadra 800 and 660AV Michael
 Schmitz, Dave Kilzer 7/98
 (C) Copyright 2000 Yggdrasil Computing, Inc. (port of new PCI interface * support from usb-ohci.c
 by Adam Richter, adam@yggdrasil.com).
 Copyright (C) 1999 Niibe Yutaka *
 Copyright (c) 2001 Cliff Brake <cbrake@accelent.com>
 Copyright (C) 1999,2001-2003 Silicon Graphics, Inc. All Rights Reserved
 Copyright (c) 1999-2000 Dag Brattli, All Rights Reserved
 (C) 1999-2003 David Woodhouse <dwmw2@infradead.org> */
 Copyright 1995 Kai Makisara. Last modified: Wed Sep 2 21:24:07 1998 by root@home

Copyright (C) 1996 Paul Mackerras and Mark Abene. * * based on skeletonfb.c:
 (C) Copyright 1999 Johannes Erdfelt
 Copyright (C) 1985 MIPS Computer Systems, Inc.
 Copyright (C) 2003, 2004 Richard Curnow * * This file contains the functions and defines necessary to
 modify and use * the SuperH page table tree.
 Copyright (C) 1997,1998,1999 Free Software Foundation, Inc.
 Copyright (C) 1991, 1992 Linus Torvalds * * ext3fs fsync primitive
 Copyright (C) 1996 Martin Apel* Geert Uytterhoeven
 (c) Copyright Red Hat Inc 2002
 Copyright (C) 1992 - 1997 Silicon Graphics, Inc. */#ifndef __ASM_SN_INTR_H#define __ASM_SN_INTR_H
 Copyright (C) 2005 Yoichi Yuasa <yuasa@hh.iij4u.or.jp>
 Copyright 1999, 2000 Creative Labs, Inc. *
 Copyright (c) 1998, 2000 Harald Koerfgen */
 Copyright (c) 2000 Mark Douglas Corner <mcorner@umich.edu> *
 Copyright 2001, 2002 Red Hat. * * Mmmm, chocolate vanilla mocha...
 Copyright (C) Srinivasa Thirumalachar <sprasad@engr.sgi.com>
 Copyright (C) 1999 Helge Deller (07-13-1999)
 Copyright (C) 1998-2000 Michel Aubry, Maintainer
 Copyright (C) 1992,1993,1997 | W. Metzenthen, 22 Parker St, Ormond, Vic 3163, Australia | |
 E-mail billm@suburbia.net | |
 (C) 1996-2000 Thomas Sailer, HB9JNX/AE4WA\n"KERN_INFO "baycom_ser_fdx: version 0.10 compiled "
 __TIME__ " " __DATE__ "\n";
 Copyright (c) 2004 Freescale Semiconductor, Inc * * Author: Andy Fleming * Maintainer: Kumar Gala
 <Kumar.Gala@freescale.com>
 Copyright (C) 2003 Pavel Machek, SuSE Labs *
 Copyright (C) 1998, 1999, 2003 Ralf Baechle
 Copyright 2004 Oprofile Authors * @remark Read the file COPYING * * @author Zwane Mwaikambo
 Copyright (c) 2000, 2001 Wolfgang Denk (wd@denx.de) */
 Copyright(c) Pierre Ossman\n");
 Copyright (C) 2002, 2003 Maciej W. Rozycki
 Copyright 2001 Intel San Luis Obispo
 (C) 1999 Andrea Arcangeli <andrea@suse.de>
 Copyright (C) 1998 Eddie C. Dost (ecd@skynet.be) */
 Copyright 2001,2002 Sun Microsystems, Inc. */
 Copyright (c) 1998-1999 by Frank van de Pol <fvdpol@coil.demon.nl> *
 Copyright 2001, Nicolas Pitre * reworked by rmk. * * bit 0 is the LSB of an "unsigned long" quantity.
 Copyright (c) 1997, 1998, 2000 Justin T. Gibbs. * All rights reserved
 Copyright (c) 2003 Jim Hague (jim.hague@acm.org) * * based on 2.4 driver:
 Copyright (C) 2001 Ralph Metzler <ralph@convergence.de>
 Copyright 1999 Silicon Integrated System Corporation * References:
 Copyright (C) 2004-2005 Richard Purdie * * Modified to work with 2.6 by Richard Purdie
 <rpurdie@rpsys.net>
 Copyright (C) 1996, 1997, 1998 by Ralf Baechle * and i386 version. *
 Copyright (C) June 1999 James Simmons
 Copyright (C) 1999-2000, 2002 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>
 * Stephane Eranian <eranian@hpl.hp.com> * * 11/24/98 S.Eranian updated TIMER_IRQ
 and irq_canonicalize
 Copyright (C) 2002 SOMA Networks, Inc.
 Copyright (C) 1997 Richard Hirst * * Based on: *
 (c) Copyright 2000 Oleg Drokin <green@crimea.edu> * * 27/11/2000 Initial release
 Copyright (C) 2000 VA Linux Co
 Copyright by Enrik Berkhan <enrik@starfleet.inka.de>
 Copyright (C) 2000 Michael R. McDonald
 Copyright (C) 2000 Toshiba Corporation */#ifndef __ASM_TXX927_H#define __ASM_TXX927_H
 Copyright (C) 2001 Matthew Wilcox <willy@parisc-linux.org>
 copyright information. Do not change the version information unless an improvement has been made.
 Merely removing my name, as Compex has done in the past, does not count as an improvement.
 Copyright (c) 1994-2002 Justin T. Gibbs.
 Copyright (C) 1996,1997 David S. Miller (davem@caip.rutgers.edu)

Copyright (C) 2000 Serguei Miridonov <mirsev@cicese.mx> * * Changes by Ronald Bultje
 <rbultje@ronald.bitfreak.net> * - moved over to linux>=2.4.x i2c protocol (9/9/2002)
 Copyright(c) 1999-2005 Intel Corporation"#define PFX DRV_NAME ": "
 Copyright (C) 1999 David S. Miller (davem@redhat.com) * * Emulation routines originate from soft-fp
 package, which is part * of glibc and has appropriate copyrights in it.
 Copyright (c) 2000 Philip Edelbrock <phil@stimpynet.roedge.com>
 Copyright (c) 1995 Caldera, Inc. <greg@caldera.com> * Neither Greg Page nor Caldera, Inc. admit
 liability nor provide * warranty for any of this software. This material is provided * "AS-IS" and at
 Copyright (C) 2000, 2001, 2002 by Ralf Baechle */#ifndef __ASM_HW_IRQ_H#define __ASM_HW_IRQ_H
 Copyright (C) 2002 Hewlett-Packard Company
 (C)Copyright 1998,1999 SysKonnnect,
 Copyright (C) 2000 John Marvin <jsm at parisc-linux.org>
 (C) 2002 Harald Welte <laforge@gnumonks.org> * * This software is distributed under GNU GPL v2, 1991
 Copyright (C) 1998, 1999 Russell King, Phil Blundell */#include <linux/ioport.h>#include
 <linux/kernel.h>#include <linux/init.h>#include <linux/tty.h>
 Copyright (c) 2000, 2001 Anders Torger <torger@ludd.luth.se> * * Thanks to Henk Hesselink
 <henk@anda.nl> for the analog volume control * code.
 Copyright (C) 2001,2002 Simon Evans * * Licence: GPL
 Copyright (c) 2000-2002 Adaptec Inc. * All rights reserved
 Copyright (C) 2000, 2003 Maciej W. Rozycki * * This file contains the time handling details for PC-style
 clocks as * found in some MIPS systems.
 Copyright (C) 2003 Ian Molton *
 Copyright (C) 1995 */#ifndef __ASM_I386_FLOPPY_H#define __ASM_I386_FLOPPY_H
 Copyright (C) 2001 Rusty Russell, 2002 Rusty Russell IBM.
 Copyright (C) 1999 Ralf Baechle (ralf@gnu.org) */#ifndef _ASM_SN_ARCH_H#define _ASM_SN_ARCH_H
 Copyright (C) 2002-2005 Sam Ravnborg <sam@ravnborg.org> * * Released under the terms of the GNU
 GPL v2.0.
 Copyright (C) 2000-2002 Russell King
 Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu)
 Copyright (C) 1999-2001 Nicolas Pitre * * Generic IRQ handling for the SA11x0, GPIO 11-27 IRQ
 demultiplexing.
 Copyright (C) 1997, 1998 by Ralf Baechle */#ifndef __ASM_SNI_H#define __ASM_SNI_H
 Copyright (C) 1999, 2002 Niibe Yutaka
 (C) 2002 Andreas Gruenbacher, <a.gruenbacher@computer.org>*/
 Copyright (C) 1995, 1996, 2001 Ralf Baechle
 Copyright (C) 1998 Philip Blundell <philb@gnu.org> * * This file contains the HP300-specific interrupt
 handling. * We only use the autovector interrupts, and therefore we need to * maintain lis
 Copyright (C) 1993 -- 1997 Drew Eckhardt, Frederic Potter, *
 David Mosberger-Tang
 Copyright (C) 1998, 1999 Eddie C. Dost (ecd@skynet.be)
 Copyright 2000,2003 IBM Corporation\n");
 (c) Copyright 2002 Zwane Mwaikambo <zwane@commfireservices.com>
 Copyright (C) 1993, 1994, 1995, 1999 Eric Youngdale * * adapted from:
 Copyright (C) 2003, 2004 gcs - Global Communication * and Department of Scientific
 Computing * Paris Lodron University of Salzburg. *
 Copyright 2000-2004 MontaVista Software Inc. * * Cleaned up and converted to new DCR access * Matt
 Porter <mporter@kernel.crashing.org>
 Copyright (C) 1993 Linus Torvalds * * Delay routines calling functions in arch/sparc64/lib/delay.c
 Copyright (C) 2001 Chris Gauthron <chrisg@0-in.com>
 Copyright 1997 by Alain Malek
 Copyright (C) 2001-2002 Marcel Holtmann <marcel@holtmann.org> *
 Copyright (C) 1998 Paul Mackerras. */
 Copyright (c) 1995-2001,2004 Silicon Graphics, Inc. All Rights Reserved
 Copyright (C) 2004 Matthew Wilcox <matthew@wil.cx>
 Copyright (C) 2003 Paul Mundt <lethal@linux-sh.org>
 Copyright (C) 2004-2005 by Luca Risolia <luca.risolia@studio.unibo.it>
 Copyright (C) 2003 Jamie Honan */
 Copyright (C) 2004 Benjamin Herrenschmidt, IBM Corp.
 Copyright (C) 1999 Stuart Menefy

Copyright (c) 2004 Vojtech Pavlik */
 Copyright (C) 2000, 01 MIPS Technologies, Inc.
 (C) F6FBB 1998 * * Tue Aug 25 20:23:03 1998
 Copyright 1999 by Werner Cornelius (werner@isd4linux.de)
 Copyright 2000,2002 IBM Corporation * Author(s): Utz Bacher <utz.bacher@de.ibm.com> *
 (C) 1999-2003 Nemosoft Univ.
 Copyright (C) 1995 Michael Dreher * * This file contains the code to modify the volume bitmap:
 Copyright (C) 2004 Ralf Baechle */#ifndef __ASM_MACH_JA_CPU_FEATURE_OVERRIDES_H#define
 __ASM_MACH_JA_CPU_FEATURE_OVERRIDES_H
 Copyright 2000 Stuart Menefy (stuart.menefy@st.com)
 Copyright (c) 2004 Voltaire Corporation. All rights reserved
 copyright; see LICENSE.FlashPoint for details. * * \$Workfile: sccbmgr.h \$
 Copyright (C) 1996 Jakub Jelinek (jj@sunsite.mff.cuni.cz) */
 (C) Copyright 2003 * Wolfgang Denk, DENX Software Engineering, wd@denx.de. *
 Copyright (C) 1999 Don Dugger <don.dugger@intel.com> */#include <linux/config.h>
 Copyright (C) 2000 Benjamin Herrenschmidt *
 Copyright (C) 2004 QLogic Corporation
 Copyright (C) 1998-1999, 2002-2004 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>
 */
 (C) 2004 Dan Brown <dan_brown@ieee.org>
 Copyright (C) 2001, 2002, 2003, 2004 Paul Mundt
 (c) Copyright 2001-2004 Helge Deller <deller@gmx.de>
 Copyright (C) 2000, 2001, 2002, 2003 David S. Miller (davem@redhat.com) * * Support for Apple GMAC
 and assorted PHYs, WOL, Power Management
 Copyright (C) 1999 Xi Graphics, Inc.
 Copyright (C) 1999, 2001 David Mosberger-Tang <davidm@hpl.hp.com> */
 Copyright (C) 1995, 1996 Russell King
 Copyright (C) 2002, 2004 Maciej W. Rozycki */#include <linux/init.h>#include <linux/kernel.h>#include
 <linux/string.h>#include <linux/types.h>
 Copyright (C) 2001 Ian da Silva, Jeremy Siegel * Based largely on io_se.c. * * I/O routines for Hitachi
 EDOSK7705 board.
 Copyright (C) 2002 Shane Nay (shane@minirl.com) *
 (C) Copyright 2001 Ralf Baechle */
 Copyright (C) 1999, 2000 Niibe Yutaka
 Copyright (C) 2001 Axis Communications AB. * * Author: Hans-Peter Nilsson.
 Copyright (C) 2001 Georges Menie, Ken Desmet
 Copyright (C) 1994-2002 Linus Torvalds */
 (C) 1996-1997 Claus-Justus Heine.
 Copyright (C) 2002 IBM Deutschland Entwicklung GmbH, IBM Corporation
 (C) 2002 Jungjun Kim <jungjun.kim@hynix.com> * 2003 Thomas Gleixner <tglx@linutronix.de> */
 Copyright (C) 1996 David Mosberger-Tang. */
 (C) 2002 - 2003 Dominik Brodowski <linux@brodo.de>
 Copyright (C) 1999-2003, Brad Douglas <brad@neruo.com>
 Copyright (C) 2003 Paul Mundt * * ASID handling idea taken from MIPS implementation.
 Copyright (C) 2000 Philipp Rumpf (prumpf@tux.org) * * Cache and TLB management
 Copyright (C) 1995-2002 Russell King
 Copyright (C) 2003 PMC-Sierra Inc. * Author: Manish Lachwani (lachwani@pmc-sierra.com) *
 Copyright (C) 2000 Mark Lord <mlord@pobox.com>
 Copyright (C) 2002 Intel Corporation.
 Copyright 1999 Red Hat, Inc. * * Written by Benjamin LaHaise.
 Copyright (C) 1998 Harald Koerfgen * * Rewritten extensively for controller-driven IRQ support * by Maciej
 W. Rozycki.
 (c) Copyright 2000 Helge Deller
 Copyright (C) 2003 Heiko Ronsdorf <hero@ihg.uni-duisburg.de>
 (C) 2001-2002 Andras Kis-Szabo <kisza@sch.bme.hu>
 Copyright (c) 1991,1992,1995 Linus Torvalds
 Copyright (C) 1994-97 Martin Buck <martin-2.buck@student.uni-ulm.de>
 (C) 1997-1998 Caldera, Inc.
 (C) Copyright 1988 Western Digital Corp.",xd_wd_init_controller,xd_wd_init_drive," Western Dig. WDXT-

GEN2" { 0x0015,"SEAGATE ST11 BIOS REVISION",xd_seagate_init_controller,xd_seagate_init_drive," Sea
(c) Copyright 1995 Alan Cox <alan@redhat.com> */
(C) Copyright 1999 Gregory P. Smith *
Copyright (C) 2001 Lineo, Inc. <www.lineo.com> * * H8/300 porting Yoshinori Sato
<ysato@users.sourceforge.jp>
Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) * * with a lot of changes to make this thing work for
R3000s * Tx39XX R4k style caches added. HK
Copyright (C) 2003 QLogic Corporation
Copyright Micro Memory Inc 2001-2002. All rights reserved
Copyright (c) 2002, 2003, 2004 Paul Mundt <lethal@linux-sh.org> * * This file is part of the LinuxDC
project (www.linuxdc.org)
Copyright (C) 1999 John G. Dorsey.
Copyright (C) 2002 M. R. Brown <mrbrown@linux-sh.org> * * Some code taken from i386 version.
Copyright (C) 2004 Boris Hu
Copyright (c) 2000 Adaptec, Inc. (aacraid@adaptec.com)
Copyright (c) 1985, 1986 The Regents of the University of California. * All rights reserved
Copyright (c) 1999-2002 Merlin Hughes <merlin@merlin.org>
Copyright: (C) 2002 Rory Bolt
Copyright (C) 2003-2004 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>
*/#include <linux/config.h>#include <asm/machvec.h>
Copyright (C) 1996 Martin von L * original #!-checking implemented by tytso. *
Copyright (C) 1998 Paul Mackerras and Fabio Riccardi.
Copyright (C) 2000, 2001, 2002 Jeff Dike (jdike@karaya.com)
Copyright (c) 2001 Cliff Brake, Accelent Systems Inc. * * 2001-09-13: Cliff Brake <cbrake@accelent.com>
* Initial code
Copyright (C) 1997-2000 Jakub Jelinek (jakub@redhat.com)
Copyright (C) 1996 Paul Mackerras. * * Modified to declare controllers as structures, added * client
notification of bus reset and handles PowerBook * sleep, by Benjamin Herrenschmidt.
Copyright (c) 1998-1999 David Huggins-Daines / Roman Zippel.
Copyright (c) 1999 by Takashi Iwai <tiwai@suse.de> *
Copyright (C) 2004-2005 MontaVista Software, Inc. * Dale Farnsworth
<dale@farnsworth.org> *
Copyright (c) 1999 by Takashi Iwai <tiwai@suse.de>
(C) 1992, 1993 Linus Torvalds, (C) 1997 Ingo Molnar * * IRQ/IPI changes taken from work by Thomas
Radke * <tomsoft@informatik.tu-chemnitz.de>
Copyright (C) 2004 Jean Delvare <khali@linux-fr.org> * * Copied from smsc47m1.c:
Copyright 1994, Linus Torvalds. */
Copyright (C) 2000 Stuart Menefy (stuart.menefy@st.com)
Copyright 2001-2004 Randolph Chung <tausq@debian.org> * * Analog Devices 1889 PCI audio driver
(AD1819 AC97-compatible codec)
Copyright 2002-2003 Rusty Russell, IBM Corporation * 2003 Kai Germaschewski *
Copyright 2000-2002 by Kai Germaschewski (kai@germaschewski.name)
Copyright (C) 2001 Jeff Dike (jdike@karaya.com) See the file COPYING for licensing terms and
conditions.*****/
Copyright (C) 2001-2004 Peter Osterlund <petero2@telia.com>
Copyright (C) 2001 Kyle A. Lucke, IBM Corporation
Copyright (c) 2000 Xavier Debacker <debackex@esiee.fr>
Copyright (C) 1997 Michael A. Griffith (grif@acm.org) * * CompactPCI platform by Eric Brower, 1999.
Copyright (C) 2003 by Ralf Baechle */#include <linux/config.h>#include <linux/init.h>#include
<linux/mm.h>#include <linux/bootmem.h>#include <linux/highmem.h>#include <asm/pgtable.h>
Copyright (c) 2000, 2002 Silicon Graphics, Inc. All Rights Reserved
Copyright (c) 1994 Timo Rossi * All rights reserved
Copyright (c) 2001-2003 Intel Corp.
copyright Joerg Dorchain (dorchain@mpi-sb.mpg.de) *
Copyright (C) 2001, Dag Brattli <dag@brattli.net>
copyright 2000 Philipp Rumpf <prumpf@tux.org>
(C) Alex Holden " <alex@linuxhacker.org> 1998.\n", VERSION);
Copyright (C) 1996, 1997, Olaf Kirch <okir@monad.swb.de> */
Copyright (C) 2000 MIPS Technologies, Inc. */#include <linux/config.h>#include

```

<linux/compat.h>#include <linux/types.h>#include <linux/sched.h>#include <linux/mm.h>#include
<linux/interrupt.h>
Copyright (C) 2003 Christophe Saout <christophe@saout.de>
Copyright (C) 1999,2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin
Schwefsky (schwefsky@de.ibm.com), * Hartmut Penner (hp@de.ibm.com), *
Copyright (c) 1998-1999 Thomas Davis, * * and irport.c: *
Copyright (C) 1998, 1999 Richard Henderson * * Code supporting the TAKARA.
Copyright (c) Kyle McMartin <kyle@debian.org>
(C) 2003 Cornelius Consult, www.cornelius-consult.de\n");
Copyright (C) IBM Corporation, 2004
(C) 1999 Vladimir Gurevich <vgurevic@cisco.com>\n");#endif#if defined (CONFIG_M68360)
    printk(KERN_INFO "QUICC port done by SED Systems <hamilton@sedsystems.ca>,\n");
    printk(KERN_INFO "based on 2.0
Copyright (C) 1997-2000 Anton Blanchard (anton@samba.org)
Copyright (C) 1995, 1996, 1998 Free Software Foundation, Inc.
(C) Copyright Data Technology Corp. 05/31/88",xd_dtc_init_controller,xd_dtc_init_drive," DTC 5150X"
Copyright (C) 1999 Eddie C. Dost (ecd@skynet.be) */
Copyright (C) Ian Molton 2003
Copyright (C) 2003 MontaVista Software Inc. * Author: Jun Sun, jsun@mvista.com or jsun@junsun.net * *
031022 - [jsun] add run-time configure and partition setup
Copyright (C) 2004, 2005 Stefan Ott <stefan@desire.ch>
Copyright (c) 2004 Red Hat, Inc., James Morris <jmorris@redhat.com>
Copyright (C) 1991, 1992 Linus Torvalds * * 1997-11-28 Modified for POSIX.1b signals by Richard
Henderson * 2000-06-20 Pentium III FXSR, SSE support by Gareth Hughes
Copyright (C) 2002, Linus Torvalds. * * 09Apr2002 akpm@zip.com.au * Initial version *
29Feb2004 kaos@sgi.com * Move worker thread creation to kthread to avoid chewing *
    up stack space with ne
Copyright (C) 1994, 1995, 1996 by Andreas Busse * * Multi-cpu abstraction and macros for easier reading:
Copyright (C) 2002 James Simmons *
Copyright (c) 1999, 2000 Silicon Graphics, Inc. */#ifndef _ASM_BITOPS_H#define _ASM_BITOPS_H
Copyright (C) 2001 PPC64 Team, IBM Corp * * This struct defines the way the registers are stored on the *
kernel stack during a system call or other kernel entry.
Copyright (c) 1997 Dan Malek (dmalek@jlc.net) * * This version of the driver is specific to the FADS
implementation, * since the board contains control registers external to the processor * for th
Copyright (c) 2001-2002 Nokia, Inc.
Copyright (c) 2005 Takashi Iwai <tiwai@suse.de>
(C) 1997-1998 by Thomas Sailer, HB9JNX/AE4WA */
Copyright (C) 2004 Advanced Micro Devices, Inc.
Copyright (C) 1998 Andrea Arcangeli * 1999-03-10 Improved NTP compatibility by Ulrich Windl * 2002-
05-31 Move sys_sysinfo here and make its locking sane, Robert Love * 2000-10-05 Implemented
Copyright (C) 2001 - 2003 Jeff Dike (jdike@addtoit.com)
Copyright (C) 2001, 2002 M. R. Brown
Copyright (C) 1993 Pascal Haible, Bruno Haible * * sysv/ialloc.c
Copyright (C) 1999,2003 Matthew Wilcox <willy at debian . org >
Copyright (C) 1995 Linus Torvalds * Adapted from 'alpha' version by Gary Thomas * Modified by Cort
Dougan (cort@cs.nmt.edu) * * Support for PReP (Motorola MTX/MVME) * by Troy Benjegerdes (hoze
Copyright (C) 1999 Ralf Baechle (ralf@gnu.org) */#ifndef _ASM_SN_SN0_ARCH_H#define
_ASM_SN_SN0_ARCH_H
Copyright (C) 1997, 2001 by Geert Uytterhoeven and others * * This driver was written based on the
specifications in README.buddha and * the X-Surf info from Inside_XSurf.txt available at * htt
Copyright (c) 2001,2002 Ryan Bradetich
Copyright (C) 2001 Mike Corrigan IBM Corporation
Copyright (C) 2002 Randy Dunlap <rddunlap@osdl.org>
Copyright (C) 1999, 2000 Andreas E. Bombe
Copyright (c) 2001 Richard Russon <ntfs@flatcap.org>
Copyright (C) 2004 Anton Blanchard <anton@au.ibm.com>, IBM
(c)Copyright 1987 SMS",xd_omti_init_controller,xd_omti_init_drive,"n OMTI 5520"
Copyright (C) 2002,03,04 Miles Bader <miles@gnu.org>
Copyright (C) 1999 Vladimir Gurevich <vgurevic@cisco.com> *

```

Bare & Hare Software, Inc. * Based on include/asm-m68knommu/MC68332.h
 Copyright 2001 MontaVista Software Inc.
 Copyright (C) 1999 Silicon Graphics, Inc. */#ifndef _ASM_CACHE_H#define _ASM_CACHE_H
 Copyright (C) Bjorn Helgaas * * Vendor specific extensions to ACPI.
 Copyright 2002 by Kai Germaschewski
 (C) 2002 Randy Dunlap <rdunlap@osdl.org>
 Copyright (C) 2002-2004 by Luca Risolia <luca.risolia@studio.unibo.it> *
 * * - Memory management code from bttv driver by Ralp
 Copyright (c) by James Courtier-Dutton <James@superbug.demon.co.uk> * Added support for Audigy 2
 Value. *
 Copyright (C) 1992 Krishna Balasubramanian * * Sep 1997 - Call suser() last after "normal" permission
 checks so we * get BSD style process accounting right. * Occurs in sever
 Copyright (c) 1998-2000 Vojtech Pavlik */
 Copyright (c) 2004 Michal Ludvig <michal@logix.cz>
 Copyright (C) 1997-1999 Russell King
 Copyright (C) 2003 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Thomas Spatzier
 (tspat@de.ibm.com) *
 Copyright 2004 (c) MontaVista Software, Inc. *
 Copyright (C) 1994 by Florian La Roche * * This module implements the Address Resolution Protocol ARP
 (RFC 826), * which is used to convert IP addresses (or in the future maybe other * high-level
 Copyright (C) 2001 Lineo Inc., davidm@uclinux.org */
 Copyright (c) 2002 David S. Miller (davem@redhat.com)
 copyright(s, val); return 0; case SNDCTL_SPDIF_LOOP:
 Copyright (C) 1993 Corey Minyard
 Copyright (C) 2003 Red Hat <alan@redhat.com>
 Copyright (C) 1999, 2001 Hewlett-Packard Co * Stephane Eranian <eranian@hpl.hp.com> * David
 Mosberger <davidm@hpl.hp.com> * * 4/06/01 davidm Tuned to make it perform well both for cached
 and uncac
 Copyright (C) 2003 Linda Xie <lxie@us.ibm.com> * * All rights reserved
 Copyright (C) 1992 Krishna Balasubramanian * * Removed all the remaining kerneld mess * Catch the -
 EFAULT stuff properly * Use GFP_KERNEL for messages as in 1.2 * Fixed up the unchecked user spac
 Copyright (C) 2003 Monta Vista Software, Inc.
 Copyright (C) 1998, 1999, 2002-2003 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>
 */#include <linux/types.h>
 Copyright 2001-2002 MontaVista Software Inc. *
 Copyright (C) 1995-1996 Gary Thomas (gdt@linuxppc.org) * * Derived from "arch/i386/mm/fault.c"
 Copyright ♦ 2001 Flaga hf. Medical Devices, K * * \$Id: cfi_flagadm.c,v 1.14 2004/11/04 13:24:14 gleixner
 Exp \$
 Copyright (C) 1996, 1997 Claus Heine
 (C) Copyright 2000-2001, Lineo (www.lineo.com) */
 Copyright(C) 2001 Kirk Lee <kirk@hpc.ee.ntu.edu.tw> * * This code is GPLed
 Copyright (C) 1995 Richard Hirst * * based on amiints.c -- Amiga Linux interrupt handling code
 Copyright (c) Eicon Networks, 2000. * This source file is supplied for the use with Eicon Networks range of
 DIVA Server Adapters.
 Copyright (C) Frederic Rible F1OAT (frib@teaser.fr) */#include <linux/errno.h>#include
 <linux/types.h>#include <linux/socket.h>#include <linux/timer.h>#include <linux/in.h>#include
 <linux/ker
 Copyright (C) 2000, 2001 Paolo Alberelli * * benedict.gaster@superh.com: 3rd May 2002 * Added
 support for ramdisk, removing statically linked romfs at the same time.
 Copyright (C) 1999 by Ralf Baechle */#ifndef _ASM_SN_SN0_HUBPI_H#define
 _ASM_SN_SN0_HUBPI_H
 Copyright (C) 2003 ARM Limited
 Copyright (C) 2004 IBM Corporation * * Authors:
 Copyright 2004 PMC-Sierra * Author: Manish Lachwani (lachwani@pmc-sierra.com) *
 Copyright (C) 2000-2001 Hewlett-Packard (John Marvin)
 Copyright (C) 2000 Linus Torvalds. * 2000 Transmeta Corp. * * Usage limits added by David
 Gibson, Linuxcare Australia. * This file is released under the GPL.
 Copyright (C) 2003 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Peter
 Oberparleiter <Peter.Oberparleiter@de.ibm.com> */
 Copyright (C) Christoph Hellwig, 2001-2002

Copyright (C) 2002 Pete Zaitcev (zaitcev@yahoo.com) * * Derived from "include/asm-s390/current.h" by *
 Martin Schwidefsky (schwidefsky@de.ibm.com) * Derived from "include/asm-i386/current.h"

Copyright (C) 1995 Linus Torvalds * * Maintained by Benjamin Herrenschmidt (benh@kernel.crashing.org)

Copyright (C) 1999-2000, 2003 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>
 * * A simple API for unwinding kernel stacks. This is used for * debugging and error reporting purposes

Copyright (C) 2002 MontaVista Software Inc. * Author: Yoichi Yuasa <yyuasa@mvista.com or
 source@mvista.com>

Copyright 1993 United States Government as represented by the * Director, National Security Agency.[
 pcnet32.c] * Carsten Langgaard, carstenl@mips.com [pcnet32.c]

Copyright (C) 2000 Kazumoto Kojima

Copyright 2004-2005 Andrea Arcangeli <andrea@cpushare.com> * * This defines a simple but solid
 secure-computing mode.

Copyright (C) 1997 Roger Wolff (R.E.Wolff@BitWizard.nl)

Copyright (c) 2003 Intracom S.A. * by Pantelis Antoniou <panto@intracom.gr> * * Heavily based on
 original FEC driver by Dan Malek <dan@embeddedge.com> * and modifications by Joakim Tjernlund <j
 copyright label on that

Copyright 1995,96 by Michael Hipp (Michael.Hipp@student.uni-tuebingen.de)

Copyright (C) 1999 Linus Torvalds

Copyright (C) 2005 David S. Miller (davem@davemloft.net) */

Copyright (C) 2003 - 2004 Nokia Corporation

Copyright (C) 2003 by Ralf Baechle */

Copyright 2003 Kai Germaschewski

Copyright (C) 1999 SuSE GmbH

Copyright (c) 2000 Linus Torvalds */

Copyright (C) 1996-2000 Thomas Sailer (sailer@ife.ee.ethz.ch)

Copyright (C) 1995 Jay Estabrook

Copyright (C) 1995, 1999, 2000 Ralf Baechle

Copyright (C) 2001 Paul Diefenbaugh <paul.s.diefenbaugh@intel.com> *

Copyright (C) 1991-2002 Linus Torvalds * * 1996-12-23 Modified by Dave Grothe to fix bugs in
 semaphores and * make semaphores SMP safe * 1998-11-19 Implemented
 schedule_timeout() and related

Copyright 2001 Jeff Garzik <jgarzik@pobox.com>

Copyright (C) 1999 John G. Dorsey. All Rights Reserved

Copyright (C) 2002 Andi Kleen, SuSE Labs (x86-64 port)

Copyright (c) 1997-1999 Carnegie Mellon University. All Rights Reserved

(c) Copyright 2002, 2003 Hewlett-Packard Development Company, L.P.

Copyright (C) 1992-1997,2000-2004 Silicon Graphics, Inc. All rights reserved

Copyright (C) 1998, 1999 Phil Blundell * * FIQ support written by Philip Blundell <philb@gnu.org>, 1998.

Copyright (C) 1998-2001 David Mosberger-Tang <davidm@hpl.hp.com> * * 00/03/06 D. Mosberger Fixed
 to return proper return value (bug found by * by Andreas Schwab
 <schwab@suse.de>).

Copyright (C) 1991, 1992 Linus Torvalds. */

Copyright 1997 Paul Mackerras */#include <linux/errno.h>#include <linux/time.h>#include
 <linux/proc_fs.h>#include <linux/stat.h>#include <linux/string.h>#include <asm/prom.h>#include
 <asm/uacc

Copyright (c) 2001-2004 Anton Altaparmakov * * Modified for mkntfs inclusion 9 June 2001 by Anton
 Altaparmakov. * Modified for kernel inclusion 10 September 2001 by Anton Altaparmakov.

Copyright (c) 2002 Monta Vista Software, Inc. * * Modified for the OMAP1510 by David Singleton:

Copyright 2002 SYSGO Real-Time Solutions GmbH

Copyright (C) 2002,2003 Adaptec, Inc.

Copyright (C) 2000 Hewlett Packard (Grant Grundler)

Copyright (C) 2003 John Klar <linpvr at projectplasma.com>

Copyright (C) 1998 Ralf Baechle */#include <asm/asm.h>#include <asm/regdef.h>

Copyright (C) 2002, Linus Torvalds * * 11Jan2003 akpm@digeo.com * Initial version.

Copyright 1999 Richard Hirst <richard@sleepie.demon.co.uk> * * Based on atari_SCC.c which was
 (C) Copyright 1999, 2000 Richard Henderson */

Copyright (C) 1996 Linus Torvalds * * m68k version by Andreas Schwab

Copyright (C) 1992, 1998-2004 Linus Torvalds, Ingo Molnar * * This file contains driver APIs to the irq
 subsystem.

Copyright (C) 1999 by Kaz Kojima * * Definitions for the address spaces of the SH-4 CPUs.
 Copyright (C) 2002 MontaVista Software Inc. * Author: Yoichi Yuasa <yyuasa@mvista.com or source@mvista.com>
 Copyright (C) 2003 Jean Delvare <khali@linux-fr.org> * * Heavily inspired from the lm78, lm75 and adm1021 drivers. The LM83 is * a sensor chip made by National Semiconductor. It reports up to four
 Copyright (c) 1998-1999 David Huggins-Daines.
 Copyright (C) 2002 Broadcom, Inc. * memcpy/copy_user author: Mark Vandevoorde * * Mnemonic names for arguments to memcpy/__copy_user
 Copyright (C) 2002 Red Hat
 Copyright (C) 2000 Takashi Iwai <tiwai@suse.de>
 Copyright 1998 by Egbert Eich <Egbert.Eich@Physik.TU-Darmstadt.DE> * * 3. John Fremlin <vii@users.sourceforge.net> and * Ani Joshi <ajoshi@unixbox.com>
 Copyright (C) 2000, 2001 Axis Communications AB * * Authors: Bjorn Wesen Initial version
 Copyright (C) 1996 Thomas K. Dyas (tdyas@eden.rutgers.edu) * * With additional work by Paul Mackerras and Franz Sirl.
 Copyright (C) 2002, ATI Corp.
 Copyright (C) 1995 -- 1998 Martin Mares <mj@ucw.cz>
 Copyright (C) 1997 Martin Mares * * Automatic IP Layer Configuration
 Copyright (C) 2002, 2003, 2005 Ilya A. Volynets */#include <linux/config.h>#include <linux/console.h>#include <linux/init.h>#include <linux/interrupt.h>#include <linux/mc146818rtc.h>#include <l
 Copyright (C) 2000 John Marvin <jsm with parisc-linux.org>
 (C) Copyright Randy Dunlap 2000
 Copyright by Adam Belay <ambx1@neo.rr.com> *
 Copyright (C) 1999, 2001 Nexus Electronics Ltd. * * Changelog:
 Copyright (C) 1990, 1999, 2000 Silicon Graphics, Inc. */#ifndef _ASM_MACH_IP22_SPACES_H#define _ASM_MACH_IP22_SPACES_H
 (C) 2003-2004 by Harald Welte <laforge@netfilter.org> * * \$Id: ipt_hashlimit.c 3244 2004-10-20 16:24:29Z laforge@netfilter.org \$
 Copyright (C) 1999, 2000 IBM Deutschland Entwicklung GmbH, * IBM Corporation */
 Copyright (C) 2000 Richard Hirst <rhirst with parisc-lixux.org>
 Copyright (C) 1999 Linus Torvalds. * * This file is released under the GPL.
 (C) Copyright 2001 Helge Deller <deller@gmx.de> */
 Copyright (c) 2000 Mike Corrigan <mikejc@us.ibm.com>
 Copyright (C) 1995 Adrian M. Rodriguez (adrian@remus.rutgers.edu) */
 Copyright (C) 2002,03 Miles Bader <miles@gnu.org>
 (c) Copyright Adaptec, Inc. 2002 to 2004. All Rights Reserved
 Copyright (C) 1995-2004 Russell King * * Delay routines, using a pre-computed "loops_per_second" value.
 Copyright (c) 2001-2003 International Business Machines, Corp.
 Copyright: (c) 1998 Ben Greear
 Copyright (C) 2000, 2001, 2002 Axis Communications AB * * Authors: Bjorn Wesen (bjornw@axis.com)
 Copyright (c) 2001-2002 Intel Corp. * * This file is part of the SCTP kernel reference Implementation
 Copyright (C) 2002 Alan Cox <alan@redhat.com> * ALi (now ULi M5228) support by Clear Zhang <Clear.Zhang@ali.com.tw> * * (U)DMA capable version of ali 1533/1543(C), 1535(D)
 Copyright (C) 1996,1997 Pekka Pietik
 (C) Copyright 1995-2003 by Geert Uytterhoeven <geert@linux-m68k.org> * * Fixes and tips by:
 Copyright (C) 2000, 2001 Ralf Baechle
 Copyright (C) 2004 Red Hat, Inc. * * Derived from drivers/mtd/nand/spi.c
 Copyright (C) 1998, 2003 by Ralf Baechle */#ifndef __ASM_MACH_JAZZ_FLOPPY_H#define __ASM_MACH_JAZZ_FLOPPY_H
 Copyright (C) 1991, 1992 Linus Torvalds * * Goal-directed block allocation by Stephen Tweedie * (sct@dc.s.ed.ac.uk), 1993, 1998 * Big-endian to little-endian byte-swapping/bitmaps by *
 Copyright (C) 1994, 95, 96, 97, 98, 1999, 2000, 01 by Ralf Baechle */#include <asm/asm.h>#include <asm/mipsregs.h>#include <asm/regdef.h>#include <asm/sni.h>#include <asm/stackframe.h>
 Copyright (C) 1997 Eddie C. Dost (ecd@skynet.be) * * Adopted for sparc by V. Roganov and G. Raiko. * Fixes for different platforms by Pete Zaitcev.
 Copyright (c) 2003 Matthew Wilcox
 Copyright (C) 2002 Laurent Pinchart <laurent.pinchart@skynet.be> * * \$Id: zr36060.h,v 1.1.1.1.2.3

2003/01/14 21:18:47 rbultje Exp \$
 Copyright (C) 2003 BULL SA
 (C) 2001 Dimitromanolakis Apostolos <apdim@grecian.net> * * Based in the radio Maestro PCI driver.
 Actually it uses the same chip * for radio but different pci controller.
 Copyright (C) 1992 Drew Eckhardt * Generic hard disk header file by * Drew
 Eckhardt * * <drew@colorado.edu>
 Copyright (C) 2002 M. R. Brown <mrbrown@0xd6.org>
 Copyright (C) 1995,1999 Pete Zaitcev (zaitcev@yahoo.com)
 Copyright 1994-95 Roman Hodek <Roman.Hodek@informatik.uni-erlangen.de>
 Copyright (C) 2003, 2004 Ralf Baechle */#ifndef __ASM_CPU_FEATURES_H#define
 __ASM_CPU_FEATURES_H
 Copyright (C) 2001,2003,2004 Dell <Matt_Domsch@dell.com>
 Copyright (C) 1998 Patrik Rak (prak3264@ss1000.ms.mff.cuni.cz) */
 Copyright (C) 2003 Lineo uSolutions, Inc.
 Copyright (C) 2003-2004 Jean Delvare <khali@linux-fr.org>
 Copyright (C) 1996 Thomas K. Dyas (tdyas@eden.rutgers.edu) * Added intersil code 05/25/98 Chris Davis
 (cdavis@cois.on.ca) */
 Copyright (C) 2003 Red Hat, Inc., James Morris <jmorris@redhat.com>
 Copyright (C) 2002 David S. Miller <davem@redhat.com> * * Based entirely upon
 drivers/sbus/audio/amd7930.c which is:
 Copyright (c) 2000 Eric Brower (ebrower@usa.net) */
 (C) 2001 Vladimir Shebordaev <vshebordaev@mail.ru> *
 Copyright by Fritz Elfert <fritz@isd4linux.de>
 Copyright (C) 2002 Dell Inc.
 (C) 1999 Thomas Bogendoerfer (tsbogend@alpha.franken.de) * * based on code from Oliver Jowett
 <oliver@jowett.manawatu.gen.nz>
 (C) 2003 Ian Molton.
 Copyright (C) 1998 Franz Sirl * * Frame buffer structure from:
 Copyright (c) 2004 Shannon Holland <holland@loser.net>
 Copyright (c) Lee Revell <rlrevell@joe-job.com> * * BUGS: * --
 Copyright (C) 1996 David S. Miller * Kevin D. Kissell, kevink@mips.com and Carsten Langgaard,
 carstenl@mips.com
 Copyright (C) 2004 Trond Myklebust * * NFSv4 callback encode/decode procedures
 Copyright (C) 2000 2001, The Delft University of Technology * * Authors: * - Johan Pouwelse
 (J.A.Pouwelse@its.tudelft.nl): initial version * - Erik Mouw (J.A.K.Mouw@its.tudelft.nl):
 Copyright (C) 1994, 1995, 1996 by Ralf Baechle */#ifndef __ASM_CACHECTL#define __ASM_CACHECTL
 Copyright (C) 2000 Asit K. Mallick <asit.k.mallick@intel.com>
 Copyright (C) 2003 Maciej W. Rozycki
 Copyright (C) 1996-2003 Russell King
 Copyright (C) 2004 by Ralf Baechle * * The cpustart method is a PMC-Sierra's function to start the
 secondary CPU. * Stock PMON 2000 has the smpfork, semlock and semunlock methods instead.
 Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) * Sun3/3x models added by David Monro
 (davidm@psrg.cs.usyd.edu.au) */
 Copyright (C) 1999 Linus Torvalds
 (C) IBM Corporation, IBM Deutschland Entwicklung GmbH, 2000 * * \$Revision: 1.13 \$
 Copyright 1994, 1995 Digital Equipment Corporation.
 (C) Copyright 1986 Western Digital Corporation", xd_wd_init_controller, xd_wd_init_drive," 1986 Western
 Digital");
 Copyright (C) 1996 Paul Mackerras (paulus@cs.anu.edu.au) * * Derived from "arch/alpha/kernel/setup.c"
 (C) Copyright IBM Corp. 2003, 2004 * * Authors:
 COPYRIGHT; ucontrol->value.iec958.status
 IEC958_AES1_CON_ORIGINAL; ucontrol->value.iec958.status[3] = IEC958_AES3_CON_FS; return 0;}
 Copyright 1994-2001 Stephen Rothwell (sfr@canb.auug.org.au)
 Copyright (C) 1998-2000 Hewlett-Packard Co
 Copyright (C) 2000 Karsten Keil <kkeil@suse.de>
 Copyright (C) 2000, 2001, 2002, 2003, 2004 Maciej W. Rozycki *
 Copyright (C) 2001-2003 Russell King
 Copyright 2001 Benjamin LaHaise.
 Copyright (c) 2000-2002 Vojtech Pavlik * * Based on the work of:

Copyright 2003 - 2004 Pathscale, Inc * Released under the GPL */
 Copyright 2002 Pete Zaitcev <zaitcev@yahoo.com> */
 Copyright (c) 1998 Dag Brattli <dagb@cs.uit.no>, All Rights Reserved
 Copyright 1994 by Fritz Elfert (fritz@isd4linux.de)
 (C) 1998 Thomas Bogendoerfer * * This driver is based on sbusfb.c, which is
 Copyright 1999 Derrick J Brashear (shadow@dementia.org) * * Driver layout based loosely on tga_fb.c, see
 that file for credits.
 Copyright (C) 2002 by Andreas Gruenbacher <a.gruenbacher@computer.org> * * Fixes from William
 Schumacher incorporated on 15 March 2001. * (Reported by Charles Bertsch,
 <CBertsch@microtest.com>
 Copyright (c) 1996-2000 Russell King.
 Copyright (C) 1992,1995,1997 | W. Metzenthien, 22 Parker St, Ormond, Vic 3163, | |
 Australia. E-mail billm@suburbia.net | |
 Copyright (C) 2004 Nathan Lynch IBM Corporation.
 Copyright (c) 2000 Sam Mosel <sam.mosel@computer.org>
 Copyright (C) 2004 Greg Ungerer <gerg@snapgear.com> */
 Copyright (C) 2001 Ian da Silva, Jeremy Siegel * Based largely on io_se.c. * * I/O routine for Renesas
 Technology sales RTS7751R2D.
 Copyright (c) 1997-1999 Doug Ledford
 Copyright (c) 2002 Stephen Rothwell, IBM Corporation
 Copyright 1993 United States Government as represented by the Director, National Security Agency.
 Copyright (C) 2000,2001,2002 Stephen Rothwell
 Copyright (C) 2003 by Ralf Baechle */#ifndef __ASM_MACH_AU1X00_TIMEX_H#define
 __ASM_MACH_AU1X00_TIMEX_H
 Copyright (C) 2002 Saito.K *
 Copyright: Monta Vista Software, Inc.
 Copyright (c) by Takashi Iwai <tiwai@suse.de> * * EMU10K1 memory page allocation (PTB area)
 Copyright (C) 1998 Pete Zaitcev <zaitcev@yahoo.com> */
 Copyright 2000,2005 IBM Corporation\n");
 (C) 2000 Marc Boucher <marc@mbsi.ca>
 copyright doesn't * GPL, so the module-only restriction has been removed.. */
 Copyright (c) 1989 Regents of the University of California. * All rights reserved
 (C) Controlreg (S) Statusreg */
 Copyright (C) 1998 V. Roganov and G. Raiko */
 Copyright (C) 1997,1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
 Copyright (c) 2003-2005 Silicon Graphics, Inc. All rights reserved
 Copyright (C) 1992, Linus Torvalds */
 Copyright (C) 2003 MontaVista Software, Inc. * * Maintainer: Deepak Saxena <dsaxena@mvista.com>
 Copyright (C) 2000, 2001 Broadcom Corporation
 (c) Copyright 1999,2000 Hewlett-Packard Company
 Copyright (C) 2000 Crossnet Co. <info@crossnet.co.jp>
 (C) 2004 Margit Schubert-While <margitsw@t-online.de>
 (C) Copyright 2003 Red Hat Inc, All Rights Reserved
 Copyright (c) 1992 Orest Zborowski *
 Copyright (c) Matthew Wilcox 2001 for Hewlett-Packard
 Copyright (C) Jonathan Naylor G4KLX (g4klx@g4klx.demon.co.uk) */#include <linux/types.h>#include
 <linux/socket.h>#include <linux/timer.h>#include <net/ax25.h>#include <linux/skbuff.h>#include <
 (C) 1990 - 1998 Specialix International Ltd., Byfleet, Surrey, UK.
 Copyright 2002 Intel (eli.kupermann@intel.com, * christopher.leech@intel.com, *
 scott.feldman@intel.com) */
 Copyright (C) 1991, 1992 Linus Torvalds * 1995 Jay Estabrook
 Copyright (C) 1996 Frank Neumann *
 Copyright (C) 1998, 1999 Ralf Baechle
 Copyright 1993 by OpenVision Technologies, Inc. * * Permission to use, copy, modify, distribute, and sell
 this software * and its documentation for any purpose is hereby granted without fee, * pr
 Copyright (C) 1992, 1993, 1994 Rick Sladkey
 Copyright (C) 1997-1999 Richard Gooch
 Copyright (C) 1993 Stephen Tweedie (sct@redhat.com) * from
 Copyright (c) 1999-2004 LSI Logic Corporation * Originally By: Steven J. Ralston, Noah Romer *

(mailto:sjralston1@netscape.net) * (mailto:mpt_linux_developer@lsil.com) * * \$Id: mptctl.c,v 1.6
 Copyright (C) 1997 - 2000 Ralf Baechle (ralf@gnu.org)
 Copyright (C) 2004-2005 Richard Purdie <rurdie@rpsys.net> * * Sharp's bootloader doesn't pass any kind
 of machine ID * so we have to figure out the machine for ourselves...
 Copyright (C) 1997, 2000 David S. Miller (davem@redhat.com) */
 Copyright (C) 2000, 2001 Paolo Alberelli * * lethal@linux-sh.org: 15th May 2003 * Use the generic
 procs cpuinfo interface, just return a valid board name.
 Copyright (c) 2004 Naoto Sugai, NIIBE Yutaka * * Some code taken from i386 version.
 Copyright (C) 1995, 1996 Mike Jagdis (jaggy@purple.demon.co.uk) * * 1999-08-19 Implemented solaris
 'm' (mag tape) and * 'O' (openprom) ioctls, by Jason Rappleye * (rappleye
 Copyright (C) 2002 IBM Deutschland Entwicklung GmbH, * IBM Corporation *
 Author(s): Cornelia Huck(cohuck@de.ibm.com) * Martin Schwidefsky
 (schwidefsky@de.ibm.com) * * Sense ID functions.
 Copyright (C) 2001 Kanoj Sarcar */#ifndef __ASM_MACH_IP27_IRQ_H#define __ASM_MACH_IP27_IRQ_H
 Copyright (c) 1999 by Jaroslav Kysela <perex@suse.cz>
 Copyright (C) 2004 Interface Co., Ltd. Saito.K * * Interface CTP/PCI-SH03 support
 Copyright (C) 1995, Advanced Micro Devices, Inc. and Cyrix, Inc. * All Rights Reserved
 Copyright (C) 2002 Rob Scott <rscott@mtrob.fdns.net> * * Note: this driver supports jedec compatible
 devices. Modification * for CFI compatible devices should be straight forward: change * jedec_p
 (C) 2003 Marc Zyngier <maz@wild-wind.fr.eu.org> * * This code is released under the GPL version 2.
 (C) Copyright 2002 David Brownell
 Copyright (c) 2001, 2003 Maciej W. Rozycki * * DEC MS02-NV (54-20948-01) battery backed-up NVRAM
 module for * DECstation/DECsystem 5000/2x0 and DECsystem 5900 and 5900/260 * systems.
 Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) */#include <linux/init.h>#include
 <linux/kernel.h>#include <linux/string.h>
 Copyright (C) 1998-2000
 Copyright (C) 2003 Ralf Baechle */#ifndef _ASM_GDB_STUB_H#define _ASM_GDB_STUB_H
 Copyright (C) 1993, 1994, 1995 Eric Youngdale
 Copyright 2002-2005 MontaVista Software Inc.
 Copyright (c) 2003 Zultys Technologies
 Copyright (C) 2003 by Ralf Baechle */#ifndef __ASM_PREFETCH_H#define __ASM_PREFETCH_H
 COPYRIGHT) { snd_iprintf(buffer, "permitted\n"); } else {
 snd_iprintf(buffer, "protected\n"); } snd_iprintf(buffer, "Emphasis: ");
 if ((status[0] & IEC958_AES0_CON_EMPHASIS) != IEC958_AE
 Copyright (C) 2000 Pavel Machek <pavel@suse.cz>
 Copyright (c) 1998-2001 Vojtech Pavlik */
 Copyright (C) 1992 Drew Eckhardt * low level scsi driver header for ST01/ST02 by *
 Drew Eckhardt * * <drew@colorado.edu>
 Copyright (C) 2000 MIPS Technologies, Inc. */#ifndef _ASM_INTERRUPT_H#define _ASM_INTERRUPT_H
 Copyright (C) 2001, 2002, MontaVista Software Inc. * Author: Jun Sun, jsun@mvista.com or
 jsun@junsun.net
 Copyright (C) 2000 Netgem S.A. * * \$Id: nftlmount.c,v 1.40 2004/11/22 14:38:29 kalev Exp \$
 Copyright (C) 2002, Linus Torvalds * * 09Apr2002 akpm@zip.com.au * Initial version.
 Copyright 2000,2003 IBM Corporation * Author(s): Utz Bacher <utz.bacher@de.ibm.com> *
 Thomas Spatzier <tspat@de.ibm.com> * Frank Pavlic <pavlic@de.ibm.com> *
 Copyright (C) 1991, 1992 Linus Torvalds * * Added support for a Unix98-style ptmx device. * -- C. Scott
 Ananian <cananian@alumni.princeton.edu>, 14-Jan-1998 * Added TTY_DO_WRITE_WAKEUP to en
 Copyright (c) 2001 Ralf Baechle
 Copyright 2004 (c) Stuart Brady
 Copyright (C) 1997 Roger Wolff (R.E.Wolff@BitWizard.nl)
 Copyright (C) 1997-2000 Russell King, Stefan Hanske * * This driver is based on experimentation. Hence,
 it may have made * assumptions about the particular card that I have available, and * may n
 Copyright: jfclere@sinix.net
 Copyright (C) 2001-2002 Intel Corp.
 Copyright (C) 1997,1998 Jirka Hanika (geo@ff.cuni.cz) * * Sources:
 Copyright (C) 2001 Wolfgang M * * Very much code of this driver is borrowed from dabusb.c (Deti
 Fliegl) * and from the USB Skeleton driver (Greg Kroah-Hartman). Thank you.
 (C) 2003 Ardis Technologies <roman@ardistech.com> * * Inode handling routines
 Copyright (c) 2004, 2005 Broadcom Corporation. * * Permission is hereby granted for the distribution of

this firmware data * in hexadecimal or equivalent format, provided this copyright notice is
 Copyright 2004 (C) MontaVista Software, Inc. *
 Copyright (C) 2000 Kazumoto Kojima * * I/O routine for Hitachi SolutionEngine.
 Copyright (C) 1998-2000, 2002 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>
 */
 Copyright (C) 1993, 1994, 1995, 1999 Eric Youngdale
 (C) 2001 Andreas Gruenbacher, <a.gruenbacher@computer.org>*/
 Copyright (c) 2000 MontaVista Software, Inc (source@mvista.com) * 2.3.99 Updates * * In addition to the
 individual control of the communication * channels, there are a few functions that globally
 (C) 1994 V3.5", 5, 44, 3, 5, 0 { "FUTURE DOMAIN CORP. V3.6008/18/93", 5, 34, 3, 6,
 0 }, { "FUTURE DOMAIN CORP. V3.6108/18/93", 5, 34, 3, 6, 0 },
 Copyright (C) 2002 Deep Blue Solutions Ltd, All Rights Reserved
 copyright 2001 Steven Whitehouse <steve@chygwyn.com> * * (part of code stolen from loop.c)
 Copyright (c) by Jaroslav Kysela <perex@suse.cz> * Definitions for AD1847/AD1848/CS4248 chips *
 Copyright (C) 2000 Linus Torvalds. * 2000 Transmeta Corp. * 2000-2001
 Christoph Rohland * 2000-2001 SAP AG * 2002 Red Hat Inc.
 Copyright 2003-2004, TimeSys Corporation * * Based on the SVM181 flash map, by Tom Nelson, Dot4,
 Inc. for TimeSys Corp.
 Copyright (C) 1995, 1996, 1997, 1998 by Ralf Baechle and Andreas Busse * * Jazz family specific interrupt
 stuff
 Copyright (C) 2001-2002 Inventel Systemes Written 2001-2002 by Clement Moreau
 <clement.moreau@inventel.fr> David Libault <david.libault@inventel.fr>
 Copyright (C) 1996 Paul Mackerras * * and on the PowerMac ATI/mach64 display driver: *
 Copyright (c) 1997, 1998, 2000, 2001 Justin T. Gibbs.
 Copyright (C) 2000 RidgeRun, Inc.
 (C) Copyright 2002 Dave Jones <davej@codemonkey.org.uk> */
 Copyright (C) 2003 Advanced Micro Devices
 Copyright (C) 2000, Lineo (www.lineo.com) */
 Copyright (C) 1992, 1998 Linus Torvalds, Ingo Molnar *
 (C) 2001-2004 Nemosoft Univ.
 Copyright (C) 2002,2004 MARA Systems AB <http://www.marasystems.com>
 Copyright (C) 1994, 1995, 1996, 1997, 2000, 2001 by Ralf Baechle
 Copyright (C) 1995, 1996, 1997 by Paal-Kr. Engstad and Volker Lendecke
 Copyright (C) 2004 David Gibson, IBM Corporation.
 Copyright 2003 Simon Kelley.
 Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * * Derived from "include/asm-
 i386/semaphore.h"
 Copyright (C) 2004 by Ralf Baechle (ralf@linux-mips.org)
 Copyright 2004 Paul Mackerras <paulus@samba.org> * * This is the power management code for ATI
 radeon chipsets. It contains * some dynamic clock PM enable/disable code similar to what X.org does,
 Copyright (C) 2002,2003 Florian Schirmer <jolt@tuxbox.org>
 Copyright)) printf(")
 Copyright (C) 1997 Paul Mackerras. */
 (C) Copyright 2000, S A McConnell (samconn@cotw.com)
 Copyright (C) 2003,2004
 (C) Copyright 1993, 1994 by Bjorn Ekwall * The Author may be reached as bj0rn@blox.se * *
 Based on adapter information gathered from DE600.ASM by D-Link Inc., * as included on disk C
 in the v.2.11
 Copyright (C) 2002 by Peter Schildmann <peter.schildmann@web.de>
 Copyright Theodore Ts */
 Copyright (C) 2000 David Mosberger-Tang <davidm@hpl.hp.com> * * Generic IA-64 unwind info decoder.
 Copyright (C) Hidetoshi Seto (seto.hidetoshi@jp.fujitsu.com) */#include <linux/config.h>#include
 <linux/types.h>#include <linux/init.h>#include <linux/sched.h>#include <linux/interrupt.h>#inclu
 Copyright (C) 2004 Christoph Hellwig. * Released under GPL v2. * * Support functions for the HUB ASIC -
 mostly PIO mapping related.
 Copyright (C) 2000 Takashi Iwai <tiwai@suse.de>
 Copyright (C) 1996,97,98 Ralph Metzler (rjkm@thp.uni-koeln.de)
 Copyright (C) 2000 Netgem S.A. * converted to the generic Reed-Solomon library by Thomas Gleixner
 <tglx@linutronix.de> * * Interface to generic NAND code for M-Systems DiskOnChip devices

Copyright (C) 2004 Russell King.
 Copyright (C) 2000, 01, 05 Ralf Baechle (ralf@linux-mips.org)
 (C) Copyright 2002 Red Hat Inc, All Rights Reserved
 (C) Copyright IBM Corporation 1994, 2004
 Copyright (C) 2001 Laurent Pinchart <lpinchart@freegates.be>
 Copyright (c) 2001-2002 Ben Fennema <bfennema@falcon.csc.calpoly.edu> * All rights reserved
 Copyright 2001 Altera Corporation * * Update for 2.6.4 by Dirk Behme <dirk.behme@de.bosch.com>
 Copyright (C) 2002 Jeff Dike (jdike@karaya.com)
 Copyright (C) 2003 DAVE Srl (info@wawnet.biz) * * Derived from drivers/mtd/nand/edb7312.c
 Copyright (C) 2002, 2003 Christoph Hellwig * * generic mid-level SCSI driver * Initial versions: Drew Eckhardt * Subsequent revisions: Eric Youngdale
 Copyright (c) by Jaroslav Kysela <perex@suse.cz> *
 Copyright (C) 1999 David A. Hinds. All Rights
 Copyright (c) 1998-2000 Dag Brattli,
 Copyright (c) 2002-2004
 Copyright (C) 1999 by Kaz Kojima * * Defitions for the address spaces of the SH CPUs.
 Copyright (C) 1996-1998, Paul Gortmaker.
 Copyright (C) 2002-2004 Dave Jones
 Copyright 2003 (c) Lineo uSolutions,Inc.*/
 Copyright (c) 1999 IEM - Winfried Ritsch
 Copyright (C) 2001 RidgeRun, Inc. (http://www.ridgerun.com)
 (C) 2001 MontaVista Software, Inc." "(source@mvista.com)\n", BOARD_VENDOR,
 BOARD_MACHINE);
 COPYRIGHT 0xe3 /
 Copyright (C) 2000 IBM Deutschland Entwicklung GmbH, IBM Corporation* Author(s): Gerhard Tonn
 (ton@de.ibm.com),* Thomas Spatzier (tspat@de.ibm.com)*/
 Copyright (C) 2000 Russell King.
 copyright (C) by Hannu Savolainen 1993-1996
 Copyright (C) 2000 by Colin Ngam */#ifndef _ASM_SN_LAUNCH_H#define _ASM_SN_LAUNCH_H
 Copyright (C) 2003 Andreas Oberitter <obi@linuxtv.org>
 (C) 2004 Sebastian Witt <se.witt@gmx.net>
 Copyright (C) 1995 Linus Torvalds * * Pentium III FXSR, SSE support * Gareth Hughes
 <gareth@valinux.com>, May 2000
 Copyright (c) 2001, 2002, 2003, 2004 * Hiroyuki Kondo, Naoto Sugai, Hayato Fujiwara */
 Copyright (c) 1994 John Aycock
 Copyright (C) 2000, 2001 Axis Communications AB * * Authors: Mikael Starvik (starvik@axis.com)
 Copyright (C) 1999 Alpha Processor, Inc., * (David Daniel, Stig Telfer, Soohoon Lee) */
 Copyright (C) 1999 - 2004 Greg Kroah-Hartman (greg@kroah.com)
 Copyright (C) 1996 Jay A Estabrook
 Copyright (C) 1998, 99, 2000, 01, 04 Ralf Baechle
 Copyright (c) 1999 Martin Mares <mj@ucw.cz> * * The bridge optimization stuff has been removed. If you
 really * have a silly BIOS which is unable to set your host bridge right, * use the PowerT
 (C) Copyright 1995 1996 Linus Torvalds */#include <linux/kernel.h>#include <linux/slab.h>#include
 <linux/vmalloc.h>#include <linux/sched.h>#include <linux/string.h>#include <asm/io.h>#include
 Copyright (c) 2000-2002 Ghoulane Toumi <gtoumi@laposte.net> * * Created 15 Jan 2000 by Ghoulane
 Toumi
 Copyright 1994-97 Roman Hodek <Roman.Hodek@informatik.uni-erlangen.de>
 Copyright 1995-2003 Kai Makisara.
 Copyright 1996-1997 David J. McKay
 Copyright (C) 2001 Mike Corrigan * * Rewrite, cleanup, new allocation schemes:
 Copyright (C) 2000-2002 Inside Out Networks, All rights reserved
 Copyright (C) 1993 Pascal Haible, Bruno Haible * * sysv/namei.c
 Copyright (c) 2003 Maciej W. Rozycki
 Copyright (C) 2004 Benjamin Herrenschmidt (benh@kernel.crashing.org), IBM Corp.
 Copyright (C) 1992 W. Metzenthen, 22 Parker St, Ormond, Vic 3163, | Australia. E-mail
 billm@vaxc.cc.monash.edu.au | |
 (C) Copyright IBM Corporation 1994, 2003
 Copyright (c) 2004 Oliver Neukum <oliver@neukum.name> * * USB Abstract Control Model driver
 for USB modems and ISDN adapters

copyright was: * * (C) Dominik Brodowski <linux@brodo.de> 2003
 Copyright (C) 1998,1999 Kenneth Albanowski <kjahds@kjahds.com>, * The Silver
 Hammer Group, Ltd. * * this version is based on : *
 Copyright (C) 2002 Ralph Metzler <rjkm@metzlerbros.de> *
 Copyright (C) 2004 Ralf Baechle (ralf@linux-mips.org) */#include <linux/kernel.h>#include
 <linux/init.h>#include <linux/pci.h>
 Copyright (c) 1997-1998 Mark Lord
 Copyright (c) 2000, 2003 Silicon Graphics, Inc. All rights reserved
 Copyright (C) 2000 SuSE * * This is included by init/main.c to check for architecture-dependent bugs.
 Copyright (C) 2004 Freescale Semiconductor, Inc.
 (C) Texas Instruments, Inc.
 (C) Copyright 2004 Linus Torvalds */#include <linux/init.h>#include <linux/pci.h>#include
 <linux/mm.h>#include <asm/io.h>
 Copyright (C) 2001,2002 IBM Corp.
 Copyright (c) 1998 Harald Koerfgen */#include <linux/config.h>
 Copyright (c) 2002 SnapGear Inc., <www.snapgear.com> * * Based on code from 68332serial.c which was:
 *
 Copyright (c) 1999-2000 Cisco, Inc.
 Copyright 2000 VA Linux Systems, Inc., Sunnyvale, California.
 Copyright (C) 2001 Dan Malek (dmalek@jlc.net) * * linux/arch/arm/mm/consistent.c
 Copyright (C) 2003-2004 Yoichi Yuasa <yuasa@hh.iij4u.or.jp>
 (C) 1998 Ben Pfaff *
 Copyright (C) 1993, 2000 Linus Torvalds * * Delay routines, using a pre-computed "loops_per_jiffy" value.
 Copyright (C) 1993, 1994, 1995, 1999 Eric Youngdale * * Linux scsi disk driver * Initial
 versions: Drew Eckhardt * Subsequent revisions: Eric Youngdale * Modificati
 Copyright (C) 1998-2000 Phil Blundell
 Copyright (C) 2002,2004 Yoichi Yuasa <yuasa@hh.iij4u.or.jp>
 Copyright (c) 1998, 1999 Jens Axboe <axboe@image.dk>
 copyright to remain somewhere in the * code (for myself, I go with the GPL). * Nobody wants to take
 responsibility for anything, except the fame. */
 Copyright (C) 2001 Hewlett-Packard (Paul Bame) <bame@debian.org>
 Copyright (c) 1994 - 1997, 1999, 2000 Ralf Baechle (ralf@gnu.org)
 Copyright 2000,2003 IBM Corporation * Author(s): Frank Pavlic <pavlic@de.ibm.com> * Thomas
 Spatzier <tspat@de.ibm.com> *
 Copyright 2001 (c) Matthieu Delahaye
 Copyright (C) 1995 Miguel de Icaza (miguel@nuclecu.unam.mx) * * Based upon preliminary work which is:
 *
 Copyright (C) 1997 Anton Blanchard (anton@progsoc.uts.edu.au)
 Copyright (C) 1999-2000 Nicolas Pitre <nico@cam.org> */
 Copyright (C) 1996 David S. Miller (davem@caip.rutgers.edu) * * 2004-12-25 Krzysztof Helt
 (krzysztof.h1@wp.pl) * - fixed registers constrains in inline assembly declarations
 Copyright (C) 1997 Sun Weenie (ko@ko.reno.nv.us)
 Copyright 2003 Matthew T. Russotto/* But derived from the Atmel 76C502 firmware written by Atmel and
 // included in "atmel wireless lan drivers" package *//* T
 Copyright (C) 1994-96 Marc ZYNGIER <zyngier@ufr-info-p7.ibp.fr> or <maz@gloups.fdn.fr>
 Copyright (c) 2004 Simtec Electronics * Ben Dooks <ben@simtec.co.uk> * * Simtec Bast (EB2410ITX) NOR
 MTD Mapping driver
 Copyright (C) 2004 David Gibson, IBM Corporation
 Copyright by Hannu Savolainen 1993-1997 * * Redistribution and use in source and binary forms, with or
 without * modification, are permitted provided that the following conditions are * met: 1. Re
 Copyright (C) 2004, Rik van Riel <riel@redhat.com> * Released under the GPL, see the file COPYING for
 details. * * Simple token based thrashing protection, using the algorithm * described in: htt
 Copyright (C) 2001 Wolfgang Scherr <scherr@net4you.at> * * \$Id: zr36050.h,v 1.1.2.2 2003/01/14
 21:18:22 rbultje Exp \$
 Copyright (C) 2000 Hewlett-Packard Co.
 Copyright (c) 2001 The Regents of the University of Michigan.* All rights reserved
 Copyright 1993, Drew Eckhardt * Visionary Computing * (Unix and Linux consulting and custom
 programming) * drew@colorado.edu * +1 (303) 440-4894 * * ALPHA RELEASE 1.
 Copyright (C) 2000, 2001 Ralf Baechle (ralf@gnu.org)

Copyright (C) 1998-2000, 2002 Tim Waugh <tim@cyberelk.net>
 Copyright (C) 2002-2004 by Luca Risolia <luca.risolia@studio.unibo.it>
 (C) 2000 Red Hat. GPL * * \$Id: cfi_cmdset_0020.c,v 1.17 2004/11/20 12:49:04 dwmw2 Exp \$
 Copyright (C) 1991, 1992 Linus Torvalds */
 Copyright 1996, Paul Mackerras.
 Copyright 2001 MontaVista Software Inc. * Author: MontaVista Software, Inc. *
 ppopov@mvista.com or source@mvista.com *
 Copyright (C) 2000 Andrea Arcangeli <andrea@suse.de> SuSE * * 30042000 Jens Axboe
 <axboe@suse.de> : *
 Copyright (c) 1999-2004 Geert Uytterhoeven <geert@linux-m68k.org>
 Copyright (C) 2001 Will Dyson <will_dyson@pobox.com> * * Partially based on similar funtions in the sysv
 driver.
 Copyright (C) 2004 Hong-Gunn Chew <hglinux@gunnet.org> and
 (C) Copyright 2000, Greg Ungerer (gerg@snapgear.com)
 Copyright ♦ 2002, 2003 David Dawes <dawes@xfree86.org>
 Copyright (c) 1999 James McKenzie, All Rights Reserved
 Copyright (c) Marc A. Viredaz, 1998 * DEC Western Research Laboratory, Palo Alto, CA *
 Date January 1998 (April 1997) * System StrongARM SA-1100 * Language C
 or ARM Assembly * Purp
 Copyright (C) 1994, 95, 96, 97, 98, 99, 2003 Ralf Baechle
 Copyright (C) 2001 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Fritz Elfert
 (elfert@de.ibm.com, felfert@millenux.com) * Fixes by : Jochen Roehrig (roehrig@de.ibm.com) *
 Copyright 2000-2004 MontaVista Software Inc
 Copyright 1993-2004 J
 Copyright (C) 2003 Ian Molton * * FIQ support written by Philip Blundell <philb@gnu.org>, 1998.
 (c) Copyright 2002 Rob Radez <rob@osinvestor.com> * * Based on wdt.c.
 (C) Copyright 1996 Linus Torvalds * * SuperH verison by Niibe Yutaka * (Currently no asm implementation
 but generic C code...)
 Copyright (C) 1999, 2000 Ralf Baechle (ralf@gnu.org)
 Copyright (C) 2001 by various other people who didn
 Copyright (c) 2005 Richard Purdie * * Based on Sharp's 2.4 kernel patches
 Copyright (C) 2000 Geert Uytterhoeven <geert@sonycom.com> * Sony Software
 Development Center Europe (SDCE), Brussels *
 Copyright (c) 1998 - 2002 Frodo Looijaard <frodol@dds.nl> and
 Copyright (C) 1998 Kenneth Albanowski <kjahds@kjahds.com> * JAN/99 -- coded full program
 relocation (gerg@snapgear.com) */
 Copyright (c) 1999,2000,2001 Crystal Semiconductor Corp.
 Copyright (C) 2002 USAGI/WIDE Project
 (C) 2000 by Harald Welte <laforge@gnumonks.org> * based on RR's ip_conntrack_ftp.h * *
 ip_conntrack_irc.h,v 1.6 2000/11/07 18:26:42 laforge Exp
 Copyright (c) 1999 Frodo Looijaard <frodol@dds.nl> and
 Copyright (C) 1998 Chris Davis (cdavis@cois.on.ca) * * Now supports more sun4's
 Copyright (c) 1987-1999 Carnegie Mellon University
 Copyright (C) 1995-1996 Russell King
 Copyright (C) 1996 Manish Vachharajani (mvachhar@noc.rutgers.edu) * */
 Copyright (C) 1994 - 2003 Ralf Baechle
 Copyright (C) 1998 Kenneth Albanowski <kjahds@kjahds.com>, *
 Copyright (c) 2004 Takashi Iwai <tiwai@suse.de> *
 Copyright (C) 1995 - 2000 Ralf Baechle */#ifndef _ASM_FLOPPY_H#define _ASM_FLOPPY_H
 Copyright (C) 1996, 1997, 1998, 2000 Ralf Baechle
 Copyright (C) 1996-1999 Jakub Jelinek (jakub@redhat.com)
 Copyright (C) 2002 Paul Mundt * * Released under the terms of the GNU GPL v2.0.
 Copyright (C) 2003 Ralf Baechle (ralf@linux-mips.org) */#ifndef _ASM_DS1286_H#define _ASM_DS1286_H
 Copyright 1994, 1995, 1996, 1997, 1998, 2000, 2001, 2002, 2003 Free Software Foundation, Inc.
 Written by Ian Lance Taylor, Cygnus Support
 Copyright (C) 1992 Drew Eckhardt * SCSI disk driver header file by * Drew Eckhardt * *
 <drew@colorado.edu>
 Copyright (C) 1995, 1996 Mike Jagdis (jaggy@purplet.demon.co.uk) *
 Copyright (C) 1999, 2000 Niibe Yutaka */

Copyright (C) 1995 Oliver Raupach <raupach@nwfs1.rz.fh-hannover.de> based upon pre-works by Eberhard Moenkeberg <emoenke@gwdg.de>
 Copyright RedHat, Inc.
 Copyright (C) 1991, 1992, 1993, 1994 Linus Torvalds * * Dave Engebretsen <engebret@us.ibm.com> * Rework for PPC64 port.
 Copyright (c) 2004 Mark M. Hoffman <mhoffman@lightlink.com>
 Copyright (C) 2003-2004 by Jan-Benedict Glaw <jbglaw@lug-owl.de> *
 Copyright (C) 2003-2005 Yoichi Yuasa <yuasa@hh.iij4u.or.jp>
 Copyright (C) 1997, 1998 Richard Henderson * * This file has goodies to help simplify instantiation of machine vectors.
 Copyright (c) 2001-2005 Silicon Graphics, Inc. All rights reserved
 Copyright (C) 1996 Digi International. For technical support please email digiLinux@dgii.com or call Digi tech support at (612) 912-3456
 Copyright (c) 2002 Monta Vista Software, Inc. * * Cleanup 2004 for OMAP1510/1610 by Dirk Behme <dirk.behme@de.bosch.com>
 Copyright (C) 2000 Grant Grundler, Hewlett-Packard*/
 Copyright (C) 1999-2005 James Simmons <jsimmons@www.infradead.org>
 Copyright (C) 2001,...,2003 Davide Libenzi
 copyright(int port){ int len = 0; int ret;
 (C) 1986-1990 V6.0105/31/90", 5, 47, FD
 copyright does
 COPYRIGHT); DBG(("failed.\n")); return FALSE; }
 Copyright (C) 1995-1998 Russell King
 Copyright (C) 2000 Bonin Franck <boninf@free.fr>
 Copyright abandoned, 2000, Niels Kristian Bech Jensen <nkbj@image.dk>.
 Copyright (C) 1995 Linus Torvalds * * Nov 2001 Dave Jones <davej@suse.de> * Forked from i386 setup code.
 Copyright (C) 1996 David S. Miller (dm@engr.sgi.com)
 Copyright (C) Joerg Reuter DL1BKE (jreuter@yaina.de) */#include <linux/errno.h>#include <linux/types.h>#include <linux/socket.h>#include <linux/spinlock.h>#include <linux/in.h>#include <linux/k
 Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Hartmut Penner (hp@de.ibm.com) * * Derived from "arch/i386/mm/init.c"
 Copyright (C) 2002 Hewlett-Packard Co * David Mosberger <davidm@hpl.hp.com> * * Inputs:
 Copyright (c) 2001 Stefan Roese (stefan.roese@esd-electronics.com) */
 (C) 2000 Red Hat. GPL * \$Id: map_rom.c,v 1.23 2005/01/05 18:05:12 dwmw2 Exp \$ */
 Copyright (C) 2002 Matthew Wilcox <willy with parisc-linux.org> *
 Copyright (C) 1996 Paul Mackerras * with considerable contributions from Ben Herrens Schmidt and others. *
 Copyright (C) 2004 by Ralf Baechle (ralf@linux-mips.org) * * Support for all devices (greater than 16) added by David Gathright.
 Copyright (C) 2002 Maciej W. Rozycki * * Some useful macros for MIPS assembler code
 Copyright (c) 1999 Dan Malek (dmalek@jlc.net). * * moved into proper i2c interface; * Brad Parker (brad@heeltoe.com)
 Copyright (c) 2000 Jaroslav Kysela <perex@suse.cz>
 Copyright (C) 2001, 2002 Red Hat, Inc. * * Created by Arjan van de Ven <arjanv@redhat.com>
 Copyright (C) 2004 Dirk Behme <dirk.behme@de.bosch.com>
 copyright Chris Mason 2000
 Copyright (C) 1999 Bradley D. LaRonde
 Copyright (C) 1996 SpellCaster Telecommunications Inc.
 Copyright (C) 2003 Ian Molton * Based on the work of RMK. *
 (C) Copyright Andreas Gal 1999
 Copyright (c) 1992-1999,2001-2004 Silicon Graphics, Inc. All rights reserved
 (c) Copyright 2001 Randolph Chung <tausq@debian.org>
 (C) 2000 Aleph One Ltd (Tak-Shing Chan) * EtherM integration re-engineered by Russell King. * *
 Changelog:
 (C) 2000 by R.E.Wolff@BitWizard.nl * Copied snippets from zatm.c by Werner Almesberger, EPFL LRC/ICA
 (C) 1999 Andrea Arcangeli, SuSE GmbH, andrea@suse.de * Gerhard Wichert, Siemens AG, Gerhard.Wichert@pdb.siemens.de *
 Copyright (C) 2001 Keith M Wesolowski */#include <asm/asm.h>#include <asm/regdef.h>#include

```

<asm/mipsregs.h>#include <asm/stackframe.h>#include <asm/addrspace.h>
Copyright (C) 2004 Christoph Hellwig. * Released under GPL v2. * * Generic XTALK initialization code
Copyright 2001 Benjamin Herrenschmidt (benh@kernel.crashing.org) * * Lots of code inherited from apm.c,
see appropriate notice in * arch/i386/kernel/apm.c
Copyright (C) 2002,2003 Suresh Siddha <suresh.b.siddha@intel.com> *
Copyright 1999 Paul Mackerras/* And help from Jens Axboe */
Copyright (c) 1994-97 Martin Buck <martin-2.buck@student.uni-ulm.de> *
Copyright (C) 1998-2000 Anton Blanchard (anton@samba.org) */
copyright status * of the DEC code. */
Copyright (c) 1998-2003 VIA Technologies, Inc.
Copyright (C) 2001 Andrea Arcangeli <andrea@suse.de> SuSE
copyright Jamal Hadi Salim (2002-4) *
Copyright (C) 1999 D. Jeff Dionne <jeff@uclinux.org>
Copyright (C) 1997 Paul Mackerras (paulus@cs.anu.edu.au) * * Maintained by Benjamin Herrenschmidt
(benh@kernel.crashing.org)
(C) 2002-2004 Luca Risolia"
Copyright (c) 1997-1999 Dag Brattli <dagb@cs.uit.no>, * All Rights Reserved
Copyright 2004 IBM Corporation * * Author(s): Thomas Spatzier <tspat@de.ibm.com>
Copyright 2002 Momentum Computer Inc. * Author: Matthew Dharm <mdharm@momenco.com> * * Based
on work:
Copyright (C) 1998-2003 Paul Mackerras
Copyright: (C) 2003 Monta Vista Software, Inc.
Copyright (C) 1995, 1996 Olaf Kirch <okir@monad.swb.de> */
Copyright (C) 2001,02,04 NEC Electronics Corporation
copyright copyright; struct dvd_disckey disckey; struct dvd_bca bca;
struct dvd_manufact manufact;} dvd_struct;
Copyright (C) 2004 Ferenc Havasi <havasi@inf.u-szeged.hu>, * University of Szeged, Hungary
* * For licensing information, see the file 'LICENCE' in the * jffs2 directory.
Copyright 2000 Silicon Graphics, Inc. */#ifndef _ASM_PARAM_H#define _ASM_PARAM_H
Copyright (C) IBM Corporation, 2002, 2004 * * 2002-Oct Created by Vamsi Krishna S
<vamsi_krishna@in.ibm.com> Kernel * Probes initial implementation (includes suggestions from
* Rusty Russell).
Copyright (C) 1998 Philip Blundell <philb@gnu.org>
Copyright (C) 2002 STMicroelectronics Limited * Author : Stuart Menefy * * Started from SH4 version:
Copyright (C) 1998 Eddie C. Dost (ecd@skynet.be) * Adaptation from sparc64 version to sparc by Pete
Zaitcev. */
Copyright (C) 2003 Christoph Hellwig. * Released under GPL v2. * * Support for old-style host templates.
Copyright 2000 ATI Technologies Inc., Markham, Ontario, and * VA Linux Systems Inc.,
Fremont, California. * * All Rights Reserved
Copyright (c) 1999 Colin Van Dyke
Copyright (c) 2003 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Thomas Spatzier
(tspat@de.ibm.com) *
(C) Copyright 2000-2004 IBM Corporation
Copyright (C) 2002 Laurent Canet <canetl@esiee.fr>
Copyright (C) Matt Domsch (Matt_Domsch@dell.com) *
Copyright (C) 1997, 98, 99, 2000, 01, 05 Ralf Baechle (ralf@linux-mips.org)
Copyright (C) 2002 Vivien Chappelier <vivien.chappelier@linux-mips.org>
Copyright (c) 2004 Evgeniy Polyakov <johnpol@2ka.mipt.ru> *
(C) 2002 David S. Miller\n"); return 0;}
Copyright 1999-2001 Jeff Garzik <jgarzik@pobox.com> * * Contributors (thanks, all!)
Copyright (c) 1996-2002 Russell King. */
Copyright 2002 Andi Kleen, SuSE Labs. * Thanks to Ben LaHaise for precious feedback. */
Copyright (C) 2000 YAGASHI Takeshi * Hitachi HD64461 companion chip support */
Copyright (C) 1995 Eddie C. Dost (ecd@skynet.be)
Copyright (C) 1997 Wu Ching Chen
Copyright (C) 1998 Dan Jacobowitz
(C) Copyright 1999-2003, Greg Ungerer (gerg@snapgear.com)
Copyright (C) 1997-2005 Russell King
Copyright (C) 1998, 1999, 2000 Ingo Molnar

```

Copyright 1994, Drew Eckhardt
 Copyright 2000-2003 by Armin Schindler (mac@melware.de)
 (C) 2001 IBM Corp. by Fritz Elfert (felfert@millenux.com)");
 Copyright (C) 1998 - 2003 Frodo Looijaard <frodol@dds.nl>,
 Copyright (C) 1999,2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Hartmut Penner (hp@de.ibm.com), * Martin Schwidefsky (schwidefsky@de.ibm.com), *
 (C) Copyright 1984 Western Digital Corp", xd_wd_init_controller, xd_wd_init_drive," Western Dig. 1002s-wx2"
 Copyright (C) 2003 Montavista Software, Inc
 Copyright(C) 1997 Jakub Jelinek * * derived from:
 Copyright (C) 1996,97,98 Ralph Metzler (rjkm@thp.uni-koeln.de)
 (C) Copyright 1999, Rob Scott (rscott@mtrob.ml.org) */
 (C) 1999 Mihai Spatar
 Copyright (C) 2001-2003 Andreas Gruenbacher, <agruen@suse.de> */
 Copyright (c) 1998-1999 Dag Brattli <dagb@cs.uit.no>, * All Rights Reserved
 Copyright (C) 1999-2000 by Massimo Piccioni <dafastidio@libero.it>
 Copyright (C) 1996-2002 Russell King *
 copyright; see LICENSE.FlashPoint for details. * * \$Workfile: target.h \$
 Copyright 2001,2002 Jeff Garzik <jgarzik@mandrakesoft.com>
 Copyright (C) 2000, 2002-2003 Hewlett-Packard Co. * David Mosberger-Tang <davidm@hpl.hp.com>
 Copyright (C) 2001 Niels M
 Copyright (C) 1992 Eric Youngdale * Simulate a host adapter with 2 disks attached. Do a lot of checking * to make sure that we are not getting blocks mixed up, and PANIC if * anything out of t
 (C) Copyright 2000, 2001, 2002, 2003, 2004 IBM Corporation
 Copyright (C) 2004 Hollis Blanchard <hollisb@us.ibm.com>, IBM
 Copyright (C) 2003 Manuel Estrada Sainz <ranty@debian.org>
 Copyright (C) 2003 Vadim Catana <skystar@moldova.cc>:
 Copyright (C) 1995, 1996, 1997 David S. Miller (davem@caip.rutgers.edu) */
 (C) 2001 Jan Rekorajski <baggins@pld.org.pl>
 Copyright (C) Fred Lewis (frederick.v.lewis@intel.com) *
 Copyright (c) 2003 Manuel Estrada Sainz <ranty@debian.org> * * Sample code on how to use request_firmware() from drivers.
 Copyright Distributed Processing Technology, Corp. * 140 Candace Dr. * Maitland, FL. 32751 USA * Phone: (407) 830-5522 Fax: (407) 260-5366 * All Rights Reserved
 Copyright (c) Harald Koerfgen, 1998
 (C) Copyright 1995 Linus Torvalds
 Copyright (c) 2004-2005 Richard Purdie
 Copyright 2004 Matt Porter <mporter@kernel.crashing.org> * Update: 2004 Bjoern Riemer, riemer@fokus.fraunhofer.de * or riemer@riemer-nt.de: fixed the link beat detection with * ioctlS (SIOCGMIIPH
 (C) Waldorf Electronics, Germany * Written by Andreas Busse * * NOTE: most of the structure definitions here are endian dependent. * If you want to use this driver on big endian machines, the data
 Copyright (C) 1996, 1997, 2001, 2004 Ralf Baechle (ralf@linux-mips.org)
 Copyright (C) 2002 Peter Hettkamp <peter.hettkamp@t-online.de> based on work
 Copyright 2001 MontaVista Software Inc. * Author: MontaVista Software, Inc. * ahennessy@mvista.com * * arch/mips/jmr3927/common/init.c
 Copyright (C) 1999, 2001-2002 Hewlett-Packard Co * Stephane Eranian <eranian@hpl.hp.com> * * 02/04/22 Ken Chen <kenneth.w.chen@intel.com> * Data locality study on the checksum buffer. * More op
 Copyright (c) 2003 Manuel Estrada Sainz <ranty@debian.org> * * NOTE: This is just a probe of concept, if you think that your driver would * be well served by this mechanism please contact me first.
 Copyright (C) 1999 Silicon Graphics, Inc. */#ifndef _ASM_RESOURCE_H#define _ASM_RESOURCE_H
 Copyright (c) 1998, 1999 Frodo Looijaard <frodol@dds.nl>, Philip Edelbrock <phil@netroedge.com>, Ralph Metzler <rjkm@thp.uni-koeln.de>, and Mark D. Studebaker <mdsxyz123@yahoo.com>
 Copyright (C) 2000, 2001 Jeff Dike (jdike@karaya.com)
 Copyright (C) IBM Corporation, 2002, 2004 * * 2002-Oct Created by Vamsi Krishna S <vamsi_krishna@in.ibm.com> Kernel * Probes initial implementation (includes suggestions from * Rusty Russell).
 Copyright (C) 1999 David Mosberger-Tang <davidm@hpl.hp.com> */
 (c) Copyright 2000, Grant Grundler */

Copyright (C) 1998, 1999 Richard Henderson * * Modified by Christopher C. Chimelis, 2001 to *
 add support for the addition of Shark to the * Tsunami family.

Copyright (C) 2001, 2004 Maciej W. Rozycki */#include <linux/init.h>#include <linux/kernel.h>#include
 <linux/sched.h>#include <linux/mm.h>

(C) 2001, 2002, 2003, 2004 Rusty Russell * * This code is licenced under the GPL.

Copyright (C) 2000-2001 Deep Blue Solutions Ltd

Copyright (C) 1995, 1996 by Volker Lendecke * Modified 1997 Peter Waltenberg, Bill Hawes, David
 Woodhouse for 2.1 dcache * Modified 1998, 1999 Wolfram Pienkoss for NLS *

(C) 1999 Thomas Bogendoerfer (tsbogend@alpha.franken.de) * * 11/26/2000 -- disabled the existing code
 because it didn't work for * me in 2.4. Replaced with a significantly more primitive version

Copyright (C) 2003 Takashi Kusuda <kusuda-takashi@hitachi-ul.co.jp> * Based on include/asm-
 sh/se7300/io.h * * IO functions for SH-Mobile3(SH73180) SolutionEngine

Copyright (c) 1995 Jukka Marin <jmarin@jmp.fi>. * All rights reserved

Copyright (C) 1994 Waldorf GMBH

(C) 1999 Vladimir Gurevich <vgurevic@cisco.com>\n");#endif

(C) Copyright 2003 Red Hat Inc

Copyright (C) 1996 David S. Miller

Copyright (C) 1997, 1998 Krzysztof G. Baranowski */

Copyright (c) 1999-2000 Takashi Iwai <tiwai@suse.de> * * Definitions of OSS compatible headers for
 Emu8000 device informations

Copyright (C) 2001-2002 Will Dyson <will_dyson@pobox.com>

Copyright (C) Linus Torvalds

Copyright 1996 (C) David S. Miller (davem@caip.rutgers.edu) */

Copyright (C) 1997,1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz) */#ifndef _SPARC_IO_UNIT_H#define
 _SPARC_IO_UNIT_H

Copyright (C) 1992 Ross Biro

Copyright (C) 1996 Linus Torvalds

Copyright (C) 1998, 2001 by Ralf Baechle

Copyright (C) 1996 Eddie C. Dost (ecd@skynet.be)

Copyright (C) 1999 Don Dugger <don.dugger@intel.com> * * 11/24/98 S.Eranian added
 ia64_set_iva() * 12/03/99 D. Mosberger implement thread_saved_pc() via kernel unwind API *
 06/16/00 A. Mallick add

Copyright (c) 2001 Vojtech Pavlik */

Copyright 1997-1998 Transmeta Corporation - All Rights Reserved

Copyright (C) 1998 Harald Koerfgen and Paul M. Antoine

Copyright 2003 Ian Molton

(C) Copyright David Gibson, IBM Corp. 2002-2003.

Copyright (C) 1999 Ingo Molnar * Discontiguous memory support, Kanoj Sarcar, SGI, Nov 1999 * * simple
 boot-time physical memory area allocator and * free memory collector. It's used to deal wit

Copyright (C) 2000 Jeff Wiedemeier (Compaq Computer Corporation) * * Error handling code
 supporting TITAN systems

Copyright (C) 1991-2002 SciTech Software, Inc. All rights reserved

Copyright (C) 1999 by Ralf Baechle */#ifndef _ASM_SGI_SN_SN0_HUBIO_H#define
 _ASM_SGI_SN_SN0_HUBIO_H

Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) * * Carsten Langgaard, carstenl@mips.com

(C) Copyright 2001-2003 by Geert Uytterhoeven <geert@linux-m68k.org> *

Copyright (C) 1997 by Ralf Baechle. */#include <linux/string.h>#include <linux/spinlock.h>#include
 <asm/addrspace.h>#include <asm/system.h>#include <asm/jazz.h>

Copyright (c) 2004 Erik Rigtorp <erkki@linux.nu> <erik@rigtorp.com> * * This driver works with Elektor
 magazine USB Interface as published in * issue #291. It should also work with the original s

(C) Copyright (C) 2002 Greg Kroah-Hartman <greg@kroah.com>

Copyright (c) 2004 Aaron Grothe ajgrothe@yahoo.com

Copyright (c) 2002 Kimio Suganuma <k-suganuma@da.jp.nec.com> */#ifndef
 _ASM_IA64_NODEDATA_H#define _ASM_IA64_NODEDATA_H

Copyright (C) 2004 Trond Myklebust * * NFSv4 callback definitions

Copyright 1995 Digital Equipment Corporation.

Copyright (C) 1994-1996 Dmitry Gorodchanin (pgmdsg@ibi.com) * * Specialix pays for the
 development and support of this driver. * Please DO contact io8-linux@specialix.co.uk if you requir

(C) Copyright 2002, Greg Ungerer (gerg@snapgear.com) * * \$Id: inftl.h,v 1.6 2004/06/30

14:49:00 dbrown Exp \$
 Copyright 2001 MontaVista Software Inc. * Author: ppopov@mvista.com * * Interrupt dispatcher for Au1000 boards.
 Copyright RedHat, Inc. * * This driver probably works with non-Apple versions of the * Broadcom chipset...
 Copyright (c) 2000 Andreas Bach Aaen <abach@stofanet.dk>
 Copyright (C) 2004-2005 David Brownell
 Copyright 2003, 04 PMC-Sierra * Author: Manish Lachwani (lachwani@pmc-sierra.com)
 Copyright (C) 2000,2001 2002 Axis Communications AB, Lund, Sweden */
 Copyright (C) 2002 David Howells (dhowells@redhat.com) * - Incorporating suggestions made by Linus Torvalds and Dave Miller */
 Copyright (C) International Business Machines Corp., 2002-2004
 Copyright (C) 1992 Linus Torvalds * * Rewritten. Old one was good in 2.2, but in 2.3 it was immoral. --ANK (990903)
 Copyright (c) 2002-2003 Patrick Mochel <mochel@osdl.org> * * This file is released under the GPLv2.
 Copyright (C) 2000 - 2003, R. Byron Moore
 Copyright (C) 2003 Red Hat Inc <alan@redhat.com>
 Copyright (c) 2002, 2003 VIA Networking Technologies, Inc.\n");
 Copyright (C) 1995, 1996 David S. Miller (davem@caip.rutgers.edu) */
 Copyright (c) 2001, Dr Brian Gladman < >, Worcester, UK.
 Copyright 1994-2001 Stephen Rothwell (sfr@canb.auug.org.au) * * Initial development of this driver was funded by NEC Australia P/L * and NEC Corporation
 copyright : (C) 2001 by Adaptec
 Copyright 1999 by Alfred Arnold (alfred@ccac.rwth-aachen.de, alfred.arnold@lancom.de)
 (C) Copyright 1996, 2000 Richard Henderson */
 Copyright (C) 1998 by Michael Schmitz * * This driver was written based on information obtained from the MacOS IDE * driver binary by Mikael Forselius
 (C) 2000-2003 Nicolas Pitre <nico@cam.org>
 Copyright (C) 2001 */
 Copyright (C) 1999 Niibe Yutaka * * Released under the terms of the GNU GPL v2.0.
 Copyright (C) 2000, 2001, 2002 Ingo Molnar * Designed by David S. Miller, Alexey Kuznetsov and Ingo Molnar */
 Copyright (C) 2002 Dave Engebretsen <engebret@us.ibm.com>, IBM * Rework to support virtual processors * * Type of int is used as a full 64b word is not necessary.
 Copyright (C) 2000 Steve Hill (sjhill@cotw.com) * * Changelog: *
 Copyright 1996, 1997, 1998 Hans Reiser, see reiserfs/README for licensing and copyright details */
 Copyright 2000 Alan Cox <alan@redhat.com>
 Copyright (C) 2004 Thiemo Seufer */#include <linux/config.h>#include <linux/errno.h>#include <linux/module.h>#include <linux/sched.h>#include <linux/kernel.h>#include <linux/mm.h>#include <lin
 Copyright (C) 2001 Matthew Wilcox <matthew@wil.cx> * * The locking is really quite interesting. There's a cpu-local * count of how many interrupts are being handled, and a global * lock. An inte
 copyright of Keyspan, the * company. * * This serial adapter is basically an EzUSB chip and an RS-232 line driver * in a little widget that has a DB-9 on one end and a USB plug on the other.
 Copyright 2000 Ani Joshi <ajoshi@kernel.crashing.org> *
 Copyright (C) 1990 - 1992, 1999 Silicon Graphics, Inc. */#ifndef _ASM_FPREGDEF_H#define _ASM_FPREGDEF_H
 Copyright (C) 1999,2000 Tigran Aivazian <tigran@veritas.com>
 Copyright (c) 1998-2002 by Paul Davis <pbdb@op.net>
 (C) Copyright 2000-2001, Greg Ungerer (gerg@snapgear.com)
 Copyright (C) 2003, 2004 Paul Mundt * * Cloned from the 2.5 SH version..
 Copyright 2002 Cogent Computer Systems, Inc.
 (C) Copyright 2000 Martin K. Petersen <mkp@linuxcare.com>
 Copyright (C) 1994-2003 Dario Ballabio.\n"); printk("%s config options -> of:%c, tm:%d, lc:%c, mq:%d, et:%c.\n", driver_name, YESNO(have_old_firmware), tag_mode, YESNO(
 Copyright (C) 2000, 2001 Paolo Alberelli * * benedict.gaster@superh.com: 2nd May 2002 * Add definition of empty_zero_page to be the first page of kernel image.
 Copyright (c) 2002-2004 Anton Altaparmakov
 Copyright (C) 1998-2001, 2003-2004 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>

* Stephane Eranian <eranian@hpl.hp.com>
 Copyright (C) 1999, 2000 Axis Communications AB. * * Created by Finn Hakansson <finn@axis.com>.
 (C) 1999 Hugo Fiennes <hugo@empeg.com> *
 Copyright (C) 1998 Alan Cox <alan@redhat.com> */
 Copyright (C) 2002 Andy Grover <andrew.grover@intel.com> *
 Copyright (C) 1996, 1997, 1998 Olaf Kirch <okir@monad.swb.de> */
 Copyright (C) 2001-2002 Klaus Smolin * IBM Storage
 Technology Division
 Copyright (c) 2004 Dmitry Torokhov <dtor@mail.ru>
 Copyright (C) 2003 PMC-Sierra, Inc., * written by Manish Lachwani (lachwani@pmc-sierra.com) *
 (C) 2000-2001 by Harald Welte <laforge@gnumonks.org>
 Copyright (C) 1999, 2000 Ralf Baechle (ralf@gnu.org) */#ifndef _ASM_SGI_SN_AGENT_H#define
 _ASM_SGI_SN_AGENT_H
 Copyright (C) 1992,1993,1995,1997 | W. Metzenthien, 22 Parker St, Ormond, Vic 3163, |
 | Australia. E-mail billm@suburbia.net | |
 Copyright (C) 1995, 1996 David S. Miller (davem@caip.rutgers.edu)
 Copyright (C) 199x the Anonymous
 Copyright (c) 2001 Cliff Brake <cbrake@accelent.com> * * Adapted for PXA by Nicolas Pitre:
 copyright spdif in/out#define CM_DAC2SPDO 0x00200000 /* enable wave+fm_midi ->
 SPDIF/OUT */#define CM_SETRETRY 0x00010000 /* 0: legacy i/o wait (default), 1:
 legacy i/o bus retry */#define CM_CHB
 Copyright 1996 Eddie C. Dost (ecd@skynet.be)
 Copyright 2003 PathScale, Inc.
 Copyright (C) 2003 IBM Corp.
 Copyright 1999 by Alex deVries <alex@onefishtwo.ca>
 Copyright (C) 1998 Ingo Molnar */
 (C) IBM Corporation, IBM Deutschland Entwicklung GmbH, 2000 * * \$Revision: 1.8 \$
 Copyright (C) 2003 STMicroelectronics Limited * * This code is covered by the GPL.
 Copyright (c) 1998-2000 Andre Hedrick <andre@linux-ide.org> *
 Copyright (C) 2004-5 Patrick Boettcher (patrick.boettcher@desy.de) * * based on GPL code from DibCom,
 which has
 (C) 2000 by Matthew G. Marsh <mgm@paktronix.com> * This software is distributed under GNU GPL v2,
 1991 * * See RFC2474 for a description of the DSCP field within the IP Header.
 Copyright (C) 2000 Rob Scott (rscott@mtrob.fdns.net) * Steve Hill (sjhill@cotw.com) * * This
 file contains the hardware definitions for the * LinkUp Systems L7200 SOC developme
 Copyright (C) 2001 Kyle A. Lucke (klucke@us.ibm.com), IBM Corp. * Substantially cleaned up by:
 Copyright (C) 1999 Intel Corporation.
 Copyright 1993 by Hamish Macdonald
 Copyright string). This works with any SB and compatible. - Added the code to request_region at device
 init (should go in the main body of voxware). v0.4 (BETA) - Better configure.c pat
 Copyright (C) 1992 Doug Evans * * coh/inode.c
 Copyright (c) 1999 Grant Erickson <grant@lcse.umn.edu> *
 Copyright (C) 1997-1998 Mark Lord <mlord@pobox.com>
 (C) Copyright 1999 Bas Huisman <bhuism@cs.utwente.nl>
 (C) 2000 Andreas Gruenbacher, <a.gruenbacher@computer.org>*/
 Copyright (C) 1994 by PJD Weichmann
 Copyright 2002,2003 Andi Kleen, SuSE Labs. * Rest from unknown author(s). * 2004 Andi Kleen. Rewrote
 most of it. */
 Copyright (C) 1994-1995 Bas Laarhoven. * * Modified for zftape 1996, 1997 Claus Heine.
 Copyright (C) 1995, 1996, 1999, 2001 Ralf Baechle
 Copyright 2001 IBM Crop.
 Copyright (C) John H Terpstra 1996-2000
 COPYRIGHT: return dvd_read_copyright(cdi, s);
 Copyright (C) 2001 by Urban Widmark * * Please add a note about your changes to smbfs in the
 ChangeLog file.
 Copyright 2002 MontaVista Software
 Copyright (C) 1994-1996 Dmitry Gorodchanin (pgmdsg@ibi.com) *
 Copyright (C) 1998 Jakub Jelinek <jj@ultra.linux.cz>
 Copyright (C) 1993 Linus Torvalds * * Delay routines calling functions in arch/m32r/lib/delay.c

Copyright (C) 1996 Paul Mackerras. */
 Copyright 2002 OProfile authors * @remark Read the file COPYING * * @author Richard Henderson
 <rth@twiddle.net> * @author Falk Hueffner <falk@debian.org>
 Copyright (C) 2000 Steven J. Hill (sjhill@realitydiluted.com) * 2002 Thomas Gleixner
 (tglx@linutronix.de) * * 02-08-2004 tglx: support for strange chips, which cannot auto increment *
 page
 Copyright (C) 1996 Thomas K. Dyas (tdyas@noc.rutgers.edu) */
 Copyright (c) 2004 James Courtier-Dutton <James@superbug.demon.co.uk> * Driver CA0106 chips. e.g.
 Sound Blaster Audigy LS and Live 24bit * Version: 0.0.17 * * FEATURES currently supported:
 Copyright 2002-2004 H. Peter Anvin - All Rights Reserved
 (C) 1992 Eric Youngdale Modified for ISO 9660 filesystem. *
 Copyright 2001 MontaVista Software Inc.
 Copyright (C) 1995 by Paal-Kr. Engstad and Volker Lendecke
 Copyright (C) 2003 Greg Kroah-Hartman <greg@kroah.com>
 Copyright 1997 Comtrol Corporation. *
 Copyright (C) 1997, 1998, 1999, 2000 Ralf Baechle */
 (C) 2003 Ardis Technologies <roman@ardistech.com> * * Handling of catalog records
 Copyright (C) 1999, 2000 Silicon Graphics, Inc. */#ifndef _ASM_SERIAL_H#define _ASM_SERIAL_H
 Copyright (C) 1995, 1999 by Ralf Baechle */#ifndef _ASM_STATFS_H#define _ASM_STATFS_H
 Copyright (C) 2004 Alexandre d
 Copyright (C) 1997,1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
 Copyright (C) 1999 Pete Zaitcev */
 Copyright (C) 1999 kaz Kojima */
 Copyright (C) Vijay Chander (vijay@engr.sgi.com)
 Copyright (C) 1992 Doug Evans * * coh/alloc.c
 Copyright (C) 1998-2003 The LM Sensors Team Alexander Wold <awold@bigfoot.com> Mark D.
 Studebaker <mdsxyz123@yahoo.com> Based on i2c-vooodoo3.c.
 Copyright so I * taken from PPCBoot (now U-Boot). Also based on drivers/serial/8250.c * by Russell King.
 *
 Copyright (c) 1999-2005 Intel Corporation.";
 Copyright (C) 2003 Russell King.
 Copyright (c) 2002 Hitoshi Yamamoto, Hirokazu Takata
 Copyright (C) 1998 Philip Blundell <philb@gnu.org> * * This file contains the HP300-specific time handling
 code.
 Copyright (C) 2001 MIPS Technologies, Inc. */#ifndef __ASM_SGIDEFS_H#define __ASM_SGIDEFS_H
 Copyright (c) 2000 PocketPenguins Inc and
 Copyright (c) 2002-2004 Hiroyuki Kondo, Hirokazu Takata, * Hitoshi Yamamoto,
 Mamoru Sakugawa */
 (C) Copyright David Gibson, IBM Corporation 2001-2003.
 Copyright (c) Gisle Sflensminde <gisle@ii.uib.no>
 (c) Copyright 1995 Alan Cox <alan@lxorguk.ukuu.org.uk> */
 (C) 2002 Zwane Mwaikambo <zwane@commfireservices.com>
 Copyright (c) 1994-1997 Claus-Justus Heine
 Copyright (C) 1999 by Silicon Graphics, Inc.
 (C) 2001 MontaVista Software, Inc. (source@mvista.com)\n");
 Copyright 2001 IBM Corp
 Copyright (C) 1998 Nicolas Pitre <nico@cam.org> * * This file contains the hardware definitions for SA1100
 architecture
 Copyright (c) 2004-2005 Simtec Electronics * Ben Dooks <ben@simtec.co.uk> * * Samsung S3C2440
 Mobile CPU support
 Copyright (C) 1997 Jes Sorensen * * This file is based on the CyberVision64 frame buffer device and * the
 generic Cirrus Logic driver.
 Copyright (C) 2001 Russell King.
 Copyright (C) 2001 Ian da Silva, Jeremy Siegel * Based largely on io_se.c. * * I/O routine for Hitachi 7751
 SolutionEngine.
 Copyright (C) 05/1998 Peter Maydell <pmaydell@chiark.greenend.org.uk> * Based on the Sun Lance driver
 and the NetBSD HP Lance driver */
 Copyright (C) 2002 Deep Blue Solutions Ltd.
 Copyright (C) 1994, 95, 99, 2003 by Ralf Baechle

Copyright (C) 1994 - 1999, 2000, 03 Ralf Baechle
 Copyright (C) 1999, 2002-2003 Hewlett-Packard Co. * David Mosberger-Tang <davidm@hpl.hp.com>
 * Stephane Eranian <eranian@hpl.hp.com> */#include <linux/init.h>#include
 <linux/string.h>#include <l
 Copyright (C) IBM Corporation, 2004 * * Author: Max Asboth <amax@us.ibm.com>
 Copyright (C) 1998 * Daniel Pirkel <daniel.pirkel@emai.cz> * Charles University, Faculty of Mathematics and
 Physics * * from
 Copyright (c) 2000 Ericsson Radio Systems AB. * * Support for FEC controller of
 ColdFire/5270/5271/5272/5274/5275/5280/5282.
 Copyright 2001 MontaVista Software Inc. * Author: jsun@mvista.com or jsun@junsun.net * *
 arch/mips/vr4181/osprey/prom.c * prom code for osprey.
 Copyright (C) 1995 Oliver Raupach <raupach@nwfs1.rz.fh-hannover.de> * Eberhard
 Moenkeberg <emoenke@gwdg.de> * * Published under the GPL.
 Copyright (c) by Uros Bizjak <uros@kss-loka.si> * * Midi Sequencer interface routines for
 OPL2/OPL3/OPL4 FM
 Copyright 2003-2004 Red Hat, Inc.
 (C) 2001 Marc Boucher (marc@mbsi.ca).
 Copyright 2000 (c) Linuxcare Canada, Alex deVries
 Copyright (C) 1999 Eric A. Thomas
 Copyright (C) 2001, 2002, 2003 by Liam Davies (ldavies@agile.tv) */#include <asm/asm.h>#include
 <asm/mipsregs.h>#include <asm/cobalt/cobalt.h>#include <asm/regdef.h>#include <asm/stackframe.h>
 Copyright (C) 2003 Ralf Baechle */#ifndef __ASM_MACH_GENERIC_CPU_FEATURE_OVERRIDES_H#define
 __ASM_MACH_GENERIC_CPU_FEATURE_OVERRIDES_H
 Copyright (C) 1991, 1992 Linus Torvalds * 1997-11-28 Modified for POSIX.1b signals by Richard
 Henderson * * * Ideas also taken from arch/arm.
 Copyright (C) 2001,02,03,04 NEC Corporation
 Copyright (C) 1999-2003 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin
 Schwidewsky (schwidewsky@de.ibm.com), * Denis Joseph Barrow, * Arnd Bergmann
 (arndb@
 Copyright: Copyright (c) 1996 John Shifflett, GeoLog Consulting * Modified by Russell King for 8MHz
 WD33C93A */static struct sync_xfer_tbl { unsigned int period_ns; unsigned char reg_value;
 Copyright (C) 1997, 1998 Francois-Rene Rideau <fare@tunes.org>
 Copyright (c) 2003 Kyle McMartin <kyle@debian.org>
 Copyright (C) 2004, Rajesh Venkatasubramanian <vrjesh@umich.edu> * * This file is released under the
 GPL v2.
 Copyright (C) 2002 David S. Miller (davem@redhat.com) * Fixed by Pekka Pietikainen (pp@ee.oulu.fi) * *
 Distribute under GPL.
 Copyright (C) 1997, 1999 Jakub Jelinek (jj@ultra.linux.cz) */
 Copyright (C) 2000 YAEHASHI Takeshi */
 Copyright (C) 1999, 2001-2003 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>
 * Stephane Eranian <eranian@hpl.hp.com> * * 02/01/15 David Mosberger Updated for v2.5.1 *
 99/12/18 Davi
 Copyright (C) 2001, 2002 Jeff Dike (jdike@karaya.com)
 Copyright (c) 2001-2002 Helge Deller <deller@gmx.de> * All rights reserved
 Copyright (c) 2002 Pete Zaitcev (zaitcev@yahoo.com) * - Incorporating suggestions made by Linus
 Torvalds and Dave Miller */
 Copyright (C) 1999 Silicon Graphics, Inc. * Kevin D. Kissell, kevink@mips.com and Carsten Langgaard,
 carstenl@mips.com
 Copyright (C) 2004 Kay Sievers <kay.sievers@vrfy.org> * * This file is release under the GPLv2
 Copyright (C) 2000-2001 Russell King
 Copyright (C) 1999, 2001 Silicon Graphics, Inc. */#include <linux/config.h>#include
 <asm/asm.h>#include <asm/errno.h>#include <asm/fpregdef.h>#include <asm/mipsregs.h>#include
 <asm/offset.h>#i
 Copyright (C) 1995 Hamish Macdonald * * Moved 8/20/1999 Sam Creasey
 Copyright (C) 1998 D. Jeff Dionne <jeff@lineo.ca>,
 Copyright (c) 2003 Peter Osterlund <petero2@telia.com>
 Copyright (C) 1997, 1998, 1999, 2000 Ingo Molnar */
 Copyright 2004 PMC-Sierra
 Copyright (C) 2000-2002 Lineo * by Stuart Lynne, Tom Rushworth, and Bruce Balden

(C) Copyright Greg Kroah-Hartman 2002-2003 * * NOTE! This is not actually a driver at all, rather this is * just a collection of helper routines that implement the * generic USB things that the re
 Copyright (C) 1999-2000, 2002-2003 Hewlett-Packard Co. * David Mosberger-Tang <davidm@hpl.hp.com>
 (C) 2004-2005 Luca Risolia"
 Copyright (C) 1996 David S. Miller (davem@caipfs.rutgers.edu)
 Copyright (C) 1999,2000 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Holger Smolinski (Holger.Smolinski@de.ibm.com), * Martin Schwidefsky (schwidefsky@de.ibm.com)
 Copyright (C) 1995-1998 Jean-loup Gailly. * For conditions of distribution and use, see copyright notice in zlib.h */
 Copyright abandoned, 1998, Michael Elizabeth Chastain <mailto:mec@shout.net>.
 (c) Copyright 1999 Alan Cox <alan.cox@linux.org> * * Based heavily on SonicVibes.c:
 Copyright (c) 2001 Adaptec Inc. * All rights reserved
 Copyright (c) 2001 La Monte H.P. Yarroll * * This file is part of the SCTP kernel reference Implementation
 Copyright (C) 1995-2005 Russell King
 Copyright (C) 1995-1997 Olaf Kirch <okir@monad.swb.de> */
 Copyright (C) 2001 Wolfgang Scherr <scherr@net4you.at> * * \$Id: zr36016.c,v 1.1.2.14 2003/08/20 19:46:55 rbultje Exp \$
 (c)Copyright 1992 Hewlett-Packard Co. *
 Copyright (C) 2003 Peter Milne, D-TACQ Solutions Ltd * <Peter dot Milne at D hyphen TACQ dot com> * * With acknowledgements to i2c-algo-ibm_ocp.c by * Ian DaSilva, MontaVista S
 Copyright (C) 2004 Jean Delvare <khali@linux-fr.org>
 Copyright (c) 2003 Hitoshi Yamamoto */
 (C) 2004 Dominik Brodowski <linux@brodo.de>
 Copyright (C) 1997 Olaf Kirch <okir@monad.swb.de> */
 Copyright (C) 2001-2003 Red Hat, Inc. * Created by Arjan van de Ven <arjanv@redhat.com> *
 (C) Copyright Gregory P. Smith 1999
 Copyright (C) 2001 Benjamin Herrenschmidt * * Based on dummy_cs.c 1.27 2000/06/12 21:27:25
 Copyright (C) 1999-2002 Hewlett-Packard Co * Stephane Eranian <eranian@hpl.hp.com> * David Mosberger-Tang <davidm@hpl.hp.com>
 Copyright (C) 2001,2002,2004 Greg Kroah-Hartman (greg@kroah.com)
 copyright(struct cdrom_device_info{ int ret; u_char buf[8]; struct packet_command cgc; struct cdrom_device_ops *cdo = cdi->ops;
 Copyright (C) 2002 Hewlett-Packard Development Group, L.P.
 Copyright (c) 2000 by Silicon Graphics, Inc.
 Copyright (C) 1997, 1999, 2000, 2001 Ralf Baechle
 Copyright (c) 2005 Misha Zhilin <misha@epiphan.com>
 Copyright(C) 1996 Eddie C. Dost
 Copyright by Ton van Rosmalen
 Copyright (C) 2000 Deep Blue Solutions Ltd
 Copyright (C) 1995, 96, 97, 98, 99, 2000, 01, 02, 03 by Ralf Baechle */#ifndef _ASM_IRQ_H#define _ASM_IRQ_H
 Copyright (c) 2002-3 Open Source Development Labs
 Copyright (C) 1998-2001 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com>
 */#include <linux/config.h>
 Copyright (c) 1995-2003 Silicon Graphics, Inc. All Rights Reserved
 Copyright (C) 1998, 1999, 2001, 2003 Ralf Baechle
 Copyright (C) 2004 Nokia Corporation * Written by Tony Lindgren <tony@atomide.com> * Major cleanups by Juha Yrjölä <juha.yrjola@nokia.com> * * Completely re-written to support various OMAP chips w
 copyright string in the executable of your product. */struct internal_state;
 Copyright (C) 2000 Stuart Menefy <stuart.menefy@st.com>
 Copyright 2000-2003 by Armin Schindler (mac@melware.de)
 Copyright (C) 2003 Arun Sharma <arun.sharma@intel.com> * * Derived from the x86_64 version
 Copyright (C) 2001 Ian da Silva, Jeremy Siegel * Based largely on io_se.c. * * I/O routine for Renesas Technology sales HS7751RVoIP
 Copyright (c) 1996, 1997 David A. van Leeuwen.
 Copyright (C) 1998 Jirka Hanika (geo@ff.cuni.cz) */
 Copyright (C) 1992 - 1997, 2000-2005 Silicon Graphics, Inc. All rights reserved
 Copyright (C) 2001 by James.Bottomley@HansenPartnership.com**-----

Copyright (C) 2002 Ralf Baechle DO1GRB (ralf@gnu.org) */#include <linux/errno.h>#include
<linux/types.h>#include <linux/socket.h>#include <linux/in.h>#include <linux/kernel.h>#include
<linux/ji

Copyright (C) 1996-1998 Russell King.

Copyright (C) 2002 Intel Corp.

(C) 2002 Robert Kaiser <rkaiser@sysgo.de> * * NAND support by Christian Gan <cgan@iders.ca>

(C) SK" ;#define LINT_USE(x)#else#define LINT_USE(x) (x)=(x)#endif#define MS2BCLK(x)
((x)*12500L)

Copyright (c) 1997 Dan Malek <dmalek@jlc.net> * PowerPC 8xx modifications.

(c) Copyright 1995 Alan Cox <alan@lxorguk.ukuu.org.uk> * * Release 0.10.

Copyright (c) 2000,2001 Wolfgang Denk (wd@denx.de) */

Copyright (C) 2001 Mike Corrigan * * Rewrite, cleanup, new allocation schemes, virtual merging:

Copyright (C) 2000 Geert Uytterhoeven <geert@sonycom.com> * Sony Software
Development Center Europe (SDCE), Brussels */#include <asm/asm.h>#include
<asm/mipsregs.h>#include <a

Copyright (C) 2002 Intel

Copyright (C) 2002 Richard Hirst <rhirst at parisc-linux.org>

Copyright (C) The Weather Channel, Inc. 2002. All Rights Reserved

Copyright (C) 1995-2001 Russell King * 2001-2002 Keith Owens * 2003 Ian Molton *

* Generate definitions needed by assembly language modules. * This code gene

Copyright (C) 1998,99 Takashi Iwai <tiwai@suse.de> ,

Copyright (C) Cort Dougan 1999.

Copyright */

Copyright (c) 2001 Eric Brower (ebrower@usa.net) *

(C) 2000 by Harald Welte <laforge@gnumonks.org>

Copyright 2003 mjander * mjander@users.sourceforge.net * * A3D. You may think i'm crazy, but this
may work someday. Who knows...

Copyright (C) 1995 1996 Heiko Schlittermann <heiko@lotte.sax.de>

Copyright (C) 2003 Greg Ungerer <gerg@snapgear.com>

Copyright (c) 2003 Vojtech Pavlik <vojtech@suse.cz>

Copyright 1999 Philipp Rumpf (prumpf@tux.org)

Copyright (C) 2003 - 2005 Nokia Corporation * Written by Tony Lindgren <tony@atomide.com> * *
Modified for clock framework by Paul Mundt <paul.mundt@nokia.com>.

Copyright (C) 2003-2004 MontaVista Software, Inc. * * Original Author: Naeem M Afzal
<naeem.m.afzal@intel.com> * Maintainer: Deepak Saxena <dsaxena@plexity.net>

Copyright (C) 2000 Niibe Yutaka * * CqREEK IDE/ISA Bridge Support.

Copyright (C) 2003, 2004 Ralf Baechle */#ifndef __ASM_MACH_IP27_MANGLE_PORT_H#define
__ASM_MACH_IP27_MANGLE_PORT_H

Copyright Darryl Miles G7LED (dlm@g7led.demon.co.uk) */#include <linux/config.h>#include
<linux/module.h>#include <linux/moduleparam.h>#include <linux/errno.h>#include
<linux/types.h>#include <

Copyright (C) 2004 Jochen Friedrich <jochen@scram.de> * * This code has basically these routines at the
moment:

Copyright (C) 2003, 2004 Paul Mundt *

Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) *

Copyright (C) 2004 Hirokazu Takata <takata at linux-m32r.org>

Copyright (C) Hidetoshi Seto (seto.hidetoshi@jp.fujitsu.com) */

Copyright (C) 1998 by the FundsXpress, INC. * * All rights reserved

(C) Copyright 1995 1996 Linus Torvalds

Copyright (C) 2001,03 NEC Corporation

Copyright (c) 2002 Martin Diehl, <mad@mdiehl.de> ,

Copyright (C) 2004 IBM Corp. * * based on kobject.h which was:

Copyright (c) 2004, 2005 Zultys Technologies * * Based on original code by

(c) Copyright 2004, Red Hat Inc. <alan@redhat.com> * Additional fixes and clean up: Francois Romieu * *

This source has not been verified for use in safety critical systems.

Copyright (C) 1999, 2000 Silicon Graphics, Inc. */#include <linux/config.h>#include <linux/init.h>#include
<linux/kernel.h>#include <linux/sched.h>#include <linux/mm.h>#include <linux/bitops.h>

Copyright (C) 2002 by Theodore Ts * * This file is released under the GPL v2.

Copyright (c) 2001 Haroldo Gamal <gamal@alternex.com.br>

Copyright (C) 2004 Psion Teklogix
 Copyright (C) 2004, 2005 Paul Mundt <lethal@linux-sh.org>
 (c) Copyright 1997 by Carsten Paeth (calle@calle.in-berlin.de) *
 Copyright (c) 2004 Peter Nelson <rufus-kernel@hackish.org> * * Based on the work of:
 Copyright (c) 2003 by James.Bottomley@HansenPartnership.com\n" "NCR Q720:\n");
 banner = 0; } io_base = mca_device_transform_ioport(mca_dev, io_base);
 Copyright (C) 1999 Jeff Hartmann
 (C) 2002 by Harald Welte <laforge@gnumonks.org>
 Copyright (C) 2002 Ken Chen <kenneth.w.chen@intel.com> * * 1/06/01 davidm Tuned for Itanium. *
 2/12/02 kchen Tuned for both Itanium and McKinley * 3/08/02 davidm Some more tweaking
 (C) Copyright 2002, Greg Ungerer (gerg@snapgear.com) */
 Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin
 Schwidefsky (schwidefsky@de.ibm.com), * * Derived from "include/asm-i386/system.h"
 Copyright (c) 2001 La Monte H.P. Yarroll * * This abstraction carries sctp events to the ULP (sockets).
 Copyright (C) 1999-2000 Moxa Technologies (support@moxa.com.tw). * * This code is loosely based on
 the Linux serial driver, written by * Linus Torvalds, Theodore T'so and others.
 (C) Copyright (C) 2000-2001 Hugh Blemings <hugh@blemings.org>
 Copyright (C) 2001 Sysgo Real-Time Solutions GmbH
 Copyright (C) 1991, 1992 Linus Torvalds * * ext3 directory handling functions
 Copyright 1992 - 2002 Kai Makisara / 2000 - 2004 Willem Riede email osst@riede.org
 Copyright 1997--2000 Martin Mares <mj@ucw.cz> * * For more information, please consult the following
 manuals (look at * http://www.pcisig.com/ for how to get them): *
 Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) * * Receive DMA code by Takashi Oe
 <toe@unlserve.unl.edu>.
 Copyright (C) 1996 Jesper Skov (jskov@cygnus.co.uk) * * The CyberStorm SCSI driver is based on David
 S. Miller's ESP driver * for the Sparc computers.
 Copyright (C) 2000-2002 Hewlett-Packard (John Marvin)
 Copyright 1996 by Carsten Paeth <calle@calle.de>
 (C) 2003 Ian Molton
 Copyright (C) 2004 2N Telekomunikace, Ladislav Michl <michl@2n.cz> * * Code for OMAP5910 based
 VoiceBlue board (VoIP to GSM gateway).
 Copyright (C) 1998 Andrew Veliath\n");
 Copyright (C) 2003 David S. Miller (davem@redhat.com) * * Many thanks to Dominik Brodowski for fixing
 up the cpufreq * infrastructure in order to make this driver easier to implement.
 Copyright (c) by Jaroslav Kysela <perex@suse.cz> * Routines for control of ICS 2101 chip and "mixer" in
 GF1 chip *
 (C)Copyright 1998-2002 SysKonnnect GmbH.
 Copyright (C) 1996, 99 Ralf Baechle
 Copyright (C) 1999-2003 Krzysztof Halasa <khc@pm.waw.pl>
 Copyright (C) year name of author Gnomovision comes
 Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) */#ifndef __KERNEL__#ifndef
 _PPC_KGDB_H#define _PPC_KGDB_H
 Copyright (C) 1997, 1998 Krzysztof G. Baranowski * * This file contains code for read/parsing the
 superblock.
 Copyright (C) 2002 Felix Domke <tmbinc@elitedvb.net> & Andreas Oberitter
 <obi@linuxtv.org>
 Copyright (C) 1995, 96, 99, 2001 Ralf Baechle */#ifndef _ASM_IOCTL_H#define _ASM_IOCTL_H
 Copyright 2002-2004 MontaVista Software Inc.
 Copyright (C) 2004-5 Patrick Boettcher (patrick.boettcher@desy.de) * * based on GPL code from DiBcom,
 which has
 Copyright (c) by Jaroslav Kysela <perex@suse.cz> * DRAM access routines *
 Copyright (C) 2004 Antonio Mancuso <antonio.mancuso@digitaltelevision.it> * Amauri Celani
 <acelani@esseggi.net> * * DVICO FusionHDTV DVB-T1 and DVICO FusionHDTV DVB-T Lite sup
 Copyright by Klaus-Peter Nischke, ITK AG
 Copyright (C) 2002 Red Hat, Inc. */
 Copyright (C) 1991, 1992, 1993, 1994 Linus Torvalds */
 Copyright (C) 2001 MIPS Technologies, Inc. */#ifndef _ASM_HARDIRQ_H#define _ASM_HARDIRQ_H
 Copyright (c) 1999-2001 Vojtech Pavlik * * USB HIDBP Keyboard support
 Copyright 2002 by Fabrizio Gennari <fabrizio.gennari@philips.com>
 Copyright (C) 1997-1998 Russell King

Copyright 1994,1995 by Donald Becker.
 Copyright 1993-1998 NVIDIA, Corporation. All rights reserved
 Copyright (C) 1992 by Linus Torvalds * based on ideas by Darren Senn * * This used to be the part of
 array.c. See the rest of history and credits * there. I took this into a separate file and
 Copyright (C) 2004 Ralf Baechle (ralf@linux-mips.org) */#include <linux/types.h>#include
 <linux/pci.h>#include <linux/kernel.h>#include <linux/init.h>
 Copyright (C) 20yy <Allan H Trautman> <IBM Corp>
 Copyright (C) 2003-5 Red Hat, Inc. All Rights Reserved
 Copyright (C) Linus Torvalds, 1991, 1992
 Copyright (C) 1994, 1995 Waldorf Electronics GmbH
 Copyright (C) 1995 Hamish Macdonald * * 68060 fixes by Jesper Skov
 Copyright (C) 1996, 1997, 1998, 1998 Derrick J Brashear (shadow@andrew.cmu.edu) * and also
 sound/isa/cs423x/cs4231_lib.c which is:
 Copyright (C) 2001 Grant Grundler */
 Copyright (C) 2001 Miles Bader <miles@gnu.org>
 Copyright (C) 2004 Sascha Hauer, Pengutronix
 Copyright (c) by Francisco Moraes <fmoraes@nc.rr.com>
 Copyright (C) 2004 Paul Mackerras (paulus@samba.org) and
 Copyright (C) 1997-2000 Klaus Kudielka * * S5SCC/DMA support by Janko Koleznik S52HI
 Copyright (c) 2002 - 2004 Hitoshi Yamamoto */
 Copyright (c) 1999-2000, Dag Brattli <dagb@cs.uit.no>
 Copyright (C) 2000, 2002-2003 Intel Co * Asit Mallick <asit.k.mallick@intel.com> * Suresh Siddha
 <suresh.b.siddha@intel.com> * Kenneth Chen <kenneth.w.chen@intel.com> * Fenghua Yu <
 Copyright 2001 MontaVista Software Inc. * Author: Jun Sun, jsun@mvista.com or jsun@junsun.net * *
 arch/mips/ddb5xxx/ddb5477/irq_5477.c * This file defines the irq handler for Vrc5477.
 Copyright (c) 2004 Jaroslav Kysela <perex@suse.cz>
 Copyright (C) 2002-2005 Dave Jones.
 Copyright 1993, Drew Eckhardt * Visionary Computing * (Unix and Linux consulting and custom
 programming) * drew@colorado.edu * +1 (303) 666-5836 * * DISTRIBUTION RELEASE 6.
 Copyright 2004 Ralf Baechle <ralf@linux-mips.org> * * Board specific definitions for the PMC-Sierra
 Yosemite
 Copyright (C) 1997 Richard Hirst * * based on amiints.c -- Amiga Linux interrupt handling code
 Copyright (C) 1996,1997,1998 Russell King.
 Copyright (C) International Business Machines Corp., 2003
 Copyright : (c) Specialix International Ltd. 1998/*
 / Description : Prototypes, structures and definitions
 / describing the SX/SI/XIO cards shared */*
 memory window structure:
 Copyright (c) 2005 Silicon Graphics, Inc. All Rights Reserved
 Copyright 2001 MontaVista Software Inc. * Author: MontaVista Software, Inc. *
 ahennessy@mvista.com *
 Copyright (c) 2001, 2002 by D-Link Corporation
 Copyright (C) 1996-1998 Erik Andersen <andersee@debian.org>
 Copyright (C) 2000, 2001, 2002 Jeff Dike (jdike@karaya.com) and
 Copyright (C) 1992, 1998-2004 Linus Torvalds, Ingo Molnar * * This file contains the interrupt probing code
 and driver APIs.
 Copyright (C) 2001-2002 Convergence Integrated Media GmbH Holger Waechtler
 <holger@convergence.de>
 Copyright (C) 2003 Fenghua Yu <fenghua.yu@intel.com> * - Change pt_regs_off() to make it less
 dependant on pt_regs structure. */
 Copyright (c) Altera Corporation 2000. * All rights reserved
 Copyright (C) 2001 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Fritz Elfert
 <felfert@millenium.com> <elfert@de.ibm.com> *
 copyright etc. Add this string into the table below. The parameters in the table are, in order:
 Copyright (C) 2004 Silicon Graphics, Inc.
 Copyright (c) 2004 Sascha Hauer <sascha@saschahauer.de> * * blinky lights for IMX-based systems
 Copyright (C) 2004 Red Hat, Inc. All rights reserved
 Copyright 2000 MontaVista Software Inc. * Author: MontaVista Software, Inc. * ppopov@mvista.com
 or source@mvista.com *

Copyright (C) 1996, 1997 Claus-Justus Heine.
 Copyright (c) 2001-2003 Patrick Mochel <mochel@osdl.org> * * This file is released under the GPLv2
 Copyright 2003 Adam Belay <ambx1@neo.rr.com> *
 Copyright (C) 1998-99 Anton Blanchard (anton@progsoc.uts.edu.au) */
 Copyright (C) Barak A. Pearlmutter. * Released under the GPL version 2 or later. * * Chopped about by
 Alan Cox 22/3/96 to make it fit the AF_UNIX socket problem. * If it doesn't work blame me, it
 Copyright (C) 2001, 2003 Rusty Russell IBM Corporation.
 Copyright 1993, Drew Eckhardt * Visionary Computing * (Unix and Linux consulting and custom
 programming) * drew@colorado.edu * +1 (303) 666-5836 * * (Based on T128 -
 DISTRIBUTION RELEASE
 Copyright (C) 2004 Stephen Rothwell IBM Corporation * * This modules exists as an interface between a
 Linux secondary partition * running on an iSeries and the primary partition's Virtual Service
 Copyright 1996 Roman Zippel
 Copyright (C) 1995 Waldorf Electronics
 Copyright (C) International Business Machines Corp., 2005
 Copyright (C) 2000 Philipp Rumpf
 Copyright (C) 2001 Dave Engebretsen
 Copyright (c) 2003 Open Source Development Lab * * This file is released under the GPL v2.
 Copyright (C) 1996, Olaf Kirch <okir@monad.swb.de> */
 Copyright (C) 2000 Martin K Petersen <mkp at mkp.net>
 (C) Copyright 2000-2002 David Brownell <dbrownell@users.sourceforge.net>
 Copyright (C) Hans Alblas PE1AYX (hans@esrac.ele.tue.nl)
 Copyright (C) 1996,1998 Jakub Jelinek (jj@sunsite.mff.cuni.cz)
 Copyright (C) 2004 Nokia Corporation * Author: Samuel Ortiz <samuel.ortiz@nokia.com> *
 Copyright (C) 1999 SuSE GmbH (Philipp Rumpf, prumpf@tux.org)
 Copyright (C) 2003-2004 Jean Delvare <khali@linux-fr.org> * * The ADM1025 is a sensor chip made by
 Analog Devices. It reports up to 6 * voltages (including its own power source) and up to two temp
 Copyright (C) 2004, Stephen Hemminger <shemminger@osdl.org>
 Copyright (C) 1995 by Ralf Baechle */#ifndef _ASM_SYSMIPS_H#define _ASM_SYSMIPS_H
 (C) Copyright 1987 Seagate", 15, 37, SEAGATE
 (C) 1996 Gordon Chaffee * * Joliet: Microsoft's Unicode extensions to iso9660
 Copyright (C) 2000 YAGASHI Takeshi * and setup_cqreek.c which bore message:
 Copyright (C) 1998 Eddie C. Dost (ecd@skynet.be) * * ppc64 changes: *
 Copyright 2000,2001 Jeff Garzik <jgarzik@pobox.com>
 Copyright (C) 1993 Bjoern Brauel * Roman Hodek * * with work by
 Guenther Kelleter * Martin Schaller * Andreas Schwab
 (C) 2004 by Eric Lemoine (eric.lemoine@gmail.com) * * TODO: * - Now that the driver was significantly
 simplified, I need to rework * the locking. I'm sure we don't need _2_ spinlocks, and we
 Copyright (c) by Jaroslav Kysela <perex@suse.cz> * * BUGS:
 Copyright 2000 - 2001 Kanoj Sarcar (kanoj@sgi.com) */#include <linux/config.h>#include
 <linux/init.h>#include <linux/mmzone.h>#include <linux/kernel.h>#include <linux/nodemask.h>#include
 <linux
 copyright 1989 Regents of the University of California.\n");#endif#ifdef CONFIG_SLIP_SMART
 printk(KERN_INFO "SLIP linefill/keepalive option.\n");#endif
 Copyright 1996,1997 Jan-Pascal van Best and Andreas Mohr.
 Copyright (c) 2000 Mark Fletcher */
 (c) Copyright 2002 Justin Cormack <justin@street-vision.com> * * Release 0.02
 Copyright (c) by Tugrul Galatali <galatali@stuy.edu>, * Jaroslav Kysela <perex@suse.cz> *
 Based on card-4232.c by Jaroslav Kysela <perex@suse.cz> *
 copyright abandoned. Code was
 Copyright (C) Jenna Hall (jenna.s.hall@intel.com) *
 Copyright (C) 1995-1998 Stallion Technologies
 Copyright (C) 1998, 1999 Russell King, Phil Blundell */#include <linux/config.h>#include
 <linux/module.h>#include <linux/ioport.h>#include <linux/kernel.h>#include <linux/delay.h>#include
 <linu
 Copyright (C) 2001 Greg Kroah-Hartman <greg@kroah.com>
 copyright information. */#include "flexcop.h"
 Copyright (c) International Business Machines Corp., 2002,2005
 Copyright (C) 1999 Tetsuya Okada */

Copyright (c) 1997, 1998 Justin T. Gibbs. * All rights reserved
 Copyright (C) 1998, 1999 Richard Henderson * * Code supporting the EB64+ and EB66.
 Copyright (c) 2003 Open Source Development Lab * * This file is released under the GPLv2
 Copyright (C) 2002 Stuart Menefy <stuart.menefy@st.com>
 copyright; see LICENSE.FlashPoint for details. * * \$Workfile: automate.c \$
 Copyright (C) 2003 Geert Uytterhoeven * * Loosely based on drivers/pci/pci-driver.c
 Copyright (C) 1992 Theodore Ts * * May be freely distributed as part of Linux.
 Copyright (c) 1999-2000 by Takashi Iwai <tiwai@suse.de>
 copyright; see LICENSE.FlashPoint for details. * * \$Workfile: scsi2.h \$
 (C) 1999-2003 David Woodhouse <dwmw2@infradead.org>
 Copyright (c) 1999-2004 Vojtech Pavlik
 Copyright (C) 2001 Nicolas Pitre *
 Copyright (c) 2000 Clifford Wolf <clifford@clifford.at>
 Copyright (C) 2001-2002 Andre Hedrick <andre@linux-ide.org>
 Copyright (C) 1999 Silicon Graphics, Inc. */#ifndef _ASM_TYPES_H#define _ASM_TYPES_H
 Copyright (c) International Business Machines Corp., 2001
 Copyright (C) 1994 Linus Torvalds * * Pentium III FXSR, SSE support * General FPU state handling
 cleanups * Gareth Hughes <gareth@valinux.com>, May 2000
 (C) SysKonnect."#endif
 Copyright (C) 1995, 1996, 1997, 1998, 1999, 2001, 2002, 2003 Ralf Baechle
 Copyright (C) 2003 PMC-Sierra Inc.
 Copyright (c) 2000-2001 Enver Haase <ehaase@inf.fu-berlin.de>
 (C) Copyright 2002, Greg Ungerer (gerg@snapgear.com) * * rather than dedicate a register (as the
 m68k source does), we * just keep a global, we should probably just change it all to be *
 current
 Copyright (C) 1999 Stephane Eranian <eranian@hpl.hp.com> * * Based on skeleton from the
 drivers/char/rtc.c driver by P. Gortmaker
 Copyright 1993 by OpenVision Technologies, Inc. * * Permission to use, copy, modify, distribute, and sell
 this software * and its documentation for any purpose is hereby granted without fee, * pro
 Copyright (C) 2003 PathScale, Inc.
 Copyright (C) 2004 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin
 Schwidefsky (schwidefsky@de.ibm.com) */
 Copyright (c) 2002, Axis Communications AB * All rights reserved
 Copyright (c) 2004 MIPS Inc
 (C) 2002 Hirokazu Takahashi <taka@valinux.co.jp> */
 Copyright (C) 2002, 2003 Paul Mundt
 (C) 1998 Thomas Bogendoerfer * * This driver is based on tgafb.c
 Copyright (c) 1998-2003 InnoSys Incorporated. All Rights Reserved
 Copyright 2002 by Andi Kleen, SuSE Labs * with some code from asm-i386/checksum.h */
 Copyright (C) 2003-2004 Intel Corporation * * All rights reserved
 Copyright (C) 1994-1998 Linus Torvalds
 Copyright (C) 2003 Benjamin Herrenschmidt (benh@kernel.crashing.org)
 Copyright (C) 1996, 1997 by Andrew Bose * * Linux kernel version history:
 Copyright (C) 2003 Nokia Corporation * * Written by Juha Yrjölä <juha.yrjola@nokia.com>
 Copyright (C) 1999, 2000 Axis Communications, Inc. * * Created by Finn Hakansson <finn@axis.com>.
 Copyright (C) 2001 Helge Deller <deller@parisc-linux.org>
 Copyright (C) 1997, 1998, 1999, 2000 Ralf Baechle
 (c) Copyright 2001 Grant Grundler (c) Copyright * 2001 Hewlett-Packard Company *
 Copyright (C) 2003 Deep Blue Solutions Ltd
 Copyright status#define AC97_SC_PRE 0x0008 /* Preemphasis status */#define
 AC97_SC_CC_MASK 0x07f0 /* Category Code mask */#define AC97_SC_L 0x080
 copyright * conflicts with Linux. * * This file makes liberal use of the standard linux utility * routines to
 reduce the size of the binary. We assume we can * trust some parts of Linux inside t
 Copyright (C) 2003 Marcel Holtmann <marcel@holtmann.org> *
 Copyright 2001 Kai Germaschewski <kai@tp1.ruhr-uni-bochum.de>
 Copyright (c) 2002, 2003 Maciej W. Rozycki
 Copyright (C) 2000 Sam Creasey <sammy@sammy.net>
 Copyright (C) 1993 Linus Torvalds * * Delay routines calling functions in arch/s390/lib/delay.c
 Copyright (c) 2004 Mark McClelland <mark@alpha.dyndns.org>

Copyright (c) 2002 The Regents of the University of Michigan * * \$Id\$
 Copyright (C) 2002 Khalid Aziz <khalid_aziz@hp.com>
 (C) Copyright 2000-2003 IBM Corporation * * This code is used by the iSeries virtual disk, cd, * tape, and console to communicate with OS/400 in another * partition.
 Copyright (C) 2002 Hiroshi Aono (h-aono@ap.jp.nec.com)
 Copyright (c) International Business Machines Corp., 2002,2004
 Copyright 1992-1996, 1998 Rickard E. Faith (faith@acm.org)
 Copyright 2003 NVIDIA, Corporation. All rights reserved
 Copyright (C) 1999 Stuart Menefy <stuart.menefy@st.com>
 (c) Copyright 2002 Zwane Mwaikambo <zwane@commfireservices.com>,
 Copyright (c) 1998-2005 Vojtech Pavlik */
 Copyright (C) 1995 Eric Schenk, Bruno Haible * * IMPLEMENTATION NOTES ON CODE REWRITE (Eric Schenk, January 1995):
 Copyright (c) 2002 Thibaut Varenne <varennet@parisc-linux.org> * * Pieces of code based on linux-2.4's hp_mouse.c & hp_keyb.c
 Copyright (C) 1996 David S. Miller (dm@engr.sgi.com) */#include <linux/init.h>#include <linux/kernel.h>
 Copyright (C) 2000 Silicon Graphics, Inc. * Written by Ulf Carlsson (ulfc@engr.sgi.com) * sys32_execve from ia64/ia32 code, Feb 2000, Kanoj Sarcar (kanoj@sgi.com) */#include <linux/config.h>#incl
 Copyright (c) 2001-2002 International Business Machines, Corp.
 Copyright (C) 2003, 2004 IBM Corporation
 Copyright 2003 mjander * mjander@users.sourceforge.org
 *****/
 Copyright (C) 1999 Richard Zidlicky * * originally based on: *
 Copyright 2002 Karsten Merker <merker@debian.org> * * PMAG-AA TurboChannel framebuffer card support ... derived from
 Copyright (C) 2004 David S. Miller <davem@redhat.com> * * Based heavily upon x86 variant which is:
 (C) 1999 Thomas Bogendoerfer (tsbogend@alpha.franken.de) */
 Copyright (C) 2000 Atom Create Engineering Co., Ltd. * * Renesas Technology Sales RTS7751R2D support
 Copyright (c) 2004 Michal Ludvig <michal@logix.cz> * * Key expansion routine taken from crypto/aes.c
 Copyright (C) 1993, 1994 by Hamish Macdonald * * 68040 fixes by Michael Rausch * 68040 fixes by Martin Apel * 68040 fixes and writeback by Richard Zidlicky * 68060 fixes by Roman Hodek * 68
 Copyright (C) Andrew Tridgell 1992-2000
 Copyright (C) 2005 Jeff Dike <jdike@addtoit.com>
 Copyright (C) 2000-2002 Mark Lord <mlord@pobox.com>
 Copyright (C) People who wrote linux/arch/i386/kernel/sys_i386.c
 Copyright (C) 2002 Yoshinori Sato <ysato@users.sourceforge.jp>, * * Based on: *
 Copyright (C) 2004 Olof Johansson, IBM Corporation * and Ben. Herrenschmidt, IBM Corporation
 * * Dynamic DMA mapping support, bus-independent parts.
 Copyright (c) 1999-2003 Petko Manolov - Petkan (petkan@users.sourceforge.net)
 Copyright (C) 2001, 2004 IBM Corporation * Author(s): Robert Burroughs (burrough@us.ibm.com) * Eric Rossman (edrossma@us.ibm.com) * * Hotplug & misc device support: Jochen Roehrig (C) Copyright 2002 Alan Cox <alan@redhat.com> */
 Copyright (C) 2004 Arnd Bergmann (arnd@arndb.de) * * This code is collected from the versions for sparc64, mips64, s390x, ia64, * ppc64 and x86_64, all of which are based on the original sparc64 v
 Copyright Jonathan Naylor G4KLX (g4klx@g4klx.demon.co.uk) */#include <linux/config.h>#include <linux/module.h>#include <linux/proc_fs.h>#include <linux/kernel.h>#include <linux/sched.h>#include
 Copyright (C) 2005 by Thomas Winischhofer, Vienna, Austria
 Copyright (C) 1999 Silicon Graphics, Inc. */#ifndef _ASM_SIGCONTEXT_H#define _ASM_SIGCONTEXT_H
 Copyright (C) 1999 IBM Deutschland Entwicklung GmbH, IBM Corporation * Author(s): Martin Schwidewsky <schwidewsky@de.ibm.com> */
 (C) Copyright Alan Cox. Released under the GPL version 2. * * Alan Cox: Updated for new modular code. Removed snd_* irq handling. Now * uses native linux resources *
 Christoph Hellwig: Adapted
 Copyright (C) 1997 by
 Copyright (c) 2004 PeiSen Hou <pshou@realtek.com.tw>
 Copyright 1995,96 Thinking Objects Software GmbH Wuerzburg
 Copyright (C) 1996 * Adrian Rodriguez (adrian@franklins-tower.rutgers.edu) * Laboratory for Computer Science Research Computing Facility * Rutgers, The State University of New Jersey * * \$Id: ufs

Copyright (C) 1998 Jakub Jelinek (jj@ultra.linux.cz) */
 Copyright (C) 2004 Red Hat, Inc. All Rights Reserved
 Copyright (C) 1995 Linus Torvalds
 Copyright (C) 2003-2004 Dennis Noermann <dennis.noermann@noernet.de>
 Copyright (C) 2000-2003 Silicon Graphics, Inc. All rights reserved
 Copyright (C) 2001 Randolph Chung <tausq@debian.org>
 copyright by their * authors. Thanks to Matt Dharm for giving us permission! * * This driver implements a
 SCSI host controller driver and a USB * device driver. To avoid confusion, all the USB rel
 Copyright (C) 2003 Thomas Gleixner <tglx@linutronix.de> * 2003 Robert Schwebel
 <r.schwebel@pengutronix.de> * 2004 Sascha Hauer <s.hauer@pengutronix.de> * * Architecture
 specific st
 Copyright (c) by Jaroslav Kysela <perex@suse.cz> * Routines for control of CS4231(A)/CS4232/InterWave
 & compatible chips * * Bugs:
 Copyright (C) 1999-2002 Ralph Metzler * & Marcus Metzler for convergence integrated
 media GmbH * * 26feb2004 Support for FS Activy Card (Grundig tuner) by * Michael Dreher
 <michael@5dot1.
 Copyright (C) 1991, 1992 Linus Torvalds * * and parts of the affs filesystem additionally
 Copyright (C) 1997 Eddie C. Dost (ecd@skynet.be) * * Driver layout based loosely on tga_fb.c, see that file
 for credits.
 Copyright 2001 Compaq Computer Corporation
 Copyright 1999-2000 Jaroslav Kysela <perex@suse.cz>
 Copyright (C) 2004 by Ralf Baechle (ralf@linux-mips.org) */#include <linux/config.h>#include
 <linux/kernel.h>#include <linux/init.h>#include <linux/interrupt.h>#include <linux/pci.h>#include <l
 Copyright 2003 Richard Curnow, SuperH (UK) Ltd.
 Copyright 2000 by Hans Reiser, licensing governed by reiserfs/README * * Trivial changes by Alan Cox to
 remove EHASHCOLLISION for compatibility
 (C) 1998 Alan Cox * * Debugging Andreas Ehliar, Michael Schmitz
 (C) David Hinds.
 Copyright (C) 1999 Harald Koerfgen
 Copyright 2002 MontaVista Software * Author: MontaVista Software, Inc. * ppopov@mvista.com
 or source@mvista.com *
 Copyright 2003 mjander * mjander@users.sourceforge.net
 *****/
 Copyright 2001 Compaq Computer Corporation.
 Copyright (C) 1994, 95, 96, 97, 98, 99, 2000, 2003 Ralf Baechle
 Copyright (C) 2002 Sistina Software (UK) Limited. * * This file is released under the GPL.
 Copyright (C) 1998-2003 Hewlett-Packard Co * David Mosberger-Tang <davidm@hpl.hp.com> *
 Stephane Eranian <eranian@hpl.hp.com> */#ifndef ssc_h#define ssc_h
 Copyright 1997.
 Copyright 2003 Digi International (www.digi.com) *
 Copyright (C) 2005 Matthias Urlichs <smurf@smurf.noris.de>
 Copyright (C) 1998-2000 Russell King, Dave Gilbert.
 (C) 2003 Ardis Technologies <roman@ardistech.com>
 Copyright (c) 2002 Richard Russon
 Copyright (C) 2002 Herbert Valerio Riedel <hvr@gnu.org>
 Copyright (C) 2003 Maxim Krasnyansky <maxk@qualcomm.com>
 Copyright (C) 1995-2000 Simon G. Vogl
 Copyright (C) 2000 Philipp Rumpf <prumpf@tux.org>
 Copyright (C) 1999 Alpha Processor, Inc., * (David Daniel, Stig Telfer, Soohoon Lee) * *
 Code supporting NAUTILUS systems.
 Copyright (C) 2003 by Ralf Baechle */#ifndef __ASM_MACH_JAZZ_PARAM_H#define
 __ASM_MACH_JAZZ_PARAM_H
 Copyright (C) 2004 Novell, Inc. All rights reserved
 Copyright (C) 2003-2004 Jean Delvare <khali@linux-fr.org> * * Inspired from the lm83 driver. The
 W83L785TS-S is a sensor chip made * by Winbond. It reports a single external temperature with a 1 d
 Copyright (C) 2000 Takashi YOSHII
 Copyright (C) 1995 David S. Miller (davem@caip.rutgers.edu) * * SunOS compatibility based upon
 preliminary work which is: *
 Copyright (C) 1997 Richard G * * binfmt_misc detects binaries via a magic or filename extension and

invokes * a specified wrapper. This should obsolete binfmt_java, binfmt_em86 and * binfmt_mz.
Copyright (c) 2002-2003 Silicon Graphics, Inc. All Rights Reserved
Copyright (c) 2003 Takashi Iwai <tiwai@suse.de>
Copyright (C) 1991, 1992 Linus Torvalds * * GK 2/5/95 - Changed to support mounting root fs via NFS *
Added initrd & change_root: Werner Almesberger & Hans Lermen, Feb '96 * Moan early if gc
Copyright (C) 2002,2003 Suresh Siddha <suresh.b.siddha@intel.com> */
Copyright 2000 MontaVista Software Inc.
Copyright (c) Matthew Wilcox 2003 */
Copyright (C) 1994 by Hamish Macdonald
(C) Copyright 2002,2004 Greg Kroah-Hartman
Copyright (C) 2004 Stelian Pop <stelian@popies.net>
linux-misc 20050611 unknown:undefined
Copyright 1997, 1999, 2000, 2001 Free Software Foundation, Inc.
Copyright (C) 2001, 2002, 2003 Free Software Foundation, Inc.
Copyright (C) year name of author
Copyright 2001 Free Software Foundation, Inc.
Copyright (C) 2003-2005 Takahiro Hirofuchi <taka-hir@is.naist.jp>
Copyright (C) 1994, 1995, 1996, 1999, 2000, 2001, 2002 Free SoftwareFoundation, Inc.
Copyright (C) 1989, 1991 Free Software Foundation, Inc.
Copyright 1999, 2000, 2001, 2002 Free Software Foundation, Inc.
Copyright 1996, 1997, 2000, 2001 Free Software Foundation, Inc.
Copyright (C) 1994 X Consortium
Copyright (c) <2005>, <W. Richard Stevens, Scott Balneaves> * All rights reserved
Copyright 2002 Free Software Foundation, Inc.
Copyright 2001, 2002 Free Software Foundation, Inc.
Copyright (C) 1999, 2000, 2001, 2002, 2003 Free Software Foundation, Inc.
Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2002# Free Software Foundation, Inc.# This file is free
software; the Free Software Foundation# gives unlimited permission to copy and/or distribut
Copyright (C) 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003
Copyright 1997, 2000, 2001 Free Software Foundation, Inc.
Copyright (C) 2003 Free Software Foundation, Inc.
Copyright (C) 2003-2005 Takahiro Hirofuchi <taka-hir@is.naist.jp> *

This statement aims to inform its reader of the FOSS components used in the specified Moxa products. The above descriptions do not imply any partnership relationships between Moxa and the noted third parties. If you have any questions concerning this statement, please contact us via <https://www.moxa.com/en/support/technical-support>.

© [2022] Moxa Inc. All rights reserved.