Moxa Inc.
13F, No. 3, Sec. 4, New Taipei Blvd., Xinzhuang Dist.
New Taipei City 242032, Taiwan, R.O.C.
Tel: +886-2-8919-1230
Fax: +886-2-8522-8623
www.moxa.com

Product Discontinuance Notification—PDN# 0000453227
October 01, 2026

Dear Valued Customer,

We would like to inform you that the EDS-305 Series and EDS-308 Series will reach their End of Life (EoL) phase, starting September 30, 2027.

This transition is driven by Moxa's ongoing initiative to streamline product line management, optimize our product portfolio, and ensure more efficient long-term support for customers.

If you need any of these products for an existing project, please contact your Moxa sales representative to place orders before the last-buy date of September 30, 2027. Also, please note that last-buy orders may be subject to availability.

The End of Service (EoS) date will be September 30, 2033. Following this date, all support services—including technical assistance and new security fixes—will no longer be available. Hardware warranty, repair, and replacement services remain subject to the standard warranty policy for these products.

Please review the details below to determine how these discontinuances will affect your products and/or operations.

Which products will reach EoL?

The following products will reach EoL. Also, see the models recommended to replace those models that will soon reach EoL, as well as when the replacement models will be available for order.

EOL	Recommended Replacement	Available for Order
EDS-305 Series (EDS-305(-T), EDS-305-M-SC(-T), EDS-305-M-SC/KC, EDS-305-M-ST-(T), EDS-305-S-SC(-T), EDS-305-S-SC-80)	**EDS-2005-ML Series** (EDS-2005-ML(-T), EDS-2005-ML-M-SC(-T), EDS-2005-ML-M-ST-(T), EDS-2005-ML-S-SC(-T))	Available in 2027 Q1
EDS-308 Series (EDS-308(-T), EDS-308/KC, EDS-308-M-SC(-T), EDS-308-MM-SC(-T), EDS-308-MM-	**EDS-2008-ML Series** (EDS-2008-ML(-T), EDS-2008-ML-M-SC(-T), EDS-2008-ML-MM-SC(-T), EDS-2008-ML-M-ST-(T), EDS-2008-ML-MM-ST(-T),	Available in 2027 Q1

Moxa Inc.
13F, No. 3, Sec. 4, New Taipei Blvd., Xinzhuang Dist.
New Taipei City 242032, Taiwan, R.O.C.
Tel: +886-2-8919-1230
Fax: +886-2-8522-8623
www.moxa.com

ST(-T), EDS-308-S-SC(-T), EDS-308-SS-SC(-T), EDS-308-SS-SC-80)	EDS-2008-ML-S-SC(-T), EDS-2008-ML-SS-SC(-T)	

Applicable differences in specifications

In this table, we list the differences in specifications between the EoL products and the recommended replacement products.

Specification	EDS-305 Series (EoL)	EDS-2005-ML Series (Replacement)
Dimensions	53 x 135 x 105 mm	25 x 135 x 95 mm
Casing	IP 30	IP 40
10/100BaseT(X) Ports	Up to 5 RJ-45 ports	Up to 5 RJ-45 ports
100BaseFX Ports	Up to 1 multi-mode SC/ST connector or single-mode SC connector	Up to 1 multi-mode SC/ST connector or single-mode SC connector
DIP Switch Configuration	Port Break Alarm	Port Break Alarm, Broadcast Storm Protection (BSP), Quality of Service (QoS), Energy-Efficient Ethernet (EEE)
Certifications	UL 61010-2-201, EN 62308-1, Hazardous Location (Class I Division 2, ATEX, IECEx), Maritime (DNV)	UL 61010-2-201, EN 62368-1, Hazardous Location (Class I Division 2, ATEX, IECEx), Maritime (DNV, LR, ABS, NK), EN 50121-4, NEMA TS2

Specification	EDS-308 Series (EoL)	EDS-2008-ML Series (Replacement)
Dimensions	53 x 135 x 105 mm	Full RJ-45 ports: 25 x 135 x 95 mm With fiber ports: 36 x 135 x 95 mm
Casing	IP 30	IP 40

Moxa Inc.
13F, No. 3, Sec. 4, New Taipei Blvd., Xinzhuang Dist.
New Taipei City 242032, Taiwan, R.O.C.
Tel: +886-2-8919-1230
Fax: +886-2-8522-8623
www.moxa.com

10/100BaseT(X) Ports	Up to 8 RJ-45 ports	Up to 8 RJ-45 ports
100BaseFX Ports	Up to 2 multi-mode SC/ST connectors or single-mode SC connectors	Up to 2 multi-mode SC/ST connectors or single-mode SC connectors
DIP Switch Configuration	Port Break Alarm	Port Break Alarm, Broadcast Storm Protection (BSP), Quality of Service (QoS), Energy-Efficient Ethernet (EEE)
Certifications	UL 60950, UL 508, EN 62308-1, Hazardous Location (Class I Division 2, ATEX), Maritime (DNV)	UL 61010-2-201, EN 62368-1, Hazardous Location (Class I Division 2, ATEX, IECEx), Maritime (DNV, LR, ABS, NK), EN 50121-4, NEMA TS2

Please note that all service rules (e.g., warranty) still apply to the EoL products.

If you have any questions, please contact your regional sales representative.