

**Moxa Inc.**

13F, No. 3, Sec. 4, New Taipei Blvd., Xinzhuang Dist.
New Taipei City 242032, Taiwan, R.O.C.
Tel: +886-2-8919-1230
Fax: +886-2-8522-8623
www.moxa.com

Product Discontinuance Notification—PDN# 0000445507**July 15, 2026**

Dear Valued Customer,

We would like to inform you that the NPort IA5000 and NPort IA5000A will reach its End of Life (EoL) phase, starting May 01, 2026.

This transition is driven by two critical priorities:

- 1. Futureproof Cybersecurity Resilience:** As global security standards intensify, legacy hardware faces inherent limitations in addressing modern cyberthreats. The NPort IA5000-G2 is IEC 62443-4-1/-4-2 compliant, providing the robust, hardware-level security required for today's mission-critical networks and performance that's ready for future upgrades.
- 2. Long-term Supply Sustainability:** To uphold our commitment to long-term availability, we are migrating to new G2 platforms with more sustainable component life cycles. This move mitigates the risks associated with aging key components and ensures a stable supply for your future expansions.

If you need any of these products for an existing project, please contact your Moxa sales representative to place orders by the last-buy date of March 31, 2027. The last shipment date is September 30, 2027. Please note that last-buy orders may be subject to product availability.

The End of Service (EoS) date will be March 31, 2033. Following this date, all support services—including technical assistance, new software upgrades, and new security fixes—will no longer be available. Hardware warranty, repair, and replacement services remain subject to the standard warranty policy for these products.

Please review the details below to determine how these discontinuances will affect your products and/or operations.

Which products will be EoL?

The following products will be EoL. Also, see the models recommended to replace the soon to-be-EoL models, as well as when the replacement models will be available for order.

EOL	Recommended Replacement	Available for Order
NPort IA-5150	NPort IA5150-G2	Available now
NPort IA-5150I	NPort IA5150I-G2	



NPort IA-5150-M-SC	NPort IA5150-M-SC-G2 or NPort IA5150-SFP-G2	
NPort IA-5150I-M-SC	NPort IA5150I-M-SC-G2	
NPort IA-5150-S-SC	NPort IA5150-S-SC-G2 or NPort IA5150-SFP-G2	
NPort IA-5150I-S-SC	NPort IA5150I-S-SC-G2	
NPort IA-5150-M-ST	NPort IA5150-SFP-G2	
NPort IA-5250	NPort IA5250-G2 or NPort IA5250-TB-G2	
NPort IA-5250I	NPort IA5250I-G2 or NPort IA5250I-TB-G2	
NPort IA5150A or NPort IA5150A-IEX	NPort IA5150-G2	
NPort IA5150AI or NPort IA5150AI-IEX	NPort IA5150I-G2	
NPort IA5250A or NPort IA5250A-IEX	NPort IA5250-G2 or NPort IA5250-TB-G2	
NPort IA5250AI or NPort IA5250AI-IEX	NPort IA5250I-G2 or NPort IA5250I-TB-G2	
NPort IA5450A or NPort IA5450A-IEX	NPort IA5450-G2 or NPort IA5450-TB-G2	
NPort IA5450AI or NPort IA5450AI-IEX	NPort IA5450I-G2 or NPort IA5450I-TB-G2	

Applicable differences in specifications

In this table, we list the differences in specifications between the EoL products and the recommended replacement products.

Specification	NPort IA-5150/IA-5250 (EoL)	NPort IA5150-G2/IA5250-G2 (Replacement)
Dimensions	29 x 118.5 x 89.2 mm NPort IA-5150 NPort IA-5150I NPort IA-5250 NPort IA-5250I NPort IA-5150-M-SC NPort IA-5150I-M-SC NPort IA-5150I-S-SC NPort IA-5150-M-ST	25 x 129 x 89 mm

Specification	NPort IA5150A/IA5250A (EoL)	NPort IA5150-G2/IA5250-G2 (Replacement)
Dimensions	36 x 140 x 105 mm Technical drawings of the NPort IA5150A/IA5250A (EoL) module. The front view shows a 105 mm (4.14") wide module with a 36 mm (1.42") high connector area. The side view shows a 140 mm (5.51") deep module with a 10 mm (0.39") high connector area. The top view shows a 36 mm (1.42") wide module with a 105 mm (4.14") long connector area. Dimensions are provided in mm and inches.	25 x 129 x 89 mm Technical drawings of the NPort IA5150-G2/IA5250-G2 (Replacement) module. The front view shows a 129 mm (5.08") wide module with a 25 mm (0.98") high connector area. The side view shows a 129 mm (5.08") deep module with a 12.5 mm (0.49") high connector area. The top view shows a 25 mm (0.98") wide module with a 129 mm (5.08") long connector area. Dimensions are provided in mm and inches.

Specification	NPort IA5450A (EoL)	NPort IA5450-G2 (Replacement)
Dimensions	45.8 x 105 x 134 mm 	42 x 89 x 129 mm 

For a more detailed migration guide, including product installation, software migration guide, and product hardening guide for a guided transition toward the next-generation G2 product, see Related Support Documents>Tech Note on the Moxa official website page:

<https://www.moxa.com/en/support/product-support/software-and-documentation/search?psid=145332>

(Scan the QR code on the right to link to the above page)



Please note that all service rules (e.g., warranty) still apply to the EoL products.

If you have any questions, please contact your regional sales representative.